

Yutaka Kawahito

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4243942/yutaka-kawahito-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

133
papers

3,914
citations

29
h-index

60
g-index

139
ext. papers

4,349
ext. citations

3.8
avg, IF

4.32
L-index

#	Paper	IF	Citations
133	Risk of Adrenal Insufficiency in Patients with Polymyalgia Rheumatica Versus Patients with Rheumatoid Arthritis: A Cross-Sectional Study.. <i>Modern Rheumatology</i> , 2022 ,	3.3	2
132	Role of necroptosis of alveolar macrophages in acute lung inflammation of mice exposed to titanium dioxide nanoparticles.. <i>Nanotoxicology</i> , 2022 , 1-19	5.3	2
131	Patient satisfaction, preferences, expectations, characteristics, and impact of suboptimal control of rheumatoid arthritis: A subgroup analysis of Japanese patients from a large international cohort study (SENSE). <i>PLoS ONE</i> , 2021 , 16, e0259389	3.7	0
130	Patient satisfaction with total joint replacement surgery for rheumatoid arthritis: a questionnaire survey for the 2020 update of the Japan college of rheumatology clinical practice guidelines. <i>Modern Rheumatology</i> , 2021 , 1-6	3.3	
129	Systematic review and meta-analysis of biosimilar for the treatment of rheumatoid arthritis informing the 2020 update of the Japan College of Rheumatology clinical practice guidelines for the management of rheumatoid arthritis. <i>Modern Rheumatology</i> , 2021 , 1-13	3.3	1
128	Exposure to particulate matter upregulates ACE2 and TMPRSS2 expression in the murine lung. <i>Environmental Research</i> , 2021 , 195, 110722	7.9	16
127	Systematic review for the treatment of older rheumatoid arthritis patients informing the 2020 update of the Japan College of Rheumatology clinical practice guidelines for the management of rheumatoid arthritis. <i>Modern Rheumatology</i> , 2021 , 1-15	3.3	0
126	Patients' perspectives of rheumatoid arthritis treatment: a questionnaire survey for the 2020 update of the Japan college of rheumatology clinical practice guidelines. <i>Modern Rheumatology</i> , 2021 , 1-6	3.3	0
125	Efficacy and safety of tacrolimus in patients with rheumatoid arthritis - A systematic review and meta-analysis. <i>Modern Rheumatology</i> , 2021 , 31, 61-69	3.3	2
124	Comprehensive assessment of alterations in hand deformities over 11 years in patients with rheumatoid arthritis using cluster analysis and analysis of covariance. <i>Arthritis Research and Therapy</i> , 2021 , 23, 66	5.7	0
123	Does exercise therapy improve patient-reported outcomes in rheumatoid arthritis? A systematic review and meta-analysis for the update of the 2020 JCR guidelines for the management of rheumatoid arthritis. <i>Modern Rheumatology</i> , 2021 , 1-14	3.3	2
122	Comprehensive risk analysis of postoperative complications in patients with rheumatoid arthritis for the 2020 update of the Japan College of Rheumatology clinical practice guidelines for the management of rheumatoid arthritis. <i>Modern Rheumatology</i> , 2021 , 1-11	3.3	1
121	CG223, a novel BET inhibitor, exerts TGF- β 1-mediated antifibrotic effects in a murine model of bleomycin-induced pulmonary fibrosis. <i>Pulmonary Pharmacology and Therapeutics</i> , 2021 , 70, 102057	3.5	0
120	Risk factors for cytomegalovirus disease with cytomegalovirus re-activation in patients with rheumatic disease. <i>Modern Rheumatology</i> , 2020 , 30, 109-115	3.3	0
119	Association between preexisting lung involvements and the risk of diffuse alveolar hemorrhage in patients with microscopic polyangiitis: A multi-center retrospective cohort study. <i>Modern Rheumatology</i> , 2020 , 30, 338-344	3.3	3
118	Effectiveness and safety of chronic hepatitis C treatment with direct-acting antivirals in patients with rheumatic diseases: A case-series. <i>Modern Rheumatology</i> , 2020 , 30, 1009-1015	3.3	0
117	Utility of Coagulation Markers for the Prediction of Rapidly Progressive Interstitial Lung Disease in Patients with Dermatomyositis. <i>Lung</i> , 2019 , 197, 437-442	2.9	1

116	Upregulation of sphingosine-1-phosphate receptor 3 on fibroblast-like synoviocytes is associated with the development of collagen-induced arthritis via increased interleukin-6 production. <i>PLoS ONE</i> , 2019 , 14, e0218090	3.7	15
115	Predictive factors for structural remission using abatacept: Results from the ABROAD study. <i>Modern Rheumatology</i> , 2019 , 29, 406-412	3.3	3
114	Role of allograft inflammatory factor-1 in bleomycin-induced lung fibrosis. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 495, 1901-1907	3.4	4
113	Thrombopoietin receptor agonist, splenectomy and intravenous immunoglobulin for immune thrombocytopaenia with systemic lupus erythematosus. <i>Rheumatology</i> , 2018 , 57, 1495-1497	3.9	0
112	Efficacy of abatacept in patients with rheumatoid arthritis, as assessed by magnetic resonance imaging of bilateral hands. <i>International Journal of Rheumatic Diseases</i> , 2018 , 21, 1678-1685	2.3	2
111	Roles of high-mobility group box 1 and thrombin in murine pulmonary fibrosis and the therapeutic potential of thrombomodulin. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2018 , 314, L473-L483	5.8	13
110	Integrating patients' perceptions into clinical practice guidelines for the management of rheumatoid arthritis in Japan. <i>Modern Rheumatology</i> , 2017 , 27, 924-929	3.3	4
109	Osteitis in the vertebral body due to. <i>IDCases</i> , 2017 , 10, 91-92	2	
108	Intravascular lymphoma in a rheumatoid arthritis patient following short-term methotrexate treatment. <i>Rheumatology</i> , 2017 , 56, 318-320	3.9	4
107	Establishing a Calculation Method for Estimating the Normal Circumference of the Proximal Interphalangeal Finger Joints. <i>Open Journal of Rheumatology and Autoimmune Diseases</i> , 2017 , 07, 186-195 ^{0.2}		
106	Analysis of bone metabolism during early stage and clinical benefits of early intervention with alendronate in patients with systemic rheumatic diseases treated with high-dose glucocorticoid: Early Diagnosis and Treatment of Osteoporosis in Japan (EDITOR-J) study. <i>Journal of Bone and Mineral Metabolism</i> , 2016 , 34, 646-654	2.9	13
105	Spontaneous flexor tendon rupture in systemic lupus erythematosus: A case report. <i>Modern Rheumatology</i> , 2016 , 26, 794-7	3.3	7
104	Prediction of radiographic progression in synovitis-positive joints on maximum intensity projection of magnetic resonance imaging in rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2016 , 35, 873-8	3.9	4
103	The process of collecting and evaluating evidences for the development of Guidelines for the management of rheumatoid arthritis, Japan College of Rheumatology 2014: Utilization of GRADE approach. <i>Modern Rheumatology</i> , 2016 , 26, 175-9	3.3	9
102	Consensus-based identification of factors related to false-positives in ultrasound scanning of synovitis and tenosynovitis. <i>Modern Rheumatology</i> , 2016 , 26, 9-14	3.3	2
101	Mouth and Genital Ulcers with Inflamed Cartilage Syndrome: Case Report and Review of the Published Work. <i>Indian Journal of Dermatology</i> , 2016 , 61, 347	0.9	5
100	Allograft inflammatory factor-1 in the pathogenesis of bleomycin-induced acute lung injury. <i>BioScience Trends</i> , 2016 , 10, 47-53	9.9	11
99	Treatment Patterns, Direct Cost of Biologics, and Direct Medical Costs for Rheumatoid Arthritis Patients: A Real-world Analysis of Nationwide Japanese Claims Data. <i>Clinical Therapeutics</i> , 2016 , 38, 1359-1375.e1	3.5	10

98	Once-weekly teriparatide improves glucocorticoid-induced osteoporosis in patients with inadequate response to bisphosphonates. <i>SpringerPlus</i> , 2016 , 5, 1056		8
97	Differences in Predictive Factors for Sustained Clinical Remission with Abatacept Between Younger and Elderly Patients with Biologic-naive Rheumatoid Arthritis: Results from the ABROAD Study. <i>Journal of Rheumatology</i> , 2016 , 43, 1974-1983	4.1	19
96	Postoperative complications in patients with rheumatoid arthritis using a biological agent - A systematic review and meta-analysis. <i>Modern Rheumatology</i> , 2015 , 25, 672-8	3.3	23
95	Case of fibromuscular dysplasia with multiple aneurysms in a young woman. <i>Journal of Cardiology Cases</i> , 2015 , 12, 79-82	0.6	
94	Clinical manifestation and prognostic factors of 32 Japanese patients with autoimmune disease-associated diffuse large B-cell lymphoma. <i>Leukemia and Lymphoma</i> , 2015 , 56, 785-8	1.9	7
93	Monocarboxylate transporter 4, associated with the acidification of synovial fluid, is a novel therapeutic target for inflammatory arthritis. <i>Arthritis and Rheumatology</i> , 2015 , 67, 2888-96	9.5	27
92	Inhibition of osteoclastogenesis by osteoblast-like cells genetically engineered to produce interleukin-10. <i>Biochemical and Biophysical Research Communications</i> , 2015 , 456, 785-91	3.4	10
91	Ultrasound assessment of synovial pathologic features in rheumatoid arthritis using comprehensive multiplane images of the second metacarpophalangeal joint: identification of the components that are reliable and influential on the global assessment of the whole joint. <i>Arthritis and Rheumatology</i> , 2014 , 56, 1173-80	9.5	9
90	Maximum intensity projection with magnetic resonance imaging for evaluating synovitis of the hand in rheumatoid arthritis: comparison with clinical and ultrasound findings. <i>Clinical Rheumatology</i> , 2014 , 33, 911-7	3.9	7
89	Allograft inflammatory factor-1 stimulates chemokine production and induces chemotaxis in human peripheral blood mononuclear cells. <i>Biochemical and Biophysical Research Communications</i> , 2014 , 448, 287-91	3.4	12
88	Efficacy of anti-ribosomal P protein antibody testing for diagnosis of systemic lupus erythematosus. <i>Modern Rheumatology</i> , 2014 , 24, 939-44	3.3	10
87	Knock out of S1P3 receptor signaling attenuates inflammation and fibrosis in bleomycin-induced lung injury mice model. <i>PLoS ONE</i> , 2014 , 9, e106792	3.7	28
86	Myeloid-derived suppressor cells in autoimmune diseases. <i>Inflammation and Regeneration</i> , 2014 , 34, 124-128	10.9	1
85	How do anti-TNF therapies affect gait function in patients with rheumatoid arthritis?. <i>International Journal of Rheumatic Diseases</i> , 2014 , 17, 57-62	2.3	4
84	Low body mass index is associated with impaired quality of life in patients with rheumatoid arthritis. <i>International Journal of Rheumatic Diseases</i> , 2013 , 16, 297-302	2.3	13
83	Myeloid-derived suppressor cells play crucial roles in the regulation of mouse collagen-induced arthritis. <i>Journal of Immunology</i> , 2013 , 191, 1073-81	5.3	109
82	A randomized, double-blind, sham-controlled study of static electric field therapy by high voltage alternating current for active rheumatoid arthritis. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2013 , 53, 63-7	3.1	3
81	The rapid efficacy of abatacept in a patient with rheumatoid vasculitis. <i>Modern Rheumatology</i> , 2012 , 22, 630-634	3.3	12

80	Reciprocal expression of MRTF-A and myocardin is crucial for pathological vascular remodelling in mice. <i>EMBO Journal</i> , 2012 , 31, 4428-40	13	67
79	The rapid efficacy of abatacept in a patient with rheumatoid vasculitis. <i>Modern Rheumatology</i> , 2012 , 22, 630-4	3.3	9
78	Mucin from rheumatoid arthritis synovial fluid enhances interleukin-6 production by human peripheral blood mononuclear cells. <i>Human Immunology</i> , 2011 , 72, 241-8	2.3	10
77	Characteristics of chronic fatigue syndrome in a Japanese community population : chronic fatigue syndrome in Japan. <i>Clinical Rheumatology</i> , 2011 , 30, 895-906	3.9	21
76	Allograft inflammatory factor-1 is overexpressed and induces fibroblast chemotaxis in the skin of sclerodermatous GVHD in a murine model. <i>Immunology Letters</i> , 2011 , 135, 144-50	4.1	21
75	15-Deoxy- Δ^14 prostaglandin J ₂ reduces the formation of atherosclerotic lesions in apolipoprotein E knockout mice. <i>PLoS ONE</i> , 2011 , 6, e25541	3.7	6
74	Loxoprofen Sodium, a Non-Selective NSAID, Reduces Atherosclerosis in Mice by Reducing Inflammation. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2010 , 47, 138-47	3.1	9
73	Contribution of rheumatoid arthritis disease activity and disability to rheumatoid cachexia. <i>Modern Rheumatology</i> , 2010 , 20, 439-443	3.3	11
72	Telmisartan inhibits human urological cancer cell growth through early apoptosis. <i>Experimental and Therapeutic Medicine</i> , 2010 , 1, 301-306	2.1	33
71	Contribution of rheumatoid arthritis disease activity and disability to rheumatoid cachexia. <i>Modern Rheumatology</i> , 2010 , 20, 439-43	3.3	7
70	Relationship between cysteinyl-leukotriene-1 receptor and human transitional cell carcinoma in bladder. <i>Urology</i> , 2009 , 73, 916-21	1.6	20
69	Telmisartan as a peroxisome proliferator-activated receptor- γ ligand is a new target in the treatment of human renal cell carcinoma. <i>Molecular Medicine Reports</i> , 2009 , 2, 193-8	2.9	22
68	Expression of cysteinylLT1 receptor in human testicular cancer and growth reduction by its antagonist through apoptosis. <i>Molecular Medicine Reports</i> , 2009 , 2, 163-7	2.9	8
67	<i>Mycoplasma fermentans</i> glycolipid-antigen as a pathogen of rheumatoid arthritis. <i>Biochemical and Biophysical Research Communications</i> , 2008 , 369, 561-6	3.4	34
66	Role of sphingosine 1-phosphate in the pathogenesis of Sjögren's syndrome. <i>Journal of Immunology</i> , 2008 , 180, 1921-8	5.3	41
65	A case of lupus nephritis improved after appropriately adjusting the dosage of mizoribine. <i>Modern Rheumatology</i> , 2008 , 18, 91-95	3.3	4
64	Pneumatosis intestinalis and hepatic portal venous gas caused by gastrointestinal perforation with amyloidosis. <i>Journal of Clinical Gastroenterology</i> , 2008 , 42, 758-9	3	8
63	Eicosapentaenoic Acid suppresses the proliferation of synoviocytes from rheumatoid arthritis. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2008 , 43, 126-8	3.1	6

62	A case of lupus nephritis improved after appropriately adjusting the dosage of mizoribine. <i>Modern Rheumatology</i> , 2008 , 18, 91-5	3.3	1
61	Feedback Control of the Arachidonate Cascade in Osteoblastic Cells by 15-deoxy-Delta-Prostaglandin J(2). <i>Journal of Clinical Biochemistry and Nutrition</i> , 2008 , 42, 64-9	3.1	0
60	Clinical implications of cyclooxygenase-2 inhibitors. <i>Inflammation and Regeneration</i> , 2007 , 27, 552-558	10.9	5
59	Nonalcoholic fatty liver disease is a novel predictor of cardiovascular disease. <i>World Journal of Gastroenterology</i> , 2007 , 13, 1579-84	5.6	415
58	Transient dermatomyositis complicated with interstitial pneumonia. <i>APLAR Journal of Rheumatology</i> , 2007 , 10, 160-163		
57	A case report of tumor necrosis factor-alpha antibody-induced thrombocytopenia associated with emerging IgM anticardiolipin antibody in patients with scleroderma overlap/rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2007 , 26, 988-90	3.9	18
56	Combination therapy of prednisolone and mizoribine improves cryoglobulinemic vasculitis with purpura and skin ulcers. <i>Clinical Rheumatology</i> , 2007 , 26, 1170-2	3.9	2
55	A critical role for allograft inflammatory factor-1 in the pathogenesis of rheumatoid arthritis. <i>Journal of Immunology</i> , 2007 , 178, 3316-22	5.3	58
54	Overexpression of cysteinyl LT1 receptor in prostate cancer and CysLT1R antagonist inhibits prostate cancer cell growth through apoptosis. <i>Oncology Reports</i> , 2007 , 18, 99	3.5	6
53	siRNA targeting PLK-1 induces apoptosis of synoviocytes in rheumatoid arthritis. <i>Biochemical and Biophysical Research Communications</i> , 2007 , 357, 353-9	3.4	8
52	SKL-2841, a dual antagonist of MCP-1 and MIP-1 beta, prevents bleomycin-induced skin sclerosis in mice. <i>Biomedicine and Pharmacotherapy</i> , 2007 , 61, 222-8	7.5	19
51	The severity of ultrasonographic findings in nonalcoholic fatty liver disease reflects the metabolic syndrome and visceral fat accumulation. <i>American Journal of Gastroenterology</i> , 2007 , 102, 2708-15	0.7	514
50	Overexpression of cysteinyl LT1 receptor in prostate cancer and CysLT1R antagonist inhibits prostate cancer cell growth through apoptosis. <i>Oncology Reports</i> , 2007 , 18, 99-104	3.5	43
49	Sphingosine 1-phosphate/sphingosine 1-phosphate receptor 1 signaling in rheumatoid synovium: regulation of synovial proliferation and inflammatory gene expression. <i>Arthritis and Rheumatism</i> , 2006 , 54, 742-53		145
48	Retrospective assessment of influenza vaccine effectiveness among the non-institutionalized elderly population in Japan. <i>Vaccine</i> , 2006 , 24, 2537-43	4.1	10
47	Electro-transfer of small interfering RNA ameliorated arthritis in rats. <i>Biochemical and Biophysical Research Communications</i> , 2005 , 336, 903-8	3.4	60
46	Copper chelation with tetrathiomolybdate suppresses adjuvant-induced arthritis and inflammation-associated cachexia in rats. <i>Arthritis Research and Therapy</i> , 2005 , 7, R1174-82	5.7	36
45	Malnutrition and disease progression in patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2005 , 15, 104-107	3.3	19

44	Meloxicam inhibits the growth of non-small cell lung cancer. <i>Ensho Saisei</i> , 2005 , 25, 177-180		
43	Malnutrition and disease progression in patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2005 , 15, 104-7	3.3	12
42	5-Lipoxygenase inhibitors attenuate growth of human renal cell carcinoma and induce apoptosis through arachidonic acid pathway. <i>Oncology Reports</i> , 2005 , 14, 73-9	3.5	21
41	Expression of 12-lipoxygenase in human renal cell carcinoma and growth prevention by its inhibitor. <i>International Journal of Molecular Medicine</i> , 2004 , 13, 41	4.4	
40	Identification of two novel female-specific non-major histocompatibility complex loci regulating collagen-induced arthritis severity and chronicity, and evidence of epistasis. <i>Arthritis and Rheumatism</i> , 2004 , 50, 2695-705		29
39	Relationship between lipoxygenase and human testicular cancer. <i>International Journal of Molecular Medicine</i> , 2004 , 13, 389-93	4.4	14
38	Lipoxygenase inhibitors prevent urological cancer cell growth. <i>International Journal of Molecular Medicine</i> , 2004 , 13, 665-8	4.4	16
37	The effect of peroxisome proliferator-activated receptor- α ligand on urological cancer cells. <i>International Journal of Molecular Medicine</i> , 2003 , 12, 861	4.4	1
36	New diagnostic tool for tumor angiogenesis. <i>Chest</i> , 2003 , 123, 966-7	5.3	3
35	Cyclooxygenase-2 inhibitors in aspirin-induced asthma. <i>Chest</i> , 2003 , 123, 1317-8; author reply 1318	5.3	4
34	Expression of peroxisome proliferator-activated receptors (PPARs) in human urinary bladder carcinoma and growth inhibition by its agonists. <i>International Journal of Cancer</i> , 2003 , 104, 597-602	7.5	86
33	Expression of lipoxygenase in human bladder carcinoma and growth inhibition by its inhibitors. <i>Journal of Urology</i> , 2003 , 170, 1994-9	2.5	48
32	Induction of cyclooxygenase-2 in monocyte/macrophage by mucins secreted from colon cancer cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 2736-41 ^{11.5}		62
31	The roles of PPARs in immune and inflammatory system: application for arthritic joint disease. <i>Ensho Saisei</i> , 2003 , 23, 74-83		0
30	The effect of peroxisome proliferator-activated receptor-gamma ligand on urological cancer cells. <i>International Journal of Molecular Medicine</i> , 2003 , 12, 861-5	4.4	18
29	Expression of peroxisome proliferator-activated receptor (PPAR) in human prostate cancer. <i>Prostate</i> , 2002 , 51, 108-16	4.2	96
28	Peroxisome proliferator-activated receptor-gamma expression in lung. <i>Chest</i> , 2002 , 122, 386-7	5.3	1
27	Expression of peroxisome proliferator-activated receptors in human testicular cancer and growth inhibition by its agonists. <i>Urology</i> , 2002 , 60, 542-7	1.6	55

26	Lipid-lowering agents and artery endothelial function. <i>Chest</i> , 2001 , 119, 1979-80	5.3	
25	Antituberculous drugs for Wegener's granulomatosis. <i>Chest</i> , 2001 , 120, 2112-3	5.3	1
24	Urocortin expression in synovium of patients with rheumatoid arthritis and osteoarthritis: relation to inflammatory activity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001 , 86, 4344-52	5.6	79
23	Feedback control of the arachidonate cascade in rheumatoid synoviocytes by 15-deoxy-Delta(12,14)-prostaglandin J2. <i>Biochemical and Biophysical Research Communications</i> , 2001 , 283, 750-5	3.4	79
22	Expression of peroxisome proliferator-activated receptor gamma in renal cell carcinoma and growth inhibition by its agonists. <i>Biochemical and Biophysical Research Communications</i> , 2001 , 287, 727-32	3.4	82
21	Increased Farnesoid X Receptor Expression in Non-small Cell Lung Cancer.. <i>Japanese Journal of Lung Cancer</i> , 2001 , 41, 293-297	0.1	
20	Identification of four new quantitative trait loci regulating arthritis severity and one new quantitative trait locus regulating autoantibody production in rats with collagen-induced arthritis. <i>Arthritis and Rheumatism</i> , 2000 , 43, 1278-89		64
19	Endothelial apoptosis. <i>Chest</i> , 2000 , 118, 1839	5.3	71
18	Selective inhibition of cyclooxygenase-2 with antisense oligodeoxynucleotide restricts induction of rat adjuvant-induced arthritis. <i>Biochemical and Biophysical Research Communications</i> , 2000 , 269, 415-21	3.4	11
17	Inhibition of human lung cancer cell growth by the peroxisome proliferator-activated receptor-gamma agonists through induction of apoptosis. <i>Biochemical and Biophysical Research Communications</i> , 2000 , 270, 400-5	3.4	290
16	An integrated genetic linkage map with 1,137 markers constructed from five F2 crosses of autoimmune disease-prone and -resistant inbred rat strains. <i>Genomics</i> , 2000 , 63, 202-26	4.3	19
15	15-deoxy-delta(12,14)-PGJ(2) induces synoviocyte apoptosis and suppresses adjuvant-induced arthritis in rats. <i>Journal of Clinical Investigation</i> , 2000 , 106, 189-97	15.9	311
14	A Case of Irinotecan-Induced Pneumonitis.. <i>Japanese Journal of Lung Cancer</i> , 2000 , 40, 219-221	0.1	2
13	A genetic linkage map of rat Chromosome 15 derived from five F2 crosses. <i>Mammalian Genome</i> , 1999 , 10, 186-8	3.2	2
12	Identification of a new quantitative trait locus on chromosome 7 controlling disease severity of collagen-induced arthritis in rats. <i>Immunogenetics</i> , 1999 , 49, 787-91	3.2	31
11	C-myc antisense oligodeoxynucleotides can induce apoptosis and down-regulate Fas expression in rheumatoid synoviocytes. <i>Arthritis and Rheumatism</i> , 1999 , 42, 954-62		45
10	Peritonitis due to Mycobacterium fortuitum infection following gastric cancer surgery. <i>Internal Medicine</i> , 1999 , 38, 833-6	1.1	10
9	Identification of a new non-major histocompatibility complex genetic locus on chromosome 2 that controls disease severity in collagen-induced arthritis in rats. <i>Arthritis and Rheumatism</i> , 1998 , 41, 2122-31		75

8	Induction of gene expression for nitric oxide synthase by immunomodulating drugs in the RAW264.7 murine macrophage cell line. <i>Cancer Immunology, Immunotherapy</i> , 1996 , 42, 275-9	7.4	12
7	Morphological study of cytotoxicity produced by PSK-induced polymorphonuclear leukocytes (PMNs) and <i>Nocardia rubra</i> cell wall skeleton. <i>Biotherapy (Dordrecht, Netherlands)</i> , 1996 , 9, 229-39		2
6	Efficacy of in vitro sensitized cells generated by in vivo priming with OK-432 for adoptive immunotherapy of the poorly immunogenic B16-B16 melanoma. <i>International Journal of Immunopharmacology</i> , 1996 , 18, 141-53		1
5	Adoptive immunotherapy of poorly immunogenic tumors with in vitro sensitized cells generated by intratumoral administration of biological response modifiers. <i>International Journal of Immunopharmacology</i> , 1995 , 17, 963-71		4
4	Recombinant human granulocyte colony-stimulating factor augments cytotoxicity of OK-432-induced polymorphonuclear leukocytes. <i>International Journal of Immunopharmacology</i> , 1994 , 16, 19-28		4
3	Local secretion of corticotropin-releasing hormone by enterochromaffin cells in human colon. <i>Gastroenterology</i> , 1994 , 106, 859-65	13.3	104
2	Tyrosine phosphorylation in the synovium of patients with rheumatoid arthritis and rats with experimental arthritis.. <i>Japanese Journal of Clinical Immunology</i> , 1994 , 17, 525-533		
1	Effect of recombinant human granulocyte colony-stimulating factor (rhG-CSF) on cytotoxicity of PSK-induced peritoneal polymorphonuclear leukocytes (PMNs). <i>Biotherapy (Dordrecht, Netherlands)</i> , 1992 , 5, 177-86		6