# Lichun Lu

# List of Publications by Citations

Source: https://exaly.com/author-pdf/4245193/lichun-lu-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

103<br/>papers5,213<br/>citations38<br/>h-index71<br/>g-index108<br/>ext. papers5,698<br/>ext. citations7<br/>avg, IF5.42<br/>L-index

| #   | Paper  | IF                 | Citations |
|-----|--|--------------------|-----------|
| 103 | In vitro and in vivo degradation of porous poly(DL-lactic-co-glycolic acid) foams. <i>Biomaterials</i> , <b>2000</b> , 21, 1837-45   | 15.6               | 541       |
| 102 | Effect of local sequential VEGF and BMP-2 delivery on ectopic and orthotopic bone regeneration. <i>Biomaterials</i> , <b>2009</b> , 30, 2816-25  | 15.6               | 481       |
| 101 | Bioactive poly(L-lactic acid) conduits seeded with Schwann cells for peripheral nerve regeneration. <i>Biomaterials</i> , <b>2002</b> , 23, 841-8  | 15.6               | 275       |
| 100 | Retention of in vitro and in vivo BMP-2 bioactivities in sustained delivery vehicles for bone tissue engineering. <i>Biomaterials</i> , <b>2008</b> , 29, 3245-52  | 15.6               | 230       |
| 99  | Poly(propylene fumarate) bone tissue engineering scaffold fabrication using stereolithography: effects of resin formulations and laser parameters. <i>Biomacromolecules</i> , <b>2007</b> , 8, 1077-84               | 6.9                | 226       |
| 98  | Marrow stromal osteoblast function on a poly(propylene fumarate)/beta-tricalcium phosphate biodegradable orthopaedic composite. <i>Biomaterials</i> , <b>2000</b> , 21, 1207-13                                      | 15.6               | 150       |
| 97  | Synthesis and characterizations of biodegradable and crosslinkable poly(epsilon-caprolactone fumarate), poly(ethylene glycol fumarate), and their amphiphilic copolymer. <i>Biomaterials</i> , <b>2006</b> , 27, 832 | 2-45 <sup>.6</sup> | 133       |
| 96  | Bone-tissue-engineering material poly(propylene fumarate): correlation between molecular weight, chain dimensions, and physical properties. <i>Biomacromolecules</i> , <b>2006</b> , 7, 1976-82                      | 6.9                | 125       |
| 95  | The development of electrically conductive polycaprolactone fumarate-polypyrrole composite materials for nerve regeneration. <i>Biomaterials</i> , <b>2010</b> , 31, 5916-26   | 15.6               | 124       |
| 94  | Functionalized Carbon Nanotube and Graphene Oxide Embedded Electrically Conductive Hydrogel Synergistically Stimulates Nerve Cell Differentiation. <i>ACS Applied Materials &amp; Differentiation</i> , 14677-14690  | 9.5                | 116       |
| 93  | Fabrication and characterization of poly(propylene fumarate) scaffolds with controlled pore structures using 3-dimensional printing and injection molding. <i>Tissue Engineering</i> , <b>2006</b> , 12, 2801-11     |                    | 114       |
| 92  | Synthesis and evaluation of novel biodegradable hydrogels based on poly(ethylene glycol) and sebacic acid as tissue engineering scaffolds. <i>Biomacromolecules</i> , <b>2008</b> , 9, 149-57                        | 6.9                | 112       |
| 91  | Development of electrically conductive oligo(polyethylene glycol) fumarate-polypyrrole hydrogels for nerve regeneration. <i>Biomacromolecules</i> , <b>2010</b> , 11, 2845-53  | 6.9                | 98        |
| 90  | Physical properties and cellular responses to crosslinkable poly(propylene fumarate)/hydroxyapatite nanocomposites. <i>Biomaterials</i> , <b>2008</b> , 29, 2839-48  | 15.6               | 98        |
| 89  | Synthesis, material properties, and biocompatibility of a novel self-cross-linkable poly(caprolactone fumarate) as an injectable tissue engineering scaffold. <i>Biomacromolecules</i> , <b>2005</b> , 6, 2503-11    | 6.9                | 96        |
| 88  | Stimulation of neurite outgrowth using positively charged hydrogels. <i>Biomaterials</i> , <b>2009</b> , 30, 3874-81   | 15.6               | 94        |
| 87  | A stimuli-responsive hydrogel for doxorubicin delivery. <i>Biomaterials</i> , <b>2010</b> , 31, 8051-62  | 15.6               | 93        |

### (2009-2008)

| 86 | Photo-cross-linked hybrid polymer networks consisting of poly(propylene fumarate) and poly(caprolactone fumarate): controlled physical properties and regulated bone and nerve cell responses. <i>Biomacromolecules</i> , <b>2008</b> , 9, 1229-41 | 6.9   | 92 |
|----|--|-------|----|
| 85 | Photo-Crosslinked Poly(Etaprolactone fumarate) Networks: Roles of Crystallinity and Crosslinking Density in Determining Mechanical Properties. <i>Polymer</i> , <b>2008</b> , 49, 5692-5699  | 3.9   | 87 |
| 84 | Photo-crosslinked poly(epsilon-caprolactone fumarate) networks for guided peripheral nerve regeneration: material properties and preliminary biological evaluations. <i>Acta Biomaterialia</i> , <b>2009</b> , 5, 1531-42                          | 10.8  | 85 |
| 83 | Enhanced cell ingrowth and proliferation through three-dimensional nanocomposite scaffolds with controlled pore structures. <i>Biomacromolecules</i> , <b>2010</b> , 11, 682-9   | 6.9   | 84 |
| 82 | Material properties and electrical stimulation regimens of polycaprolactone fumarate-polypyrrole scaffolds as potential conductive nerve conduits. <i>Acta Biomaterialia</i> , <b>2011</b> , 7, 944-53   | 10.8  | 82 |
| 81 | Controlled drug release from a novel injectable biodegradable microsphere/scaffold composite based on poly(propylene fumarate). <i>Journal of Biomedical Materials Research - Part A</i> , <b>2006</b> , 77, 103-11                                | 5.4   | 78 |
| 80 | Effect of hydrogel porosity on marrow stromal cell phenotypic expression. <i>Biomaterials</i> , <b>2008</b> , 29, 2193-  | -2926 | 77 |
| 79 | Characterization of photo-cross-linked oligo[poly(ethylene glycol) fumarate] hydrogels for cartilage tissue engineering. <i>Biomacromolecules</i> , <b>2007</b> , 8, 1702-9  | 6.9   | 75 |
| 78 | Three-dimensional porous biodegradable polymeric scaffolds fabricated with biodegradable hydrogel porogens. <i>Tissue Engineering - Part C: Methods</i> , <b>2009</b> , 15, 583-94   | 2.9   | 67 |
| 77 | Effect of calcium phosphate coating and rhBMP-2 on bone regeneration in rabbit calvaria using poly(propylene fumarate) scaffolds. <i>Acta Biomaterialia</i> , <b>2015</b> , 18, 9-20   | 10.8  | 66 |
| 76 | Two-Dimensional Black Phosphorus and Graphene Oxide Nanosheets Synergistically Enhance Cell Proliferation and Osteogenesis on 3D Printed Scaffolds. <i>ACS Applied Materials &amp; Company Company</i> , 11, 23558-23572                           | 9.5   | 63 |
| 75 | A Biodegradable and Cross-Linkable Multiblock Copolymer Consisting of Poly(propylene fumarate) and Poly(Etaprolactone): Synthesis, Characterization, and Physical Properties. <i>Macromolecules</i> , <b>2005</b> , 38, 7358-7370                  | 5.5   | 62 |
| 74 | Strengthening injectable thermo-sensitive NIPAAm-g-chitosan hydrogels using chemical cross-linking of disulfide bonds as scaffolds for tissue engineering. <i>Carbohydrate Polymers</i> , <b>2018</b> , 192, 308-316                               | 10.3  | 60 |
| 73 | Covalent crosslinking of graphene oxide and carbon nanotube into hydrogels enhances nerve cell responses. <i>Journal of Materials Chemistry B</i> , <b>2016</b> , 4, 6930-6941   | 7-3   | 55 |
| 72 | The roles of matrix polymer crystallinity and hydroxyapatite nanoparticles in modulating material properties of photo-crosslinked composites and bone marrow stromal cell responses. <i>Biomaterials</i> , <b>2009</b> , 30, 3359-70               | 15.6  | 53 |
| 71 | Effective nerve cell modulation by electrical stimulation of carbon nanotube embedded conductive polymeric scaffolds. <i>Biomaterials Science</i> , <b>2018</b> , 6, 2375-2385   | 7.4   | 51 |
| 70 | Effect of autologous bone marrow stromal cell seeding and bone morphogenetic protein-2 delivery on ectopic bone formation in a microsphere/poly(propylene fumarate) composite. <i>Tissue Engineering - Part A</i> , <b>2009</b> , 15, 587-94       | 3.9   | 45 |
| 69 | Non-invasive monitoring of BMP-2 retention and bone formation in composites for bone tissue engineering using SPECT/CT and scintillation probes. <i>Journal of Controlled Release</i> , <b>2009</b> , 134, 169-76                                  | 11.7  | 45 |

| 68 | Characterization of porous injectable poly-(propylene fumarate)-based bone graft substitute.<br>Journal of Biomedical Materials Research - Part A, 2008, 85, 1114-9  | 5.4                         | 40            |
|----|--|-----------------------------|---------------|
| 67 | Cross-linking characteristics and mechanical properties of an injectable biomaterial composed of polypropylene fumarate and polycaprolactone co-polymer. <i>Journal of Biomaterials Science, Polymer Edition</i> , <b>2011</b> , 22, 489-504     | 3.5                         | 39            |
| 66 | In vivo biodegradation and biocompatibility of PEG/sebacic acid-based hydrogels using a cage implant system. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2010</b> , 95, 191-7  | 5.4                         | 39            |
| 65 | Molecularly Engineered Biodegradable Polymer Networks with a Wide Range of Stiffness for Bone and Peripheral Nerve Regeneration. <i>Advanced Functional Materials</i> , <b>2015</b> , 25, 2715-2724  | 15.6                        | 38            |
| 64 | Electrically conductive nanocomposite hydrogels embedded with functionalized carbon nanotubes for spinal cord injury. <i>New Journal of Chemistry</i> , <b>2018</b> , 42, 17671-17681  | 3.6                         | 35            |
| 63 | 3D-printed scaffolds with carbon nanotubes for bone tissue engineering: Fast and homogeneous one-step functionalization. <i>Acta Biomaterialia</i> , <b>2020</b> , 111, 129-140  | 10.8                        | 32            |
| 62 | Enhanced bone morphogenetic protein-2-induced ectopic and orthotopic bone formation by intermittent parathyroid hormone (1-34) administration. <i>Tissue Engineering - Part A</i> , <b>2010</b> , 16, 3769-77                                    | 3.9                         | 32            |
| 61 | Novel biodegradable poly(propylene fumarate)poly(l-lactic acid) porous scaffolds fabricated by phase separation for tissue engineering applications. <i>RSC Advances</i> , <b>2015</b> , 5, 21301-21309  | 3.7                         | 30            |
| 60 | Poly(Etaprolactone) Dendrimer Cross-Linked via Metal-Free Click Chemistry: Injectable Hydrophobic Platform for Tissue Engineering. <i>ACS Macro Letters</i> , <b>2016</b> , 5, 1261-1265   | 6.6                         | 29            |
| 59 | Nanocomposite bone scaffolds based on biodegradable polymers and hydroxyapatite. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2015</b> , 103, 2549-57   | 5.4                         | 28            |
| 58 | Biodegradable and crosslinkable PPF-PLGA-PEG self-assembled nanoparticles dual-decorated with folic acid ligands and rhodamine B fluorescent probes for targeted cancer imaging <i>RSC Advances</i> , <b>2015</b> , 5, 33275-33282               | 3.7                         | 25            |
| 57 | Tissue engineered constructs: perspectives on clinical translation. <i>Annals of Biomedical Engineering</i> , <b>2015</b> , 43, 796-804  | 4.7                         | 24            |
| 56 | Tunable tissue scaffolds fabricated by crosslink in phase separation system. RSC Advances, 2015, 5, 100  | 8 <i>3.<del>/</del></i> -10 | 0 <u>8</u> 承3 |
| 55 | Expansile crosslinked polymersomes for pH sensitive delivery of doxorubicin. <i>Biomaterials Science</i> , <b>2016</b> , 4, 245-9  | 7.4                         | 22            |
| 54 | Bone morphogenetic protein-2 release profile modulates bone formation in phosphorylated hydrogel. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , <b>2018</b> , 12, 1339-1351   | 4.4                         | 21            |
| 53 | Biomechanical evaluation of an injectable radiopaque polypropylene fumarate cement for kyphoplasty in a cadaveric osteoporotic vertebral compression fracture model. <i>Journal of Spinal Disorders and Techniques</i> , <b>2007</b> , 20, 604-9 |                             | 21            |
| 52 | Phosphate Functional Groups Improve Oligo[(Polyethylene Glycol) Fumarate] Osteoconduction and BMP-2 Osteoinductive Efficacy. <i>Tissue Engineering - Part A</i> , <b>2018</b> , 24, 819-829  | 3.9                         | 19            |
| 51 | Non-invasive screening method for simultaneous evaluation of in vivo growth factor release profiles from multiple ectopic bone tissue engineering implants. <i>Journal of Controlled Release</i> , <b>2008</b> , 130, 15-21                      | 11.7                        | 19            |

# (2018-2019)

| 50 | Strontium-substituted hydroxyapatite stimulates osteogenesis on poly(propylene fumarate) nanocomposite scaffolds. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2019</b> , 107, 631-642   | 5.4  | 19 |
|----|---|------|----|
| 49 | Effect of different sustained bone morphogenetic protein-2 release kinetics on bone formation in poly(propylene fumarate) scaffolds. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , <b>2018</b> , 106, 477-487 | 3.5  | 18 |
| 48 | Biomechanical evaluation of an injectable and biodegradable copolymer P(PF-co-CL) in a cadaveric vertebral body defect model. <i>Tissue Engineering - Part A</i> , <b>2014</b> , 20, 1096-102   | 3.9  | 18 |
| 47 | Development of biodegradable poly(propylene fumarate)/poly(lactic-co-glycolic acid) blend microspheres. I. Preparation and characterization. <i>Journal of Biomedical Materials Research Part B</i> , <b>2004</b> , 70, 283-92                  |      | 18 |
| 46 | Polymeric Biomaterials for Tissue Engineering Applications 2011. <i>International Journal of Polymer Science</i> , <b>2011</b> , 2011, 1-2  | 2.4  | 17 |
| 45 | Injectable Electrical Conductive and Phosphate Releasing Gel with Two-Dimensional Black Phosphorus and Carbon Nanotubes for Bone Tissue Engineering. <i>ACS Biomaterials Science and Engineering</i> , <b>2020</b> , 6, 4653-4665               | 5.5  | 15 |
| 44 | Novel porous poly(propylene fumarate-co-caprolactone) scaffolds fabricated by thermally induced phase separation. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2017</b> , 105, 226-235   | 5.4  | 15 |
| 43 | Enhanced nerve cell proliferation and differentiation on electrically conductive scaffolds embedded with graphene and carbon nanotubes. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2021</b> , 109, 193-206                   | 5.4  | 14 |
| 42 | 3D bioprinting of oligo(poly[ethylene glycol] fumarate) for bone and nerve tissue engineering.<br>Journal of Biomedical Materials Research - Part A, <b>2021</b> , 109, 6-17  | 5.4  | 12 |
| 41 | Are DXA/aBMD and QCT/FEA Stiffness and Strength Estimates Sensitive to Sex and Age?. <i>Annals of Biomedical Engineering</i> , <b>2017</b> , 45, 2847-2856  | 4.7  | 11 |
| 40 | Noninvasive Failure Load Prediction of Vertebrae with Simulated Lytic Defects and Biomaterial Augmentation. <i>Tissue Engineering - Part C: Methods</i> , <b>2016</b> , 22, 717-24  | 2.9  | 11 |
| 39 | Effects of composite formulation on the mechanical properties of biodegradable poly(propylene fumarate)/bone fiber scaffolds. <i>International Journal of Polymer Science</i> , <b>2010</b> , 2010,   | 2.4  | 11 |
| 38 | Hydrolysable core crosslinked particle for receptor-mediated pH-sensitive anticancer drug delivery. <i>New Journal of Chemistry</i> , <b>2015</b> , 39, 8840-8847   | 3.6  | 10 |
| 37 | Fast functionalization of ultrasound microbubbles using strain promoted click chemistry. <i>Biomaterials Science</i> , <b>2018</b> , 6, 623-632   | 7.4  | 10 |
| 36 | Injectable Catalyst-Free Poly(Propylene Fumarate) System Cross-Linked by Strain Promoted Alkyne-Azide Cycloaddition Click Chemistry for Spine Defect Filling. <i>Biomacromolecules</i> , <b>2019</b> , 20, 3352-                                | 3385 | 10 |
| 35 | A New Vertebral Body Replacement Strategy Using Expandable Polymeric Cages. <i>Tissue Engineering - Part A</i> , <b>2017</b> , 23, 223-232  | 3.9  | 10 |
| 34 | Rapid conjugation of nanoparticles, proteins and siRNAs to microbubbles by strain-promoted click chemistry for ultrasound imaging and drug delivery. <i>Polymer Chemistry</i> , <b>2019</b> , 10, 705-717                                       | 4.9  | 9  |
| 33 | Poly(Propylene Fumarate)-Hydroxyapatite Nanocomposite Can Be a Suitable Candidate for Cervical Cages. <i>Journal of Biomechanical Engineering</i> , <b>2018</b> , 140,  | 2.1  | 9  |

| 32 | Phosphate functionalization and enzymatic calcium mineralization synergistically enhance oligo[poly(ethylene glycol) fumarate] hydrogel osteoconductivity for bone tissue engineering.<br>Journal of Biomedical Materials Research - Part A, 2020, 108, 515-527 | 5.4  | 9 |
|----|---|------|---|
| 31 | The trabecular effect: A population-based longitudinal study on age and sex differences in bone mineral density and vertebral load bearing capacity. <i>Clinical Biomechanics</i> , <b>2018</b> , 55, 73-78   | 2.2  | 8 |
| 30 | 2D phosphorene nanosheets, quantum dots, nanoribbons: synthesis and biomedical applications. <i>Biomaterials Science</i> , <b>2021</b> , 9, 2768-2803   | 7.4  | 8 |
| 29 | Three-dimensional porous poly(propylene fumarate)-co-poly(lactic-co-glycolic acid) scaffolds for tissue engineering. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2018</b> , 106, 2507-2517  | 5.4  | 7 |
| 28 | Development of biodegradable and injectable macromers based on poly(ethylene glycol) and diacid monomers. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2009</b> , 90, 1010-20  | 5.4  | 7 |
| 27 | STIM1 expression is associated with osteosarcoma cell survival. <i>Chinese Journal of Cancer Research:</i> Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research, 2019, 31, 203-211  | 3.8  | 6 |
| 26 | Hydrogel-PLGA delivery system prolongs 2-methoxyestradiol-mediated anti-tumor effects in osteosarcoma cells. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2013</b> , 101, 2491-9   | 5.4  | 6 |
| 25 | Bifunctional hydrogel for potential vascularized bone tissue regeneration. <i>Materials Science and Engineering C</i> , <b>2021</b> , 124, 112075   | 8.3  | 6 |
| 24 | Effect of Biomaterial Electrical Charge on Bone Morphogenetic Protein-2-Induced Bone Formation. <i>Tissue Engineering - Part A</i> , <b>2019</b> , 25, 1037-1052  | 3.9  | 6 |
| 23 | Poly(Caprolactone Fumarate) and Oligo[Poly(Ethylene Glycol) Fumarate]: Two Decades of Exploration in Biomedical Applications. <i>Polymer Reviews</i> , <b>2021</b> , 61, 319-356  | 14   | 6 |
| 22 | In Vitro and In Vivo Correlation of Bone Morphogenetic Protein-2 Release Profiles from Complex Delivery Vehicles. <i>Tissue Engineering - Part C: Methods</i> , <b>2018</b> , 24, 379-390   | 2.9  | 6 |
| 21 | Cross-linkable graphene oxide embedded nanocomposite hydrogel with enhanced mechanics and cytocompatibility for tissue engineering. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2018</b> , 106, 1247-1257                                     | 5.4  | 5 |
| 20 | Endoscopic magnet placement into subadventitial tunnels for augmenting the lower esophageal sphincter using submucosal endoscopy: ex[vivo and in [vivo study in a porcine model (with [video). Gastrointestinal Endoscopy, 2019, 89, 422-428                    | 5.2  | 5 |
| 19 | Composite Hydrogel Embedded with Porous Microspheres for Long-Term pH-Sensitive Drug<br>Delivery. <i>Tissue Engineering - Part A</i> , <b>2019</b> , 25, 172-182  | 3.9  | 5 |
| 18 | The Osteoinductive Effect of Controlled Bone Morphogenic Protein 2 Release Is Location Dependent. <i>Tissue Engineering - Part A</i> , <b>2019</b> , 25, 193-202  | 3.9  | 4 |
| 17 | Mechanical testing setups affect spine segment fracture outcomes. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , <b>2019</b> , 100, 103399   | 4.1  | 4 |
| 16 | Proximal Cadaveric Femur Preparation for Fracture Strength Testing and Quantitative CT-based Finite Element Analysis. <i>Journal of Visualized Experiments</i> , <b>2017</b> ,  | 1.6  | 4 |
| 15 | Injectable catalyst-free "click" organic-inorganic nanohybrid (click-ON) cement for minimally invasive in vivo bone repair. <i>Biomaterials</i> , <b>2021</b> , 276, 121014   | 15.6 | 4 |

#### LIST OF PUBLICATIONS

| 14 | Method and Instrumented Fixture for Femoral Fracture Testing in a Sideways Fall-on-the-Hip Position. <i>Journal of Visualized Experiments</i> , <b>2017</b> ,  | 1.6  | 3 |
|----|--|------|---|
| 13 | Effects of dynamic fluid pressure on chondrocytes cultured in biodegradable poly(glycolic acid) fibrous scaffolds. <i>Tissue Engineering</i> , <b>2005</b> , 11, 1852-9  |      | 3 |
| 12 | Mesenchymal stem cell spheroids incorporated with collagen and black phosphorus promote osteogenesis of biodegradable hydrogels. <i>Materials Science and Engineering C</i> , <b>2021</b> , 121, 111812                                      | 8.3  | 3 |
| 11 | Three-dimensional surface strain analyses of simulated defect and augmented spine segments: A biomechanical cadaveric study. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , <b>2021</b> , 119, 104559                   | 4.1  | 3 |
| 10 | A Method to Estimate Cadaveric Femur Cortical Strains During Fracture Testing Using Digital Image Correlation. <i>Journal of Visualized Experiments</i> , <b>2017</b> ,  | 1.6  | 2 |
| 9  | A comparative study on cylindrical and spherical models in fabrication of bone tissue engineering scaffolds: Finite element simulation and experiments. <i>Materials and Design</i> , <b>2021</b> , 211, 110150                              | 8.1  | 2 |
| 8  | Spatial and uniform deposition of cell-laden constructs on 3D printed composite phosphorylated hydrogels for improved osteoblast responses. <i>Journal of Materials Science</i> , <b>2021</b> , 56, 17768-17784                              | 4.3  | 2 |
| 7  | CT-based structural analyses of vertebral fractures with polymeric augmentation: A study of cadaveric three-level spine segments. <i>Computers in Biology and Medicine</i> , <b>2021</b> , 133, 104395                                       | 7    | 1 |
| 6  | SDF-1/OPF/BP Composites Enhance the Migrating and Osteogenic Abilities of Mesenchymal Stem Cells. <i>Stem Cells International</i> , <b>2021</b> , 2021, 1938819  | 5    | 1 |
| 5  | Black phosphorus incorporation modulates nanocomposite hydrogel properties and subsequent MC3T3 cell attachment, proliferation, and differentiation. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2021</b> , 109, 1633-1645 | 5.4  | O |
| 4  | Single-level subject-specific finite element model can predict fracture outcomes in three-level spine segments under different loading rates. <i>Computers in Biology and Medicine</i> , <b>2021</b> , 137, 104833                           | 7    | 0 |
| 3  | Zinc-doped hydroxyapatite and poly(propylene fumarate) nanocomposite scaffold for bone tissue engineering. <i>Journal of Materials Science</i> , <b>2022</b> , 57, 5998-6012   | 4.3  | О |
| 2  | Two-dimensional nanomaterials-added dynamism in 3D printing and bioprinting of biomedical platforms: Unique opportunities and challenges <i>Biomaterials</i> , <b>2022</b> , 284, 121507   | 15.6 | O |
| 1  | Injectable pH-responsive adhesive hydrogels for bone tissue engineering inspired by the underwater attachment strategy of marine mussels <i>Materials Science and Engineering C</i> , <b>2021</b> , 112606                                   | 8.3  | Ο |