Christian Wolfrum

List of Publications by Citations

Source: https://exaly.com/author-pdf/4245208/christian-wolfrum-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86 153 7,721 44 h-index g-index citations papers 168 11.6 6.09 9,588 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
153	Adipose-derived circulating miRNAs regulate gene expression in other tissues. <i>Nature</i> , 2017 , 542, 450-4	15 5 50.4	770
152	Mechanisms and optimization of in vivo delivery of lipophilic siRNAs. <i>Nature Biotechnology</i> , 2007 , 25, 1149-57	44.5	730
151	Bi-directional interconversion of brite and white adipocytes. <i>Nature Cell Biology</i> , 2013 , 15, 659-67	23.4	552
150	A family with severe insulin resistance and diabetes due to a mutation in AKT2. Science, 2004, 304, 1325	5-8 3.3	439
149	Foxa2 regulates lipid metabolism and ketogenesis in the liver during fasting and in diabetes. <i>Nature</i> , 2004 , 432, 1027-32	50.4	308
148	Apolipoprotein M is required for prebeta-HDL formation and cholesterol efflux to HDL and protects against atherosclerosis. <i>Nature Medicine</i> , 2005 , 11, 418-22	50.5	258
147	Effects of obesity, diabetes and exercise on Fndc5 gene expression and irisin release in human skeletal muscle and adipose tissue: in vivo and in vitro studies. <i>Journal of Physiology</i> , 2014 , 592, 1091-10	o 7 ∙9	239
146	A stromal cell population that inhibits adipogenesis in mammalian fat depots. <i>Nature</i> , 2018 , 559, 103-10	08 0.4	183
145	Insulin regulates the activity of forkhead transcription factor Hnf-3beta/Foxa-2 by Akt-mediated phosphorylation and nuclear/cytosolic localization. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 11624-9	11.5	160
144	Phytanic acid activates the peroxisome proliferator-activated receptor alpha (PPARalpha) in sterol carrier protein 2-/ sterol carrier protein x-deficient mice. <i>Journal of Biological Chemistry</i> , 1999 , 274, 276	6 ⁵ 7⁄2	136
143	Coactivation of Foxa2 through Pgc-1beta promotes liver fatty acid oxidation and triglyceride/VLDL secretion. <i>Cell Metabolism</i> , 2006 , 3, 99-110	24.6	134
142	Maternal high-fat diet in mice programs emotional behavior in adulthood. <i>Behavioural Brain Research</i> , 2012 , 233, 398-404	3.4	121
141	The origin and definition of brite versus white and classical brown adipocytes. <i>Adipocyte</i> , 2014 , 3, 4-9	3.2	116
140	Hemostasis, endothelial stress, inflammation, and the metabolic syndrome. <i>Seminars in Immunopathology</i> , 2018 , 40, 215-224	12	116
139	Regulation of apolipoprotein M gene expression by MODY3 gene hepatocyte nuclear factor-1alpha: haploinsufficiency is associated with reduced serum apolipoprotein M levels. <i>Diabetes</i> , 2003 , 52, 2989-95	0.9	108
138	Phytanic acid is ligand and transcriptional activator of murine liver fatty acid binding protein. Journal of Lipid Research, 1999 , 40, 708-714	6.3	96
137	Role of Foxa-2 in adipocyte metabolism and differentiation. <i>Journal of Clinical Investigation</i> , 2003 , 112, 345-56	15.9	95

136	Brown Fat AKT2 Is a Cold-Induced Kinase that Stimulates ChREBP-Mediated De Novo Lipogenesis to Optimize Fuel Storage and Thermogenesis. <i>Cell Metabolism</i> , 2018 , 27, 195-209.e6	24.6	93
135	snRNA-seq reveals a subpopulation of adipocytes that regulates thermogenesis. <i>Nature</i> , 2020 , 587, 98-	192.4	92
134	Chronic high-fat diet impairs collecting lymphatic vessel function in mice. PLoS ONE, 2014, 9, e94713	3.7	87
133	Interleukin-33-Activated Islet-Resident Innate Lymphoid Cells Promote Insulin Secretion through Myeloid Cell Retinoic Acid Production. <i>Immunity</i> , 2017 , 47, 928-942.e7	32.3	86
132	Plasma concentration of intestinal- and liver-FABP in neonates suffering from necrotizing enterocolitis and in healthy preterm neonates. <i>Molecular and Cellular Biochemistry</i> , 2002 , 239, 227-234	4.2	83
131	Rapid and body weight-independent improvement of endothelial and high-density lipoprotein function after Roux-en-Y gastric bypass: role of glucagon-like peptide-1. <i>Circulation</i> , 2015 , 131, 871-81	16.7	82
130	Regulation of adipocyte formation by GLP-1/GLP-1R signaling. <i>Journal of Biological Chemistry</i> , 2012 , 287, 6421-30	5.4	81
129	Variation of liver-type fatty acid binding protein content in the human hepatoma cell line HepG2 by peroxisome proliferators and antisense RNA affects the rate of fatty acid uptake. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 1999 , 1437, 194-201	5	77
128	Endothelial Lactate Controls Muscle Regeneration from Ischemia by Inducing M2-like Macrophage Polarization. <i>Cell Metabolism</i> , 2020 , 31, 1136-1153.e7	24.6	76
127	Adipogenesis and insulin sensitivity in obesity are regulated by retinoid-related orphan receptor gamma. <i>EMBO Molecular Medicine</i> , 2011 , 3, 637-51	12	76
126	Bmp4 Promotes a Brown to White-like Adipocyte\hat{Shift. Cell Reports, 2016, 16, 2243-2258}	10.6	73
125	Blockade of VEGF-C and VEGF-D modulates adipose tissue inflammation and improves metabolic parameters under high-fat diet. <i>Molecular Metabolism</i> , 2015 , 4, 93-105	8.8	68
124	Binding of fatty acids and peroxisome proliferators to orthologous fatty acid binding proteins from human, murine, and bovine liver. <i>Biochemistry</i> , 2000 , 39, 1469-74	3.2	67
123	An AMP-activated protein kinase-stabilizing peptide ameliorates adipose tissue wasting in cancer cachexia in mice. <i>Nature Medicine</i> , 2016 , 22, 1120-1130	50.5	63
122	Maternal overnutrition programs hedonic and metabolic phenotypes across generations through sperm tsRNAs. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 10547-10556	11.5	62
121	Regulation of adaptive behaviour during fasting by hypothalamic Foxa2. <i>Nature</i> , 2009 , 462, 646-50	50.4	62
120	Cold-induced epigenetic programming of the sperm enhances brown adipose tissue activity in the offspring. <i>Nature Medicine</i> , 2018 , 24, 1372-1383	50.5	61
119	Peroxisome Proliferator Activated Receptor Gamma Controls Mature Brown Adipocyte Inducibility through Glycerol Kinase. <i>Cell Reports</i> , 2018 , 22, 760-773	10.6	60

118	Identification of the transcription factor ZEB1 as a central component of the adipogenic gene regulatory network. <i>ELife</i> , 2014 , 3, e03346	8.9	60
117	Harnessing a physiologic mechanism for siRNA delivery with mimetic lipoprotein particles. <i>Molecular Therapy</i> , 2012 , 20, 1582-9	11.7	57
116	Human brown adipose tissue is phenocopied by classical brown adipose tissue in physiologically humanized mice. <i>Nature Metabolism</i> , 2019 , 1, 830-843	14.6	55
115	Foxa2 activity increases plasma high density lipoprotein levels by regulating apolipoprotein M. <i>Journal of Biological Chemistry</i> , 2008 , 283, 16940-9	5.4	52
114	A Stat6/Pten Axis Links Regulatory T Cells with Adipose Tissue Function. Cell Metabolism, 2017, 26, 475	5- 49 26e	7 49
113	Branched chain fatty acids induce nitric oxide-dependent apoptosis in vascular smooth muscle cells. Journal of Biological Chemistry, 2002 , 277, 49319-25	5.4	48
112	Brown Adipose Crosstalk in Tissue Plasticity and Human Metabolism. <i>Endocrine Reviews</i> , 2020 , 41,	27.2	47
111	BATLAS: Deconvoluting Brown Adipose Tissue. <i>Cell Reports</i> , 2018 , 25, 784-797.e4	10.6	46
110	Subcutaneous adipose tissue zinc-P-glycoprotein is associated with adipose tissue and whole-body insulin sensitivity. <i>Obesity</i> , 2014 , 22, 1821-9	8	44
109	Plasma concentration of intestinal- and liver-FABP in neonates suffering from necrotizing enterocolitis and in healthy preterm neonates. <i>Molecular and Cellular Biochemistry</i> , 2002 , 239, 227-34	4.2	44
108	Adam17 Deficiency Promotes Atherosclerosis by Enhanced TNFR2 Signaling in Mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology,</i> 2017 , 37, 247-257	9.4	42
107	Proteomic Analysis of Human Brown Adipose Tissue Reveals Utilization of Coupled and Uncoupled Energy Expenditure Pathways. <i>Scientific Reports</i> , 2016 , 6, 30030	4.9	42
106	Age-Induced Changes in White, Brite, and Brown Adipose Depots: A Mini-Review. <i>Gerontology</i> , 2018 , 64, 229-236	5.5	42
105	Inhibition of Mevalonate Pathway Prevents Adipocyte Browning in Mice and Men by Affecting Protein Prenylation. <i>Cell Metabolism</i> , 2019 , 29, 901-916.e8	24.6	37
104	Transcriptional cofactor TBLR1 controls lipid mobilization in white adipose tissue. <i>Cell Metabolism</i> , 2013 , 17, 575-85	24.6	35
103	The glucose-dependent insulinotropic polypeptide (GIP) regulates body weight and food intake via CNS-GIPR signaling. <i>Cell Metabolism</i> , 2021 , 33, 833-844.e5	24.6	35
102	Regulation of adipogenesis by paracrine factors from adipose stromal-vascular fraction - a link to fat depot-specific differences. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2016 , 1861, 1121-1131	5	33
101	Short-term feeding of a ketogenic diet induces more severe hepatic insulin resistance than an obesogenic high-fat diet. <i>Journal of Physiology.</i> 2018 , 596, 4597-4609	3.9	33

(2001-2012)

100	Experimental study of metal nanoparticle synthesis by an arc evaporation/condensation process. <i>Journal of Nanoparticle Research</i> , 2012 , 14, 1	2.3	33	
99	Liver ASK1 protects from non-alcoholic fatty liver disease and fibrosis. <i>EMBO Molecular Medicine</i> , 2019 , 11, e10124	12	30	
98	Exercise-mimicking treatment fails to increase Fndc5 mRNA & irisin secretion in primary human myotubes. <i>Peptides</i> , 2014 , 56, 1-7	3.8	30	
97	Structure-function relationships of HDL in diabetes and coronary heart disease. <i>JCI Insight</i> , 2020 , 5,	9.9	30	
96	Transgenerational transmission of hedonic behaviors and metabolic phenotypes induced by maternal overnutrition. <i>Translational Psychiatry</i> , 2018 , 8, 195	8.6	29	
95	Regulation of De Novo Adipocyte Differentiation Through Cross Talk Between Adipocytes and Preadipocytes. <i>Diabetes</i> , 2015 , 64, 4075-87	0.9	27	
94	Bone morphogenic proteins signaling in adipogenesis and energy homeostasis. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2013 , 1831, 915-23	5	27	
93	Regulation of glycolysis in brown adipocytes by HIF-1\(\frac{1}{2}\)Scientific Reports, 2017 , 7, 4052	4.9	26	
92	Decreased glibenclamide uptake in hepatocytes of hepatocyte nuclear factor-1alpha-deficient mice: a mechanism for hypersensitivity to sulfonylurea therapy in patients with maturity-onset diabetes of the young, type 3 (MODY3). <i>Diabetes</i> , 2002 , 51 Suppl 3, S343-8	0.9	26	
91	Depot specific differences in the adipogenic potential of precursors are mediated by collagenous extracellular matrix and Flotillin 2Idependent signaling. <i>Molecular Metabolism</i> , 2016 , 5, 937-947	8.8	26	
90	FGF21, energy expenditure and weight loss - How much brown fat do you need?. <i>Molecular Metabolism</i> , 2015 , 4, 605-9	8.8	23	
89	TaqIA polymorphism in dopamine D2 receptor gene complicates weight maintenance in younger obese patients. <i>Nutrition</i> , 2012 , 28, 996-1001	4.8	23	
88	The dual role of BMP4 in adipogenesis and metabolism. Adipocyte, 2017, 6, 141-146	3.2	22	
87	Transgenic overexpression of VEGF-C induces weight gain and insulin resistance in mice. <i>Scientific Reports</i> , 2016 , 6, 31566	4.9	22	
86	Fatty acids as regulators of lipid metabolism. <i>European Journal of Lipid Science and Technology</i> , 2000 , 102, 746-762	3	21	
85	Outdoor Temperature Influences Cold Induced Thermogenesis in Humans. <i>Frontiers in Physiology</i> , 2018 , 9, 1184	4.6	20	
84	A Genetic Model to Study the Contribution of Brown and Brite Adipocytes to Metabolism. <i>Cell Reports</i> , 2020 , 30, 3424-3433.e4	10.6	19	
83	Pristanic acid is activator of peroxisome proliferator activated receptor alpha. <i>European Journal of Lipid Science and Technology</i> , 2001 , 103, 75-80	3	19	

82	TUSC5 regulates insulin-mediated adipose tissue glucose uptake by modulation of GLUT4 recycling. <i>Molecular Metabolism</i> , 2015 , 4, 795-810	8.8	18
81	Hepatic lipid composition differs between ob/ob and ob/+ control mice as determined by using in vivo localized proton magnetic resonance spectroscopy. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2012 , 25, 381-9	2.8	18
80	ASK1 inhibits browning of white adipose tissue in obesity. <i>Nature Communications</i> , 2020 , 11, 1642	17.4	17
79	Antioxidants protect against diabetes by improving glucose homeostasis in mouse models of inducible insulin resistance and obesity. <i>Diabetologia</i> , 2019 , 62, 2094-2105	10.3	17
78	Malfunctioning of adipocytes in obesity is linked to quantitative surfaceome changes. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2013 , 1831, 1208-16	5	17
77	SRF and MKL1 Independently Inhibit Brown Adipogenesis. <i>PLoS ONE</i> , 2017 , 12, e0170643	3.7	17
76	Maternal overnutrition leads to cognitive and neurochemical abnormalities in C57BL/6 mice. <i>Nutritional Neuroscience</i> , 2019 , 22, 688-699	3.6	16
75	Anatomical Grading for Metabolic Activity of Brown Adipose Tissue. <i>PLoS ONE</i> , 2016 , 11, e0149458	3.7	15
74	ZFP30 promotes adipogenesis through the KAP1-mediated activation of a retrotransposon-derived Pparg2 enhancer. <i>Nature Communications</i> , 2019 , 10, 1809	17.4	14
73	Identification of chemotypes in bitter melon by metabolomics: a plant with potential benefit for management of diabetes in traditional Chinese medicine. <i>Metabolomics</i> , 2019 , 15, 104	4.7	14
72	Synthetic inositol phosphoglycans related to GPI lack insulin-mimetic activity. <i>ACS Chemical Biology</i> , 2010 , 5, 1075-86	4.9	14
71	A high-throughput, image-based screen to identify kinases involved in brown adipocyte development. <i>Science Signaling</i> , 2017 , 10,	8.8	12
70	Puerariae lobatae root extracts and the regulation of brown fat activity. <i>Phytomedicine</i> , 2019 , 64, 15307	75 .5	12
69	Overexpression of cyclooxygenase-2 in adipocytes reduces fat accumulation in inguinal white adipose tissue and hepatic steatosis in high-fat fed mice. <i>Scientific Reports</i> , 2019 , 9, 8979	4.9	12
68	Novel Natural Products for Healthy Ageing from the Mediterranean Diet and Food Plants of Other Global Sources-The MediHealth Project. <i>Molecules</i> , 2018 , 23,	4.8	12
67	Increased Ifi202b/IFI16 expression stimulates adipogenesis in mice and humans. <i>Diabetologia</i> , 2018 , 61, 1167-1179	10.3	11
66	Chemical Synthesis of the 12 kDa Human Myokine Irisin by Eketoacid-Hydroxylamine (KAHA) Ligation. <i>Helvetica Chimica Acta</i> , 2016 , 99, 897-907	2	11
65	Longitudinal evaluation of hepatic lipid deposition and composition in ob/ob and ob/+ control mice. NMR in Biomedicine, 2013, 26, 1079-88	4.4	11

(2021-2015)

64	Improved adipose tissue metabolism after 5-year growth hormone replacement therapy in growth hormone deficient adults: The role of zinc-2-glycoprotein. <i>Adipocyte</i> , 2015 , 4, 113-22	3.2	10
63	Adipose Tissue Stem Cells. Handbook of Experimental Pharmacology, 2016 , 233, 251-63	3.2	10
62	Effectiveness of a low-calorie weight loss program in moderately and severely obese patients. <i>Obesity Facts</i> , 2013 , 6, 469-80	5.1	10
61	Secretin activates brown fat and induces satiation. <i>Nature Metabolism</i> , 2021 , 3, 798-809	14.6	10
60	FGF-2-dependent signaling activated in aged human skeletal muscle promotes intramuscular adipogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	10
59	Sexual dimorphism in COVID-19: potential clinical and public health implications <i>Lancet Diabetes and Endocrinology,the</i> , 2022 ,	18.1	9
58	Environmental and Nutritional Effects Regulating Adipose Tissue Function and Metabolism Across Generations. <i>Advanced Science</i> , 2019 , 6, 1900275	13.6	8
57	Feeding brown fat: dietary phytochemicals targeting non-shivering thermogenesis to control body weight. <i>Proceedings of the Nutrition Society</i> , 2020 , 79, 338-356	2.9	8
56	Mildly compromised tetrahydrobiopterin cofactor biosynthesis due to Pts variants leads to unusual body fat distribution and abdominal obesity in mice. <i>Journal of Inherited Metabolic Disease</i> , 2016 , 39, 309-19	5.4	8
55	Further cadinene derivatives from Heterotheca latifolia. <i>Phytochemistry</i> , 1985 , 24, 1101-1103	4	8
54	Plasticity and heterogeneity of thermogenic adipose tissue. <i>Nature Metabolism</i> , 2021 , 3, 751-761	14.6	8
53	TRPC1 regulates brown adipose tissue activity in a PPARE ependent manner. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2018 , 315, E825-E832	6	7
52	Transcriptional regulation of adipocyte formation by the liver receptor homologue 1 (Lrh1)-Small hetero-dimerization partner (Shp) network. <i>Molecular Metabolism</i> , 2013 , 2, 314-23	8.8	7
51	Adipokine zinc-2-glycoprotein regulated by growth hormone and linked to insulin sensitivity. <i>Obesity</i> , 2015 , 23, 322-8	8	7
50	Gene delivery to adipose tissue using transcriptionally targeted rAAV8 vectors. <i>PLoS ONE</i> , 2014 , 9, e11	6388	7
49	Proliferation of nutrition sensing preadipocytes upon short term HFD feeding. <i>Adipocyte</i> , 2019 , 8, 16-2	5 3.2	7
48	Synthese weiterer natflich vorkommender 5-Methylcumarine. <i>Liebigs Annalen Der Chemie</i> , 1989 , 1989, 295-298		6
47	Novel insights into adipose tissue heterogeneity <i>Reviews in Endocrine and Metabolic Disorders</i> , 2021 , 23, 5	10.5	6

46	Peroxisomal Ebxidation acts as a sensor for intracellular fatty acids and regulates lipolysis <i>Nature Metabolism</i> , 2021 , 3, 1648-1661	14.6	6
45	Quantification of adipocyte numbers following adipose tissue remodeling. <i>Cell Reports</i> , 2021 , 35, 1090	23 0.6	6
44	Cold Exposure Distinctively Modulates Parathyroid and Thyroid Hormones in Cold-Acclimatized and Non-Acclimatized Humans. <i>Endocrinology</i> , 2020 , 161,	4.8	6
43	Brown adipose tissue is the key depot for glucose clearance in microbiota depleted mice. <i>Nature Communications</i> , 2021 , 12, 4725	17.4	6
42	Adipocytes at the Core of Bone Function. Cell Stem Cell, 2017, 20, 739-740	18	5
41	Lipidomic and metabolic changes in the P4-type ATPase ATP10D deficient C57BL/6J wild type mice upon rescue of ATP10D function. <i>PLoS ONE</i> , 2017 , 12, e0178368	3.7	5
40	Genetic modulation of the serotonergic pathway: influence on weight reduction and weight maintenance. <i>Genes and Nutrition</i> , 2013 ,	4.3	5
39	Hairless promotes PPAR expression and is required for white adipogenesis. <i>EMBO Reports</i> , 2012 , 13, 1012-20	6.5	5
38	Relation of diet-induced thermogenesis to brown adipose tissue activity in healthy men. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2021 , 320, E93-E101	6	5
37	Plasma concentration of intestinal- and liver-FABP in neonates suffering from necrotizing enterocolitis and in healthy preterm neonates 2002 , 227-234		5
36	In-depth analysis of interreader agreement and accuracy in categorical assessment of brown adipose tissue in (18)FDG-PET/CT. <i>European Journal of Radiology</i> , 2017 , 91, 41-46	4.7	4
35	Liver ubiquitome uncovers nutrient-stress-mediated trafficking and secretion of complement C3. <i>Cell Death and Disease</i> , 2016 , 7, e2411	9.8	4
34	Effect of sex and bezafibrate on incorporation of blood borne palmitate into lipids of rat liver nuclei. <i>Molecular and Cellular Biochemistry</i> , 2000 , 214, 57-62	4.2	4
33	Single-nucleus RNA-Seq reveals a new type of brown adipocyte regulating thermogenesis		4
32	High-Throughput Single-Cell Mass Spectrometry Reveals Abnormal Lipid Metabolism in Pancreatic Ductal Adenocarcinoma. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 24534-24542	16.4	4
31	Metabolomic Analysis Reveals Changes in Plasma Metabolites in Response to Acute Cold Stress and Their Relationships to Metabolic Health in Cold-Acclimatized Humans. <i>Metabolites</i> , 2021 , 11,	5.6	4
30	Reply to Confounding issues in the Cumanized Corown fat of mice QNature Metabolism, 2020, 2, 305-30	16 14.6	3
29	Weight Loss and Adipose Tissue Browning in Humans: The Chicken or the Egg?. <i>Trends in Endocrinology and Metabolism</i> , 2018 , 29, 450-452	8.8	3

28	Lessons from Cre-Mice and Indicator Mice. Handbook of Experimental Pharmacology, 2019, 251, 37-54	3.2	3
27	A radical opposition in body weight control. <i>EMBO Molecular Medicine</i> , 2013 , 5, 1147-8	12	3
26	Quantitative trait locus mapping in mice identifies phospholipase Pla2g12a as novel atherosclerosis modifier. <i>Atherosclerosis</i> , 2017 , 265, 197-206	3.1	3
25	Identification of a regulatory pathway inhibiting adipogenesis via RSPO2 Nature Metabolism, 2022,	14.6	3
24	GPR180 is a component of TGFIsignalling that promotes thermogenic adipocyte function and mediates the metabolic effects of the adipocyte-secreted factor CTHRC1. <i>Nature Communications</i> , 2021 , 12, 7144	17.4	3
23	ESRRG and PERM1 Govern Mitochondrial Conversion in Brite/Beige Adipocyte Formation. <i>Frontiers in Endocrinology</i> , 2020 , 11, 387	5.7	2
22	New horizons for future research - Critical issues to consider for maximizing research excellence and impact. <i>Molecular Metabolism</i> , 2018 , 14, 53-59	8.8	2
21	Optimization and scale-up of oligonucleotide synthesis in packed bed reactors using computational fluid dynamics modeling. <i>Biotechnology Progress</i> , 2014 , 30, 1048-56	2.8	2
20	Large-scale purification of oligonucleotides by extraction and precipitation with butanole. <i>Biotechnology and Bioengineering</i> , 2005 , 89, 551-5	4.9	2
19	Chlorophyll-derived fatty acids regulate expression of lipid metabolizing enzymes in liver - a nutritional opportunity. <i>Oleagineux Corps Gras Lipides</i> , 2001 , 8, 39-44		2
18	Low-dose F-FDG TOF-PET/MR for accurate quantification of brown adipose tissue in healthy volunteers. <i>EJNMMI Research</i> , 2020 , 10, 5	3.6	2
17	Brown fat does not cause cachexia in cancer patients: A large retrospective longitudinal FDG-PET/CT cohort study. <i>PLoS ONE</i> , 2020 , 15, e0239990	3.7	2
16	Asymmetric cell division shapes naive and virtual memory T-cell immunity during ageing. <i>Nature Communications</i> , 2021 , 12, 2715	17.4	2
15	Fueling the fire of adipose thermogenesis <i>Science</i> , 2022 , 375, 1229-1231	33.3	2
14	Phenotypic Analysis of BAT versus WAT Differentiation. Current Protocols in Mouse Biology, 2013, 3, 20	5-11.66	1
13	The role of retinoids and their receptors in metabolic disorders. <i>European Journal of Lipid Science and Technology</i> , 2008 , 110, 191-205	3	1
12	Cross-Talk between Intracellular Lipid Binding Proteins and Ligand Activated Nuclear Receptors [A Signaling Pathway for Fatty Acids267-283		1
11	Local acetate inhibits brown adipose tissue function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	1

10	Functional diversity of human adipose tissue revealed by spatial mapping. <i>Nature Reviews Endocrinology</i> , 2021 , 17, 713-714	15.2	1
9	Free Thyroxine Levels are Associated with Cold Induced Thermogenesis in Healthy Euthyroid Individuals. <i>Frontiers in Endocrinology</i> , 2021 , 12, 666595	5.7	1
8	Creatine supplementation and thermogenesis in humans-a futile exercise?. <i>Nature Metabolism</i> , 2021 , 3, 9-10	14.6	1
7	Circadian patterns of energy metabolism are only partially reconstituted in gnotobiotic mice		1
6	Challenges in tackling energy expenditure as obesity therapy: From preclinical models to clinical application. <i>Molecular Metabolism</i> , 2021 , 51, 101237	8.8	1
5	LSD1 Makes Fat Colorful. <i>Trends in Endocrinology and Metabolism</i> , 2017 , 28, 1-2	8.8	О
4	Fluvastatin Reduces Glucose Tolerance in Healthy Young Individuals Independently of Cold Induced BAT Activity. <i>Frontiers in Endocrinology</i> , 2021 , 12, 765807	5.7	0
3	GHS-R in brown fat potentiates differential thermogenic responses under metabolic and thermal stresses. <i>PLoS ONE</i> , 2021 , 16, e0249420	3.7	O
2	GPR3 sets brown fat on fire. Cell Metabolism, 2021, 33, 1271-1273	24.6	
1	Quantification of adipocyte numbers in transgenic mice via the Cre-LoxP recombination sites. <i>STAR Protocols</i> , 2021 , 2, 100761	1.4	