

# Oleg Melnyk

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4245640/publications.pdf>

Version: 2024-02-01

170  
papers

4,493  
citations

109321

35  
h-index

144013

57  
g-index

202  
all docs

202  
docs citations

202  
times ranked

3502  
citing authors

#	ARTICLE	IF	CITATIONS
1	Native Chemical Ligation and Extended Methods: Mechanisms, Catalysis, Scope, and Limitations. <i>Chemical Reviews</i> , 2019, 119, 7328-7443.	47.7	367
2	Sequential native peptide ligation strategies for total chemical protein synthesis. <i>Chemical Society Reviews</i> , 2012, 41, 7001.	38.1	192
3	Bis(2-sulfanylethyl)amino Native Peptide Ligation. <i>Organic Letters</i> , 2010, 12, 5238-5241.	4.6	180
4	A One-Pot Three-Segment Ligation Strategy for Protein Chemical Synthesis. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 209-213.	13.8	126
5	Matrix-Free Laser Desorption/Ionization Mass Spectrometry on Silicon Nanowire Arrays Prepared by Chemical Etching of Crystalline Silicon. <i>Langmuir</i> , 2010, 26, 1354-1361.	3.5	118
6	Fmoc Solid-Phase Synthesis of Peptide Thioesters Using an Intramolecular N,S-Acyl Shift. <i>Organic Letters</i> , 2005, 7, 2647-2650.	4.6	107
7	Peptide-Protein Microarrays for the Simultaneous Detection of Pathogen Infections. <i>Bioconjugate Chemistry</i> , 2004, 15, 307-316.	3.6	88
8	Peptide Arrays for Highly Sensitive and Specific Antibody-Binding Fluorescence Assays. <i>Bioconjugate Chemistry</i> , 2002, 13, 713-720.	3.6	83
9	Î±-Oxo Aldehyde or Glyoxyl Group Chemistry in Peptide Bioconjugation. <i>Bioconjugate Chemistry</i> , 2013, 24, 735-765.	3.6	80
10	Diamond nanowires for highly sensitive matrix-free mass spectrometry analysis of small molecules. <i>Nanoscale</i> , 2012, 4, 231-238.	5.6	75
11	High sensitive matrix-free mass spectrometry analysis of peptides using silicon nanowires-based digital microfluidic device. <i>Lab on A Chip</i> , 2011, 11, 1620.	6.0	74
12	Biomolecule and Nanoparticle Transfer on Patterned and Heterogeneously Wetted Superhydrophobic Silicon Nanowire Surfaces. <i>Langmuir</i> , 2008, 24, 1670-1672.	3.5	69
13	Synthesis of Peptide Alkylthioesters Using the Intramolecular N,S-Acyl Shift Properties of Bis(2-sulfanylethyl)amido Peptides. <i>Journal of Organic Chemistry</i> , 2011, 76, 3194-3202.	3.2	63
14	Synthesis of Thiazolidine Thioester Peptides and Acceleration of Native Chemical Ligation. <i>Organic Letters</i> , 2011, 13, 1560-1563.	4.6	55
15	Highly efficient solid phase synthesis of large polypeptides by iterative ligations of bis(2-sulfanylethyl)amido (SEA) peptide segments. <i>Chemical Science</i> , 2013, 4, 4061.	7.4	55
16	One-Pot Synthesis of Antigen-Bearing, Lysine-Based Cluster Mannosides Using Two Orthogonal Chemoselective Ligation Reactions. <i>Angewandte Chemie - International Edition</i> , 2000, 39, 1068-1072.	13.8	54
17	Functionalization of peptides and proteins by aldehyde or keto groups. <i>Biopolymers</i> , 2000, 55, 165-186.	2.4	54
18	Semicarbazide-Functionalized Si(111) Surfaces for the Site-Specific Immobilization of Peptides. <i>Langmuir</i> , 2005, 21, 1489-1496.	3.5	54

#	ARTICLE	IF	CITATIONS
19	One-pot chemical synthesis of small ubiquitin-like modifier protein-peptide conjugates using bis(2-sulfanylethyl)amido peptide latent thioester surrogates. <i>Nature Protocols</i> , 2015, 10, 269-292.	12.0	52
20	A statistical view of protein chemical synthesis using NCL and extended methodologies. <i>Bioorganic and Medicinal Chemistry</i> , 2017, 25, 4938-4945.	3.0	52
21	$\hat{\pm}$ -Oxo Semicarbazone Peptide or Oligodeoxynucleotide Microarrays. <i>Bioconjugate Chemistry</i> , 2003, 14, 430-439.	3.6	48
22	Accelerating chemoselective peptide bond formation using bis(2-selenylethyl)amido peptide selenoester surrogates. <i>Chemical Science</i> , 2016, 7, 2657-2665.	7.4	45
23	The deprotection of Lys(Mtt) revisited. <i>Journal of Peptide Science</i> , 2000, 6, 264.	1.4	45
24	Tartric Acid-Based Linker for the Solid-Phase Synthesis of C-Terminal Peptide $\hat{\pm}$ -Oxo Aldehydes. <i>Journal of Organic Chemistry</i> , 2001, 66, 4153-4160.	3.2	44
25	Combined nanogap nanoparticles nanosensor for electrical detection of biomolecular interactions between polypeptides. <i>Applied Physics Letters</i> , 2004, 84, 1213-1215.	3.3	44
26	Access to Large Cyclic Peptides by a One-Pot Two-Peptide Segment Ligation/Cyclization Process. <i>Organic Letters</i> , 2015, 17, 130-133.	4.6	42
27	Surface-assisted laser desorption/ionization mass spectrometry on titanium dioxide (TiO <sub>2</sub> ) nanotube layers. <i>Analyst</i> , 2012, 137, 3058.	3.5	41
28	A new linker for the synthesis of C-terminal peptide $\hat{\pm}$ -oxo-aldehydes. <i>Tetrahedron Letters</i> , 1999, 40, 6225-6228.	1.4	39
29	Anchorage of Synthetic Peptides onto Liposomes via Hydrazone and $\hat{\pm}$ -Oxo Hydrazone Bonds. Preliminary Functional Investigations. <i>Bioconjugate Chemistry</i> , 2005, 16, 450-457.	3.6	39
30	Solid Phase Protein Chemical Synthesis. <i>Topics in Current Chemistry</i> , 2014, 363, 103-154.	4.0	39
31	Polypeptide Semicarbazide Glass Slide Microarrays: Characterization and Comparison with Amine Slides in Serodetection Studies. <i>Bioconjugate Chemistry</i> , 2004, 15, 317-325.	3.6	38
32	Peptide Immobilization on Amine-Terminated Boron-Doped Diamond Surfaces. <i>Langmuir</i> , 2007, 23, 4494-4497.	3.5	38
33	A novel PEG-based solid support enables the synthesis of >50 amino-acid peptide thioesters and the total synthesis of a functional SUMO-1 peptide conjugate. <i>Chemical Science</i> , 2014, 5, 2017-2022.	7.4	37
34	Synthesis of Clustered Glycoside-Antigen Conjugates by Two One-Pot, Orthogonal, Chemoselective Ligation Reactions: Scope and Limitations. <i>Chemistry - A European Journal</i> , 2001, 7, 230-239.	3.3	36
35	Shedding-Generated Met Receptor Fragments can be Routed to Either the Proteasomal or the Lysosomal Degradation Pathway. <i>Traffic</i> , 2012, 13, 1261-1272.	2.7	36
36	Towards thrombosis-targeted zeolite nanoparticles for laser-polarized <sup>129</sup> Xe MRI. <i>Journal of Materials Chemistry</i> , 2009, 19, 379-386.	6.7	35

#	ARTICLE	IF	CITATIONS
37	Bis(2-sulfanylethyl)amido Peptides Enable Native Chemical Ligation at Proline and Minimize Deletion Side-Product Formation. <i>Organic Letters</i> , 2013, 15, 5516-5519.	4.6	35
38	Accelerated microfluidic native chemical ligation at difficult amino acids toward cyclic peptides. <i>Nature Communications</i> , 2018, 9, 2847.	12.8	35
39	Convergent synthesis of fluorescein-labelled lysine-based cluster glycosides. <i>Tetrahedron Letters</i> , 1999, 40, 7235-7238.	1.4	34
40	Synthesis of oligonucleotide-peptide conjugates using hydrazone chemical ligation. <i>Tetrahedron Letters</i> , 2002, 43, 997-999.	1.4	33
41	RYH: A minimal peptidic sequence obtained from beta-chain hemoglobin exhibiting an antimicrobial activity. <i>Peptides</i> , 2011, 32, 1463-1468.	2.4	32
42	Carbon nanowalls: a new versatile graphene based interface for the laser desorption/ionization-mass spectrometry detection of small compounds in real samples. <i>Nanoscale</i> , 2017, 9, 9701-9715.	5.6	32
43	Novel Hyperbranched Glycomimetics Recognized by the Human Mannose Receptor: Quinic or Shikimic Acid Derivatives as Mannose Bioisosteres. <i>ChemBioChem</i> , 2001, 2, 747.	2.6	31
44	Solid-Phase Functionalization of Peptides by an $\hat{\text{I}}\pm$ -Hydrazinoacetyl Group. <i>Journal of Organic Chemistry</i> , 2003, 68, 7033-7040.	3.2	31
45	Selectively Activatable Latent Thiol and Selenolesters Simplify the Access to Cyclic or Branched Peptide Scaffolds. <i>Organic Letters</i> , 2015, 17, 3636-3639.	4.6	31
46	Chemoselective Acylation of Fully Deprotected Hydrazino Acetyl Peptides. Application to the Synthesis of Lipopeptides. <i>Journal of Organic Chemistry</i> , 2001, 66, 443-449.	3.2	30
47	Photochemical Immobilization of Proteins and Peptides on Benzophenone-Terminated Boron-Doped Diamond Surfaces. <i>Langmuir</i> , 2010, 26, 1075-1080.	3.5	30
48	From protein total synthesis to peptide transamidation and metathesis: playing with the reversibility of N,S-acyl or N,Se-acyl migration reactions. <i>Current Opinion in Chemical Biology</i> , 2014, 22, 137-145.	6.1	30
49	Covalent linking of peptides onto oxygen-terminated boron-doped diamond surfaces. <i>Diamond and Related Materials</i> , 2007, 16, 892-898.	3.9	29
50	Access to Cyclic or Branched Peptides Using Bis(2-sulfanylethyl)amido Side-Chain Derivatives of Asp and Glu. <i>Organic Letters</i> , 2012, 14, 2222-2225.	4.6	29
51	Selenopeptide Transamidation and Metathesis. <i>Organic Letters</i> , 2014, 16, 4032-4035.	4.6	27
52	Semi-synthesis of a HGF/SF kringle one (K1) domain scaffold generates a potent in vivo MET receptor agonist. <i>Chemical Science</i> , 2015, 6, 2110-2121.	7.4	26
53	A simple and traceless solid phase method simplifies the assembly of large peptides and the access to challenging proteins. <i>Chemical Science</i> , 2017, 8, 5362-5370.	7.4	26
54	Simultaneous Lipidation of a Characterized Peptide Mixture by Chemoselective Ligation. <i>Bioconjugate Chemistry</i> , 2003, 14, 494-499.	3.6	25

#	ARTICLE	IF	CITATIONS
55	Tidbits for the synthesis of <i>bis</i> (2-(sulfanylethyl)amido (SEA) polystyrene resin, SEA peptides and peptide thioesters. <i>Journal of Peptide Science</i> , 2014, 20, 92-97.	1.4	25
56	A Central Cysteine Residue Is Essential for the Thermal Stability and Function of SUMO-1 Protein and SUMO-1 Peptide-Protein Conjugates. <i>Bioconjugate Chemistry</i> , 2016, 27, 1540-1546.	3.6	25
57	MoS <sub>2</sub> /TiO <sub>2</sub> /SiNW surface as an effective substrate for LDI-MS detection of glucose and glutathione in real samples. <i>Talanta</i> , 2017, 171, 101-107.	5.5	24
58	Chemical Protein Synthesis in Medicinal Chemistry. <i>Journal of Medicinal Chemistry</i> , 2020, 63, 15140-15152.	6.4	24
59	Synthesis of hydrazinopeptides using solid phase N-amination. Application to chemical ligation. <i>Tetrahedron Letters</i> , 1996, 37, 7259-7262.	1.4	23
60	Grafting of synthetic mannose receptor-ligands onto onion vectors for human dendritic cells targeting Electronic supplementary information (ESI) available: full experimental details. See <a href="http://www.rsc.org/suppdata/cc/b2/b206980f/">http://www.rsc.org/suppdata/cc/b2/b206980f/</a> . <i>Chemical Communications</i> , 2002, , 2446-2447.	4.1	23
61	Detecting the Chemoselective Ligation of Peptides to Silicon with the Use of Cobalt Carbonyl Labels. <i>Langmuir</i> , 2006, 22, 7059-7065.	3.5	23
62	Synthesis, folding, and structure of the turn mimic modified B1 domain of streptococcal protein G. <i>Protein Science</i> , 1999, 8, 2773-2783.	7.6	23
63	Affinity surface-assisted laser desorption/ionization mass spectrometry for peptide enrichment. <i>Analyst</i> , 2012, 137, 5527.	3.5	23
64	Chemical Micropatterning of Polycarbonate for Site-Specific Peptide Immobilization and Biomolecular Interactions. <i>ChemBioChem</i> , 2007, 8, 315-322.	2.6	22
65	Synthesis of lipopeptides using hydrazone chemical ligation. <i>Chemical Biology and Drug Design</i> , 1998, 52, 180-184.	1.1	22
66	Chips from Chips: Application to the Study of Antibody Responses to Methylated Proteins. <i>Journal of Proteome Research</i> , 2010, 9, 6467-6478.	3.7	21
67	Assembly/Disassembly of Drug Conjugates Using Imide Ligation. <i>Organic Letters</i> , 2010, 12, 3982-3985.	4.6	21
68	Reaction of Isocyanate-Functionalised Silicon Wafers with Complex Amino Compounds. <i>European Journal of Organic Chemistry</i> , 2007, 2007, 4032-4037.	2.4	20
69	Current based antibodies detection from human serum enhanced by secondary antibodies labelled with gold nanoparticles immobilized in a nanogap. <i>Biosensors and Bioelectronics</i> , 2008, 23, 1185-1188.	10.1	20
70	Total synthesis of biotinylated N domain of human hepatocyte growth factor. <i>Bioorganic and Medicinal Chemistry</i> , 2013, 21, 3486-3494.	3.0	20
71	Synthesis of Unprotected Linear or Cyclic <i>O</i> -Acyl Isopeptides in Water Using Bis(2-sulfanylethyl)amido Peptide Ligation. <i>Organic Letters</i> , 2015, 17, 3354-3357.	4.6	20
72	Strategies and open questions in solid-phase protein chemical synthesis. <i>Current Opinion in Chemical Biology</i> , 2020, 58, 1-9.	6.1	20

#	ARTICLE	IF	CITATIONS
73	Chemoselective acylation of hydrazinopeptides: a novel and mild method for the derivatization of peptides with sensitive fatty acids. <i>Tetrahedron Letters</i> , 2000, 41, 45-48.	1.4	19
74	Methyl phenylacetate enolate generated with the P4-tBu Schwesinger base: "naked" or not?. <i>Tetrahedron Letters</i> , 2001, 42, 9153-9155.	1.4	19
75	A cysteine selenosulfide redox switch for protein chemical synthesis. <i>Nature Communications</i> , 2020, 11, 2558.	12.8	19
76	Polysaccharide Microarrays for Polysaccharide-Platelet-Derived-Growth-Factor Interaction Studies. <i>ChemBioChem</i> , 2006, 7, 817-826.	2.6	18
77	NMR-based detection of acetylation sites in peptides. <i>Journal of Peptide Science</i> , 2010, 16, 414-423.	1.4	18
78	Synthesis of Peptide Thioacids at Neutral pH Using Bis(2-sulfanylethyl)amido Peptide Precursors. <i>Organic Letters</i> , 2013, 15, 5346-5349.	4.6	18
79	Synthesis and Structural and Functional Evaluation of a Protein Modified with a $\beta^2$ -Turn Mimic. <i>Journal of the American Chemical Society</i> , 1998, 120, 6076-6083.	13.7	17
80	Synthesis of hydrazinopeptides using solid-phase N -electrophilic amination: extension to the Fmoc/tert -butyl strategy and chemistry of the N-N bond in strong acid media. <i>Chemical Biology and Drug Design</i> , 1999, 54, 270-278.	1.1	17
81	The deprotection of Lys(Mtt) revisited. <i>Journal of Peptide Science</i> , 2000, 6, 264-270.	1.4	17
82	Solid-Phase Enolate Chemistry Investigated Using HR-MAS NMR Spectroscopy. <i>Journal of Organic Chemistry</i> , 2002, 67, 526-532.	3.2	17
83	Exploration of an imide capture/N,N-acyl shift sequence for asparagine native peptide bond formation. <i>Bioorganic and Medicinal Chemistry</i> , 2013, 21, 3479-3485.	3.0	17
84	Catalysis of Thiol-Thioester Exchange by Water-Soluble Alkyldiselenols Applied to the Synthesis of Peptide Thioesters and SEA-Mediated Ligation. <i>Journal of Organic Chemistry</i> , 2018, 83, 12584-12594.	3.2	17
85	Synthesis of glyoxylyl peptides using a phosphine labile $\beta^2$ -diaminoacetic acid derivative. <i>Tetrahedron Letters</i> , 2004, 45, 7163-7165.	1.4	16
86	Total chemical synthesis of SUMO proteins. <i>Tetrahedron Letters</i> , 2016, 57, 4319-4324.	1.4	16
87	Synthesis and mannose receptor-Mediated uptake of clustered glycomimetics by human dendritic cells: effect of charge. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2002, 12, 2723-2727.	2.2	15
88	Combined Thioether/Hydrazone Chemoselective Ligation Reactions for the Synthesis of Glycoclustered Antigen Peptide Conjugates. <i>Bioconjugate Chemistry</i> , 2002, 13, 887-892.	3.6	15
89	Synthesis of Peptide-Protein Conjugates Using N-Succinimidyl Carbamate Chemistry. <i>Bioconjugate Chemistry</i> , 2010, 21, 219-228.	3.6	15
90	One-pot synthesis of dissymmetrical 4,6-disubstituted dibenzofurans. <i>Tetrahedron Letters</i> , 1995, 36, 7657-7660.	1.4	14

#	ARTICLE	IF	CITATIONS
91	A novel lipophilic glyoxylic acid derivative for the lipidation of peptides using salt-free hydrazone ligation. <i>Tetrahedron Letters</i> , 2000, 41, 10003-10007.	1.4	14
92	Synthesis by Chemoselective Ligation and Biological Evaluation of Novel Cell-Permeable PKC- $\zeta$ Pseudosubstrate Lipopeptides. <i>Journal of Medicinal Chemistry</i> , 2001, 44, 468-471.	6.4	14
93	Imaging of protein layers with an optical microscope for the characterization of peptide microarrays. <i>Journal of Peptide Science</i> , 2007, 13, 451-457.	1.4	14
94	The collagen assisted self-assembly of silicon nanowires. <i>Nanotechnology</i> , 2009, 20, 235601.	2.6	14
95	Insight into the SEA amide thioester equilibrium. Application to the synthesis of thioesters at neutral pH. <i>Organic and Biomolecular Chemistry</i> , 2016, 14, 7211-7216.	2.8	14
96	Total Chemical Synthesis of All SUMO-2/3 Dimer Combinations. <i>Bioconjugate Chemistry</i> , 2019, 30, 2967-2973.	3.6	14
97	The Role of the Conserved SUMO-2/3 Cysteine Residue on Domain Structure Investigated Using Protein Chemical Synthesis. <i>Bioconjugate Chemistry</i> , 2019, 30, 2684-2696.	3.6	13
98	A novel and mild solid phase hydroperoxydeamination reaction. <i>Tetrahedron Letters</i> , 1999, 40, 7315-7318.	1.4	12
99	Love wave immunosensor for antibody recognition using an innovative semicarbazide surface functionalization. <i>Sensors and Actuators B: Chemical</i> , 2009, 140, 616-622.	7.8	12
100	Convergent synthesis of D-( $\alpha$ )-quinic and shikimic acid-containing dendrimers as potential C-lectin ligands by sulfide ligation of unprotected fragments. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1999, , 2967-2975.	0.9	11
101	A novel family of amphiphilic $\alpha$ -oxo aldehydes for the site-specific modification of peptides by two palmitoyl groups in solution or in liposome suspensions. <i>Tetrahedron Letters</i> , 2001, 42, 6851-6853.	1.4	11
102	Design, synthesis and antimalarial activity of a glyoxylylhydrazone library. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2004, 14, 4439-4443.	2.2	11
103	A novel $\alpha$ , $\beta$ -diaminoacetic acid derivative for the introduction of the $\alpha$ -oxo aldehyde functionality into peptides. <i>Tetrahedron Letters</i> , 2004, 45, 1271-1273.	1.4	11
104	Parallel Synthesis of a Lipopeptide Library by Hydrazone-Based Chemical Ligation. <i>ACS Combinatorial Science</i> , 2007, 9, 973-981.	3.3	11
105	Pedal to the Metal: The Homogeneous Catalysis of the Native Chemical Ligation Reaction. <i>Chemistry - A European Journal</i> , 2022, 28, e202104229.	3.3	11
106	Synthesis of an amphiphilic aldehyde using as a key step the condensation of a lipophilic glyoxylic acid amide derivative with tris(hydroxymethyl)aminomethane. <i>Tetrahedron Letters</i> , 2001, 42, 1875-1877.	1.4	10
107	A novel phosphoramidite for the synthesis of $\alpha$ -oxo aldehyde-modified oligodeoxynucleotides. <i>Tetrahedron</i> , 2005, 61, 6138-6142.	1.9	10
108	Hybrid Bioorganic-Inorganic Materials Prepared by Site-Specific Ligation of Peptides to Functionalized Polydisperse Silica Particles. <i>European Journal of Organic Chemistry</i> , 2005, 2005, 2473-2480.	2.4	10

#	ARTICLE	IF	CITATIONS
109	Silver-Catalyzed azaGly Ligation. Application to the Synthesis of Azapeptides and of Lipid~Peptide Conjugates. <i>Bioconjugate Chemistry</i> , 2009, 20, 1397-1403.	3.6	10
110	Three-Component Synthesis of Neoglycopeptides Using a Cu(II)-Triggered Aminolysis of Peptide Hydrazide Resin and an Azide~Alkyne Cycloaddition Sequence. <i>Organic Letters</i> , 2011, 13, 4336-4339.	4.6	10
111	Inhibition of Latent Membrane Protein 1 Impairs the Growth and Tumorigenesis of Latency II Epstein-Barr Virus-Transformed T Cells. <i>Journal of Virology</i> , 2012, 86, 3934-3943.	3.4	10
112	Direct Characterization of Native Chemical Ligation of Peptides on Silicon Nanowires. <i>Langmuir</i> , 2012, 28, 13336-13344.	3.5	10
113	<i>&lt;i&gt;Se&lt;/i&gt;</i> -(9-Fluorenylmethyl) Selenoesters; Preparation, Reactivity, and Use as Convenient Synthons for Selenoacids. <i>Organic Letters</i> , 2013, 15, 3758-3761.	4.6	10
114	Characterization of peptide attachment on silicon nanowires by X-ray photoelectron spectroscopy and mass spectrometry. <i>Analyst, The</i> , 2017, 142, 969-978.	3.5	10
115	COCHO-modified oxides nanoparticles by using phosphonic acid as grafting agent. <i>Tetrahedron Letters</i> , 2003, 44, 5617-5619.	1.4	9
116	Synthesis of glyoxylyl peptides using an Fmoc-protected $\hat{1}\pm,\hat{1}\pm\hat{a}^2$ -diaminoacetic acid derivative. <i>Journal of Peptide Science</i> , 2005, 11, 424-430.	1.4	9
117	Electrical detection of human immunoglobulins G from human serum using a microbiosensor. <i>Biosensors and Bioelectronics</i> , 2007, 23, 81-87.	10.1	9
118	Decoration of silicon nanostructures with copper particles for simultaneous selective capture and mass spectrometry detection of His-tagged model peptide. <i>Analyst, The</i> , 2014, 139, 5155-5163.	3.5	9
119	Hypoxia leads to decreased autophosphorylation of the MET receptor but promotes its resistance to tyrosine kinase inhibitors. <i>Oncotarget</i> , 2018, 9, 27039-27058.	1.8	9
120	Fluidics of a Nanogap. <i>Langmuir</i> , 2006, 22, 9784-9788.	3.5	8
121	PASE: A Web-Based Platform for Peptide/Protein Microarray Experiments. <i>Methods in Molecular Biology</i> , 2009, 570, 413-430.	0.9	8
122	In Situ Ligation between Peptides and Silica Nanoparticles for Making Peptide Microarrays on Polycarbonate. <i>Bioconjugate Chemistry</i> , 2009, 20, 550-557.	3.6	8
123	Selective cleavage of an azaGly peptide bond by copper(II). Long~range effect of histidine residue. <i>Journal of Peptide Science</i> , 2010, 16, 141-147.	1.4	8
124	Phenylthiocarbamate or <i>&lt;i&gt;N&lt;/i&gt;</i> -Carbothiophenyl Group Chemistry in Peptide Synthesis and Bioconjugation. <i>Bioconjugate Chemistry</i> , 2014, 25, 629-639.	3.6	8
125	Kinetically Controlled Chemoselective Cyclization Simplifies the Access to Cyclic and Branched Peptides. <i>Organic Letters</i> , 2016, 18, 3842-3845.	4.6	8
126	Native Chemical Ligation at Serine Revisited. <i>Organic Letters</i> , 2018, 20, 7616-7619.	4.6	8



#	ARTICLE	IF	CITATIONS
127	Fast and facile preparation of nanostructured silicon surfaces for laser desorption/ionization mass spectrometry of small compounds. <i>Rapid Communications in Mass Spectrometry</i> , 2019, 33, 66-74.	1.5	8
128	Natural T Cell Epitope Containing Methyl Lysines on Mycobacterial Heparin-Binding Hemagglutinin. <i>Journal of Immunology</i> , 2020, 204, 1715-1723.	0.8	8
129	Addition diastÃ©rÃ©oisÃ©lective d'allyl cuprates Ã des imides chirales insaturÃ©es. <i>Journal of Organometallic Chemistry</i> , 1990, 388, c5-c8.	1.8	7
130	Determination of glyoxylyl-peptide concentration using oxime chemistry and RP-HPLC analysis. <i>Journal of Peptide Science</i> , 2006, 12, 734-738.	1.4	7
131	Ti-Cp functionalization by deposition of organic/inorganic silica nanoparticles. <i>New Biotechnology</i> , 2007, 24, 549-554.	2.7	7
132	Thiocarbamate-linked peptides by chemoselective peptide ligation. <i>Journal of Peptide Science</i> , 2008, 14, 1244-1250.	1.4	7
133	Semicarbazide-Functionalized Silicate Nanoparticles for Peptide Ligation. <i>European Journal of Inorganic Chemistry</i> , 2006, 2006, 2766-2772.	2.0	6
134	Catalysis of Hydrazone and Oxime Peptide Ligation by Arginine. <i>Organic Letters</i> , 2020, 22, 8608-8612.	4.6	6
135	Chemistry of hydrazinopeptides: a new hydroperoxydeamination process. <i>Tetrahedron Letters</i> , 1999, 40, 1491-1494.	1.4	5
136	Reactivity of Lys(NH <sub>2</sub> )-containing peptides toward endopeptidases. , 1999, 5, 352-359.		5
137	Synthesis and Chemical Reactivity of $\beta$ -Oxo Aldehyde-Supported Silicas. <i>European Journal of Organic Chemistry</i> , 2003, 2003, 4132-4139.	2.4	5
138	Comments on "Methyl phenylacetate enolate generated with the P4-tBu Schwesinger base: "naked" or not?". <i>Tetrahedron Letters</i> , 2003, 44, 2243.	1.4	5
139	Characterization of Nanogap Chemical Reactivity Using Peptide-Capped Gold Nanoparticles and Electrical Detection. <i>Bioconjugate Chemistry</i> , 2008, 19, 802-805.	3.6	5
140	Structural diversity of human class II histocompatibility molecules induced by peptide ligands. <i>FEBS Letters</i> , 2000, 481, 249-254.	2.8	4
141	Synthesis and chemical reactivity of semicarbazide-supported silicas. <i>Tetrahedron Letters</i> , 2003, 44, 4191-4194.	1.4	4
142	Chemistry-based protein modification strategy for endocytic pathway analysis. <i>Biology of the Cell</i> , 2010, 102, 351-359.	2.0	4
143	Fast Protein Modification in the Nanomolar Concentration Range Using an Oxalyl Amide as Latent Thioester. <i>Angewandte Chemie - International Edition</i> , 2022, , .	13.8	4
144	Solid phase synthesis of mandelic acid-derived thioethers by $\beta$ -keto carbocation trapping. <i>Tetrahedron Letters</i> , 2004, 45, 1381-1383.	1.4	3

#	ARTICLE	IF	CITATIONS
145	Peptide Microarrays on Bisphenol A Polycarbonate. <i>Methods in Molecular Biology</i> , 2009, 570, 287-297.	0.9	3
146	C-terminal glyoxylyl peptides for sensitive enzyme-linked immunosorbent assays. <i>International Journal of Peptide Research and Therapeutics</i> , 2001, 8, 253-258.	0.1	2
147	Preparation of $\beta$ -Oxo Semicarbazone Oligonucleotide Microarrays. <i>Current Protocols in Nucleic Acid Chemistry</i> , 2004, 19, Unit 12.6.	0.5	2
148	Functionalization of Biomaterials. <i>Key Engineering Materials</i> , 2005, 288-289, 47-50.	0.4	2
149	Carbohydrate Microarrays in 96-Well Polystyrene Microtiter Plates. <i>Methods in Molecular Biology</i> , 2012, 808, 377-391.	0.9	2
150	Insights into the Mechanism and Catalysis of Peptide Thioester Synthesis by Alkylselenols Provide a New Tool for Chemical Protein Synthesis. <i>Molecules</i> , 2021, 26, 1386.	3.8	2
151	In Situ Chemical Modification of Peptide Microarrays: Characterization by Desorption/Ionization on Silicon Nanowires. <i>Methods in Molecular Biology</i> , 2010, 669, 125-133.	0.9	2
152	Polysaccharide Microarrays: Application to the Identification of Heparan Sulphate Mimetics. <i>Methods in Molecular Biology</i> , 2012, 808, 231-240.	0.9	2
153	Thiol Catalysis of Selenosulfide Bond Cleavage by a Triarylphosphine. <i>Journal of Organic Chemistry</i> , 2022, 87, 9426-9430.	3.2	2
154	Semicarbazide/ $\beta$ -Oxo Aldehyde Site-Specific Ligation Chemistry: From Peptide Microarrays to the Micropatterning of Polycarbonate or Titanium Oxide Using Silica Nanoparticles. , 0, , 299-327.		1
155	Thiocarbamate-Linked Polysulfonate Peptide Conjugates As Selective Hepatocyte Growth Factor Receptor Binders. <i>Bioconjugate Chemistry</i> , 2014, 25, 1000-1010.	3.6	1
156	Comment on "N-terminal Protein Tail Acts as Aggregation Protective Entropic Bristles: The SUMO Case". <i>Biomacromolecules</i> , 2020, 21, 3480-3482.	5.4	1
157	The Problem of Aspartimide Formation During Protein Chemical Synthesis Using SEA-Mediated Ligation. <i>Springer Protocols</i> , 2020, , 13-28.	0.3	1
158	In Situ Chemical Modification of Peptide Microarrays: Application to the Study of the Antibody Responses to Methylated Antigens. <i>Methods in Molecular Biology</i> , 2010, 669, 135-145.	0.9	1
159	Surface Modifications of Love Acoustic Waves Sensors for Chemical and Biological Detection. <i>Sensor Letters</i> , 2009, 7, 750-756.	0.4	1
160	SEA-Mediated Ligation Is Accelerated at Mildly Acidic pH: Application to the Formation of Difficult Peptide Junctions. <i>Springer Protocols</i> , 2020, , 1-12.	0.3	1
161	A Selenium-based Cysteine Surrogate for Protein Chemical Synthesis. <i>Methods in Molecular Biology</i> , 2022, , 213-239.	0.9	1
162	C-terminal glyoxylyl peptides for sensitive enzyme-linked immunosorbent assays. <i>International Journal of Peptide Research and Therapeutics</i> , 2001, 8, 253-258.	0.1	0

#	ARTICLE	IF	CITATIONS
163	Corrigendum to "A novel family of amphiphilic $\alpha$ -oxo aldehydes for the site-specific modification of peptides by two palmitoyl groups in solution or in liposome suspensions" Tetrahedron Letters, 2001, 42, 8255.	1.4	0
164	Design, Synthesis and Antimalarial Activity of a Glyoxylylhydrazone Library.. ChemInform, 2004, 35, no.	0.0	0
165	Electrical Detection of Antibodies from Human Serum Based on the Insertion of Gold-Labeled Secondary Antibodies into Microor Nanogaps. , 0, , 329-351.		0
166	Fundamental studies in nanosciences at the Institute of Electronics, Microelectronics, and Nanotechnology (IEMN). International Journal of Nanotechnology, 2008, 5, 631.	0.2	0
167	Using the Interactive Tool of the Protein Chemical Synthesis Database. Springer Protocols, 2020, , 29-36.	0.3	0
168	A new tartaric acid-based linker for the synthesis of C-terminal peptide $\alpha$ -oxo-aldehydes. , 2002, , 104-106.		0
169	Frontispiece: Pedal to the Metal: The Homogeneous Catalysis of the Native Chemical Ligation Reaction. Chemistry - A European Journal, 2022, 28, .	3.3	0
170	Fast Protein Modification in the Nanomolar Concentration Range Using an Oxalyl Amide as Latent Thioester. Angewandte Chemie, 0, , .	2.0	0