
## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4245769/publications.pdf Version: 2024-02-01



ΜοΥλΝο

#	Article	IF	CITATIONS
1	Zeta potential: a surface electrical characteristic to probe the interaction of nanoparticles with normal and cancer human breast epithelial cells. Biomedical Microdevices, 2008, 10, 321-328.	1.4	359
2	A fluorescence resonance energy transfer (FRET) biosensor based on graphene quantum dots (GQDs) and gold nanoparticles (AuNPs) for the detection of mecA gene sequence of Staphylococcus aureus. Biosensors and Bioelectronics, 2015, 67, 595-600.	5.3	308
3	The Application of Organic Electrochemical Transistors in Cellâ€Based Biosensors. Advanced Materials, 2010, 22, 3655-3660.	11.1	255
4	Nanoparticle based fluorescence resonance energy transfer (FRET) for biosensing applications. Journal of Materials Chemistry B, 2015, 3, 6989-7005.	2.9	198
5	Ultrasensitive Detection of Ebola Virus Oligonucleotide Based on Upconversion Nanoprobe/Nanoporous Membrane System. ACS Nano, 2016, 10, 598-605.	7.3	168
6	A PDMS microfluidic impedance immunosensor for E. coli O157:H7 and Staphylococcus aureus detection via antibody-immobilized nanoporous membrane. Sensors and Actuators B: Chemical, 2011, 159, 328-335.	4.0	154
7	Graphene and graphene-like two-denominational materials based fluorescence resonance energy transfer (FRET) assays for biological applications. Biosensors and Bioelectronics, 2017, 89, 123-135.	5.3	148
8	A graphene quantum dot@Fe 3 O 4 @SiO 2 based nanoprobe for drug delivery sensing and dual-modal fluorescence and MRI imaging in cancer cells. Biosensors and Bioelectronics, 2017, 92, 489-495.	5.3	145
9	Upconversion Luminescence Resonance Energy Transfer (LRET)â€Based Biosensor for Rapid and Ultrasensitive Detection of Avian Influenza Virus H7 Subtype. Small, 2014, 10, 2390-2397.	5.2	139
10	A fluorescence turn-on biosensor based on graphene quantum dots (GQDs) and molybdenum disulfide (MoS2) nanosheets for epithelial cell adhesion molecule (EpCAM) detection. Biosensors and Bioelectronics, 2017, 93, 182-188.	5.3	123
11	Detection of bacteria with organic electrochemical transistors. Journal of Materials Chemistry, 2012, 22, 22072.	6.7	118
12	Impedance studies of bio-behavior and chemosensitivity of cancer cells by micro-electrode arrays. Biosensors and Bioelectronics, 2009, 24, 1305-1310.	5.3	111
13	Ultrasensitive detection of E. coli O157:H7 with biofunctional magnetic bead concentration via nanoporous membrane based electrochemical immunosensor. Biosensors and Bioelectronics, 2013, 41, 532-537.	5.3	110
14	Porphyrinic Metal–Organic Framework PCN-224 Nanoparticles for Near-Infrared-Induced Attenuation of Aggregation and Neurotoxicity of Alzheimer's Amyloid-β Peptide. ACS Applied Materials & Interfaces, 2018, 10, 36615-36621.	4.0	107
15	Graphene-Based Nanocomposites for Neural Tissue Engineering. Molecules, 2019, 24, 658.	1.7	107
16	A Surfaceâ€Charge Study on Cellularâ€Uptake Behavior of F3â€Peptideâ€Conjugated Iron Oxide Nanoparticles. Small, 2009, 5, 1990-1996.	5.2	105
17	Label-free DNA sensor based on organic thin film transistors. Biosensors and Bioelectronics, 2009, 24, 1241-1245.	5.3	103
18	A novel electrochemical biosensor based on dynamic polymerase-extending hybridization for E. coli O157:H7 DNA detection. Talanta, 2009, 78, 647-652.	2.9	103

#	Article	IF	CITATIONS
19	High sensitivity piezoresistive cantilever design and optimization for analyte-receptor binding. Journal of Micromechanics and Microengineering, 2003, 13, 864-872.	1.5	96
20	One-Step in Situ Detection of miRNA-21 Expression in Single Cancer Cells Based on Biofunctionalized MoS <sub>2</sub> Nanosheets. ACS Applied Materials & Interfaces, 2018, 10, 350-360.	4.0	90
21	Ultrasmall Metal–Organic Framework Zn-MOF-74 Nanodots: Size-Controlled Synthesis and Application for Highly Selective Colorimetric Sensing of Iron(III) in Aqueous Solution. ACS Applied Nano Materials, 2018, 1, 3747-3753.	2.4	86
22	Detection of heavy metal toxicity using cardiac cell-based biosensor. Biosensors and Bioelectronics, 2007, 22, 3224-3229.	5.3	84
23	A polymeric microfluidic device integrated with nanoporous alumina membranes for simultaneous detection of multiple foodborne pathogens. Sensors and Actuators B: Chemical, 2016, 225, 312-318.	4.0	84
24	Bio-mimetically synthesized Ag@BSA microspheres as a novel electrochemical biosensing interface for sensitive detection of tumor cells. Biosensors and Bioelectronics, 2013, 41, 656-662.	5.3	74
25	Virus Detection: From Stateâ€ofâ€theâ€Art Laboratories to Smartphoneâ€Based Pointâ€ofâ€Care Testing. Adva Science, 2022, 9, e2105904.	nced	66
26	Fe3O4–pyrolytic graphite oxide composite as an anode material for lithium secondary batteries. Electrochimica Acta, 2013, 90, 426-432.	2.6	65
27	A graphene oxide based fluorescence resonance energy transfer (FRET) biosensor for ultrasensitive detection of botulinum neurotoxin A (BoNT/A) enzymatic activity. Biosensors and Bioelectronics, 2015, 65, 238-244.	5.3	63
28	Analysis, control and augmentation of microcantilever deflections in bio-sensing systems. Sensors and Actuators B: Chemical, 2003, 94, 103-115.	4.0	61
29	A microfluidic flow-through chip integrated with reduced graphene oxide transistor for influenza virus gene detection. Sensors and Actuators B: Chemical, 2017, 251, 927-933.	4.0	61
30	Polymerâ€Brushâ€Grafted Mesoporous Silica Nanoparticles for Triggered Drug Delivery. ChemPhysChem, 2018, 19, 1956-1964.	1.0	54
31	Mechanics and Actomyosin-Dependent Survival/Chemoresistance of Suspended Tumor Cells in Shear Flow. Biophysical Journal, 2019, 116, 1803-1814.	0.2	53
32	Harnessing Tissue-derived Extracellular Vesicles for Osteoarthritis Theranostics. Theranostics, 2022, 12, 207-231.	4.6	53
33	Systematic Profiling of Histone Readers in Arabidopsis thaliana. Cell Reports, 2018, 22, 1090-1102.	2.9	52
34	A microfluidic chip with poly(ethylene glycol) hydrogel microarray on nanoporous alumina membrane for cell patterning and drug testing. Sensors and Actuators B: Chemical, 2010, 143, 776-783.	4.0	51
35	Ultra-sensitive photoelectrochemical aptamer biosensor for detecting E. coli O157:H7 based on nonmetallic plasmonic two-dimensional hydrated defective tungsten oxide nanosheets coupling with nitrogen-doped graphene quantum dots (dWO3•H2O@N-GQDs). Biosensors and Bioelectronics, 2021, 183. 113214.	5.3	51
36	A reduced graphene oxide-Au based electrochemical biosensor for ultrasensitive detection of enzymatic activity of botulinum neurotoxin A. Sensors and Actuators B: Chemical, 2015, 220, 131-137	4.0	48

#	Article	IF	CITATIONS
37	Dualâ€Depletion of Intratumoral Lactate and ATP with Radicals Generation for Cascade Metabolicâ€Chemodynamic Therapy. Advanced Science, 2021, 8, e2102595.	5.6	48
38	Kinetic and high-throughput profiling of epigenetic interactions by 3D-carbene chip-based surface plasmon resonance imaging technology. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, E7245-E7254.	3.3	47
39	Porphyrinic Metal–Organic Framework Nanorod-Based Dual-Modal Nanoprobe for Sensing and Bioimaging of Phosphate. ACS Applied Materials & Interfaces, 2020, 12, 26391-26398.	4.0	47
40	A polyethylene glycol (PEG) microfluidic chip with nanostructures for bacteria rapid patterning and detection. Sensors and Actuators A: Physical, 2009, 154, 288-294.	2.0	46
41	Nanotechnology for diagnosis and therapy of rheumatoid arthritis: Evolution towards theranostic approaches. Chinese Chemical Letters, 2021, 32, 66-86.	4.8	46
42	Plain Silver Surface Plasmon Resonance for Microarray Application. Analytical Chemistry, 2015, 87, 1466-1469.	3.2	45
43	A novel microfluidic impedance assay for monitoring endothelin-induced cardiomyocyte hypertrophy. Biosensors and Bioelectronics, 2007, 22, 1688-1693.	5.3	44
44	Electrical assisted patterning of cardiac myocytes with controlled macroscopic anisotropy using a microfluidic dielectrophoresis chip. Sensors and Actuators A: Physical, 2007, 135, 73-79.	2.0	44
45	Olfactory mucosa tissue-based biosensor: A bioelectronic nose with receptor cells in intact olfactory epithelium. Sensors and Actuators B: Chemical, 2010, 146, 527-533.	4.0	43
46	Separation of individual neurons using dielectrophoretic alternative current fields. Journal of Neuroscience Methods, 2004, 135, 79-88.	1.3	42
47	Nerve Growth Factor-Targeted Molecular Theranostics Based on Molybdenum Disulfide Nanosheet-Coated Gold Nanorods (MoS <sub>2</sub> -AuNR) for Osteoarthritis Pain. ACS Nano, 2021, 15, 11711-11723.	7.3	41
48	A nanoporous membrane based impedance sensing platform for DNA sensing with gold nanoparticle amplification. Sensors and Actuators B: Chemical, 2014, 193, 877-882.	4.0	40
49	Dextran hydrogel coated surface plasmon resonance imaging (SPRi) sensor for sensitive and label-free detection of small molecule drugs. Applied Surface Science, 2015, 355, 570-576.	3.1	37
50	Engineering three-dimensional microenvironments towards <i>in vitro</i> disease models of the central nervous system. Biofabrication, 2019, 11, 032003.	3.7	37
51	Microwave Rapid Synthesis of Nanoporous Fe3O4 Magnetic Microspheres. Current Nanoscience, 2009, 5, 485-488.	0.7	36
52	A Nanoporous Alumina Membrane Based Electrochemical Biosensor for Histamine Determination with Biofunctionalized Magnetic Nanoparticles Concentration and Signal Amplification. Sensors, 2016, 16, 1767.	2.1	36
53	Magnetic-Responsive Surface-Enhanced Raman Scattering Platform with Tunable Hot Spot for Ultrasensitive Virus Nucleic Acid Detection. ACS Applied Materials & Interfaces, 2022, 14, 4714-4724.	4.0	36
54	Progress in exosome associated tumor markers and their detection methods. Molecular Biomedicine, 2020, 1, 3.	1.7	35

#	Article	IF	CITATIONS
55	Study of high-throughput cell electrofusion in a microelectrode-array chip. Microfluidics and Nanofluidics, 2008, 5, 669-675.	1.0	34
56	Covalently immobilized biomolecule gradient on hydrogel surface using a gradient generating microfluidic device for a quantitative mesenchymal stem cell study. Biomicrofluidics, 2012, 6, 024111.	1.2	34
57	Surface charge switchable and pH-responsive chitosan/polymer core-shell composite nanoparticles for drug delivery application. Composites Part B: Engineering, 2017, 121, 83-91.	5.9	34
58	Fluid Shear Stress Induces EMT of Circulating Tumor Cells via JNK Signaling in Favor of Their Survival during Hematogenous Dissemination. International Journal of Molecular Sciences, 2020, 21, 8115.	1.8	34
59	Rapid and Sensitive Detection of Bacteria Response to Antibiotics Using Nanoporous Membrane and Graphene Quantum Dot (GQDs)-Based Electrochemical Biosensors. Materials, 2017, 10, 603.	1.3	33
60	Pathogenic Virus Detection by Optical Nanobiosensors. Cell Reports Physical Science, 2021, 2, 100288.	2.8	33
61	An ultrasensitive and selective fluorescent nanosensor based on porphyrinic metal–organic framework nanoparticles for Cu <sup>2+</sup> detection. Analyst, The, 2020, 145, 797-804.	1.7	31
62	Neurons as sensors: individual and cascaded chemical sensing. Biosensors and Bioelectronics, 2004, 19, 1599-1610.	5.3	30
63	Mechanism of Anticancer Effects of Antimicrobial Peptides. Journal of Fiber Bioengineering and Informatics, 2015, 8, 25-36.	0.2	28
64	Nanoporous membrane-based cell chip for the study of anti-cancer drug effect of retinoic acid with impedance spectroscopy. Talanta, 2009, 80, 189-194.	2.9	27
65	Droplet Microarray Based on Nanosensing Probe Patterns for Simultaneous Detection of Multiple HIV Retroviral Nucleic Acids. ACS Applied Materials & Interfaces, 2020, 12, 55614-55623.	4.0	27
66	Fabrication of organic electrochemical transistor arrays for biosensing. Biochimica Et Biophysica Acta - General Subjects, 2013, 1830, 4402-4406.	1.1	26
67	Electric Field Assisted Patterning of Neuronal Networks for the Study of Brain Functions. Biomedical Microdevices, 2003, 5, 125-137.	1.4	25
68	AlGaN/GaN heterostructures for non-invasive cell electrophysiological measurements. Biosensors and Bioelectronics, 2007, 23, 513-519.	5.3	25
69	Magnetic force microscopy of iron oxide nanoparticles and their cellular uptake. Biotechnology Progress, 2009, 25, 923-928.	1.3	25
70	2D MOF Nanosensorâ€Integrated Digital Droplet Microfluidic Flow Cytometry for In Situ Detection of Multiple miRNAs in Single CTC Cells. Small, 2022, 18, .	5.2	24
71	An AlEgen/graphene oxide nanocomposite (AlEgen@GO)â€based twoâ€stage "turnâ€on―nucleic acid biosensor for rapid detection of SARS oVâ€2 viral sequence. Aggregate, 2023, 4, e195.	5.2	23
72	Recent Advances in Two-Dimensional Transition Metal Dichalcogenide Nanocomposites Biosensors for Virus Detection before and during COVID-19 Outbreak. Journal of Composites Science, 2021, 5, 190.	1.4	22

#	Article	IF	CITATIONS
73	NIR-II-driven and glutathione depletion-enhanced hypoxia-irrelevant free radical nanogenerator for combined cancer therapy. Journal of Nanobiotechnology, 2021, 19, 265.	4.2	21
74	Fabrication and process investigation of vancomycin loaded silica xerogel/polymer core–shell composite nanoparticles for drug delivery. Composites Part B: Engineering, 2016, 95, 272-281.	5.9	20
75	Nanoporous membrane based impedance sensors to detect the enzymatic activity of botulinum neurotoxin A. Journal of Materials Chemistry B, 2013, 1, 6544.	2.9	18
76	The effect of pore size in an ultrasensitive DNA sandwich-hybridization assay for the Escherichia coli O157:H7 gene based on the use of a nanoporous alumina membrane. Mikrochimica Acta, 2017, 184, 4835-4844.	2.5	18
77	Line laser beam based laser-induced fluorescence detection system for microfluidic chip electrophoresis analysis. Sensors and Actuators A: Physical, 2009, 152, 168-175.	2.0	17
78	Impedance sensing of DNA immobilization and hybridization by microfabricated alumina nanopore membranes. Sensors and Actuators B: Chemical, 2015, 216, 105-112.	4.0	17
79	SPRi determination of inter-peptide interaction by using 3D supramolecular co-assembly polyrotaxane film. Biosensors and Bioelectronics, 2015, 66, 338-344.	5.3	17
80	Gadolinium–porphyrin based polymer nanotheranostics for fluorescence/magnetic resonance imaging guided photodynamic therapy. Nanoscale, 2021, 13, 16197-16206.	2.8	16
81	Targeting a noncanonical, hairpin-containing G-quadruplex structure from the <i>MYCN</i> gene. Nucleic Acids Research, 2021, 49, 7856-7869.	6.5	16
82	Development of planar patch clamp technology and its application in the analysis of cellular electrophysiology. Progress in Natural Science: Materials International, 2009, 19, 153-160.	1.8	15
83	Surface plasmon resonance imaging validation of small molecule drugs binding on target protein microarrays. Applied Surface Science, 2018, 450, 328-335.	3.1	15
84	A ratiometric fluorescent core-shell nanoprobe for sensing and imaging of zinc(II) in living cell and zebrafish. Mikrochimica Acta, 2018, 185, 523.	2.5	15
85	Nanoparticle-mediated specific elimination of soft cancer stem cells by targeting low cell stiffness. Acta Biomaterialia, 2021, 135, 493-505.	4.1	13
86	Facile synthesis and in vivo bioimaging applications of porphyrin derivative-encapsulated polymer nanoparticles. Chinese Chemical Letters, 2022, 33, 4101-4106.	4.8	13
87	A hydrophilic polymer based microfluidic system with planar patch clamp electrode array for electrophysiological measurement from cells. Biosensors and Bioelectronics, 2014, 53, 187-192.	5.3	12
88	Plasma-treated polystyrene film that enhances binding efficiency for sensitive and label-free protein biosensing. Applied Surface Science, 2015, 345, 379-386.	3.1	11
89	Wavelength-regulated switchable photoelectrochemical system for concurrent detection of dual antibiotics. Biosensors and Bioelectronics, 2022, 202, 113999.	5.3	11
90	Embryonic Stem Cells Biosensor and Its Application in Drug Analysis and Toxin Detection. IEEE Sensors Journal, 2007, 7, 1625-1631.	2.4	10

#	Article	IF	CITATIONS
91	Tailor-made spider-eggcase-silk spheres for efficient lysosomal drug delivery. RSC Advances, 2018, 8, 9394-9401.	1.7	10
92	Graphene Nanocomposites. Molecules, 2019, 24, 2440.	1.7	10
93	Label-free cell sorting strategies via biophysical and biochemical gradients. Journal of Orthopaedic Translation, 2019, 17, 55-63.	1.9	10
94	Fast Fourier Transform-weighted Photoacoustic Imaging by In Vivo Magnetic Alignment of Hybrid Nanorods. Nano Letters, 2022, 22, 5158-5166.	4.5	10
95	Title is missing!. Biomedical Microdevices, 2003, 5, 323-332.	1.4	9
96	A PDMS microfluidic system with poly(ethylene glycol)/SU-8 based apertures for planar whole cell-patch-clamp recordings. Sensors and Actuators A: Physical, 2011, 166, 219-225.	2.0	9
97	Hybrid theranostic microbubbles for ultrasound/photoacoustic imaging guided starvation/low-temperature photothermal/hypoxia-activated synergistic cancer therapy. Journal of Materials Chemistry B, 2021, 9, 9358-9369.	2.9	9
98	Integrating Soft Hydrogel with Nanostructures Reinforces Stem Cell Adhesion and Differentiation. Journal of Composites Science, 2022, 6, 19.	1.4	9
99	A novel impedance assay for cardiac myocyte hypertrophy sensing. Sensors and Actuators A: Physical, 2007, 136, 504-509.	2.0	8
100	Controlled hierarchical architecture in poly [oligo (ethylene glycol) methacrylate-b-glycidyl methacrylate] brushes for enhanced label-free biosensing. Applied Surface Science, 2018, 450, 236-243.	3.1	8
101	Facile preparation of recombinant spider eggcase silk spheres via an HFIP-on-Oil approach. International Journal of Biological Macromolecules, 2018, 116, 1146-1152.	3.6	8
102	Cascaded Chemical Sensing Using a Single Cell as a Sensor. Sensor Letters, 2004, 2, 1-8.	0.4	8
103	Echinomycin, a Potential Binder of FKBP12, Shows Minor Effect on Calcineurin Activity. Journal of Biomolecular Screening, 2014, 19, 1275-1281.	2.6	7
104	Optimization strategy for encapsulation efficiency and size of drug loaded silica xerogel/polymer coreâ€shell composite nanoparticles prepared by gelationâ€emulsion method. Polymer Engineering and Science, 2018, 58, 742-751.	1.5	7
105	A novel coating with universal adhesion and inflammation-responsive drug release functions to manipulate the osteoimmunomodulation of implants. Journal of Materials Chemistry B, 2021, 9, 5272-5283.	2.9	7
106	Influence of geometry and environmental parameters on the quality of signature patterns for single neuron chemical sensors. Sensors and Actuators B: Chemical, 2005, 104, 163-171.	4.0	6
107	Oriented and Vectorial Patterning of Cardiac Myocytes Using a Microfluidic Dielectrophoresis Chip—Towards Engineered Cardiac Tissue With Controlled Macroscopic Anisotropy. Journal of Microelectromechanical Systems, 2006, 15, 1483-1491.	1.7	6
108	Synthesis of fluorescent nanoprobe with simultaneous response to intracellular pH and Zn2+ for tumor cell distinguishment. Mikrochimica Acta, 2021, 188, 9.	2.5	6

#	Article	IF	CITATIONS
109	Fabrication of 3D PDMS Microchannels of Adjustable Cross-Sections via Versatile Gel Templates. Polymers, 2019, 11, 64.	2.0	5
110	Poly(L-Lactide)/Multiwalled Carbon Nanotube Composites: Interaction with Osteoblast-Like Cells <i>In Vitro</i> . Advanced Materials Research, 2008, 47-50, 1347-1350.	0.3	4
111	A transcutaneous controlled magnetic microvalve based on iron-powder filled PDMS for implantable drug delivery systems. , 2008, , .		4
112	Design and Analysis of Microcantilevers for Biosensing Applications. Materials Research Society Symposia Proceedings, 2002, 738, 13151.	0.1	3
113	Transmission Near-Field Scanning Optical Microscopy Investigation on Cellular Uptake Behavior of Iron Oxide Nanoparticles. BioNanoScience, 2012, 2, 135-143.	1.5	3
114	Nanoporous alumina membrane and nanoparticle based microfluidic sensing platform for direct DNA detection. , 2013, , .		3
115	Micro-Electrode Cell-Based Biosensor Using Electrochemical Impedance Spectroscopy for Cancer Research. , 2008, , 309-312.		3
116	Three olor Imaging Enables Simultaneous Screening of Multiple RNA Targets on Small Molecule Microarrays. Current Protocols in Chemical Biology, 2020, 12, e87.	1.7	3
117	Design and Analysis of Microcantilevers for Biosensing Applications. Journal of the Association for Laboratory Automation, 2003, 8, 90-93.	2.8	2
118	A strain gauge that uses carbon black and carbon nanotube doped silicone oil encapsulated in a PDMS microchannel. , 2007, , .		2
119	Normal and cancer breast epithelial cells endocytosis study of nanoparticles by combined AFM and NSOM microscopy. , 2007, , .		2
120	Construction of Nonbiofouling Biofunctional Glass Surface by Self-Assembled Monolayer and Graft Hydrophilic Polymer. Advanced Materials Research, 2008, 47-50, 1343-1346.	0.3	2
121	A PDMS microfluidic chip with nanostructures for bacteria concentration and fast detection. Proceedings of the IEEE International Conference on Micro Electro Mechanical Systems (MEMS), 2008, , .	0.0	2
122	Peptide-binding induced inhibition of chemokine CXCL12. RSC Advances, 2017, 7, 21298-21307.	1.7	2
123	Electric Field-Assisted Positioning of Neurons on Pt Microelectrode Arrays. Materials Research Society Symposia Proceedings, 2003, 773, 461.	0.1	1
124	Stochastic Frequency Signature for Chemical Sensing Using Noninvasive Neuronelectronic Interface. IEEE Transactions on Biomedical Engineering, 2005, 52, 916-922.	2.5	1
125	Characteristics of single neurons cultured on microelectrode arrays in vitro for chemical sensing. IEEE Sensors Journal, 2005, 5, 690-695.	2.4	1
126	An ultrasound-actuated micropump that uses nanoporous one-way membrane as nozzle-diffuser. , 2008, , .		1

#	Article	IF	CITATIONS
127	Optimal Surface Functionalization of Nanoporous Alumina Membrane for DNA Detection. Advanced Materials Research, 2013, 631-632, 572-575.	0.3	1
128	Predicting the right spacing between protein immobilization sites on self-assembled monolayers to optimize ligand binding. Analytical Biochemistry, 2015, 484, 133-135.	1.1	1
129	Chemical vapor deposition grown graphene DNA field-effect transistor biosensor with gold nanoparticles signal amplification. , 2016, , .		1
130	Targeting Non-coding RNA Sensitizes Cancer Cells to Drugs. Trends in Pharmacological Sciences, 2019, 40, 447-448.	4.0	1
131	Single Osteoblast Chemical Sensor via Non-invasive Bio-Electronic Interface. Materials Research Society Symposia Proceedings, 2003, 782, 1.	0.1	0
132	Cell Based Sensing Technologies. , 2006, , 55-92.		0
133	Micro chip with nanostructured membranes for cell morphology monitoring. , 2007, , .		0
134	Detection of E. coli O157:H7 DNA by a novel QCM biosensor coupled with gold nanoparticles amplification. , 2007, , .		0
135	Microfluid as a mean for piezoresistive strain measurement — a mixture of glycerin with salt water. , 2008, , .		0
136	A PDMS Planar Patch-Clamp Array Chip with Poly (Ethylene Glycol)/SU-8 based Cell-Patch Interface. , 2009, , .		0
137	Optimization of Biosensing Microcantilever Devices. Materials Research Society Symposia Proceedings, 2003, 773, 611.	0.1	0
138	Single Cell Based Microelectrode Array Biosensors. Materials Research Society Symposia Proceedings, 2003, 773, 1161.	0.1	0
139	Microarray and Fluidic Chip for Extracellular Sensing. , 2006, , 47-102.		Ο