
Lilia Popova

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4248/publications.pdf Version: 2024-02-01



Ι ΙΙ ΙΑ ΡΟΡΟΥΛ

#	Article	IF	CITATIONS
1	Lithologic features of near-surface layers of the Quaternary cover as a key to understanding of environmental constraints for the Quaternary ground squirrel species. Historical Biology, 2021, 33, 109-115.	1.4	1
2	Expansion, speciation and a change of trophic niche: a case study of the Early Pleistocene ground squirrels Spermophilus polonicus and S. praecox. Historical Biology, 2021, 33, 4-18.	1.4	1
3	Biotic evolution and palaeogeography during the Quaternary with special reference to ground squirrels. Historical Biology, 2021, 33, 1-3.	1.4	0
4	Appearance of ĐœÑ–Ñrotus agrestis in the territory of Ukraine in the Middle Pleistocene. Geo&Bio, 2021, 2021, 102-116.	0.1	2
5	The new Upper Palaeolithic site Korman' 9 in the Middle Dniester valley (Ukraine): Human occupation during the Last Glacial Maximum. Quaternary International, 2021, 587-588, 230-250.	1.5	4
6	lsometry of body size traits in Tirasiana Palij 1976 from the upper Vendian of the Podolian Dniester area. , 2019, , .		1
7	â€~Good fences make good neighbours': Concepts and records of range dynamics in ground squirrels and geographical barriers in the Pleistocene of the Circum-Black Sea area. Quaternary International, 2019, 509, 103-120.	1.5	18
8	Occlusal pattern of cheek teeth in extant <i>Spermophilus</i> : A new approach to the identification of species. Journal of Morphology, 2016, 277, 814-825.	1.2	10
9	Evolutionary lineage of Spermophilus superciliosus – S. fulvus (Rodentia, Sciuridae) in the quaternary of the Dnieper area: An ability of a biostratigraphical implication. Quaternary International, 2016, 420, 319-328.	1.5	9
10	Small mammal fauna as an evidence of environmental dynamics in the Holocene of Ukrainian area. Quaternary International, 2015, 357, 82-92.	1.5	8
11	The micromammal fauna of the Dnieper modern channel alluvium: taphonomic and biostratigraphic implications [La faune des petits mammifà res des alluvions du lit fluvial actuel du Dniepr : implications taphonomiques et biostratigraphiques.]. Quaternaire, 2004, 15, 233-242.	0.2	6
12	Spatial and temporal patterns of species replacement in the Middle Pleistocene: а case study of <i>Đœicrotus nivaloides</i> Major, 1902 and morphologically related species of the Northern Black Sea and Azov areas. Journal of Quaternary Science, 0, , .	2.1	2