

Arine M Vlieger

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4248389/publications.pdf>

Version: 2024-02-01

31
papers

1,074
citations

623734

14
h-index

501196

28
g-index

31
all docs

31
docs citations

31
times ranked

886
citing authors

#	ARTICLE	IF	CITATIONS
1	Hypnotherapy for Children With Functional Abdominal Pain or Irritable Bowel Syndrome: A Randomized Controlled Trial. <i>Gastroenterology</i> , 2007, 133, 1430-1436.	1.3	269
2	Long-Term Follow-Up of Gut-Directed Hypnotherapy vs. Standard Care in Children With Functional Abdominal Pain or Irritable Bowel Syndrome. <i>American Journal of Gastroenterology</i> , 2012, 107, 627-631.	0.4	124
3	Use of complementary and alternative medicine by children in Europe: Published data and expert perspectives. <i>Complementary Therapies in Medicine</i> , 2013, 21, S34-S47.	2.7	100
4	Use of Complementary and Alternative Medicine by Pediatric Patients With Functional and Organic Gastrointestinal Diseases: Results From a Multicenter Survey. <i>Pediatrics</i> , 2008, 122, e446-e451.	2.1	91
5	Childhood functional abdominal pain: mechanisms and management. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2015, 12, 159-171.	17.8	76
6	High prevalence of complementary and alternative medicine use in the Dutch pediatric oncology population: a multicenter survey. <i>European Journal of Pediatrics</i> , 2013, 172, 31-37.	2.7	45
7	Gut-directed hypnotherapy in children with irritable bowel syndrome or functional abdominal pain (syndrome): a randomized controlled trial on self exercises at home using CD versus individual therapy by qualified therapists. <i>BMC Pediatrics</i> , 2014, 14, 140.	1.7	41
8	The Placebo Response in Pediatric Abdominal Pain-Related Functional Gastrointestinal Disorders: A Systematic Review and Meta-Analysis. <i>Journal of Pediatrics</i> , 2017, 182, 155-163.e7.	1.8	41
9	Wheezing and infantile colic are associated with neonatal antibiotic treatment. <i>Pediatric Allergy and Immunology</i> , 2018, 29, 151-158.	2.6	39
10	Attitudes toward complementary and alternative medicine: a national survey among paediatricians in the Netherlands. <i>European Journal of Pediatrics</i> , 2011, 170, 619-624.	2.7	37
11	Neonatal microbiota development and the effect of early life antibiotics are determined by two distinct settler types. <i>PLoS ONE</i> , 2020, 15, e0228133.	2.5	35
12	Early life antibiotics and childhood gastrointestinal disorders: a systematic review. <i>BMJ Paediatrics Open</i> , 2021, 5, e001028.	1.4	22
13	Neonatal Antibiotic Treatment Is Associated With an Altered Circulating Immune Marker Profile at 1 Year of Age. <i>Frontiers in Immunology</i> , 2019, 10, 2939.	4.8	19
14	Maternal use of probiotics during pregnancy and effects on their offspring's health in an unselected population. <i>European Journal of Pediatrics</i> , 2016, 175, 229-235.	2.7	18
15	Antibiotic Treatment in the First Week of Life Impacts the Growth Trajectory in the First Year of Life in Term Infants. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2019, 69, 131-136.	1.8	17
16	Hypnotherapy for Irritable Bowel Syndrome-Type Symptoms in Patients with Quiescent Inflammatory Bowel Disease: A Randomized, Controlled Trial. <i>Journal of Crohn's and Colitis</i> , 2021, 15, 1106-1113.	1.3	14
17	A therapeutic guide on pediatric irritable bowel syndrome and functional abdominal pain-not otherwise specified. <i>European Journal of Pediatrics</i> , 2022, 181, 2603-2617.	2.7	14
18	Effect of antibiotics in the first week of life on faecal microbiota development. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2022, 107, 603-610.	2.8	9

#	ARTICLE	IF	CITATIONS
19	Complementary Therapies for Pediatric Functional Gastrointestinal Disorders. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2008, 47, 707-709.	1.8	8
20	Adverse events associated with pediatric complementary and alternative medicine in the Netherlands: a national surveillance study. <i>European Journal of Pediatrics</i> , 2021, 180, 2165-2171.	2.7	8
21	Higher risk of allergies at 4-6 years of age after systemic antibiotics in the first week of life. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021, 76, 2599-2602.	5.7	8
22	Skills or Pills: Randomized Trial Comparing Hypnotherapy to Medical Treatment in Children With Functional Nausea. <i>Clinical Gastroenterology and Hepatology</i> , 2022, 20, 1847-1856.e6.	4.4	8
23	Long-Term Follow-up of Individual Therapist Delivered and Standardized Hypnotherapy Recordings in Pediatric Irritable Bowel Syndrome or Functional Abdominal Pain. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2022, 75, 24-29.	1.8	8
24	Setting a research agenda for pediatric complementary and integrative medicine: A consensus approach. <i>Complementary Therapies in Medicine</i> , 2019, 42, 27-32.	2.7	7
25	Gut-directed hypnotherapy versus standard medical treatment for nausea in children with functional nausea or functional dyspepsia: protocol of a multicentre randomised trial. <i>BMJ Open</i> , 2019, 9, e024903.	1.9	7
26	High prevalence of complementary and alternative medicine use in patients with genetically proven mitochondrial disorders. <i>Journal of Inherited Metabolic Disease</i> , 2015, 38, 477-482.	3.6	5
27	Protocol for a pilot randomised, double-blind, placebo-controlled trial for assessing the feasibility and efficacy of faecal microbiota transplantation in adolescents with refractory irritable bowel syndrome: FAIS Trial. <i>BMJ Paediatrics Open</i> , 2020, 4, e000689.	1.4	2
28	Neonatal Antibiotics and Food Allergy Are Associated With FGIDs at 4-6 Years of Age. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2022, 74, 770-775.	1.8	2
29	Integratieve geneeskunde, een nieuwe zorgvisie. <i>Tijdschrift Voor Kindergeneeskunde</i> , 2011, 79, 163-168.	0.0	0
30	Het gebruik van hypnose in de kindergeneeskunde. <i>Tijdschrift Voor Kindergeneeskunde</i> , 2011, 79, 193-198.	0.0	0
31	Neonatal antibiotics and infantile colic in term-born infants. <i>Journal of Pediatrics</i> , 2020, 225, 283-284.	1.8	0