

# Ram Hari Dahal

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/424859/publications.pdf>

Version: 2024-02-01

60  
papers

988  
citations

643344

15  
h-index

620720

26  
g-index

62  
all docs

62  
docs citations

62  
times ranked

828  
citing authors

#	ARTICLE	IF	CITATIONS
1	<i>Kaistella soli</i> sp. nov., isolated from oil-contaminated experimental soil. Archives of Microbiology, 2022, 204, 118.	1.0	7
2	<i>Cellulomonas fulva</i> sp. nov., isolated from oil-contaminated soil. International Journal of Systematic and Evolutionary Microbiology, 2022, 72, .	0.8	7
3	Isolation and Screening of Odor-Reducing Microbes from Swine Manure and Its Role in Reducing Ammonia Release in Combination with Surfactant Foam. Applied Sciences (Switzerland), 2022, 12, 1806.	1.3	4
4	Genome mining revealed polyhydroxybutyrate biosynthesis by <i>Ramlibacter agri</i> sp. nov., isolated from agriculture soil in Korea. Antonie Van Leeuwenhoek, 2022, 115, 563-572.	0.7	6
5	<i>Nakamurella aerolata</i> sp. Nov., Isolated from an Automobile Air Conditioning System. Current Microbiology, 2021, 78, 371-377.	1.0	7
6	<i>Luteolibacter luteus</i> sp. nov., isolated from stream bank soil. Archives of Microbiology, 2021, 203, 377-382.	1.0	12
7	<i>Flexivirga aerolata</i> sp. nov., Isolated from an Automobile Air Conditioning System. Current Microbiology, 2021, 78, 796-802.	1.0	6
8	<i>Caenimonas soli</i> sp. nov., isolated from soil. Archives of Microbiology, 2021, 203, 1123-1129.	1.0	8
9	<i>Chryseobacterium cheonjiense</i> sp. nov., isolated from forest soil. Archives of Microbiology, 2021, 203, 725-731.	1.0	8
10	Review on pretreatment techniques to improve anaerobic digestion of sewage sludge. Fuel, 2021, 285, 119105.	3.4	182
11	<i>Chryseobacterium antibioticum</i> sp. nov. with antimicrobial activity against Gram-negative bacteria, isolated from Arctic soil. Journal of Antibiotics, 2021, 74, 115-123.	1.0	27
12	Genome Sequence of <i>Hymenobacter polaris</i> RP-2-7 <sup>T</sup> , Isolated from Arctic Soil. Microbiology Resource Announcements, 2021, 10, .	0.3	0
13	<i>Novosphingobium olei</i> sp. nov., with the ability to degrade diesel oil, isolated from oil-contaminated soil and proposal to reclassify <i>Novosphingobium stygium</i> as a later heterotypic synonym of <i>Novosphingobium aromaticivorans</i> . International Journal of Systematic and Evolutionary Microbiology, 2021, 71, .	0.8	13
14	<i>Chitinophaga fulva</i> sp. nov., isolated from forest soil. International Journal of Systematic and Evolutionary Microbiology, 2021, 71, .	0.8	10
15	Genome insight and description of antibiotic producing <i>Massilia antibiotica</i> sp. nov., isolated from oil-contaminated soil. Scientific Reports, 2021, 11, 6695.	1.6	8
16	<i>Noviherbaspirillum pedocola</i> sp. nov., isolated from oil-contaminated experimental soil. Archives of Microbiology, 2021, 203, 3071-3076.	1.0	7
17	<i>Schlegelella koreensis</i> sp. nov., isolated from evaporator core of automobile air conditioning system. Archives of Microbiology, 2021, 203, 2373-2378.	1.0	7
18	<i>Aquabacterium terrae</i> sp. nov., isolated from soil. Archives of Microbiology, 2021, 203, 3183-3189.	1.0	6

#	ARTICLE	IF	CITATIONS
19	Utilizing Coffee Pulp and Mucilage for Producing Alcohol-Based Beverage. <i>Fermentation</i> , 2021, 7, 53.	1.4	10
20	<i>Azohydromonas caseinilytica</i> sp. nov., a Nitrogen-Fixing Bacterium Isolated From Forest Soil by Using Optimized Culture Method. <i>Frontiers in Microbiology</i> , 2021, 12, 647132.	1.5	14
21	Cold-shock gene <i>cspC</i> in the genome of <i>Massilia polaris</i> sp. nov. revealed cold-adaptation. <i>Antonie Van Leeuwenhoek</i> , 2021, 114, 1275-1284.	0.7	11
22	Description of antibiotic-producing novel bacteria <i>Paraburkholderia antibiotica</i> sp. nov. and <i>Paraburkholderia polaris</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	8
23	The genome insights of <i>Streptomyces lannensis</i> T1317-0309 reveals actinomycin D production. <i>Journal of Antibiotics</i> , 2020, 73, 837-844.	1.0	3
24	Development of Multifunctional Cosmetic Cream Using Bioactive Materials from <i>Streptomyces</i> sp. T65 with Synthesized Mesoporous Silica Particles SBA-15. <i>Antioxidants</i> , 2020, 9, 278.	2.2	9
25	<i>Dyadobacter psychrotolerans</i> sp. nov. and <i>Dyadobacter frigoris</i> sp. nov., two novel psychrotolerant members of the family <i>Cytophagaceae</i> isolated from Arctic soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 569-575.	0.8	15
26	<i>Flavobacterium sandaracinum</i> sp. nov., <i>Flavobacterium caseinilyticum</i> sp. nov., and <i>Flavobacterium hiemivividum</i> sp. nov., novel psychrophilic bacteria isolated from Arctic soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 2269-2280.	0.8	14
27	Nine novel psychrotolerant species of the genus <i>Pedobacter</i> isolated from Arctic soil with potential antioxidant activities. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 2537-2553.	0.8	35
28	<i>Hymenobacter polaris</i> sp. nov., a psychrotolerant bacterium isolated from an Arctic station. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 4890-4896.	0.8	13
29	<i>Zoogloea dura</i> sp. nov., a N <sub>2</sub> -fixing bacterium isolated from forest soil and emendation of the genus <i>Zoogloea</i> and the species <i>Zoogloea oryzae</i> and <i>Zoogloea ramigera</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 5312-5318.	0.8	14
30	<i>Glaciihabitans arcticus</i> sp. nov., a psychrotolerant bacterium isolated from Arctic soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 2492-2497.	0.8	15
31	Description of <i>Sphingobium psychrophilum</i> sp. nov., a cold-adapted bacterium isolated from Arctic soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 71, .	0.8	5
32	<i>Flavobacterium silvisoli</i> sp. nov., isolated from forest soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 2762-2766.	0.8	6
33	<i>Chitinophaga caseinilytica</i> sp. nov., a casein hydrolysing bacterium isolated from forest soil. <i>Archives of Microbiology</i> , 2018, 200, 645-651.	1.0	11
34	<i>Flavobacterium ureilyticum</i> sp. nov., a novel urea hydrolysing bacterium isolated from stream bank soil. <i>Antonie Van Leeuwenhoek</i> , 2018, 111, 2131-2139.	0.7	13
35	<i>Dyadobacter flavus</i> sp. nov. and <i>Dyadobacter terricola</i> sp. nov., two novel members of the family <i>Cytophagaceae</i> isolated from forest soil. <i>Archives of Microbiology</i> , 2018, 200, 1067-1074.	1.0	29
36	<i>Sphingomonas montis</i> sp. nov., Isolated from Forest Soil of Low-Altitude Mountain. <i>Current Microbiology</i> , 2018, 75, 1299-1305.	1.0	6

#	ARTICLE	IF	CITATIONS
37	<i>Nemorella caseinilytica</i> gen. nov., sp. nov., isolated from forest soil. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 474-481.	0.8	12
38	<i>Brevundimonas humi</i> sp. nov., an alphaproteobacterium isolated from forest soil. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 709-714.	0.8	20
39	<i>Simplicispira soli</i> sp. nov., a betaproteobacterium isolated from stream bank soil. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 951-956.	0.8	8
40	<i>Altererythrobacter fulvus</i> sp. nov., a novel alkalitolerant alphaproteobacterium isolated from forest soil. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 1502-1508.	0.8	20
41	<i>Fluviicola kyonggii</i> sp. nov., a bacterium isolated from forest soil and emended description of the genus <i>Fluviicola</i> . International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 1885-1889.	0.8	30
42	<i>Pinisolibacter ravus</i> gen. nov., sp. nov., isolated from pine forest soil and allocation of the genera <i>Ancalomicrobium</i> and <i>Pinisolibacter</i> to the family <i>Ancalomicrobiaceae</i> fam. nov., and emendation of the genus <i>Ancalomicrobium</i> Staley 1968. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 1955-1962.	0.8	35
43	<i>Rhodanobacter hydrolyticus</i> sp. nov., a novel DNA- and tyrosine-hydrolysing gammaproteobacterium isolated from forest soil. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2580-2586.	0.8	12
44	Microbial Infections and Antimicrobial Resistance in Nepal: Current Trends and Recommendations. Open Microbiology Journal, 2018, 12, 230-242.	0.2	45
45	<i>Ferrovibrio soli</i> sp. nov., a novel cellulolytic bacterium isolated from stream bank soil. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 427-431.	0.8	6
46	Proposal of <i>Nemorincola</i> gen. nov. to replace the illegitimate prokaryotic genus name <i>Nemorella</i> Chaudhary et al. 2018. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 1319-1320.	0.8	9
47	Development of actinobacterial resources for functional cosmetics. Journal of Cosmetic Dermatology, 2017, 16, 243-252.	0.8	10
48	<i>Acinetobacter halotolerans</i> sp. nov., a novel halotolerant, alkalitolerant, and hydrocarbon degrading bacterium, isolated from soil. Archives of Microbiology, 2017, 199, 701-710.	1.0	28
49	<i>Microvirga soli</i> sp. nov., an alphaproteobacterium isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 127-132.	0.8	32
50	<i>Rhodanobacter humi</i> sp. nov., an acid-tolerant and alkalitolerant gammaproteobacterium isolated from forest soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1185-1190.	0.8	24
51	<i>Sphingopyxis solisilvae</i> sp. nov., isolated from forest soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1820-1826.	0.8	12
52	<i>Flavobacterium flaviflagrans</i> sp. nov., a bacterium of the family <i>Flavobacteriaceae</i> isolated from forest soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 2653-2659.	0.8	12
53	Description of <i>Actinokineospora acnipugnans</i> sp. nov., an actinomycete isolated from soil, showing potential uses in cosmetics. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 3043-3049.	0.8	7
54	<i>Rurimicrobium arvi</i> gen. nov., sp. nov., a member of the family <i>Chitinophagaceae</i> isolated from farmland soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 5235-5243.	0.8	19

#	ARTICLE	IF	CITATIONS
55	Prevalence of <i>Cyclospora cayentanensis</i> and other enteropathogen among children under the age of 15 years in Biratnagar, Nepal. <i>Asian Pacific Journal of Tropical Disease</i> , 2017, 7, 75-79.	0.5	3
56	<i>Calidifontibacter terrae</i> sp. nov., an actinomycete isolated from soil, with potential applications in cosmetics. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 1925-1931.	0.8	5
57	<i>Ravibacter arvi</i> gen. nov., sp. nov., isolated from farmland soil during development of new culture techniques. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 5252-5260.	0.8	8
58	<i>Rhabdobacter roseus</i> gen. nov., sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 308-314.	0.8	28
59	<i>Pedobacter humicola</i> sp. nov., a member of the genus <i>Pedobacter</i> isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 2205-2211.	0.8	36
60	<i>Niabella pedocola</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 2650-2656.	0.8	9