

Blandine de Lauzon-Guillain

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/424953/publications.pdf>

Version: 2024-02-01

164
papers

8,075
citations

44069

48
h-index

58581

82
g-index

164
all docs

164
docs citations

164
times ranked

13486
citing authors

#	ARTICLE	IF	CITATIONS
1	The Three-Factor Eating Questionnaire-R18 Is Able to Distinguish among Different Eating Patterns in a General Population. <i>Journal of Nutrition</i> , 2004, 134, 2372-2380.	2.9	473
2	Fruit and vegetable intake and type 2 diabetes: EPIC-InterAct prospective study and meta-analysis. <i>European Journal of Clinical Nutrition</i> , 2012, 66, 1082-1092.	2.9	228
3	The link between family history and risk of type 2 diabetes is not explained by anthropometric, lifestyle or genetic risk factors: the EPIC-InterAct study. <i>Diabetologia</i> , 2013, 56, 60-69.	6.3	224
4	Predicting Diabetes: Clinical, Biological, and Genetic Approaches. <i>Diabetes Care</i> , 2008, 31, 2056-2061.	8.6	215
5	Cohort Profile: The EDEN mother-child cohort on the prenatal and early postnatal determinants of child health and development. <i>International Journal of Epidemiology</i> , 2016, 45, 353-363.	1.9	214
6	Intake of Vegetables, Legumes, and Fruit, and Risk for All-Cause, Cardiovascular, and Cancer Mortality in a European Diabetic Population. <i>Journal of Nutrition</i> , 2008, 138, 775-781.	2.9	194
7	Age at Menopause, Reproductive Life Span, and Type 2 Diabetes Risk. <i>Diabetes Care</i> , 2013, 36, 1012-1019.	8.6	186
8	Validity of a short questionnaire to assess physical activity in 10 European countries. <i>European Journal of Epidemiology</i> , 2012, 27, 15-25.	5.7	185
9	The amount and type of dairy product intake and incident type 2 diabetes: results from the EPIC-InterAct Study. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 382-390.	4.7	183
10	Food choice motives and the nutritional quality of diet during the COVID-19 lockdown in France. <i>Appetite</i> , 2021, 157, 105005.	3.7	177
11	Mediterranean Diet and Type 2 Diabetes Risk in the European Prospective Investigation Into Cancer and Nutrition (EPIC) Study. <i>Diabetes Care</i> , 2011, 34, 1913-1918.	8.6	176
12	Design and cohort description of the InterAct Project: an examination of the interaction of genetic and lifestyle factors on the incidence of type 2 diabetes in the EPIC Study. <i>Diabetologia</i> , 2011, 54, 2272-2282.	6.3	169
13	Is restrained eating a risk factor for weight gain in a general population?. <i>American Journal of Clinical Nutrition</i> , 2006, 83, 132-138.	4.7	161
14	Long-Term Risk of Incident Type 2 Diabetes and Measures of Overall and Regional Obesity: The EPIC-InterAct Case-Cohort Study. <i>PLoS Medicine</i> , 2012, 9, e1001230.	8.4	147
15	Cord serum 25-hydroxyvitamin D and risk of early childhood transient wheezing and atopic dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , 2014, 133, 147-153.	2.9	138
16	Maternal Depression Trajectories and Children's Behavior at Age 5 Years. <i>Journal of Pediatrics</i> , 2015, 166, 1440-1448.e1.	1.8	132
17	Reproducibility and relative validity of a food-frequency questionnaire among French adults and adolescents. <i>European Journal of Clinical Nutrition</i> , 2009, 63, 282-291.	2.9	131
18	Child and parent characteristics related to parental feeding practices. A cross-cultural examination in the US and France. <i>Appetite</i> , 2009, 52, 89-95.	3.7	130

#	ARTICLE	IF	CITATIONS
19	Association between dietary meat consumption and incident type 2 diabetes: the EPIC-InterAct study. <i>Diabetologia</i> , 2013, 56, 47-59.	6.3	129
20	Lower educational level is a predictor of incident type 2 diabetes in European countries: The EPIC-InterAct study. <i>International Journal of Epidemiology</i> , 2012, 41, 1162-1173.	1.9	127
21	The Association between Diet and Serum Concentrations of IGF-I, IGFBP-1, IGFBP-2, and IGFBP-3 in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 1333-1340.	2.5	121
22	The influence of early feeding practices on fruit and vegetable intake among preschool children in 4 European birth cohorts. <i>American Journal of Clinical Nutrition</i> , 2013, 98, 804-812.	4.7	113
23	Dietary Patterns Track from Infancy to Preschool Age: Cross-Sectional and Longitudinal Perspectives. <i>Journal of Nutrition</i> , 2015, 145, 775-782.	2.9	105
24	Breastfeeding Duration and Cognitive Development at 2 and 3 Years of Age in the EDEN Mother-Child Cohort. <i>Journal of Pediatrics</i> , 2013, 163, 36-42.e1.	1.8	98
25	Pregnancy exposure to atmospheric pollution and meteorological conditions and placental DNA methylation. <i>Environment International</i> , 2018, 118, 334-347.	10.0	93
26	A Review of Methods to Assess Parental Feeding Practices and Preschool Children's Eating Behavior: The Need for Further Development of Tools. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2012, 112, 1578-1602.e8.	0.8	89
27	The LifeCycle Project-EU Child Cohort Network: a federated analysis infrastructure and harmonized data of more than 250,000 children and parents. <i>European Journal of Epidemiology</i> , 2020, 35, 709-724.	5.7	81
28	Maternal tobacco smoking in pregnancy and children's socio-emotional development at age 5: The EDEN mother-child birth cohort study. <i>European Psychiatry</i> , 2015, 30, 562-568.	0.2	80
29	Prenatal Exposure to Select Phthalates and Phenols and Associations with Fetal and Placental Weight among Male Births in the EDEN Cohort (France). <i>Environmental Health Perspectives</i> , 2019, 127, 17002.	6.0	77
30	In Utero Exposure to Select Phenols and Phthalates and Respiratory Health in Five-Year-Old Boys: A Prospective Study. <i>Environmental Health Perspectives</i> , 2017, 125, 097006.	6.0	75
31	A cross-sectional analysis of the associations between adult height, BMI and serum concentrations of IGF-I and IGFBP-1 -2 and -3 in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Annals of Human Biology</i> , 2011, 38, 194-202.	1.0	72
32	Differential effects of coffee on the risk of type 2 diabetes according to meal consumption in a French cohort of women: the E3N/EPIC cohort study. <i>American Journal of Clinical Nutrition</i> , 2010, 91, 1002-1012.	4.7	71
33	The prospective association between total and type of fish intake and type 2 diabetes in 8 European countries: EPIC-InterAct Study. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 1445-1453.	4.7	71
34	Physical activity reduces the risk of incident type 2 diabetes in general and in abdominally lean and obese men and women: the EPIC-InterAct Study. <i>Diabetologia</i> , 2012, 55, 1944-1952.	6.3	68
35	The Dietary n6:n3 Fatty Acid Ratio during Pregnancy Is Inversely Associated with Child Neurodevelopment in the EDEN Mother-Child Cohort. <i>Journal of Nutrition</i> , 2013, 143, 1481-1488.	2.9	68
36	Glycosylated Hemoglobin and Risk of Colorectal Cancer in Men and Women, the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 3108-3115.	2.5	67

#	ARTICLE	IF	CITATIONS
37	Breastfeeding, Polyunsaturated Fatty Acid Levels in Colostrum and Child Intelligence Quotient at Age 5-6 Years. <i>Journal of Pediatrics</i> , 2017, 183, 43-50.e3.	1.8	66
38	Temperament in infancy and behavioral and emotional problems at age 5.5: The EDEN mother-child cohort. <i>PLoS ONE</i> , 2017, 12, e0171971.	2.5	66
39	Menopausal hormone therapy and new-onset diabetes in the French Etude Epidemiologique de Femmes de la Mutuelle G�n�rale de l'Education Nationale (E3N) cohort. <i>Diabetologia</i> , 2009, 52, 2092-2100.	6.3	64
40	Alcohol consumption and risk of type 2 diabetes in European men and women: influence of beverage type and body size The EPIC-InterAct study. <i>Journal of Internal Medicine</i> , 2012, 272, 358-370.	6.0	64
41	Effects of Antenatal Maternal Depression and Anxiety on Children's Early Cognitive Development: A Prospective Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0135849.	2.5	63
42	Maternal fatty acid intake and fetal growth: evidence for an association in overweight women. The EDEN mother-child cohort (study of pre- and early postnatal determinants of the child's) <i>PLoS ONE</i> , 2017, 12, e0171971.	2.5	62
43	Infant feeding patterns over the first year of life: influence of family characteristics. <i>European Journal of Clinical Nutrition</i> , 2013, 67, 631-637.	2.9	62
44	Predictors of persistent maternal depression trajectories in early childhood: results from the EDEN mother-child cohort study in France. <i>Psychological Medicine</i> , 2015, 45, 1999-2012.	4.5	60
45	Health effects of ambient air pollution: Do different methods for estimating exposure lead to different results?. <i>Environment International</i> , 2014, 66, 165-173.	10.0	59
46	Breastfeeding and Infant Temperament at Age Three Months. <i>PLoS ONE</i> , 2012, 7, e29326.	2.5	57
47	Smoking and Long-Term Risk of Type 2 Diabetes: The EPIC-InterAct Study in European Populations. <i>Diabetes Care</i> , 2014, 37, 3164-3171.	8.6	57
48	Exposure to heavy metals during pregnancy related to gestational diabetes mellitus in diabetes-free mothers. <i>Science of the Total Environment</i> , 2019, 656, 870-876.	8.0	55
49	A Monte Carlo simulation to validate the EAR cut-point method for assessing the prevalence of nutrient inadequacy at the population level. <i>Public Health Nutrition</i> , 2004, 7, 893-900.	2.2	54
50	Persistent maternal depressive symptoms trajectories influence children's IQ: The EDEN mother-child cohort. <i>Depression and Anxiety</i> , 2017, 34, 105-117.	4.1	50
51	Association between maternal seafood consumption before pregnancy and fetal growth: evidence for an association in overweight women. The EDEN mother-child cohort. <i>Paediatric and Perinatal Epidemiology</i> , 2009, 23, 76-86.	1.7	49
52	Processed and Unprocessed Red Meat Consumption and Incident Type 2 Diabetes Among French Women. <i>Diabetes Care</i> , 2012, 35, 128-130.	8.6	49
53	Mediation and modification of genetic susceptibility to obesity by eating behaviors. <i>American Journal of Clinical Nutrition</i> , 2017, 106, 996-1004.	4.7	47
54	Parental Feeding Practices in the United States and in France: Relationships with Child's Characteristics and Parent's Eating Behavior. <i>Journal of the American Dietetic Association</i> , 2009, 109, 1064-1069.	1.1	46

#	ARTICLE	IF	CITATIONS
55	Chronic dietary exposure to pesticide residues and associated risk in the French ELFE cohort of pregnant women. <i>Environment International</i> , 2016, 92-93, 533-542.	10.0	45
56	Birth Weight, Body Silhouette Over the Life Course, and Incident Diabetes in 91,453 Middle-Aged Women From the French Etude Epidemiologique de Femmes de la Mutuelle G�n�rale de l'Education Nationale (E3N) Cohort. <i>Diabetes Care</i> , 2010, 33, 298-303.	8.6	44
57	Maternal diet before and during pregnancy and risk of asthma and allergic rhinitis in children. <i>Allergy, Asthma and Clinical Immunology</i> , 2019, 15, 40.	2.0	41
58	Gender-specific factors associated with shorter sleep duration at age 3 years. <i>Journal of Sleep Research</i> , 2015, 24, 610-620.	3.2	40
59	Dietary acrylamide intake during pregnancy and anthropometry at birth in the French EDEN mother-child cohort study. <i>Environmental Research</i> , 2016, 149, 189-196.	7.5	40
60	Night sleep duration trajectories and associated factors among preschool children from the EDEN cohort. <i>Sleep Medicine</i> , 2018, 48, 194-201.	1.6	39
61	Cognitive restraint, uncontrolled eating and emotional eating: correlations between parent and adolescent. <i>Maternal and Child Nutrition</i> , 2009, 5, 171-178.	3.0	38
62	Early problematic eating behaviours are associated with lower fruit and vegetable intake and less dietary variety at 4-5 years of age. A prospective analysis of three European birth cohorts. <i>British Journal of Nutrition</i> , 2015, 114, 763-771.	2.3	38
63	Ages and Stages Questionnaire at 3 Years for Predicting IQ at 5-6 Years. <i>Pediatrics</i> , 2017, 139, .	2.1	38
64	Breastfeeding initiation and duration in France: The importance of intergenerational and previous maternal breastfeeding experiences - results from the nationwide ELFE study. <i>Midwifery</i> , 2019, 69, 67-75.	2.3	38
65	The influence of early feeding practices on healthy diet variety score among pre-school children in four European birth cohorts. <i>Public Health Nutrition</i> , 2015, 18, 1774-1784.	2.2	37
66	Maternal depression, socioeconomic position, and temperament in early childhood: The EDEN mother-child cohort. <i>Journal of Affective Disorders</i> , 2012, 137, 165-169.	4.1	36
67	Childhood and Adult Secondhand Smoke and Type 2 Diabetes in Women. <i>Diabetes Care</i> , 2013, 36, 2720-2725.	8.6	35
68	Social withdrawal at 1 year is associated with emotional and behavioural problems at 3 and 5 years: the Eden mother-child cohort study. <i>European Child and Adolescent Psychiatry</i> , 2014, 23, 1181-1188.	4.7	35
69	Early determinants of food liking among 5y-old children: a longitudinal study from the EDEN mother-child cohort. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016, 13, 20.	4.6	35
70	Early oral exposure to house dust mite allergen through breast milk: A potential risk factor for allergic sensitization and respiratory allergies in children. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 139, 369-372.e10.	2.9	35
71	Prenatal diet and children's trajectories of hyperactivity-inattention and conduct problems from 3 to 8 years: the EDEN mother-child cohort. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2018, 59, 1003-1011.	5.2	35
72	The association between linoleic acid levels in colostrum and child cognition at 2 and 3 y in the EDEN cohort. <i>Pediatric Research</i> , 2015, 77, 829-835.	2.3	34

#	ARTICLE	IF	CITATIONS
73	Prenatal Caffeine Exposure and Child IQ at Age 5.5 Years: The EDEN Mother-Child Cohort. <i>Biological Psychiatry</i> , 2016, 80, 720-726.	1.3	34
74	Do developmental milestones at 4, 8, 12 and 24 months predict IQ at 5-6 years old? Results of the EDEN mother-child cohort. <i>European Journal of Paediatric Neurology</i> , 2017, 21, 272-279.	1.6	34
75	Consumption of fatty foods and incident type 2 diabetes in populations from eight European countries. <i>European Journal of Clinical Nutrition</i> , 2015, 69, 455-461.	2.9	33
76	Latent variables and structural equation models for longitudinal relationships: an illustration in nutritional epidemiology. <i>BMC Medical Research Methodology</i> , 2010, 10, 37.	3.1	32
77	Multidimensionality of the relationship between social status and dietary patterns in early childhood: longitudinal results from the French EDEN mother-child cohort. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015, 12, 122.	4.6	32
78	Birth Weight and Eating Behaviors of Young Children. <i>Journal of Pediatrics</i> , 2015, 166, 59-65.e3.	1.8	32
79	Trends in urinary incontinence in women between 4 and 24 months postpartum in the EDEN cohort. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016, 123, 1222-1228.	2.3	31
80	Postnatal Weight and Height Growth Modeling and Prediction of Body Mass Index as a Function of Time for the Study of Growth Determinants. <i>Annals of Nutrition and Metabolism</i> , 2014, 65, 156-166.	1.9	30
81	Infant Dietary Exposures to Sweetness and Fattiness Increase during the First Year of Life and Are Associated with Feeding Practices. <i>Journal of Nutrition</i> , 2016, 146, 2334-2342.	2.9	28
82	Dietary acrylamide intake during pregnancy and postnatal growth and obesity: Results from the Norwegian Mother and Child Cohort Study (MoBa). <i>Environment International</i> , 2018, 113, 325-334.	10.0	28
83	To which mixtures are French pregnant women mainly exposed? A combination of the second French total diet study with the EDEN and ELFE cohort studies. <i>Food and Chemical Toxicology</i> , 2018, 111, 310-328.	3.6	28
84	Socioeconomic inequalities in weight, height and body mass index from birth to 5 years. <i>International Journal of Obesity</i> , 2018, 42, 1671-1679.	3.4	28
85	Use of partially hydrolysed formula in infancy and incidence of eczema, respiratory symptoms or food allergies in toddlers from the ELFE cohort. <i>Pediatric Allergy and Immunology</i> , 2019, 30, 614-623.	2.6	28
86	Factors associated with the introduction of complementary feeding in the French ELFE cohort study. <i>Maternal and Child Nutrition</i> , 2018, 14, e12536.	3.0	27
87	Maternity or parental leave and breastfeeding duration: Results from the ELFE cohort. <i>Maternal and Child Nutrition</i> , 2019, 15, e12872.	3.0	26
88	Early factors related to carbohydrate and fat intake at 8 and 12 months: results from the EDEN mother-child cohort. <i>European Journal of Clinical Nutrition</i> , 2017, 71, 219-226.	2.9	25
89	Impact on obstetric outcome of third-trimester screening for small-for-gestational-age fetuses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015, 46, 216-220.	1.7	24
90	Prospective associations between energy balance-related behaviors at 2 years of age and subsequent adiposity: the EDEN mother-child cohort. <i>International Journal of Obesity</i> , 2017, 41, 38-45.	3.4	22

#	ARTICLE	IF	CITATIONS
91	Sex differences in psychomotor development during the preschool period: A longitudinal study of the effects of environmental factors and of emotional, behavioral, and social functioning. <i>Journal of Experimental Child Psychology</i> , 2019, 178, 369-384.	1.4	22
92	Night-waking trajectories and associated factors in French preschoolers from the EDEN birth-cohort. <i>Sleep Medicine</i> , 2016, 27-28, 59-65.	1.6	21
93	Relationship between early language skills and the development of inattention/hyperactivity symptoms during the preschool period: Results of the EDEN mother-child cohort. <i>BMC Psychiatry</i> , 2016, 16, 380.	2.6	20
94	Maternal nutritional determinants of colostrum fatty acids in the EDEN mother-child cohort. <i>Clinical Nutrition</i> , 2018, 37, 2127-2136.	5.0	20
95	Deriving the Dietary Approaches to Stop Hypertension (DASH) Score in Women from Seven Pregnancy Cohorts from the European ALPHABET Consortium. <i>Nutrients</i> , 2019, 11, 2706.	4.1	20
96	Immune components of early breastmilk: Association with maternal factors and with reported food allergy in childhood. <i>Pediatric Allergy and Immunology</i> , 2019, 30, 107-116.	2.6	20
97	Social Withdrawal Behaviour at One Year of Age Is Associated with Delays in Reaching Language Milestones in the EDEN Mother-Child Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0158426.	2.5	20
98	Association of postpartum depressive symptoms and urinary incontinence. A cohort study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016, 198, 62-67.	1.1	19
99	Developmental trajectories of motor skills during the preschool period. <i>European Child and Adolescent Psychiatry</i> , 2019, 28, 1461-1474.	4.7	19
100	Domain-specific physical activity and sedentary behavior during pregnancy and postpartum depression risk in the French EDEN and ELFE cohorts. <i>Preventive Medicine</i> , 2019, 121, 33-39.	3.4	19
101	Factors Associated with Breastfeeding Initiation: A Comparison between France and French-Speaking Canada. <i>PLoS ONE</i> , 2016, 11, e0166946.	2.5	18
102	Maternal weight prior and during pregnancy and offspring's BMI and adiposity at 5-6 years in the EDEN mother-child cohort. <i>Pediatric Obesity</i> , 2017, 12, 320-329.	2.8	17
103	Adéquation des consommations alimentaires des femmes enceintes de l'étude ELFE aux recommandations du Programme national nutrition santé. <i>Cahiers De Nutrition Et De Dietetique</i> , 2017, 52, 78-88.	0.3	17
104	Human health risks related to the consumption of foodstuffs of animal origin contaminated by bisphenol A. <i>Food and Chemical Toxicology</i> , 2017, 110, 333-339.	3.6	17
105	Early childcare type predicts children's emotional and behavioural trajectories into middle childhood. Data from the EDEN mother-child cohort study. <i>Journal of Epidemiology and Community Health</i> , 2018, 72, 1033-1043.	3.7	17
106	Growth curves of anthropometric indices in a general population of French children and comparison with reference data. <i>European Journal of Clinical Nutrition</i> , 2006, 60, 1430-1436.	2.9	16
107	Night-waking and behavior in preschoolers: a developmental trajectory approach. <i>Sleep Medicine</i> , 2018, 43, 90-95.	1.6	16
108	Breastfeeding Status and Duration and Infections, Hospitalizations for Infections, and Antibiotic Use in the First Two Years of Life in the ELFE Cohort. <i>Nutrients</i> , 2019, 11, 1607.	4.1	16

#	ARTICLE	IF	CITATIONS
109	Diet during pregnancy: Influence of social characteristics and migration in the ELFE cohort. <i>Maternal and Child Nutrition</i> , 2021, 17, e13140.	3.0	16
110	Association between perinatal factors, genetic susceptibility to obesity and age at adiposity rebound in children of the EDEN mother-child cohort. <i>International Journal of Obesity</i> , 2021, 45, 1802-1810.	3.4	16
111	The Association between Dietary Energy Density and Type 2 Diabetes in Europe: Results from the EPIC-InterAct Study. <i>PLoS ONE</i> , 2013, 8, e59947.	2.5	15
112	Rapid Early Growth May Modulate the Association Between Birth Weight and Blood Pressure at 5 Years in the EDEN Cohort Study. <i>Hypertension</i> , 2016, 68, 859-865.	2.7	15
113	Influence of infant feeding patterns over the first year of life on growth from birth to 5 years. <i>Pediatric Obesity</i> , 2017, 12, 94-101.	2.8	15
114	Determinants of infant formula use and relation with growth in the first 4 months. <i>Maternal and Child Nutrition</i> , 2014, 10, 267-279.	3.0	14
115	To which extent social withdrawal at the age of 1 year is associated with IQ at 6 years old? Results of the EDEN mother-child cohort. <i>European Child and Adolescent Psychiatry</i> , 2017, 26, 1343-1350.	4.7	14
116	Use of infant formula in the ELFE study: The association with social and health-related factors. <i>Maternal and Child Nutrition</i> , 2018, 14, .	3.0	14
117	Frequency of Use of Added Sugar, Salt, and Fat in Infant Foods up to 10 Months in the Nationwide ELFE Cohort Study: Associated Infant Feeding and Caregiving Practices. <i>Nutrients</i> , 2019, 11, 733.	4.1	14
118	Association between genetic obesity susceptibility and mother-reported eating behaviour in children up to 5 years. <i>Pediatric Obesity</i> , 2019, 14, e12496.	2.8	13
119	Infant feeding practices and sleep development in pre-schoolers from the EDEN mother-child cohort. <i>Journal of Sleep Research</i> , 2019, 28, e12859.	3.2	13
120	Breastfeeding initiation or duration and longitudinal patterns of infections up to 2 years and skin rash and respiratory symptoms up to 8 years in the EDEN mother-child cohort. <i>Maternal and Child Nutrition</i> , 2020, 16, e12935.	3.0	13
121	Endocrine disrupting chemicals and growth of children. <i>Annales D'Endocrinologie</i> , 2017, 78, 108-111.	1.4	12
122	Environmental contaminants and child's growth. <i>Journal of Developmental Origins of Health and Disease</i> , 2018, 9, 632-641.	1.4	12
123	An association between maternal weight change in the year before pregnancy and infant birth weight: ELFE, a French national birth cohort study. <i>PLoS Medicine</i> , 2019, 16, e1002871.	8.4	12
124	Social Inequalities in Prenatal Folic Acid Supplementation: Results from the ELFE Cohort. <i>Nutrients</i> , 2019, 11, 1108.	4.1	12
125	Association between Dietary Intake of One-Carbon Metabolism Nutrients in the Year before Pregnancy and Birth Anthropometry. <i>Nutrients</i> , 2020, 12, 838.	4.1	12
126	Smoking Trajectories during the Perinatal Period and Their Risk Factors: The Nationally Representative French ELFE (Etude Longitudinale Française Depuis l'Enfance) Birth Cohort Study. <i>European Addiction Research</i> , 2017, 23, 194-203.	2.4	12

#	ARTICLE	IF	CITATIONS
127	A Novel Method to Describe Early Offspring Body Mass Index (BMI) Trajectories and to Study Its Determinants. PLoS ONE, 2016, 11, e0157766.	2.5	11
128	The effect of early feeding practices on growth indices and obesity at preschool children from four European countries and UK schoolchildren and adolescents. European Journal of Pediatrics, 2017, 176, 1181-1192.	2.7	11
129	Cord-blood vitamin D level and night sleep duration in preschoolers in the EDEN mother-child birth cohort. Sleep Medicine, 2019, 53, 70-74.	1.6	11
130	Which modifiable prenatal factors mediate the relation between socio-economic position and a child's weight and length at birth?. Maternal and Child Nutrition, 2019, 15, e12878.	3.0	10
131	The motivational roots of sustainable diets: Analysis of food choice motives associated to health, environmental and socio-cultural aspects of diet sustainability in a sample of French adults. Cleaner and Responsible Consumption, 2022, 5, 100059.	3.0	10
132	Association between dietary patterns reflecting one-carbon metabolism nutrients intake before pregnancy and placental DNA methylation. Epigenetics, 2022, 17, 715-730.	2.7	9
133	Postpartum psychological distress associated with anal incontinence in the EDEN mother-child cohort. BJOG: an International Journal of Obstetrics and Gynaecology, 2020, 127, 619-627.	2.3	8
134	Infant feeding practices and sleep at 1 year of age in the nationwide ELFE cohort. Maternal and Child Nutrition, 2021, 17, e13072.	3.0	8
135	Enrichment of Formula in Probiotics or Prebiotics and Risk of Infection and Allergic Diseases up to Age 5.5 Years in the Nationwide Etude Longitudinale Française depuis l'Enfance (ELFE) Cohort. Journal of Nutrition, 2022, 152, 1138-1148.	2.9	8
136	Prenatal Diet and Children's Trajectories of Anxiety and Depression Symptoms from 3 to 8 Years: The EDEN Mother-Child Cohort. Journal of Nutrition, 2021, 151, 162-169.	2.9	7
137	Family Socioecological Correlates of Lifestyle Patterns in Early Childhood: A Cross-Sectional Study from the EDEN Mother-child Cohort. Nutrients, 2021, 13, 3803.	4.1	7
138	Home and Work Physical Activity Environments: Associations with Cardiorespiratory Fitness and Physical Activity Level in French Women. International Journal of Environmental Research and Public Health, 2016, 13, 824.	2.6	6
139	Demographic, socioeconomic, and sociocultural factors associated with any breastfeeding in homeless mothers. Maternal and Child Nutrition, 2021, 17, e13167.	3.0	6
140	Associations between Children's Genetic Susceptibility to Obesity, Infant's Appetite and Parental Feeding Practices in Toddlerhood. Nutrients, 2021, 13, 1468.	4.1	6
141	Enrichment of infant formula with long-chain polyunsaturated fatty acids and risk of infection and allergy in the nationwide ELFE birth cohort. Allergy: European Journal of Allergy and Clinical Immunology, 2021, , .	5.7	6
142	Short- and Mid-Term Impacts of COVID-19 Outbreak on the Nutritional Quality and Environmental Impact of Diet. Frontiers in Nutrition, 2022, 9, 838351.	3.7	6
143	Assessment of liking for saltiness, sweetness and fattiness sensations in children: Validation of a questionnaire. Food Quality and Preference, 2018, 65, 81-91.	4.6	5
144	Maternal religion and breastfeeding intention and practice in the US Project Viva cohort. Birth, 2020, 47, 191-201.	2.2	5

#	ARTICLE	IF	CITATIONS
145	Infant feeding clusters are associated with respiratory health and allergy at school age in the PARIS birth cohort. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021, 76, 1223-1234.	5.7	5
146	Organic Food Consumption During the Complementary Feeding Period and Respiratory or Allergic Diseases Up to Age 5.5 Years in the ELFE Cohort. <i>Frontiers in Nutrition</i> , 2021, 8, 791430.	3.7	5
147	Characterization of Infant Feeding Practices and Related-Family Characteristics in the French Nationwide ELFE Birth Cohort. <i>Nutrients</i> , 2021, 13, 33.	4.1	4
148	Is the association between dietary patterns and cognition mediated by children's adiposity? A longitudinal approach in Generation XXI birth cohort. <i>Clinical Nutrition</i> , 2022, 41, 231-237.	5.0	4
149	Predictors of maternal dietary quality and dietary inflammation during pregnancy: An individual participant data meta-analysis of seven European cohorts from the ALPHABET consortium. <i>Clinical Nutrition</i> , 2022, 41, 1991-2002.	5.0	4
150	A Common Genetic Variant in the Insulin Receptor Gene Is Associated with Eating Difficulties at 2 Years of Age in a Cohort of Preterm Infants. <i>Journal of Nutrigenetics and Nutrigenomics</i> , 2015, 8, 153-163.	1.3	3
151	Iron-fortified formula use in young children and association with socioeconomic factors in the French nationwide ELFE cohort. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2019, 108, 1285-1294.	1.5	3
152	Early growth according to protein content of infant formula: Results from the EDEN and ELFE birth cohorts. <i>Pediatric Obesity</i> , 2021, 16, e12803.	2.8	3
153	Prenatal exposure to pesticides and risk of preeclampsia among pregnant women: Results from the ELFE cohort. <i>Environmental Research</i> , 2021, 197, 111048.	7.5	3
154	Associations between Infant Dietary Intakes and Liking for Sweetness and Fattiness Sensations in 8-to-12-Year-Old Children. <i>Nutrients</i> , 2021, 13, 2659.	4.1	3
155	Associations between maternal eating behaviors and feeding practices in toddlerhood. <i>Appetite</i> , 2022, 174, 106016.	3.7	3
156	Difficultés rencontrées pour la réalisation d'une recherche interventionnelle en santé publique: l'étude ECAIL. <i>Cahiers De Nutrition Et De Dietetique</i> , 2017, 52, 94-99.	0.3	2
157	Characteristics associated with feeding organic foods during complementary feeding: the nationwide Étude Longitudinale Française depuis l'Enfance (ELFE) birth cohort. <i>British Journal of Nutrition</i> , 2020, 126, 1-10.	2.3	2
158	Prospective associations between dietary patterns, screen and outdoor play times at 2 years and age at adiposity rebound: The EDEN mother-child cohort. <i>Preventive Medicine Reports</i> , 2022, 25, 101666.	1.8	2
159	Infant feeding practices associated with adiposity peak and rebound in the EDEN mother-child cohort. <i>International Journal of Obesity</i> , 2022, 46, 809-816.	3.4	2
160	Family-focused contextual factors associated with lifestyle patterns in young children from two mother-offspring cohorts: GUSTO and EDEN. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2022, 19, 26.	4.6	2
161	Cardiovascular Health at Age 5 Years: Distribution, Determinants, and Association With Neurodevelopment. <i>Frontiers in Pediatrics</i> , 2022, 10, 827525.	1.9	2
162	Children's Diet at 2 Years and Trajectories of Hyperactivity-Inattention Symptoms and Conduct Problems Between 3 and 8 Years: The EDEN Cohort. <i>Journal of Nutrition</i> , 2022, 152, 484-491.	2.9	1

#	ARTICLE	IF	CITATIONS
163	LC-PUFA enrichment in infant formula and neurodevelopment up to age 3.5 years in the French nationwide ELFE birth cohort. <i>European Journal of Nutrition</i> , 2022, 61, 2979-2991.	3.9	1
164	Reply to J. Heinrich. <i>Pediatric Allergy and Immunology</i> , 2020, 31, 108-109.	2.6	0