

# Chengxi Cao

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4250405/publications.pdf>

Version: 2024-02-01

142  
papers

2,569  
citations

270111

25  
h-index

312153

41  
g-index

147  
all docs

147  
docs citations

147  
times ranked

2758  
citing authors

#	ARTICLE	IF	CITATIONS
1	A facile online multi-gear capacitively coupled contactless conductivity detector for an automatic and wide range monitoring of high salt in HPLC. <i>Analyst</i> , The, 2022, 147, 496-504.	1.7	3
2	Reciprocating free-flow isoelectric focusing with online array ultraviolet detector for process monitoring of protein separation. <i>Journal of Chromatography A</i> , 2022, 1663, 462747.	1.8	0
3	Gel Electrophoresis Chip Using Joule Heat Self-Dissipation, Short Run Time, and Online Dynamic Imaging. <i>Analytical Chemistry</i> , 2022, 94, 2007-2015.	3.2	5
4	Recent advances in microfluidic-based electroporation techniques for cell membranes. <i>Lab on A Chip</i> , 2022, 22, 2624-2646.	3.1	9
5	A facile thermometer-like electrophoresis titration biosensor for alternative miRNA assay via moving reaction boundary chip. <i>Biosensors and Bioelectronics</i> , 2021, 171, 112676.	5.3	9
6	Modulating proteasome inhibitor tolerance in multiple myeloma: an alternative strategy to reverse inevitable resistance. <i>British Journal of Cancer</i> , 2021, 124, 770-776.	2.9	16
7	Model, Simulation, and Experiments on Moving Exchange Boundary via Ligand and Quantum Dots in Chip Electrophoresis. <i>Analytical Chemistry</i> , 2021, 93, 5360-5364.	3.2	4
8	Metal Organic Framework Nanomaterial-Based Extraction and Proteome Analysis of Membrane and Membrane-Associated Proteins. <i>Analytical Chemistry</i> , 2021, 93, 15922-15930.	3.2	1
9	Immobilized Titanium (IV) Ion Affinity Chromatography Contributes to Efficient Proteomics Analysis of Cellular Nucleic Acid-Binding Proteins. <i>Journal of Proteome Research</i> , 2021, , .	1.8	3
10	Restoring MLL reactivates latent tumor suppression-mediated vulnerability to proteasome inhibitors. <i>Oncogene</i> , 2020, 39, 5888-5901.	2.6	6
11	Free-Flow Isoelectric Focusing for Comprehensive Separation and Analysis of Human Salivary Microbiome for Lung Cancer. <i>Analytical Chemistry</i> , 2020, 92, 12017-12025.	3.2	14
12	Discovery of small extracellular vesicle proteins from human serum for liver cirrhosis and liver cancer. <i>Biochimie</i> , 2020, 177, 132-141.	1.3	18
13	Integrative Analysis of Membrane Proteome and MicroRNA Reveals Novel Lung Cancer Metastasis Biomarkers. <i>Frontiers in Genetics</i> , 2020, 11, 1023.	1.1	7
14	Purification of low-abundance lysozyme in egg white via free-flow electrophoresis with gel-filtration chromatography. <i>Electrophoresis</i> , 2020, 41, 1529-1538.	1.3	9
15	Glycoprotein fluorescent speed sensing by newly-synthesized boronic complex probe and chip supramolecular electrophoresis. <i>Sensors and Actuators B: Chemical</i> , 2020, 309, 127773.	4.0	6
16	Exosomes mediate intercellular transfer of non-autonomous tolerance to proteasome inhibitors in mixed-lineage leukemia. <i>Cancer Science</i> , 2020, 111, 1279-1290.	1.7	28
17	Diminished interaction between mutant NOTCH1 and the NuRD corepressor complex upregulates CCL17 in chronic lymphocytic leukemia. <i>Leukemia</i> , 2019, 33, 2951-2956.	3.3	5
18	Facile, Rapid, and Low-Cost Electrophoresis Titration of Thrombin by Aptamer-Linked Magnetic Nanoparticles and a Redox Boundary Chip. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 29549-29556.	4.0	12

#	ARTICLE	IF	CITATIONS
19	Identification of chicken meat quality via rapid array isoelectric focusing with extraction of hemoglobin and myoglobin in meat sample. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2019, 1128, 121790.	1.2	7
20	Double inner standard plot model of an electrophoresis titration chip for a portable and green assay of protein content in milk. <i>Lab on A Chip</i> , 2019, 19, 484-492.	3.1	17
21	Portable electrophoresis titration chip model for sensing of uric acid in urine and blood by moving reaction boundary. <i>Sensors and Actuators B: Chemical</i> , 2019, 286, 9-15.	4.0	30
22	A facile isoelectric focusing of myoglobin and hemoglobin used as markers for screening of chicken meat quality in China. <i>Electrophoresis</i> , 2019, 40, 2767-2774.	1.3	6
23	Facile Counting of Ligands Capped on Nanoparticles via a Titration Chip of Moving Reaction Boundary Electrophoresis. <i>Analytical Chemistry</i> , 2019, 91, 7500-7504.	3.2	3
24	Cancer Cell Derived Small Extracellular Vesicles Contribute to Recipient Cell Metastasis Through Promoting HGF/c-Met Pathway*. <i>Molecular and Cellular Proteomics</i> , 2019, 18, 1619-1629.	2.5	44
25	Comparative proteomics analysis of microvesicles in human serum for the evaluation of osteoporosis. <i>Electrophoresis</i> , 2019, 40, 1839-1847.	1.3	13
26	Isoelectric focusing array with immobilized pH gradient and dynamic scanning imaging for diabetes diagnosis. <i>Analytica Chimica Acta</i> , 2019, 1063, 178-186.	2.6	11
27	FGA isoform as an indicator of targeted therapy for EGFR mutated lung adenocarcinoma. <i>Journal of Molecular Medicine</i> , 2019, 97, 1657-1668.	1.7	7
28	Electrophoresis Titration Model of a Moving Redox Boundary Chip for a Point-of-Care Test of an Enzyme-Linked Immunosorbent Assay. <i>ACS Sensors</i> , 2019, 4, 126-133.	4.0	15
29	Comparative Proteomic Analysis of Exosomes and Microvesicles in Human Saliva for Lung Cancer. <i>Journal of Proteome Research</i> , 2018, 17, 1101-1107.	1.8	122
30	Graphene and graphene oxide as a solid matrix for extraction of membrane and membrane-associated proteins. <i>Mikrochimica Acta</i> , 2018, 185, 123.	2.5	11
31	Graphene Oxide-Facilitated Comprehensive Analysis of Cellular Nucleic Acid Binding Proteins for Lung Cancer. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 17756-17770.	4.0	14
32	Simple Chip Electrophoresis Titration of Neutralization Boundary with EDTA Photocatalysis for Distance-Based Sensing of Melamine in Dairy Products. <i>Analytical Chemistry</i> , 2018, 90, 6710-6717.	3.2	23
33	Two-dimensional chromatographic analysis using three second-dimension columns for continuous comprehensive analysis of intact proteins. <i>Talanta</i> , 2018, 179, 588-593.	2.9	13
34	Narrow, Open, Tubular Column for Ultrahigh-Efficiency Liquid-Chromatographic Separation under Elution Pressure of Less than 50 bar. <i>Analytical Chemistry</i> , 2018, 90, 10676-10680.	3.2	28
35	iPhone-imaged and cell-powered electrophoresis titration chip for the alkaline phosphatase assay in serum by the moving reaction boundary. <i>Lab on A Chip</i> , 2018, 18, 1758-1766.	3.1	21
36	An innovative ring-shaped electroeluter for high concentration preparative isolation of protein from polyacrylamide gel. <i>Analytical Biochemistry</i> , 2017, 523, 39-43.	1.1	4

#	ARTICLE	IF	CITATIONS
37	Synthesis of a Cationic Supramolecular Block Copolymer with Covalent and Noncovalent Polymer Blocks for Gene Delivery. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 9006-9014.	4.0	37
38	A simple, openable and electroosmotic flow-free PMMA chip for electrophoretic titration of moving reaction boundary. <i>Microchemical Journal</i> , 2017, 132, 20-27.	2.3	0
39	An ionic coordination hybrid hydrogel for bioseparation. <i>Chemical Communications</i> , 2017, 53, 5842-5845.	2.2	5
40	Systematic comparison of exosomal proteomes from human saliva and serum for the detection of lung cancer. <i>Analytica Chimica Acta</i> , 2017, 982, 84-95.	2.6	107
41	Continuous protein concentration via free-flow moving reaction boundary electrophoresis. <i>Journal of Chromatography A</i> , 2017, 1508, 169-175.	1.8	7
42	A stable and convenient protein electrophoresis titration device with bubble removing system. <i>Electrophoresis</i> , 2017, 38, 1706-1712.	1.3	3
43	Comparison of antimicrobial peptide purification via free-flow electrophoresis and gel filtration chromatography. <i>Electrophoresis</i> , 2017, 38, 3147-3154.	1.3	10
44	Preparation of intact mitochondria using free-flow isoelectric focusing with post-pH gradient sample injection for morphological, functional and proteomics studies. <i>Analytica Chimica Acta</i> , 2017, 982, 200-208.	2.6	15
45	Monitoring gradient profile on-line in micro- and nano-high performance liquid chromatography using conductivity detection. <i>Journal of Chromatography A</i> , 2016, 1460, 68-73.	1.8	8
46	Dual-responsive aggregation-induced emission-active supramolecular nanoparticles for gene delivery and bioimaging. <i>Chemical Communications</i> , 2016, 52, 7950-7953.	2.2	42
47	In-Vial Temperature Gradient Headspace Single Drop Microextraction Designed by Multiphysics Simulation. <i>Analytical Chemistry</i> , 2016, 88, 10490-10498.	3.2	19
48	Design of suitable carrier buffer for free-flow zone electrophoresis by charge-to-mass ratio and band broadening analysis. <i>Electrophoresis</i> , 2016, 37, 2393-2400.	1.3	4
49	Enzyme catalysis-based electrophoresis titration for multiplex enzymatic assay via moving reaction boundary chip. <i>Lab on A Chip</i> , 2016, 16, 3538-3547.	3.1	10
50	Differential Proteomic Analysis of Human Saliva using Tandem Mass Tags Quantification for Gastric Cancer Detection. <i>Scientific Reports</i> , 2016, 6, 22165.	1.6	96
51	Facile preparation of salivary extracellular vesicles for cancer proteomics. <i>Scientific Reports</i> , 2016, 6, 24669.	1.6	52
52	Enhancing resolution of free-flow zone electrophoresis via a simple sheath-flow sample injection. <i>Electrophoresis</i> , 2016, 37, 1992-1997.	1.3	7
53	A multiple covalent crosslinked soft hydrogel for bioseparation. <i>Chemical Communications</i> , 2016, 52, 3247-3250.	2.2	11
54	Leverage principle of retardation signal in titration of double protein via chip moving reaction boundary electrophoresis. <i>Biosensors and Bioelectronics</i> , 2016, 77, 284-291.	5.3	23

#	ARTICLE	IF	CITATIONS
55	Accurate empirical equation of ionic mobility from electrolytic conductance. Chinese Journal of Chromatography (Se Pu), 2016, 34, 625.	0.1	3
56	Lectin based salivary glycoprotein separation, analysis and its application. Chinese Journal of Chromatography (Se Pu), 2016, 34, 1234.	0.1	1
57	Numerical computation and experimental verification of a derivatized moving reaction boundary originally created with formic buffer and sodium hydroxide. Chinese Journal of Chromatography (Se) Tj ETQq1 1 0.784314 rgBT /Over	1.0	3
58	A highly efficient three-phase single drop microextraction technique for sample preconcentration. Analyst, The, 2015, 140, 3193-3200.	1.7	18
59	Reciprocating free-flow isoelectric focusing device for preparative separation of proteins. Journal of Chromatography A, 2015, 1422, 318-324.	1.8	12
60	Synthesis and Characterization of Artificial Antigens for Copper and Application for Development of an Indirect Competitive Enzyme-Linked Immunosorbent Assay. Analytical Letters, 2015, 48, 1411-1425.	1.0	3
61	A tunable isoelectric focusing via moving reaction boundary for two-dimensional gel electrophoresis and proteomics. Talanta, 2015, 137, 197-203.	2.9	13
62	Target protein separation and preparation by free-flow electrophoresis coupled with charge-to-mass ratio analysis. Journal of Chromatography A, 2015, 1397, 73-80.	1.8	19
63	Quantitative proteomic analysis of microdissected oral epithelium for cancer biomarker discovery. Oral Oncology, 2015, 51, 1011-1019.	0.8	31
64	Negative pressure induced collector for a self balance free flow electrophoresis device. Journal of Separation Science, 2014, 37, 1359-1363.	1.3	5
65	Preparation of a natural dye doped Ormosil coating for the detection of formaldehyde in the optical gas sensor. Sensors and Actuators B: Chemical, 2014, 196, 238-244.	4.0	26
66	Experimental study on the optimization of general conditions for a free flow electrophoresis device with a thermoelectric cooler. Journal of Separation Science, 2014, 37, 3555-3563.	1.3	9
67	A new strategy for highly efficient single-drop microextraction with a liquid gas compound pendant drop. Analyst, The, 2014, 139, 2545.	1.7	8
68	Retardation Signal for Fluorescent Determination of Total Protein Content via Rapid and Sensitive Chip Moving Reaction Boundary Electrophoretic Titration. Analytical Chemistry, 2014, 86, 2888-2894.	3.2	19
69	Moving interaction boundary electrophoresis and its selective focusing of target guest molecule norfloxacin in urine by a cyclodextrin host. Analytical Methods, 2014, 6, 4360.	1.3	0
70	Mathematical model and dynamic computer simulation on free flow zone electrophoresis. Analyst, The, 2013, 138, 5734.	1.7	7
71	Study on stability mechanism of immobilized pH gradient in isoelectric focusing via the Svensson Tiselius differential equation and moving reaction boundary. Talanta, 2013, 111, 20-27.	2.9	10
72	Theoretical and experimental studies on isotachopheresis in multi-moving chelation boundary system formed with metal ions and EDTA. Analyst, The, 2013, 138, 5039.	1.7	2

#	ARTICLE	IF	CITATIONS
73	Model creation of moving redox reaction boundary in agarose gel electrophoresis by traditional potassium permanganate method. <i>Analyst, The</i> , 2013, 138, 1137-1140.	1.7	3
74	Quantitative investigation on the stacking of metal ions induced by another metal ion based on moving substitution boundary electrophoresis. <i>Analytical Methods</i> , 2013, 5, 6345.	1.3	0
75	Determination of free acidic and alkaline residues of protein via moving reaction boundary titration in microdevice electrophoresis. <i>Analyst, The</i> , 2013, 138, 3544.	1.7	5
76	A simple and highly stable free-flow electrophoresis device with thermoelectric cooling system. <i>Journal of Chromatography A</i> , 2013, 1321, 119-126.	1.8	16
77	A stable and high-resolution isoelectric focusing capillary array device for micropreparative separation of proteins. <i>Talanta</i> , 2013, 116, 259-265.	2.9	9
78	A visual detection of protein content based on titration of moving reaction boundary electrophoresis. <i>Analytica Chimica Acta</i> , 2013, 774, 92-99.	2.6	19
79	Impact of glutathione-HbA1c on HbA1c measurement in diabetes diagnosis via array isoelectric focusing, liquid chromatography, mass spectrometry and ELISA. <i>Talanta</i> , 2013, 115, 323-328.	2.9	7
80	Stump-like mathematical model and computer simulation on dynamic separation of capillary zone electrophoresis with different sample injections. <i>Talanta</i> , 2013, 105, 278-286.	2.9	5
81	Simple Boric Acid-Based Fluorescent Focusing for Sensing of Glucose and Glycoprotein via Multipath Moving Supramolecular Boundary Electrophoresis Chip. <i>Analytical Chemistry</i> , 2013, 85, 5884-5891.	3.2	26
82	Sensitive determination of illegal drugs of clenbuterol and salbutamol in swine urine by capillary electrophoresis with on-line stacking based on the moving reaction boundary. <i>Analytical Methods</i> , 2013, 5, 2848.	1.3	12
83	Mathematical model and computer simulation on moving precipitate boundary electrophoresis for offline sample pre-concentration of heavy metal ion. <i>Talanta</i> , 2013, 103, 314-321.	2.9	3
84	Novel moving reaction boundary-induced stacking and separation of human hemoglobins in slab polyacrylamide gel electrophoresis. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 8587-8595.	1.9	1
85	Fast and selective determination of total protein in milk powder via titration of moving reaction boundary electrophoresis. <i>Electrophoresis</i> , 2013, 34, 1343-1351.	1.3	20
86	A simple chip free-flow electrophoresis for monosaccharide sensing via supermolecule interaction of boronic acid functionalized quencher and fluorescent dye. <i>Electrophoresis</i> , 2013, 34, 2185-2192.	1.3	9
87	Visual offline sample stacking via moving neutralization boundary electrophoresis for analysis of heavy metal ion. <i>Talanta</i> , 2012, 95, 42-49.	2.9	7
88	A novel molecular probe sensing polynuclear hydrolyzed aluminum by chelation-enhanced fluorescence. <i>Talanta</i> , 2012, 99, 464-470.	2.9	25
89	A simple monolithic column electroelution for protein recovery from gel electrophoresis. <i>Analytical Biochemistry</i> , 2012, 430, 24-31.	1.1	8
90	Simply enhancing throughput of free-flow electrophoresis via organic-aqueous environment for purification of weak polarity solute of phenazine-4-carboxylic acid in fermentation of <i>Pseudomonas</i> sp. <i>Electrophoresis</i> , 2012, 33, 2925-2930.	1.3	3

#	ARTICLE	IF	CITATIONS
91	Enhancing separation of histidine from amino acids via free-flow affinity electrophoresis with gravity-induced uniform hydrodynamic flow. <i>Electrophoresis</i> , 2012, 33, 856-865.	1.3	1
92	Studies on bioconjugation of quantum dots using capillary electrophoresis and fluorescence correlation spectroscopy. <i>Electrophoresis</i> , 2012, 33, 1987-1995.	1.3	26
93	Quantitative investigation of resolution increase of free-flow electrophoresis via simple interval sample injection and separation. <i>Electrophoresis</i> , 2012, 33, 2065-2074.	1.3	12
94	Sensitive Determination of Barbiturates in Biological Matrix by Capillary Electrophoresis Using Online Large-Volume Sample Stacking*. <i>Journal of Forensic Sciences</i> , 2012, 57, 813-819.	0.9	19
95	Comparative study on sample stacking by moving reaction boundary formed with weak acid and weak or strong alkali in capillary electrophoresis. <i>Talanta</i> , 2011, 84, 651-658.	2.9	13
96	Comparative study on sample stacking by moving reaction boundary formed with weak acid and weak or strong base in capillary electrophoresis: II. Experiments. <i>Talanta</i> , 2011, 84, 547-557.	2.9	7
97	Experimental Study on the Determination and Degradation of Pyoluteorin in Soil via CE with Soxhlet™s Extraction and Field-Amplified Sample Stacking. <i>Chromatographia</i> , 2011, 73, 609-612.	0.7	9
98	Stacking and determination of phenazine-1-carboxylic acid with low pK <sub>a</sub> in soil via moving reaction boundary formed by alkaline and double acidic buffers in capillary electrophoresis. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 399, 3441-3450.	1.9	7
99	Synthesis and characteristics of a novel artificial hapten using the copper mercaptide of penicillenic acid from penicillin G for immunoassay of heavy metal ions. <i>Science China Life Sciences</i> , 2011, 54, 813-821.	2.3	2
100	Mid-scale free-flow electrophoresis with gravity-induced uniform flow of background buffer in chamber for the separation of cells and proteins. <i>Journal of Separation Science</i> , 2011, 34, 1683-1691.	1.3	16
101	Equivalence point electromigration acid-base titration via moving neutralization boundary electrophoresis. <i>Electrophoresis</i> , 2011, 32, 1015-1024.	1.3	14
102	Reassemblable quasi-chip free-flow electrophoresis with simple heating dispersion for rapid micropreparation of trypsin in crude porcine pancreatin. <i>Electrophoresis</i> , 2011, 32, 3248-3256.	1.3	7
103	Mercuric mercaptide of penicillenic acid, a novel hapten for relevant immunoassay, synthesized from penicillin. <i>Journal of Immunological Methods</i> , 2010, 353, 1-7.	0.6	5
104	Purification of low-concentration phenazine-1-carboxylic acid from fermentation broth of <i>Pseudomonas</i> sp. M18 via free flow electrophoresis with gratis gravity. <i>Electrophoresis</i> , 2010, 31, 3499-3507.	1.3	16
105	Separation and determination of four ganoderic acids from dried fermentation mycelia powder of <i>Ganoderma lucidum</i> by capillary zone electrophoresis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010, 53, 1224-1230.	1.4	14
106	Controlling of band width, resolution and sample loading by injection system in a simple preparative free-flow electrophoresis with gratis gravity. <i>Journal of Chromatography A</i> , 2010, 1217, 2182-2186.	1.8	20
107	A novel isotachopheresis of cobalt and copper complexes by metal ion substitution reaction in a continuous moving chelation boundary. <i>Analyst</i> , 2010, 135, 140-148.	1.7	17
108	Moving affinity boundary electrophoresis and its selective isolation of histidine in urine. <i>Analyst</i> , 2010, 135, 1592.	1.7	36

#	ARTICLE	IF	CITATIONS
109	A simple preparative free-flow electrophoresis joined with gravity: I. Gas cushion injector and self-balance collector instead of multiple channel pump. <i>Electrophoresis</i> , 2009, 30, 1998-2007.	1.3	27
110	Moving reaction boundary and isoelectric focusing: IV. Systemic study on Hjert's pH gradient mobilization. <i>Journal of Separation Science</i> , 2009, 32, 585-596.	1.3	10
111	Theoretical and experimental investigations on relationship between Kohlrausch regulating function/inequality and moving reaction boundary in electrophoresis. <i>Journal of Separation Science</i> , 2009, 32, 2123-2131.	1.3	8
112	Computer simulation on a continuous moving chelation boundary in ethylenediaminetetraacetic acid-based sample sweeping in capillary electrophoresis. <i>Journal of Chromatography A</i> , 2009, 1216, 4913-4922.	1.8	24
113	Experiments on moving interaction boundaries and their characteristics of focusing and probing of both guest and host target molecules. <i>Analytica Chimica Acta</i> , 2009, 650, 111-117.	2.6	17
114	Study on mechanism of stacking of zwitterion in highly saline biologic sample by transient moving reaction boundary created by formic buffer and conjugate base in capillary electrophoresis. <i>Talanta</i> , 2009, 78, 1194-1200.	2.9	17
115	Quantitative investigations on moving chelation boundary within a continuous EDTA-based sample sweeping system in capillary electrophoresis. <i>Electrophoresis</i> , 2008, 29, 3989-3998.	1.3	20
116	Separation and determination of abused drugs clenbuterol and salbutamol from complex extractants in swine feed by capillary zone electrophoresis with simple pretreatment. <i>Talanta</i> , 2008, 76, 282-287.	2.9	46
117	Rapid quantitative analysis of phenazine-1-carboxylic acid and 2-hydroxyphenazine from fermentation culture of <i>Pseudomonas chlororaphis</i> GP72 by capillary zone electrophoresis. <i>Talanta</i> , 2008, 76, 276-281.	2.9	16
118	Review on the theory of moving reaction boundary, electromigration reaction methods and applications in isoelectric focusing and sample pre-concentration. <i>Analyst</i> , The, 2008, 133, 1139.	1.7	81
119	Separation and determination of acrylamide in potato chips by micellar electrokinetic capillary chromatography. <i>Talanta</i> , 2007, 71, 1541-1545.	2.9	24
120	Sensitive quantitative determination of oxymatrine and matrine in rat plasma by capillary electrophoresis with stacking induced by moving reaction boundary. <i>Analytica Chimica Acta</i> , 2007, 594, 290-296.	2.6	42
121	Quantitative analysis of lovastatin in capsule of Chinese medicine <i>Monascus</i> by capillary zone electrophoresis with UV-vis detector. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007, 43, 387-392.	1.4	12
122	Stacking and quantitative analysis of lovastatin in urine samples by the transient moving chemical reaction boundary method in capillary electrophoresis. <i>Analytical and Bioanalytical Chemistry</i> , 2007, 387, 2719-2725.	1.9	21
123	Highly luminescent CdTe quantum dots prepared in aqueous phase as an alternative fluorescent probe for cell imaging. <i>Talanta</i> , 2006, 70, 397-402.	2.9	117
124	Sensitive analysis of two barbiturates in human urine by capillary electrophoresis with sample stacking induced by moving reaction boundary. <i>Analytica Chimica Acta</i> , 2006, 580, 200-205.	2.6	30
125	Characterization of quantum dot bioconjugates by capillary electrophoresis with laser-induced fluorescent detection. <i>Journal of Chromatography A</i> , 2006, 1113, 251-254.	1.8	72
126	Quantitative analysis of pyoluteorin in anti-fungal fermentation liquor of <i>Pseudomonas</i> species by capillary zone electrophoresis with UV-vis detector. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2005, 826, 252.e1-252.e6.	1.2	5



#	ARTICLE	IF	CITATIONS
127	Quantitative study on selective stacking of zwitterions in large-volume sample matrix by moving reaction boundary in capillary electrophoresis. <i>Electrophoresis</i> , 2005, 26, 3113-3124.	1.3	17
128	Theoretical study on colloid/or inorganic material preparation by moving reaction boundary method in gel. <i>Colloid and Polymer Science</i> , 2005, 283, 1131-1136.	1.0	5
129	Quantitative Predictions to Conditions of Zwitterionic Stacking by Transient Moving Chemical Reaction Boundary Created with Weak Electrolyte Buffers in Capillary Electrophoresis. <i>Analytical Chemistry</i> , 2005, 77, 955-963.	3.2	54
130	Quantitative studies on the preparation of colloidal particles of cobalt hydroxide by the moving chemical reaction boundary method in agarose gel. <i>Colloid and Polymer Science</i> , 2004, 282, 1059-1062.	1.0	3
131	Stacking Ionizable Analytes in a Sample Matrix with High Salt by a Transient Moving Chemical Reaction Boundary Method in Capillary Zone Electrophoresis. <i>Analytical Chemistry</i> , 2002, 74, 4167-4174.	3.2	81
132	Improving separation efficiency of capillary zone electrophoresis of tryptophan and phenylalanine with the transient moving chemical reaction boundary method. <i>Journal of Chromatography A</i> , 2002, 952, 39-46.	1.8	27
133	Investigations on factors that influence the moving neutralization reaction boundary method for capillary electrophoresis and isoelectric focusing. <i>Journal of Chromatography A</i> , 2002, 952, 29-38.	1.8	12
134	Stable colloid of Co(OH) <sub>2</sub> prepared by moving chemical reaction boundary method (MCRBM) in agarose gel. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2001, 180, 17-21.	2.3	6
135	Experimental investigation on moving chemical reaction boundary theory for weak-acid-strong-base system with background electrolyte KCl in large concentration. <i>Journal of Chromatography A</i> , 2001, 922, 283-292.	1.8	10
136	Corrections to moving chemical reaction boundary equation for weak reactive electrolytes under the existence of background electrolyte KCl in large concentrations. <i>Journal of Chromatography A</i> , 2001, 907, 347-352.	1.8	16
137	Experimental study on moving neutralization reaction boundary created with the strong reactive electrolytes of HCl and NaOH in agarose gel. <i>Journal of Chromatography A</i> , 2000, 891, 337-347.	1.8	22
138	The invalidity of Kohlrausch's regulating function for Svensson's isoelectric focusing and stationary electrolysis at steady state. <i>Journal of Chromatography A</i> , 1999, 863, 219-226.	1.8	3
139	Moving chemical reaction boundary and isoelectric focusing. <i>Journal of Chromatography A</i> , 1998, 813, 153-171.	1.8	51
140	Moving chemical reaction boundary and isoelectric focusing. <i>Journal of Chromatography A</i> , 1998, 813, 173-177.	1.8	22
141	Comparisons of the mobilities of salt ions obtained by the moving boundary method and two empirical equations in capillary electrophoresis. <i>Journal of Chromatography A</i> , 1997, 771, 374-378.	1.8	29
142	Proton mobilities obtained by the moving boundary method and an empirical equation in capillary electrophoresis. <i>Journal of High Resolution Chromatography</i> , 1997, 20, 701-702.	2.0	10