
Timothy H Holtz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4250679/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	HLA-Bâ^—46 associates with rapid HIV disease progression in Asian cohorts and prominent differences in NK cell phenotype. Cell Host and Microbe, 2022, 30, 1173-1185.e8.	5.1	5
2	Antiretroviral treatment initiation among HIV-positive participants in the Bangkok men who have sex with men cohort study, 2006–2016. International Journal of STD and AIDS, 2021, 32, 687-693.	0.5	0
3	Cabotegravir for HIV Prevention in Cisgender Men and Transgender Women. New England Journal of Medicine, 2021, 385, 595-608.	13.9	359
4	Predicted Effectiveness of Daily and Nondaily Preexposure Prophylaxis for Men Who Have Sex With Men Based on Sex and Pill-taking Patterns From the Human Immuno Virus Prevention Trials Network 067/ADAPT Study. Clinical Infectious Diseases, 2020, 71, 249-255.	2.9	7
5	Estimating treatment importance in multidrugâ€resistant tuberculosis using Targeted Learning: An observational individual patient data network metaâ€analysis. Biometrics, 2020, 76, 1007-1016.	0.8	7
6	Treatment with Commonly Used Antiretroviral Drugs Induces a Type I/III Interferon Signature in the Gut in the Absence of HIV Infection. Cell Reports Medicine, 2020, 1, 100096.	3.3	10
7	Recent declines in HIV infections at Silom Community Clinic Bangkok, Thailand corresponding to HIV prevention scale up: An open cohort assessment 2005–2018. International Journal of Infectious Diseases, 2020, 99, 131-137.	1.5	10
8	Repeat symptomatic <i>Neisseria gonorrhoeae</i> infections among men who have sex with men in Bangkok, Thailand, 2006–2016. International Journal of STD and AIDS, 2020, 31, 533-540.	0.5	1
9	Spatial characteristics of men who have sex with men and transgender women attending HIV voluntary counselling and testing in Bangkok, Thailand, 2005–2015. Geospatial Health, 2020, 15, .	0.3	Ο
10	Testing the Effectiveness and Cost-Effectiveness of a Combination HIV Prevention Intervention Among Young Cisgender Men Who Have Sex With Men and Transgender Women Who Sell or Exchange Sex in Thailand: Protocol for the Combination Prevention Effectiveness Study. JMIR Research Protocols, 2020, 9, e15354.	0.5	7
11	Why we need pre-exposure prophylaxis: incident HIV and syphilis among men, and transgender women, who have sex with men, Bangkok, Thailand, 2005–2015. International Journal of STD and AIDS, 2019, 30, 430-439.	0.5	22
12	Urine lipoarabinomannan (LAM) and antimicrobial usage in seriously-ill HIV-infected patients with sputum smear-negative pulmonary tuberculosis. Journal of Thoracic Disease, 2019, 11, 3505-3514.	0.6	6
13	HPTN 067/ADAPT: Correlates of Sex-Related Pre-exposure Prophylaxis Adherence, Thai Men Who Have Sex With Men, and Transgender Women, 2012–2013. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 82, e18-e26.	0.9	10
14	Causal inference with multiple concurrent medications: A comparison of methods and an application in multidrug-resistant tuberculosis. Statistical Methods in Medical Research, 2019, 28, 3534-3549.	0.7	13
15	Selling and buying sex in the city: men who have sex with men in the Bangkok men who have sex with men Cohort Study. International Journal of STD and AIDS, 2019, 30, 212-222.	0.5	9
16	Risk Behaviors Among Young Men Who Have Sex With Men in Bangkok: A Qualitative Study to Understand and Contextualize High HIV Incidence. Journal of Homosexuality, 2019, 66, 533-548.	1.3	7
17	Daily and Nondaily Oral Preexposure Prophylaxis in Men and Transgender Women Who Have Sex With Men: The Human Immunodeficiency Virus Prevention Trials Network 067/ADAPT Study. Clinical Infectious Diseases, 2018, 66, 1712-1721.	2.9	48
18	Young Men Who Have Sex with Men at High Risk for HIV, Bangkok MSM Cohort Study, Thailand 2006–2014. AIDS and Behavior, 2018, 22, 2137-2146.	1.4	37

Тімотну Н Ноітг

#	Article	IF	CITATIONS
19	Tuberculosis preventive treatment: the next chapter of tuberculosis elimination in India. BMJ Global Health, 2018, 3, e001135.	2.0	14
20	Treatment correlates of successful outcomes in pulmonary multidrug-resistant tuberculosis: an individual patient data meta-analysis. Lancet, The, 2018, 392, 821-834.	6.3	452
21	Association between HIV genotype, viral load and disease progression in a cohort of Thai men who have sex with men with estimated dates of HIV infection. PLoS ONE, 2018, 13, e0201386.	1.1	5
22	The finding of casual sex partners on the internet, methamphetamine use for sexual pleasure, and incidence of HIV infection among men who have sex with men in Bangkok, Thailand: an observational cohort study. Lancet HIV,the, 2018, 5, e379-e389.	2.1	40
23	Discovery of genetic variants of the kinases that activate tenofovir among individuals in the United States, Thailand, and South Africa: HPTN067. PLoS ONE, 2018, 13, e0195764.	1.1	12
24	Repeat HIV testing among HIV-uninfected men who have sex with men attending Silom Community Clinic, Bangkok, 2011 ⒒ 2014. International Journal of STD and AIDS, 2018, 29, 1417-1423.	0.5	6
25	Screening for Chlamydia trachomatis and Neisseria gonorrhoeae infection among asymptomatic men who have sex with men in Bangkok, Thailand. International Journal of STD and AIDS, 2018, 29, 577-587.	0.5	6
26	MTN-017: A Rectal Phase 2 Extended Safety and Acceptability Study of Tenofovir Reduced-Glycerin 1% Gel. Clinical Infectious Diseases, 2017, 64, ciw832.	2.9	42
27	Analysis of False-Negative Human Immunodeficiency Virus Rapid Tests Performed on Oral Fluid in 3 International Clinical Research Studies. Clinical Infectious Diseases, 2017, 64, 1663-1669.	2.9	18
28	Subtypes and Risk Behaviors Among Incident HIV Cases in the Bangkok Men Who Have Sex with Men Cohort Study, Thailand, 2006–2014. AIDS Research and Human Retroviruses, 2017, 33, 1004-1012.	0.5	9
29	Preference of Oral Tenofovir Disoproxil Fumarate/Emtricitabine Versus Rectal Tenofovir Reduced-Glycerin 1% Gel Regimens for HIV Prevention Among Cisgender Men and Transgender Women Who Engage in Receptive Anal Intercourse with Men. AIDS and Behavior, 2017, 21, 3336-3345.	1.4	16
30	Factors associated with the uptake of and adherence to HIV pre-exposure prophylaxis in people who have injected drugs: an observational, open-label extension of the Bangkok Tenofovir Study. Lancet HIV,the, 2017, 4, e59-e66.	2.1	46
31	High levels of adherence to a rectal microbicide gel and to oral Pre-Exposure Prophylaxis (PrEP) achieved in MTN-017 among men who have sex with men (MSM) and transgender women. PLoS ONE, 2017, 12, e0181607.	1.1	25
32	Incidence of and temporal relationships between HIV, herpes simplex II virus, and syphilis among men who have sex with men in Bangkok, Thailand: an observational cohort. BMC Infectious Diseases, 2016, 16, 340.	1.3	9
33	Multidrug-resistant tuberculosis treatment failure detection depends on monitoring interval and microbiological method. European Respiratory Journal, 2016, 48, 1160-1170.	3.1	27
34	Medical care and social justice in the jungles of Myanmar. Lancet, The, 2016, 388, 2345-2347.	6.3	1
35	Hepatitis B vaccination uptake and correlates of serologic response among HIV-infected and uninfected men who have sex with men (MSM) in Bangkok, Thailand. Vaccine, 2016, 34, 2044-2050.	1.7	19
36	Loss to follow-up and bias assessment among a cohort of Thai men who have sex with men in Bangkok, Thailand. International Journal of STD and AIDS, 2016, 27, 196-206.	0.5	13

Тімотну Н Ноітг

#	Article	IF	CITATIONS
37	Lubricant Use Among Men Who Have Sex With Men Reporting Anal Intercourse in Bangkok, Thailand: Impact of HIV Status and Implications for Prevention. Journal of Homosexuality, 2016, 63, 507-521.	1.3	3
38	Randomized Controlled Trial to Compare Immunogenicity of Standard-Dose Intramuscular Versus Intradermal Trivalent Inactivated Influenza Vaccine in HIV-Infected Men Who Have Sex With Men in Bangkok, Thailand. Clinical Infectious Diseases, 2016, 62, 383-391.	2.9	12
39	Prevalence and Correlates of Chlamydia trachomatis and Neisseria gonorrhoeae by Anatomic Site Among Urban Thai Men Who Have Sex With Men. Sexually Transmitted Diseases, 2015, 42, 440-449.	0.8	28
40	Prevalence of Anal Human Papillomavirus Vaccine Types in the Bangkok Men Who Have Sex With Men Cohort Study. Sexually Transmitted Diseases, 2015, 42, 671-676.	0.8	13
41	Temporal trends in HIV-1 incidence and risk behaviours in men who have sex with men in Bangkok, Thailand, 2006–13: an observational study. Lancet HIV,the, 2015, 2, e64-e70.	2.1	56
42	Longitudinal Analysis of Key HIV-Risk Behavior Patterns and Predictors in Men Who Have Sex with Men, Bangkok, Thailand. Archives of Sexual Behavior, 2015, 44, 341-348.	1.2	23
43	Antituberculosis Drug Resistance Survey in Lesotho, 2008-2009: Lessons Learned. PLoS ONE, 2015, 10, e0133808.	1.1	5
44	'Getting to zero' in Asia and the Pacific through more strategic use of antiretrovirals for HIV prevention. Sexual Health, 2014, 11, 107.	0.4	4
45	Prevalence and correlates of willingness to participate in a rectal microbicide trial among men who have sex with men in Bangkok. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2014, 26, 1359-1369.	0.6	5
46	Young Thai Men who Have Sex with Men and a Voluntary HIV Testing Service, Bangkok, 2005–2013. AIDS Research and Human Retroviruses, 2014, 30, A114-A114.	0.5	0
47	Multiple HIV Counselling Sessions and Safe Sex Practice Helped Bangkok Men Who Have Sex with Men Stay HIV-uninfected: Thailand 2006–2014. AIDS Research and Human Retroviruses, 2014, 30, A23-A23.	0.5	2
48	Trends and Factors Associated with Unprotected Anal Intercourse among Young Men Who Have Sex with Men in Bangkok, Thailand, 2006–2013. AIDS Research and Human Retroviruses, 2014, 30, A134-A134.	0.5	2
49	Drug resistance beyond extensively drug-resistant tuberculosis: individual patient data meta-analysis. European Respiratory Journal, 2013, 42, 169-179.	3.1	226
50	Resistance to fluoroquinolones and second-line injectable drugs: impact on multidrug-resistant TB outcomes. European Respiratory Journal, 2013, 42, 156-168.	3.1	346
51	Hepatitis A and hepatitis B infection prevalence and associated risk factors in men who have sex with men, Bangkok, 2006–2008. Journal of Medical Virology, 2013, 85, 1499-1505.	2.5	17
52	Outbreak of norovirus gastroenteritis infection, Thailand. Southeast Asian Journal of Tropical Medicine and Public Health, 2013, 44, 409-16.	1.0	4
53	Diagnosis and treatment of pulmonary tuberculosis in patients with HIV – Author's reply. Lancet Infectious Diseases, The, 2012, 12, 268-269.	4.6	0
54	Use of a WHO-recommended algorithm to reduce mortality in seriously ill patients with HIV infection and smear-negative pulmonary tuberculosis in South Africa: an observational cohort study. Lancet Infectious Diseases, The, 2011, 11, 533-540.	4.6	47

Тімотну Н Ноітг

#	Article	IF	CITATIONS
55	Implementation of the INNO-LiPA Rif. TB® line-probe assay in rapid detection of multidrug-resistant tuberculosis in Latvia. International Journal of Tuberculosis and Lung Disease, 2011, 15, 1546-1553.	0.6	20
56	XDR-TB in South Africa: Revised Definition. PLoS Medicine, 2007, 4, e161.	3.9	12
57	Time to Sputum Culture Conversion in Multidrug-Resistant Tuberculosis: Predictors and Relationship to Treatment Outcome. Annals of Internal Medicine, 2006, 144, 650.	2.0	174
58	Health Is Still Social: Contemporary Examples in the Age of the Genome. PLoS Medicine, 2006, 3, e419.	3.9	25
59	Relationship of measles vaccination with anaemia and malaria in western Kenya. Tropical Medicine and International Health, 2005, 10, 1099-1107.	1.0	5
60	The Mental Health of Expatriate and Kosovar Albanian Humanitarian Aid Workers. Disasters, 2005, 29, 152-170.	1.1	70
61	Multidrug-resistant Tuberculosis Detection, Latvia. Emerging Infectious Diseases, 2005, 11, 1461-1463.	2.0	28
62	Efficacy of trimethoprim-sulfamethoxazole compared with sulfadoxine-pyrimethamine plus erythromycin for the treatment of uncomplicated malaria in children with integrated management of childhood illness dual classifications of malaria and pneumonia. American Journal of Tropical Medicine and Hygiene, 2005, 73, 609-15.	0.6	17
63	Use of antenatal care services and intermittent preventive treatment for malaria among pregnant women in Blantyre District, Malawi. Tropical Medicine and International Health, 2004, 9, 77-82.	1.0	62
64	Isolated Case of Bioterrorism-related Inhalational Anthrax, New York City, 2001. Emerging Infectious Diseases, 2003, 9, 689-696.	2.0	24
65	An Outbreak of Eosinophilic Meningitis Caused byAngiostrongylus cantonensisin Travelers Returning from the Caribbean. New England Journal of Medicine, 2002, 346, 668-675.	13.9	273
66	Enzootic Angiostrongylus cantonensis in Rats and Snails after an Outbreak of Human Eosinophilic Meningitis, Jamaica. Emerging Infectious Diseases, 2002, 8, 324-326.	2.0	82
67	Insecticide-treated bednet use, anaemia, and malaria parasitaemia in Blantyre District, Malawi. Tropical Medicine and International Health, 2002, 7, 220-230.	1.0	65
68	Malaria surveillanceUnited States, 1999. MMWR Surveillance Summaries, 2002, 51, 15-28.	18.6	20
69	Labour rights are human rights. Lancet, The, 1999, 353, 923.	6.3	4
70	Refugee Trauma versus Torture Trauma: A Retrospective Controlled Cohort Study of Tibetan Refugees. Journal of Nervous and Mental Disease, 1998, 186, 24-34.	0.5	151
71	Postdischarge surveillance for nosocomial wound infection: A brief review and commentary. American Journal of Infection Control, 1992, 20, 206-213.	1.1	135
72	Emporiatrics: Diarrhea in Travelers. Infection Control and Hospital Epidemiology, 1990, 11, 606-610.	1.0	1