

# Adolfo Avella

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4250742/publications.pdf>

Version: 2024-02-01

113  
papers

1,051  
citations

430442

18  
h-index

552369

26  
g-index

115  
all docs

115  
docs citations

115  
times ranked

646  
citing authors

#	ARTICLE	IF	CITATIONS
1	Doped spin-orbital Mott insulators: Orbital dilution versus spin-orbital polarons. Journal of Magnetism and Magnetic Materials, 2022, 543, 168616.	1.0	3
2	Time evolution of energies and populations in germanium perturbed by a near-infrared pulse on the atto-second scale. Journal of Magnetism and Magnetic Materials, 2022, 546, 168785.	1.0	0
3	Local properties of the $t$ -J model in a two-pole approximation within COM. Journal of Magnetism and Magnetic Materials, 2022, 546, 168794.	1.0	0
4	Superconductivity induced by structural reorganization in the electron-doped cuprate $\text{Nd}_{2-x}\text{Ce}_x\text{CuO}_4$ . Physical Review B, 2022, 105, .	1.1	2
5	Suppression of anisotropy of kinetic energy in doped vanadium perovskites by charged defects and spin-orbital polarons. Journal of Magnetism and Magnetic Materials, 2022, , 169101.	1.0	0
6	Anisotropic time-domain electronic response in cuprates driven by midinfrared pulses. Physical Review B, 2021, 104, .	1.1	4
7	Orbital rotations induced by charges of polarons and defects in doped vanadates. Physical Review B, 2021, 103, .	1.1	4
8	A generalized mean-field theory for the t-J model: the single-pole COM solution. European Physical Journal: Special Topics, 2019, 228, 659-668.	1.2	2
9	Spin-orbit coupling effects on the electronic properties of the pressure-induced superconductor $\text{CrAs}$ . European Physical Journal: Special Topics, 2019, 228, 631-641.	1.2	13
10	A minimal tight-binding model for the quasi-one-dimensional superconductor $\text{K}_{2-x}\text{Cr}_x\text{As}_3$ . New Journal of Physics, 2019, 21, 063027.	1.2	17
11	Defect-Induced Orbital Polarization and Collapse of Orbital Order in Doped Vanadium Perovskites. Physical Review Letters, 2019, 122, 127206.	2.9	14
12	Signatures of Enhanced Superconducting Phase Coherence in Optimally Doped $\text{Bi}_2\text{Te}_3$ . Physical Review Letters, 2019, 122, 067002.	2.9	14
13	Emergence of a metallic metastable phase induced by electrical current in $\text{Ca}_2\text{RuO}_4$ . Physical Review B, 2019, 100, .	1.1	21
14	Fingerprints of spin-orbital polarons and of their disorder in the photoemission spectra of doped Mott insulators with orbital degeneracy. Physical Review B, 2018, 97, .	1.1	14
15	Strong spin-orbit effects in transition metal oxides with tetrahedral coordination. Physica B: Condensed Matter, 2018, 537, 184-187.	1.3	2
16	Electrical transport properties of sputtered $\text{Nd}_{2-x}\text{Ce}_x\text{CuO}_4$ thin films. Physica B: Condensed Matter, 2018, 536, 742-746.	1.3	3
17	Localization of holes near charged defects in orbitally degenerate, doped Mott insulators. Physica B: Condensed Matter, 2018, 536, 738-741.	1.3	2
18	Single-particle properties of the Hubbard model in a novel three-pole approximation. Physica B: Condensed Matter, 2018, 536, 687-692.	1.3	2



#	ARTICLE	IF	CITATIONS
37	Emery vs. Hubbard model for cuprate superconductors: a composite operator method study. European Physical Journal B, 2013, 86, 1.	0.6	23
38	Strongly Correlated Systems. Springer Series in Solid-state Sciences, 2013, , .	0.3	36
39	Defect states and excitations in a Mott insulator with orbital degrees of freedom: Mott-Hubbard gap versus optical and transport gaps in doped systems. Physical Review B, 2013, 87, .	1.1	23
40	Recurrence time distribution and temporal clustering properties of a cellular automaton modelling landslide events. Nonlinear Processes in Geophysics, 2013, 20, 1071-1078.	0.6	3
41	Composite operator candidates for a study of the p-d model. Journal of Physics: Conference Series, 2012, 391, 012121.	0.3	3
42	A 4-pole approach to the Hubbard model within the Composite Operator Method. Journal of Physics: Conference Series, 2012, 391, 012151.	0.3	1
43	The Composite Operator Method (COM). Springer Series in Solid-state Sciences, 2012, , 103-141.	0.3	8
44	Preface: Lectures on the Physics of Strongly Correlated Systems XV "Fifteenth Training Course in the Physics of Strongly Correlated Systems. , 2011, , .		0
45	Relationship between band populations and band structure in the three-band Hubbard model. Journal of Physics: Conference Series, 2011, 273, 012091.	0.3	5
46	Correlation-induced band suppression in the two-orbital Hubbard model. Journal of Physics: Conference Series, 2011, 273, 012147.	0.3	8
47	Single-particle dispersion of the 2D $t$ - $d$ model. Journal of Physics and Chemistry of Solids, 2011, 72, 384-387.	1.9	6
48	Filling and temperature dependence of the spin susceptibility of the two-dimensional Hubbard model in the superconducting d-wave phase. Journal of Physics and Chemistry of Solids, 2011, 72, 362-365.	1.9	6
49	Resonant generation of coherent phonons in a superconductor by ultrafast optical pump pulses. Physical Review B, 2011, 84, .	1.1	30
50	Analysis of the magnetic response of the edge-sharing chain cuprate $\text{Li}_2\text{CuO}_2$ within TMRG. Journal of Physics: Conference Series, 2010, 200, 022047.	0.3	0
51	The phase diagram of the extended anisotropic ferromagnetic-antiferromagnetic Heisenberg chain. European Physical Journal B, 2010, 77, 381-392.	0.6	12
52	COM framework for d-wave superconductivity in the 2D Hubbard model. Physica C: Superconductivity and Its Applications, 2010, 470, S930-S931.	0.6	5
53	Strong antiferromagnetic correlation effects on the momentum distribution function of the Hubbard model. Journal of Physics Condensed Matter, 2009, 21, 254209.	0.7	8
54	$T = 0$ phase diagram of 1D extended anisotropic spin- $\frac{1}{2}$ Heisenberg model. Journal of Physics: Conference Series, 2009, 145, 012063.	0.3	3

#	ARTICLE	IF	CITATIONS
55	Entanglement in the 1D extended anisotropic Heisenberg model. Physica B: Condensed Matter, 2008, 403, 1282-1283.	1.3	10
56	XXZ-like phase in the F-AF anisotropic Heisenberg chain. European Physical Journal B, 2008, 66, 295-299.	0.6	8
57	Anomalous Self-Energy Features in the 2D Hubbard Model. Acta Physica Polonica A, 2008, 113, 395-398.	0.2	5
58	Entanglement Properties and Phase Diagram of the Two-Orbital Atomic Hubbard Model. Acta Physica Polonica A, 2008, 113, 417-420.	0.2	3
59	Frustration-Driven Quantum Phase Transition in the 1D Extended Anisotropic Heisenberg Model. Acta Physica Polonica A, 2008, 113, 429-432.	0.2	1
60	The 2D Hubbard model and the pseudogap: a COM(SCBA) study. Journal of Physics Condensed Matter, 2007, 19, 255209.	0.7	7
61	Underdoped cuprate phenomenology in the two-dimensional Hubbard model within the composite operator method. Physical Review B, 2007, 75, .	1.1	26
62	The two-orbital Hubbard model and the OSMT. Physica C: Superconductivity and Its Applications, 2007, 460-462, 1068-1069.	0.6	5
63	Pseudogap opening in the 2D Hubbard model within COM (SCBA). Physica C: Superconductivity and Its Applications, 2007, 460-462, 1096-1097.	0.6	2
64	Non-Fermi liquid behavior in the 2D Hubbard model within COM(SCBA). Journal of Magnetism and Magnetic Materials, 2007, 310, 999-1001.	1.0	3
65	Ergodicity of the extended anisotropic 1D Heisenberg model: Response at low temperatures. Journal of Magnetism and Magnetic Materials, 2007, 310, e480-e482.	1.0	1
66	Charge ordering in the extended Hubbard model in the ionic limit. Physica B: Condensed Matter, 2006, 378-380, 311-312.	1.3	3
67	Phase diagrams of half-filled 1D and 2D extended Hubbard model within COM. Journal of Physics and Chemistry of Solids, 2006, 67, 142-145.	1.9	7
68	Analysis of thermodynamic quantities in the Hubbard model by means of the Composite Operator Method. Physica B: Condensed Matter, 2006, 378-380, 313-314.	1.3	0
69	Exact solution of the one-dimensional spin- $\frac{3}{2}$ Ising model in magnetic field. European Physical Journal B, 2006, 50, 527-539.	0.6	14
70	Study of the spin- Hubbard-Kondo lattice model by means of the Composite Operator Method. Physica B: Condensed Matter, 2006, 378-380, 700-701.	1.3	4
71	Nonergodic dynamics of the extended anisotropic Heisenberg chain. Physical Review B, 2006, 74, .	1.1	15
72	Ergodicity in strongly correlated systems. Condensed Matter Physics, 2006, 9, 485.	0.3	2

#	ARTICLE	IF	CITATIONS
73	Green's function formalism for highly correlated systems. Condensed Matter Physics, 2006, 9, 569.	0.3	0
74	4-pole analysis of the two-dimensional Hubbard model. Physica B: Condensed Matter, 2005, 359-361, 663-665.	1.3	2
75	SCBA within composite operator method for the Hubbard model. Physica B: Condensed Matter, 2005, 359-361, 666-668.	1.3	13
76	High-order correlation effects in the two-dimensional Hubbard model. Physical Review B, 2005, 72, .	1.1	15
77	The energy-scale-dependent composite operator method for the single-impurity Anderson model. European Physical Journal B, 2004, 37, 465-471.	0.6	11
78	The Hubbard model with intersite interaction within the Composite Operator Method. European Physical Journal B, 2004, 41, 149-162.	0.6	15
79	The Hubbard model within the equations of motion approach. Advances in Physics, 2004, 53, 537-768.	35.9	83
80	The charge and spin sectors of the $t$ - $t'$ Hubbard model. Physica C: Superconductivity and Its Applications, 2004, 408-410, 284-286.	0.6	5
81	The Hubbard model: bosonic excitations and zero-frequency constants. Physica C: Superconductivity and Its Applications, 2004, 408-410, 287-289.	0.6	1
82	Effects of two-site composite excitations in the Hubbard model. Journal of Magnetism and Magnetic Materials, 2004, 272-276, E311-E312.	1.0	4
83	Self-energy corrections to the electronic spectrum of the Hubbard model. Journal of Magnetism and Magnetic Materials, 2004, 272-276, 456-457.	1.0	12
84	Equation of motion method for composite field operators. European Physical Journal B, 2003, 36, 37-56.	0.6	30
85	The 2-site Hubbard and $t$ - $t'$ models. European Physical Journal B, 2003, 36, 445-473.	0.6	20
86	Two-scale analysis of the Hubbard model. Physica B: Condensed Matter, 2003, 329-333, 955-956.	1.3	2
87	Effects of two-site correlations in the Hubbard model. Physica C: Superconductivity and Its Applications, 2003, 388-389, 76-77.	0.6	5
88	Non-ergodicity of the 1D Heisenberg model. Physica Status Solidi (B): Basic Research, 2003, 236, 396-399.	0.7	7
89	A theoretical analysis of the magnetic properties of. European Physical Journal B, 2003, 32, 27-33.	0.6	9
90	Bosonic sector of the two-dimensional Hubbard model studied within a two-pole approximation. Physical Review B, 2003, 67, .	1.1	21

#	ARTICLE	IF	CITATIONS
91	NEW COMPARISONS FOR LOCAL QUANTITIES OF THE TWO-DIMENSIONAL HUBBARD MODEL. International Journal of Modern Physics B, 2003, 17, 554-559.	1.0	2
92	Self-energy corrections within the Composite Operator Method. AIP Conference Proceedings, 2003, , .	0.3	1
93	The 2D $t$ - $t'$ model: a proposal for an analytical study. Physica B: Condensed Matter, 2002, 312-313, 537-538.	1.3	5
94	The 1D Hubbard model within the Composite Operator Method. European Physical Journal B, 2002, 29, 399-417.	0.6	11
95	The two-dimensional $t$ - $t'$ - $U$ model as a minimal model for cuprate materials. European Physical Journal B, 2001, 20, 303-311.	0.6	13
96	Antiferromagnetic phase in the Hubbard model by means of the composite operator method. Physical Review B, 2001, 63, .	1.1	22
97	Ferromagnetic order for the 2D extended Hubbard model. Physica B: Condensed Matter, 2000, 281-282, 857-858.	1.3	2
98	Antiferromagnetism in the 2D Hubbard model: phase transition and local quantities. Physica B: Condensed Matter, 2000, 284-288, 1577-1578.	1.3	3
99	Two-Scale Analysis of the $SU(N)$ Kondo Model. Physical Review Letters, 2000, 85, 804-807.	2.9	17
100	Dynamical incommensurability in the 2D Hubbard model. Physica B: Condensed Matter, 1999, 259-261, 732-733.	1.3	1
101	Charge renormalization in the 1D Hubbard model. Physica B: Condensed Matter, 1999, 259-261, 753-754.	1.3	2
102	The N-chain Hubbard model in the composite operator method. Physica B: Condensed Matter, 1999, 259-261, 1056-1057.	1.3	1
103	The van Hove scenario in the Hubbard model with correlated hopping. Physica C: Superconductivity and Its Applications, 1999, 317-318, 515-517.	0.6	1
104	The overdoped regime in $La_{2-x}Sr_xCuO_4$ . Solid State Communications, 1998, 108, 723-725.	0.9	12
105	Incommensurate spin fluctuations in the two-dimensional $t$ - $t'$ - $U$ model. Physics Letters, Section A: General, Atomic and Solid State Physics, 1998, 240, 235-240.	0.9	12
106	The half-filled Hubbard chain in the Composite Operator Method: A comparison with Bethe Ansatz. Europhysics Letters, 1998, 44, 328-334.	0.7	9
107	The Hubbard Model in the Two-Pole Approximation. International Journal of Modern Physics B, 1998, 12, 81-97.	1.0	38
108	Numerical studies of strongly correlated electronic systems. , 1998, , .		0

#	ARTICLE	IF	CITATIONS
109	Local quantities for the 1D Hubbard model in the composite operator method. Journal of Physical Studies, 1998, 2, 228-231.	0.2	2
110	Single-particle properties of the extended Hubbard model in the composite operator method. Journal of Physical Studies, 1998, 2, 232-235.	0.2	3
111	Local properties in the two-dimensional $t$ - $t'$ - $U$ model. Physica B: Condensed Matter, 1997, 230-232, 912-914.	1.3	2
112	The superconducting gap in the two-dimensional Hubbard model. Physica C: Superconductivity and Its Applications, 1997, 282-287, 1757-1758.	0.6	19
113	Fermi surface and density of states in the two-dimensional $t$ - $t'$ - $U$ model. Physica C: Superconductivity and Its Applications, 1997, 282-287, 1759-1760.	0.6	6