Cesar Rodriguez-Saona

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/425106/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Biology, Ecology, and Management of Brown Marmorated Stink Bug (Hemiptera: Pentatomidae). Journal of Integrated Pest Management, 2014, 5, 1-13. | 0.9 | 320 |
| 2 | Pest Status of the Brown Marmorated Stink Bug, <i>Halyomorpha Halys</i> in the USA. Outlooks on Pest Management, 2012, 23, 218-226. | 0.1 | 296 |
| 3 | Exogenous methyl jasmonate induces volatile emissions in cotton plants. Journal of Chemical Ecology, 2001, 27, 679-695. | 0.9 | 150 |
| 4 | Induced plant responses to multiple damagers: differential effects on an herbivore and its parasitoid. Oecologia, 2005, 143, 566-577. | 0.9 | 145 |
| 5 | Herbivore-Induced Volatiles in the Perennial Shrub, Vaccinium corymbosum, and Their Role in Inter-branch Signaling. Journal of Chemical Ecology, 2009, 35, 163-175. | 0.9 | 145 |
| 6 | Multistate Comparison of Attractants for Monitoring Drosophila suzukii (Diptera: Drosophilidae) in Blueberries and Caneberries. Environmental Entomology, 2015, 44, 704-712. | 0.7 | 137 |
| 7 | A metaâ€analysis of insect pest behavioral manipulation with plant volatiles. Entomologia Experimentalis Et Applicata, 2010, 134, 201-210. | 0.7 | 131 |
| 8 | Mitigating the effects of insecticides on arthropod biological control at field and landscape scales. Biological Control, 2014, 75, 28-38. | 1.4 | 130 |
| 9 | Field responses of predaceous arthropods to methyl salicylate: A meta-analysis and case study in cranberries. Biological Control, 2011, 59, 294-303. | 1.4 | 126 |
| 10 | Behavioral and electrophysiological responses of the emerald ash borer, Agrilus planipennis, to induced volatiles of Manchurian ash, Fraxinus mandshurica. Chemoecology, 2006, 16, 75-86. | 0.6 | 124 |
| 11 | Molecular, Biochemical, and Organismal Analyses of Tomato Plants Simultaneously Attacked by Herbivores from Two Feeding Guilds. Journal of Chemical Ecology, 2010, 36, 1043-1057. | 0.9 | 123 |
| 12 | Tracing the history of plant traits under domestication in cranberries: potential consequences on anti-herbivore defences. Journal of Experimental Botany, 2011, 62, 2633-2644. | 2.4 | 116 |
| 13 | Volatile emissions triggered by multiple herbivore damage: beet armyworm and whitefly feeding on cotton plants. Journal of Chemical Ecology, 2003, 29, 2539-2550. | 0.9 | 115 |
| 14 | <i>Drosophila suzukii</i> (Diptera: Drosophilidae): A Decade of Research Towards a Sustainable Integrated Pest Management Program. Journal of Economic Entomology, 2021, 114, 1950-1974. | 0.8 | 113 |
| 15 | Subterranean, Herbivore-Induced Plant Volatile Increases Biological Control Activity of Multiple Beneficial Nematode Species in Distinct Habitats. PLoS ONE, 2012, 7, e38146. | 1.1 | 99 |
| 16 | Advances in the Chemical Ecology of the Spotted Wing Drosophila (Drosophila suzukii) and its Applications. Journal of Chemical Ecology, 2018, 44, 922-939. | 0.9 | 94 |
| 17 | Behavioral and Antennal Responses of Drosophila suzukii (Diptera: Drosophilidae) to Volatiles From Fruit Extracts. Environmental Entomology, 2015, 44, 356-367. | 0.7 | 92 |
| 18 | Attraction of the Invasive Halyomorpha halys (Hemiptera: Pentatomidae) to Traps Baited with Semiochemical Stimuli Across the United States. Environmental Entomology, 2015, 44, 746-756. | 0.7 | 86 |

2

| # | Article | IF | CITATIONS |
|----|--|--------------------|---------------|
| 19 | Variation in highbush blueberry floral volatile profiles as a function of pollination status, cultivar, time of day and flower part: implications for flower visitation by bees. Annals of Botany, 2011, 107, 1377-1390. | 1.4 | 85 |
| 20 | Relative Toxicity and Residual Activity of Insecticides Used in Blueberry Pest Management: Mortality of Natural Enemies. Journal of Economic Entomology, 2014, 107, 277-285. | 0.8 | 84 |
| 21 | Lygus hesperus feeding and salivary gland extracts induce volatile emissions in plants. Journal of Chemical Ecology, 2002, 28, 1733-1747. | 0.9 | 78 |
| 22 | Chemical ecology of Halyomorpha halys: discoveries and applications. Journal of Pest Science, 2017, 90, 989-1008. | 1.9 | 75 |
| 23 | Bottom-Up Forces in Agroecosystems and Their Potential Impact on Arthropod Pest Management. Annual Review of Entomology, 2022, 67, 239-259. | 5.7 | 65 |
| 24 | Plant Volatiles Influence Electrophysiological and Behavioral Responses of Lygus hesperus. Journal of Chemical Ecology, 2010, 36, 467-478. | 0.9 | 61 |
| 25 | EAG-Active Herbivore-Induced Plant Volatiles Modify Behavioral Responses and Host Attack by An Egg Parasitoid. Journal of Chemical Ecology, 2008, 34, 1190-1201. | 0.9 | 60 |
| 26 | Biological control of invasive stink bugs: review of global state and future prospects. Entomologia Experimentalis Et Applicata, 2021, 169, 28-51. | 0.7 | 60 |
| 27 | Sucrose Improves Insecticide Activity Against Drosophila suzukii (Diptera: Drosophilidae). Journal of Economic Entomology, 2015, 108, 640-653. | 0.8 | 57 |
| 28 | Breeding Trait Priorities of the Blueberry Industry in the United States and Canada. Hortscience: A Publication of the American Society for Hortcultural Science, 2018, 53, 1021-1028. | 0.5 | 56 |
| 29 | Balancing Disturbance and Conservation in Agroecosystems to Improve Biological Control. Annual Review of Entomology, 2020, 65, 81-100. | 5.7 | 52 |
| 30 | Effect of trap color and height on captures of blunt-nosed and sharp-nosed leafhoppers (Hemiptera:) Tj ETQq0 0 | 0 rg₿T /Ov | verlock 10 Tf |
| 31 | Blueberry IPM: Past Successes and Future Challenges. Annual Review of Entomology, 2019, 64, 95-114. | 5.7 | 45 |
| 32 | Transcriptional profiling of methyl jasmonate-induced defense responses in bilberry (Vaccinium) Tj ETQq0 0 0 rgE | 3T /Overloo 1.6 | ck 10 Tf 50 2 |
| 33 | Evaluation of color traps for monitoring Lygus spp.: Design, placement, height, time of day, and non-target effects. Crop Protection, 2008, 27, 171-181. | 1.0 | 43 |
| 34 | Pheromone Autodetection: Evidence and Implications. Insects, 2016, 7, 17. | 1.0 | 41 |
| 35 | Response of Cranberry Weevil (Coleoptera: Curculionidae) to Host Plant Volatiles. Environmental Entomology, 2009, 38, 861-869. | 0.7 | 38 |
| 36 | The jasmonate pathway alters herbivore feeding behaviour: consequences for plant defences. Entomologia Experimentalis Et Applicata, 2005, 115, 125-134. | 0.7 | 35 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Biologically Active Aliphatic Acetogenins from Specialized Idioblast Oil Cells. Current Organic Chemistry, 2000, 4, 1249-1260. | 0.9 | 33 |
| 38 | Identification and Field Evaluation of Attractants for the Cranberry Weevil, Anthonomus musculus Say. Journal of Chemical Ecology, 2011, 37, 387-397. | 0.9 | 32 |
| 39 | Temperature-Dependent Effects on Development, Mortality, and Growth ofHippodamia convergens(Coleoptera: Coccinellidae). Environmental Entomology, 1999, 28, 518-522. | 0.7 | 31 |
| 40 | Manipulation of Natural Enemies in Agroecosystems: Habitat and Semiochemicals for Sustainable Insect Pest Control. , 0, , . | | 31 |
| 41 | Female Moth Calling and Flight Behavior Are Altered Hours Following Pheromone Autodetection: Possible Implications for Practical Management with Mating Disruption. Insects, 2014, 5, 459-473. | 1.0 | 29 |
| 42 | From laboratory to field: electro-antennographic and behavioral responsiveness of two insect predators to methyl salicylate. Chemoecology, 2017, 27, 51-63. | 0.6 | 29 |
| 43 | Characterizing Damage of Brown Marmorated Stink Bug (Hemiptera: Pentatomidae) in Blueberries. Journal of Economic Entomology, 2015, 108, 1156-1163. | 0.8 | 28 |
| 44 | Domestication in Murtilla (Ugni molinae) Reduced Defensive Flavonol Levels but Increased Resistance Against a Native Herbivorous Insect. Environmental Entomology, 2015, 44, 627-637. | 0.7 | 28 |
| 45 | Multistate Comparison of Attractants and the Impact of Fruit Development Stage on Trapping Drosophila suzukii (Diptera: Drosophilidae) in Raspberry and Blueberry. Environmental Entomology, 2018, 47, 935-945. | 0.7 | 28 |
| 46 | Herbivore-induced responses and patch heterogeneity affect abundance of arthropods on plants. Ecological Entomology, 2005, 30, 156-163. | 1.1 | 27 |
| 47 | Increased nutrient availability decreases insect resistance in cranberry. Agricultural and Forest Entomology, 2019, 21, 326-335. | 0.7 | 26 |
| 48 | Novel Antifeedant and Insecticidal Compounds from Avocado Idioblast Cell Oil. Journal of Chemical Ecology, 1998, 24, 867-889. | 0.9 | 25 |
| 49 | Testing the â€~plant domestication-reduced defense' hypothesis in blueberries: the role of herbivore identity. Arthropod-Plant Interactions, 2018, 12, 483-493. | 0.5 | 25 |
| 50 | Differential Susceptibility of Wild and Cultivated Blueberries to an Invasive Frugivorous Pest. Journal of Chemical Ecology, 2019, 45, 286-297. | 0.9 | 24 |
| 51 | New evidence for a multi-functional role of herbivore-induced plant volatiles in defense against herbivores. Plant Signaling and Behavior, 2010, 5, 58-60. | 1.2 | 23 |
| 52 | Toxicity of Insecticides on Various Life Stages of Two Tortricid Pests of Cranberries and on a Non-Target Predator. Insects, 2016, 7, 15. | 1.0 | 22 |
| 53 | Floral Scent Mimicry and Vector-Pathogen Associations in a Pseudoflower-Inducing Plant Pathogen System. PLoS ONE, 2016, 11, e0165761. | 1.1 | 22 |
| 54 | Breeding Trait Priorities of the Cranberry Industry in the United States and Canada. Hortscience: A Publication of the American Society for Hortcultural Science, 2018, 53, 1467-1474. | 0.5 | 22 |

| # | Article | IF | CITATIONS |
|----|---|-------------------|-----------------------|
| 55 | Laboratory and Field Evaluation of Host-Related Foraging Odor-Cue Combinations to Attract Drosophila suzukii (Diptera: Drosophilidae). Journal of Economic Entomology, 2019, 112, 2850-2860. | 0.8 | 21 |
| 56 | Methyl Salicylate Increases Attraction and Function of Beneficial Arthropods in Cranberries. Insects, 2019, 10, 423. | 1.0 | 21 |
| 57 | Avocadofurans and Their Tetrahydrofuran Analogues:Â Comparison of Growth Inhibitory and Insecticidal Activity. Journal of Agricultural and Food Chemistry, 2000, 48, 3642-3645. | 2.4 | 20 |
| 58 | Comparison of Trap Types, Placement, and Colors for Monitoring Anthonomus musculus (Coleoptera:) Tj ETQq0 | 0 0 rgBT | /Overlock 10 1 20 |
| 59 | Cascading effects of combining synthetic herbivoreâ€induced plant volatiles with companion plants to manipulate natural enemies in an agroâ€ecosystem. Pest Management Science, 2018, 74, 2133-2145. | 1.7 | 20 |
| 60 | Genotypic Variation and Phenotypic Plasticity in Gene Expression and Emissions of Herbivore-Induced Volatiles, and their Potential Tritrophic Implications, in Cranberries. Journal of Chemical Ecology, 2019, 45, 298-312. | 0.9 | 20 |
| 61 | Color preference, seasonality, spatial distribution and species composition of thrips (Thysanoptera:) Tj ETQq1 1 | D.784314 1.0 | rgBT /Overloc |
| 62 | Development of Specialized Pheromone and Lure Application Technologies (SPLAT®) for Management of Coleopteran Pests in Agricultural and Forest Systems. ACS Symposium Series, 2014, , 211-242. | 0.5 | 19 |
| 63 | Behavioral and Electrophysiological Responses of <l>Listronotus maculicollis</l> (Coleoptera: Curculionidae) to Volatiles From Intact and Mechanically Damaged Annual Bluegrass. Environmental Entomology, 2011, 40, 412-419. | 0.7 | 17 |
| 64 | Characterizing the spatial distribution of brown marmorated stink bug, Halyomorpha halys Stål (Hemiptera: Pentatomidae), populations in peach orchards. PLoS ONE, 2017, 12, e0170889. | 1.1 | 16 |
| 65 | Plant guttation provides nutrient-rich food for insects. Proceedings of the Royal Society B: Biological Sciences, 2020, 287, 20201080. | 1.2 | 16 |
| 66 | Growth Inhibitory, Insecticidal, and Feeding Deterrent Effects of (12Z,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 307 exigua. Journal of Chemical Ecology, 1997, 23, 1819-1831. | 7 Td (15Z) 0.9 |)-1-Acetoxy-2-I 15 |
| 67 | Optimization of Pheromone Deployment for Effective Mating Disruption of Oriental Beetle (Coleoptera: Scarabaeidae) in Commercial Blueberries. Journal of Economic Entomology, 2009, 102, 659-669. | 0.8 | 15 |
| 68 | Frugivory by Brown Marmorated Stink Bug (Hemiptera: Pentatomidae) Alters Blueberry Fruit Chemistry and Preference by Conspecifics. Environmental Entomology, 2016, 45, 1227-1234. | 0.7 | 15 |
| 69 | Multiannual effects of induced plant defenses: Are defended plants good or bad neighbors?. Ecology and Evolution, 2018, 8, 8940-8950. | 0.8 | 15 |
| 70 | Phytoplasma Infection of Cranberries Benefits Non-vector Phytophagous Insects. Frontiers in Ecology and Evolution, 2019, 7, . | 1.1 | 15 |
| 71 | Release density, dispersal capacity, and optimal rearing conditions for <i>Telenomus remus</i> , an egg parasitoid of <i>Spodoptera frugiperda</i> , in maize. Biocontrol Science and Technology, 2020, 30, 1040-1059. | 0.5 | 15 |
| 72 | Non-crop habitats serve as a potential source of spotted-wing drosophila (Diptera: Drosophilidae) to adjacent cultivated highbush blueberries (Ericaceae). Canadian Entomologist, 2020, 152, 474-489. | 0.4 | 15 |

| # | Article | IF | CITATIONS |
|----|---|------------------|-------------------|
| 73 | Toxicity, Growth, and Behavioral Effects of an Oil Extracted from Idioblast Cells of the Avocado Fruit on the Generalist Herbivore Beet Armyworm (Lepidoptera: Noctuidae). Journal of Economic Entomology, 1996, 89, 1571-1576. | 0.8 | 14 |
| 74 | Exploring the Spread of Brown Marmorated Stink Bug in New Jersey Through the Use of Crowdsourced Reports. American Entomologist, 2016, 62, 36-45. | 0.1 | 14 |
| 75 | Sex Pheromone of the Scarab Beetle Phyllophaga (Phytalus) georgiana (Horn). Journal of Chemical Ecology, 2009, 35, 336-341. | 0.9 | 13 |
| 76 | Behavioral responses of predaceous minute pirate bugs to tridecane, a volatile emitted by the brown marmorated stink bug. Journal of Pest Science, 2017, 90, 1107-1118. | 1.9 | 13 |
| 77 | Secretory avocado idioblast oil cells: evidence of their defensive role against a non-adapted insect herbivore. Entomologia Experimentalis Et Applicata, 2000, 94, 183-194. | 0.7 | 12 |
| 78 | SPLAT-OrB Reveals Competitive Attraction as a Mechanism of Mating Disruption in Oriental Beetle (Coleoptera: Scarabaeidae). Environmental Entomology, 2010, 39, 1980-1989. | 0.7 | 12 |
| 79 | Fruit volatiles mediate differential attraction of Drosophila suzukii to wild and cultivated blueberries. Journal of Pest Science, 2021, 94, 1249-1263. | 1.9 | 12 |
| 80 | Assessing the impact of cultivation and plant domestication of highbush blueberry (Vaccinium) Tj ETQqO 0 0 rgBT and Biochemistry, 2015, 88, 25-28. | /Overlock 4.2 | 10 Tf 50 46 11 |
| 81 | Methyl jasmonate induction of cotton: a field test of the â€~attract and reward' strategy of conservation biological control. AoB PLANTS, 2017, 9, plx032. | 1.2 | 11 |
| 82 | Plant Stimuli and Their Impact on Brown Marmorated Stink Bug Dispersal and Host Selection. Frontiers in Ecology and Evolution, 2019, 7, . | 1.1 | 10 |
| 83 | How to induce defense responses in wild plant populations? Using bilberry (<i>Vaccinium) Tj ETQq1 1 0.784314 rg</i> | gBT_/Overlo | ock 10 Tf 50 |
| 84 | Field Evaluation of Different Attractants for Detecting and Monitoring Drosophila suzukii. Frontiers in Ecology and Evolution, 2021, 9, . | 1.1 | 9 |
| 85 | Landscape features determining the occurrence of Rhagoletis mendax (Diptera: Tephritidae) flies in blueberries. Agriculture, Ecosystems and Environment, 2018, 258, 113-120. | 2.5 | 8 |
| 86 | Neighborhood Effects of Herbivore-Induced Plant Resistance Vary Along an Elevational Gradient. Frontiers in Ecology and Evolution, 2020, 8, . | 1.1 | 8 |
| 87 | Development and characterization of 12 microsatellite loci from the blueberry gall midge Dasineura oxycoccana (Diptera: Cecidomyiidae). Applied Entomology and Zoology, 2015, 50, 415-418. | 0.6 | 7 |
| 88 | Cultivation and domestication of highbush blueberry (Vaccinium corymbosum) alters abundance, diversity and virulence of entomopathogenic nematodes. Agriculture, Ecosystems and Environment, 2016, 222, 148-155. | 2.5 | 7 |
| 89 | Interpreting Temporal and Spatial Variation in Spotted-Wing Drosophila (Diptera: Drosophilidae) Trap Captures in Highbush Blueberries. Journal of Economic Entomology, 2020, 113, 2362-2371. | 0.8 | 7 |
| 90 | Molecular and ecological plant defense responses along an elevational gradient in a boreal ecosystem. Ecology and Evolution, 2020, 10, 2478-2491. | 0.8 | 7 |

(

| # | Article | IF | CITATIONS |
|-----|---|-------------|-------------|
| 91 | Factors Influencing the Efficacy of Novel Attract-and-Kill (ACTTRA SWD) Formulations Against <i>Drosophila suzukii</i> . Journal of Economic Entomology, 2022, 115, 981-989. | 0.8 | 7 |
| 92 | Longâ€term evaluation of fieldâ€wide oriental beetle (<scp>C</scp> ol., <scp>S</scp> carabaeidae) mating disruption in blueberries using femaleâ€mimic pheromone lures. Journal of Applied Entomology, 2014, 138, 120-132. | 0.8 | 6 |
| 93 | A Review of the Biology, Ecology, and Management of Plum Curculio (Coleoptera: Curculionidae). Journal of Integrated Pest Management, 2020, 11, . | 0.9 | 6 |
| 94 | The abundance and diversity of fruit flies and their parasitoids change with elevation in guava orchards in a tropical Andean forest of Peru, independent of seasonality. PLoS ONE, 2021, 16, e0250731. | 1.1 | 6 |
| 95 | Releases of <i>Chrysoperla externa</i> (Neuroptera: Chrysopidae) Eggs for the Control of the Coffee Leaf Miner, <i>Leucoptera coffeella</i> (Lepidoptera: Lyonetiidae), 2020. Arthropod Management Tests, 2021, 46, . | 0.1 | 6 |
| 96 | Monitoring of Spotted-Wing Drosophila (Diptera: Drosophilidae) Resistance Status Using a RAPID Method for Assessing Insecticide Sensitivity Across the United States. Journal of Economic Entomology, 2022, 115, 1046-1053. | 0.8 | 6 |
| 97 | Molecular Diagnostic for Boll Weevil (Coleoptera: Curculionidae) Based on Amplification of Three Species-Specific Microsatellites. Journal of Economic Entomology, 2009, 102, 759-766. | 0.8 | 5 |
| 98 | Differential Response of a Local Population of Entomopathogenic Nematodes to Non-Native Herbivore Induced Plant Volatiles (HIPV) in the Laboratory and Field. Journal of Chemical Ecology, 2016, 42, 1259-1264. | 0.9 | 5 |
| 99 | Exposure to heavy metal stress does not increase fluctuating asymmetry in populations of isopod and hardwood trees. Ecological Indicators, 2017, 76, 42-51. | 2.6 | 5 |
| 100 | Role of Plant Volatiles in Host Plant Recognition by Listronotus maculicollis (Coleoptera:) Tj ETQq0 0 0 rgBT /Over | rlock 10 Ti | f 50 382 Td |
| 101 | Phytoplasma Infection Influences Gene Expression in American Cranberry. Frontiers in Ecology and Evolution, 2019, 7, . | 1.1 | 5 |
| 102 | Phytoplasma Infection of Cranberry Affects Development and Oviposition, but Not Host-Plant Selection, of the Insect Vector Limotettix vaccinii. Journal of Chemical Ecology, 2020, 46, 722-734. | 0.9 | 5 |
| 103 | Repellent, oviposition-deterrent, and insecticidal activity of the fungal pathogen Colletotrichum fioriniae on Drosophila suzukii (Diptera: Drosophilidae) in highbush blueberries. Scientific Reports, 2020, 10, 14467. | 1.6 | 5 |
| 104 | Genotypic Variation in Plant Traits, Chemical Defenses, and Resistance Against Insect Herbivores in Avocado (Persea americana) Across a Domestication Gradient. Frontiers in Agronomy, 2021, 2, . | 1.5 | 5 |
| 105 | Behavioral Response of Halyomorpha halys (Hemiptera: Pentatomidae) and Its Egg Parasitoid Trissolcus japonicus (Hymenoptera: Scelionidae) to Host Plant Odors. Frontiers in Ecology and Evolution, 2021, 9, | 1.1 | 5 |
| 106 | Progress and Challenges in Building Monitoring Systems for Drosophila suzukii. , 2020, , 111-132. | | 5 |
| 107 | Tempo-Spatial Dynamics of Adult Plum Curculio (Coleoptera: Curculionidae) Based on Semiochemical-Baited Trap Captures in Blueberries. Environmental Entomology, 2017, 46, 674-684. | 0.7 | 4 |
| | | | |

| 108 | Constitutive exposure to the volatile methyl salicylate reduces perâ€capita foraging efficiency of a generalist predator to learned prey associations. Entomologia Experimentalis Et Applicata, 2018, 166, 661-672. | 0.7 | 4 |
|-----|---|-----|---|
|-----|---|-----|---|

| # | Article | IF | CITATIONS |
|-----|---|-------------------|--------------------|
| 109 | Fineâ€ŧuning the composition of the cranberry weevil (Coleoptera: Curculionidae) aggregation pheromone. Journal of Applied Entomology, 2020, 144, 417-421. | 0.8 | 4 |
| 110 | Biological Control: Ecology and Applications. American Entomologist, 2018, 64, E2-E2. | 0.1 | 3 |
| 111 | Exploring an Odor-Baited "Trap Bush―Approach to Aggregate Plum Curculio (Coleoptera:) Tj ETQq1 1 0.7843 | 814 rgBT / 1.0 | Oyerlock 10 |
| 112 | Interactive Effects of an Herbivore-Induced Plant Volatile and Color on an Insect Community in Cranberry. Insects, 2020, 11, 524. | 1.0 | 3 |
| 113 | Efficacy of Attract-and-Kill Formulations Using the Adjuvant Acttra SWD TD for the Management of Spotted-Wing Drosophila in Blueberries, 2020. Arthropod Management Tests, 2021, 46, . | 0.1 | 3 |
| 114 | Factors affecting the efficacy of attracticidal spheres for management of <i>Drosophila suzukii</i> (Diptera Drosophilidae). Journal of Applied Entomology, 2022, 146, 243-251. | 0.8 | 3 |
| 115 | Does enhanced nutrient availability increase volatile emissions in cranberry?. Plant Signaling and Behavior, 2019, 14, 1616517. | 1.2 | 2 |
| 116 | Comparative Adult Mortality and Relative Attractiveness of Spotted-Wing Drosophila (Diptera:) Tj ETQq0 0 0 rgBT Insecticides. Frontiers in Ecology and Evolution, 2022, 10, . | /Overlock 1.1 | 2 10 Tf 50 46 2 |
| 117 | Novel hosts can incur fitness costs to a frugivorous insect pest. Ecology and Evolution, 2022, 12, e8841. | 0.8 | 2 |
| 118 | APHID AND GALL MIDGE CONTROL IN BLUEBERRIES, 2009. Arthropod Management Tests, 2011, 36, . | 0.1 | 1 |
| 119 | Blunt-Nosed Leafhopper Control on Cranberries, 2018. Arthropod Management Tests, 2019, 44, . | 0.1 | 1 |
| 120 | Application of Plant Defense Elicitors Fails to Enhance Herbivore Resistance or Mitigate Phytoplasma Infection in Cranberries. Frontiers in Plant Science, 2021, 12, 700242. | 1.7 | 1 |
| 121 | Within-Canopy Distribution of Stenoma catenifer (Lepidoptera: Elachistidae) Infestation in Avocado Orchards. Journal of Insect Science, 2021, 21, . | 0.6 | 1 |
| 122 | Use of forested field edges by a blueberry insect pest, Rhagoletis mendax (Diptera: Tephritidae). Agricultural and Forest Entomology, 2021, 23, 189-202. | 0.7 | 1 |
| 123 | Characterizing the Feeding Injury Caused by Phylloscelis rubra (Hemiptera: Dictyopharidae) to Cranberries. Journal of Insect Science, 2020, 20, . | 0.6 | 1 |
| 124 | CONTROL OF THRIPS ON HIGHBUSH BLUEBERRIES, 2006. Arthropod Management Tests, 2008, 33, . | 0.1 | 0 |
| 125 | CONTROL OF BLUEBERRY BLOSSOM WEEVIL ON BLUEBERRIES, 2006. Arthropod Management Tests, 2008, 33, . | 0.1 | 0 |
| 126 | CONTROL OF BLUNT-NOSED LEAFHOPPER CONTROL ON CRANBERRIES, 2006. Arthropod Management Tests, 2008. 33 | 0.1 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | CONTROL OF CRANBERRY WEEVIL IN HIGHBUSH BLUEBERRIES, 2010. Arthropod Management Tests, 2011, 36, | 0.1 | 0 |
| 128 | SPOTTED FIREWORM CONTROL IN CRANBERRIES, 2010. Arthropod Management Tests, 2011, 36, . | 0.1 | 0 |
| 129 | C11. Arthropod Management Tests, 0, 37, . | 0.1 | 0 |
| 130 | CONTROL OF SPOTTED WING DROSOPHILA ON HIGHBUSH BLUEBERRIES, 2013. Arthropod Management Tests, 2014, 39, . | 0.1 | 0 |
| 131 | APHID CONTROL ON BLUEBERRIES, 2013. Arthropod Management Tests, 2014, 39, . | 0.1 | 0 |
| 132 | Blunt-Nosed Leafhopper Control in Cranberries, 2014. Arthropod Management Tests, 2018, 43, . | 0.1 | 0 |
| 133 | Aphid Control on Blueberries, 2019. Arthropod Management Tests, 2020, 45, . | 0.1 | 0 |
| 134 | Cranberry Toad Bug Control on Cranberries, 2014. Arthropod Management Tests, 2020, 45, . | 0.1 | 0 |
| 135 | Effects of Conventional and Organic Insecticides on the Lacewing Chrysoperla rufilabris (Neuroptera: Chrysopidae), 2015. Arthropod Management Tests, 2021, 46, . | 0.1 | 0 |
| 136 | Cranberry Toad Bug Control on Cranberries, 2016–2017. Arthropod Management Tests, 2020, 45, . | 0.1 | 0 |
| 137 | Control of Blunt-Nosed Leafhopper With Conventional Insecticides in Cranberries, 2021. Arthropod Management Tests, 2022, 47, . | 0.1 | 0 |
| 138 | Control of Plum Curculio on Highbush Blueberries, 2021. Arthropod Management Tests, 2022, 47, . | 0.1 | 0 |
| 139 | Spotted Fireworm Control on Cranberries, 2021. Arthropod Management Tests, 2022, 47, . | 0.1 | 0 |
| 140 | Control of Blunt-Nosed Leafhopper With Biological Insecticides in Cranberries, 2021. Arthropod Management Tests, 2022, 47, . | 0.1 | 0 |
| 141 | Aphid Control on Blueberries, 2021. Arthropod Management Tests, 2022, 47, . | 0.1 | 0 |
| 142 | Editorial: Chemical Ecology and Conservation Biological Control. Frontiers in Ecology and Evolution, 2022, 10, . | 1.1 | 0 |
| 143 | Entomopathogenic Nematodes for the Management of Plum Curculio in Highbush Blueberry. Biology, 2022, 11, 45. | 1.3 | 0 |