
## Susanne Nylén

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4251282/publications.pdf Version: 2024-02-01



#	Article	lF	CITATIONS
1	Intestinal helminth infection transforms the CD4+ T cell composition of the skin. Mucosal Immunology, 2022, 15, 257-267.	6.0	5
2	Cyclooxygenase-Derived Prostaglandin E2 Drives IL-1–Independent <i>Mycobacterium bovis</i> Bacille Calmette-Guérin–Triggered Skin Dendritic Cell Migration to Draining Lymph Node. Journal of Immunology, 2022, 208, 2549-2557.	0.8	4
3	Increased amphiregulin expression by CD4 <sup>+</sup> T cells from individuals with asymptomatic <i>Leishmania donovani</i> infection. Clinical and Translational Immunology, 2022, 11, .	3.8	5
4	Anti–Interleukin-10 Unleashes Transcriptional Response to Leishmanial Antigens in Visceral Leishmaniasis Patients. Journal of Infectious Diseases, 2021, 223, 517-521.	4.0	5
5	The WASp L272P gainâ€ofâ€function mutation alters dendritic cell coordination of actin dynamics for migration and adhesion. Journal of Leukocyte Biology, 2021, , .	3.3	5
6	Type I Interferons Suppress Anti-parasitic Immunity and Can Be Targeted to Improve Treatment of Visceral Leishmaniasis. Cell Reports, 2020, 30, 2512-2525.e9.	6.4	34
7	Single-Cell RNA Sequencing of the T Helper Cell Response to House Dust Mites Defines a Distinct Gene Expression Signature in Airway Th2 Cells. Immunity, 2019, 51, 169-184.e5.	14.3	167
8	Macrophage Migration Inhibitory Factor (MIF) Is Essential for Type 2 Effector Cell Immunity to an Intestinal Helminth Parasite. Frontiers in Immunology, 2019, 10, 2375.	4.8	26
9	Interleukin 2 is an Upstream Regulator of CD4+ T Cells From Visceral Leishmaniasis Patients With Therapeutic Potential. Journal of Infectious Diseases, 2019, 220, 163-173.	4.0	8
10	Intestinal nematode infection exacerbates experimental visceral leishmaniasis. Parasite Immunology, 2019, 41, e12618.	1.5	8
11	Resident T Cells in Resolved Psoriasis Steer Tissue Responses that Stratify Clinical Outcome. Journal of Investigative Dermatology, 2018, 138, 1754-1763.	0.7	82
12	Atrophy of skin-draining lymph nodes predisposes for impaired immune responses to secondary infection in mice with chronic intestinal nematode infection. PLoS Pathogens, 2018, 14, e1007008.	4.7	13
13	Differences in Nutritional and Health Status in School Children from the Highlands and Lowlands of Bolivia. American Journal of Tropical Medicine and Hygiene, 2018, 98, 326-333.	1.4	9
14	Immunogenicity is preferentially induced in sparse dendritic cell cultures. Scientific Reports, 2017, 7, 43989.	3.3	6
15	PPAR-Î <sup>3</sup> promotes type 2 immune responses in allergy and nematode infection. Science Immunology, 2017, 2, .	11.9	74
16	The Phenotype of Circulating Neutrophils during Visceral Leishmaniasis. American Journal of Tropical Medicine and Hygiene, 2017, 97, 767-770.	1.4	13
17	Tumor necrosis factor alpha neutralization has no direct effect on parasite burden, but causes impaired IFN-γ production by spleen cells from human visceral leishmaniasis patients. Cytokine, 2016, 85, 184-190.	3.2	10
18	A Subset of Neutrophils Expressing Markers of Antigen-Presenting Cells in Human Visceral Leishmaniasis. Journal of Infectious Diseases, 2016, 214, 1531-1538.	4.0	24

Susanne Nylén

#	Article	IF	CITATIONS
19	Deletion of Wiskott–Aldrich syndrome protein triggers Rac2 activity and increased cross-presentation by dendritic cells. Nature Communications, 2016, 7, 12175.	12.8	31
20	A CFSE-based Assay to Study the Migration of Murine Skin Dendritic Cells into Draining Lymph Nodes During Infection with <em>Mycobacterium bovis</em> Bacille Calmette-Guérin. Journal of Visualized Experiments, 2016, , .	0.3	9
21	Chronic Gastrointestinal Nematode Infection Mutes Immune Responses to Mycobacterial Infection Distal to the Gut. Journal of Immunology, 2016, 196, 2262-2271.	0.8	22
22	BCG Skin Infection Triggers IL-1R-MyD88-Dependent Migration of EpCAMlow CD11bhigh Skin Dendritic cells to Draining Lymph Node During CD4+ T-Cell Priming. PLoS Pathogens, 2015, 11, e1005206.	4.7	31
23	Leishmania Specific CD4 T Cells Release IFNγ That Limits Parasite Replication in Patients with Visceral Leishmaniasis. PLoS Neglected Tropical Diseases, 2014, 8, e3198.	3.0	63
24	The interplay between <i>Leishmania</i> promastigotes and human Natural Killer cells <i>in vitro</i> leads to direct lysis of <i>Leishmania</i> by NK cells and modulation of NK cell activity by <i>Leishmania</i> promastigotes. Parasitology, 2011, 138, 1898-1909.	1.5	21
25	Immunological perspectives of leishmaniasis. Journal of Global Infectious Diseases, 2010, 2, 135.	0.5	148
26	Tracing immunity to human leishmaniasis. Future Microbiology, 2009, 4, 241-254.	2.0	17
27	Surrogate markers of immunity to Leishmania major in leishmanin skin test negative individuals from an endemic area re-visited. Vaccine, 2006, 24, 6944-6954.	3.8	19