

Christoph D Spinner

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4251362/christoph-d-spinner-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

127
papers

2,767
citations

18
h-index

51
g-index

161
ext. papers

3,969
ext. citations

5.3
avg, IF

5.19
L-index

#	Paper	IF	Citations
127	Remdesivir for 5 or 10 Days in Patients with Severe Covid-19. <i>New England Journal of Medicine</i> , 2020 , 383, 1827-1837	59.2	778
126	Effect of Remdesivir vs Standard Care on Clinical Status at 11 Days in Patients With Moderate COVID-19: A Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 324, 1048-1057	27.4	629
125	Dolutegravir plus lamivudine versus dolutegravir plus tenofovir disoproxil fumarate and emtricitabine in antiretroviral-naïve adults with HIV-1 infection (GEMINI-1 and GEMINI-2): week 48 results from two multicentre, double-blind, randomised, non-inferiority, phase 3 trials. <i>Lancet, The</i> , 2020 , 395, 1418-1427	40	175
124	COVID-19 in people living with human immunodeficiency virus: a case series of 33 patients. <i>Infection</i> , 2020 , 48, 681-686	5.8	125
123	HIV pre-exposure prophylaxis (PrEP): a review of current knowledge of oral systemic HIV PrEP in humans. <i>Infection</i> , 2016 , 44, 151-8	5.8	123
122	Ledipasvir plus sofosbuvir fixed-dose combination for 6 weeks in patients with acute hepatitis C virus genotype 1 mono-infection (HepNet Acute HCV IV): an open-label, single-arm, phase 2 study. <i>Lancet Infectious Diseases, The</i> , 2017 , 17, 215-222	25.5	78
121	Rates of bacterial co-infections and antimicrobial use in COVID-19 patients: a retrospective cohort study in light of antibiotic stewardship. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2021 , 40, 859-869	5.3	55
120	Immune deficiency is a risk factor for severe COVID-19 in people living with HIV. <i>HIV Medicine</i> , 2021 , 22, 372-378	2.7	52
119	SARS-CoV-2 infection is associated with a pro-thrombotic platelet phenotype. <i>Cell Death and Disease</i> , 2021 , 12, 50	9.8	41
118	Intensive Care Risk Estimation in COVID-19 Pneumonia Based on Clinical and Imaging Parameters: Experiences from the Munich Cohort. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	39
117	Dolutegravir monotherapy as treatment de-escalation in HIV-infected adults with virological control: DoluMono cohort results. <i>Antiviral Therapy</i> , 2017 , 22, 169-172	1.6	34
116	Invasive pulmonary aspergillosis in critically ill patients with severe COVID-19 pneumonia: Results from the prospective AspCOVID-19 study. <i>PLoS ONE</i> , 2021 , 16, e0238825	3.7	33
115	First results of the "Lean European Open Survey on SARS-CoV-2-Infected Patients (LEOSS)". <i>Infection</i> , 2021 , 49, 63-73	5.8	32
114	Mortality Risk for Acute Cholangitis (MAC): a risk prediction model for in-hospital mortality in patients with acute cholangitis. <i>BMC Gastroenterology</i> , 2016 , 16, 15	3	25
113	Addiction: an underestimated problem in psoriasis health care. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31, 1308-1315	4.6	24
112	Title: Cytokine release syndrome is not usually caused by secondary hemophagocytic lymphohistiocytosis in a cohort of 19 critically ill COVID-19 patients. <i>Scientific Reports</i> , 2020 , 10, 18277	4.9	22
111	Fungal "colonisation" is associated with increased mortality in medical intensive care unit patients with liver cirrhosis. <i>Mycopathologia</i> , 2015 , 179, 63-71	2.9	21

110	Clinical Practice Guideline: Recommendations on Inpatient Treatment of Patients with COVID-19. <i>Deutsches Arzteblatt International</i> , 2021 , 118,	2.5	18
109	Molecular Epidemiology of the HIV Epidemic in Three German Metropolitan Regions - Cologne/Bonn, Munich and Hannover, 1999-2016. <i>Scientific Reports</i> , 2018 , 8, 6799	4.9	17
108	Nonmelanoma skin cancer in mountain guides: high prevalence and lack of awareness warrant development of evidence-based prevention tools. <i>Swiss Medical Weekly</i> , 2016 , 146, w14380	3.1	16
107	2016 PREP attitudes in Germany: high awareness and acceptance in MSM at risk of HIV. <i>Infection</i> , 2018 , 46, 405-408	5.8	15
106	Acute hypophysitis and hypopituitarism in early syphilitic meningitis in a HIV-infected patient: a case report. <i>BMC Infectious Diseases</i> , 2013 , 13, 481	4	15
105	Highly specific reasons for nonadherence to antiretroviral therapy: results from the German adherence study. <i>Patient Preference and Adherence</i> , 2017 , 11, 1897-1906	2.4	15
104	Age-dependent impact of the major common genetic risk factor for COVID-19 on severity and mortality. <i>Journal of Clinical Investigation</i> , 2021 , 131,	15.9	15
103	Happiness in dermatology: a holistic evaluation of the mental burden of skin diseases. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, 1331-1339	4.6	14
102	COVID-19 in Patients Receiving CD20-depleting Immunochemotherapy for B-cell Lymphoma. <i>HemaSphere</i> , 2021 , 5, e603	0.3	14
101	Pharmacokinetics of chewed vs. swallowed raltegravir in a patient with AIDS and MAI infection: some new conflicting data. <i>AIDS Research and Therapy</i> , 2015 , 12, 1	3	13
100	Prevalence of asymptomatic sexually transmitted infections in HIV-positive men who have sex with men in Germany: results of a multicentre cross-sectional study. <i>Infection</i> , 2018 , 46, 341-347	5.8	12
99	Mucosal-Associated Invariant T (MAIT) Cells Are Highly Activated and Functionally Impaired in COVID-19 Patients. <i>Viruses</i> , 2021 , 13,	6.2	12
98	Association of increased CD8+ and persisting C-reactive protein levels with restenosis in HIV patients after coronary stenting. <i>Aids</i> , 2016 , 30, 1413-21	3.5	10
97	COVID-19 in people living with human immunodeficiency virus: A case series of 33 patients		10
96	Impact of Gliding on the Prevalence of Keratinocyte Carcinoma and its Precursors: A Cross-sectional Study Among Male Pilots in Bavaria. <i>Acta Dermato-Venereologica</i> , 2017 , 97, 393-394	2.2	9
95	Coronary calcium scoring assessed on native screening chest CT imaging as predictor for outcome in COVID-19: An analysis of a hospitalized German cohort. <i>PLoS ONE</i> , 2020 , 15, e0244707	3.7	9
94	Cost-effectiveness and budget effect of pre-exposure prophylaxis for HIV-1 prevention in Germany from 2018 to 2058. <i>Eurosurveillance</i> , 2019 , 24,	19.8	9
93	PEPDar: A randomized prospective noninferiority study of ritonavir-boosted darunavir for HIV post-exposure prophylaxis. <i>HIV Medicine</i> , 2016 , 17, 453-9	2.7	9

92	Efficacy and Safety of Switching to Dolutegravir With Boosted Darunavir in Virologically Suppressed Adults With HIV-1: A Randomized, Open-Label, Multicenter, Phase 3, Noninferiority Trial: The DUALIS Study. <i>Open Forum Infectious Diseases</i> , 2020 , 7, ofaa356	1	8
91	Assessment of effective mitigation and prediction of the spread of SARS-CoV-2 in Germany using demographic information and spatial resolution. <i>Mathematical Biosciences</i> , 2021 , 339, 108648	3.9	8
90	Cholecalciferol 20 000 IU Once Weekly in HIV-Positive Patients with Low Vitamin D Levels: Result from a Cohort Study. <i>Journal of the International Association of Providers of AIDS Care</i> , 2017 , 16, 315-320	1.7	7
89	High effectiveness of recommended first-line antiretroviral therapies in Germany: a nationwide, prospective cohort study. <i>Infection</i> , 2020 , 48, 453-461	5.8	7
88	Neither boosted elvitegravir nor darunavir with emtricitabine/tenofovir disoproxil fumarate increase insulin resistance in healthy volunteers: results from the STRIBILD-IR study. <i>Antiviral Therapy</i> , 2016 , 21, 627-631	1.6	7
87	Successful bedaquiline-containing antimycobacterial treatment in post-traumatic skin and soft-tissue infection by <i>Mycobacterium fortuitum</i> complex: a case report. <i>BMC Infectious Diseases</i> , 2020 , 20, 365	4	7
86	Primary and secondary prevention of skin cancer in mountain guides: attitude and motivation for or against participation. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018 , 32, 2153-2161	4.6	7
85	Changes in pathogen spectrum and antimicrobial resistance development in the time-course of acute necrotizing pancreatitis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 2096-2103	1.3	6
84	Strongyloides stercoralis hyperinfection syndrome presenting as mechanical ileus after short-course oral steroids for chronic obstructive pulmonary disease (COPD) exacerbation. <i>Parasitology International</i> , 2020 , 76, 102087	2.1	6
83	Pharmacokinetics of once-daily dolutegravir and ritonavir-boosted darunavir in HIV patients: the DUALIS study. <i>Journal of Antimicrobial Chemotherapy</i> , 2017 , 72, 2679-2681	5.1	6
82	Overdose of dolutegravir in combination with tenofovir disoproxil fumarate/emtricitabine in suicide attempt in a 21-year old patient. <i>AIDS Research and Therapy</i> , 2015 , 12, 18	3	6
81	Key summary of German national treatment guidance for hospitalized COVID-19 patients : Key pharmacologic recommendations from a national German living guideline using an Evidence to Decision Framework (last updated 17.05.2021). <i>Infection</i> , 2021 , 1	5.8	6
80	Clinical management of ageing people living with HIV in Europe: the view of the care providers. <i>Infection</i> , 2020 , 48, 497-506	5.8	5
79	No SARS-CoV-2 detection in the German CAPNETZ cohort of community acquired pneumonia before COVID-19 peak in March 2020. <i>Infection</i> , 2020 , 48, 971-974	5.8	5
78	Alopecia syphilitica diffusa. <i>Infection</i> , 2015 , 43, 783-4	5.8	5
77	Week 96 subgroup analyses of the phase 3, randomized AMBER and EMERALD trials evaluating the efficacy and safety of the once daily darunavir/cobicistat/emtricitabine/tenofovir alafenamide (D/C/F/TAF) single-tablet regimen in antiretroviral treatment (ART)-naïve and -experienced, virologically-suppressed adults living with HIV-1. <i>HIV Research and Clinical Practice</i> , 2020 , 21, 151-167	1.7	5
76	Age-dependent impact of the major common genetic risk factor for COVID-19 on severity and mortality 2021 ,		5
75	Remdesivir for Early COVID-19 Treatment of High-Risk Individuals Prior to or at Early Disease Onset-Lessons Learned. <i>Viruses</i> , 2021 , 13,	6.2	5

74	Self-sampling versus health care professional-guided swab collection for SARS-CoV-2 testing. <i>Infection</i> , 2021 , 49, 927-934	5.8	5
73	Prediction of COVID-19 deterioration in high-risk patients at diagnosis: an early warning score for advanced COVID-19 developed by machine learning. <i>Infection</i> , 2021 , 1	5.8	5
72	Platelet Surface Protein Expression and Reactivity upon TRAP Stimulation after BNT162b2 Vaccination. <i>Thrombosis and Haemostasis</i> , 2021 ,	7	5
71	Evaluation of anal carcinoma screening in male and female HIV patients at an interdisciplinary HIV therapy centre. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, 1595-1601	4.6	4
70	High prevalence of comorbidities and use of concomitant medication in treated people living with HIV in Germany - results of the BESIDE study. <i>International Journal of STD and AIDS</i> , 2021 , 32, 152-161	1.4	4
69	First case of human peritoneal cysticercosis mimicking peritoneal carcinosis: necessity of laparoscopy and histologic assessment for the correct diagnosis. <i>JMM Case Reports</i> , 2017 , 4, e005097	0.5	4
68	Assessment of effective mitigation and prediction of the spread of SARS-CoV-2 in Germany using demographic information and spatial resolution		4
67	Antimicrobial resistance of bacteraemia in the emergency department of a German university hospital (2013-2018): potential carbapenem-sparing empiric treatment options in light of the new EUCAST recommendations. <i>BMC Infectious Diseases</i> , 2019 , 19, 1091	4	4
66	Influence of antiretroviral therapy and cardiovascular disease on the immature platelet fraction in patients living with HIV. <i>Platelets</i> , 2020 , 31, 756-762	3.6	4
65	Use of monoclonal antibody therapy for nosocomial SARS-CoV-2 infection in patients at high risk for severe COVID-19: experience from a tertiary-care hospital in Germany. <i>Infection</i> , 2021 , 49, 1313-1318	5.8	4
64	A retrospective clinical and microbial analysis of 32 patients with bilomas. <i>BMC Gastroenterology</i> , 2019 , 19, 50	3	3
63	All-cause mortality and disease progression in SARS-CoV-2-infected patients with or without antibiotic therapy: an analysis of the LEOSS cohort. <i>Infection</i> , 2021 , 50, 423	5.8	3
62	Evaluation of a multiplex PCR screening approach to identify community-acquired bacterial co-infections in COVID-19: a multicenter prospective cohort study of the German competence network of community-acquired pneumonia (CAPNETZ). <i>Infection</i> , 2021 , 49, 1299-1306	5.8	3
61	Strategies for infection control and prevalence of anti-SARS-CoV-2 IgG in 4,554 employees of a university hospital in Munich, Germany		3
60	Increased extravascular lung water index (EVLWI) reflects rapid non-cardiogenic oedema and mortality in COVID-19 associated ARDS. <i>Scientific Reports</i> , 2021 , 11, 11524	4.9	3
59	Specific Risk Factors for Fatal Outcome in Critically Ill COVID-19 Patients: Results from a European Multicenter Study. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	3
58	Summary of German-Austrian HIV PrEP guideline. <i>HIV Medicine</i> , 2019 , 20, 368-376	2.7	2
57	Infektionen bei Flüchtlingen. <i>Notfall Und Rettungsmedizin</i> , 2017 , 20, 216-227	0.4	2

56	Infection Control Measures and Prevalence of SARS-CoV-2 IgG among 4,554 University Hospital Employees, Munich, Germany.. <i>Emerging Infectious Diseases</i> , 2022 , 28, 572-581	10.2	2
55	A Moderate Case of COVID-19 Viral Pneumonia During the SARS-CoV-2 Pandemic. <i>Deutsches A&#x0308;rztblatt International</i> , 2020 , 117, 219	2.5	2
54	Intensive Care Risk Estimation in COVID-19 Pneumonia Based on Clinical and Imaging Parameters: Experiences from the Munich Cohort. <i>SSRN Electronic Journal</i> ,	1	2
53	Dexamethasone therapy and rates of secondary pulmonary and bloodstream infections in critically ill COVID-19 patients. <i>Multidisciplinary Respiratory Medicine</i> , 2021 , 16, 793	3	2
52	Obstacles to HBV functional cure: Late presentation in HIV and its impact on HBV seroconversion in HIV/HBV coinfection. <i>Liver International</i> , 2020 , 40, 2978-2981	7.9	2
51	Platelet expression and reactivity after BNT162b2 vaccine administration		2
50	Effects of antiretroviral combination therapies F/TAF, E/C/F/TAF and R/F/TAF on insulin resistance in healthy volunteers: the TAF-IR Study. <i>Antiviral Therapy</i> , 2018 , 23, 629-632	1.6	2
49	CMV seropositivity is a potential novel risk factor for severe COVID-19 in non-geriatric patients. <i>PLoS ONE</i> , 2022 , 17, e0268530	3.7	2
48	Strategies for increasing diagnostic yield of community-onset bacteraemia within the emergency department: A retrospective study. <i>PLoS ONE</i> , 2019 , 14, e0222545	3.7	1
47	Darunavir/cobicistat/emtricitabine/tenofovir alafenamide in treatment-naïve patients with HIV-1: subgroup analyses of the phase 3 AMBER study. <i>HIV Research and Clinical Practice</i> , 2019 , 20, 24-33	1.7	1
46	Adequate plasma levels of dolutegravir in combination with ritonavir-boosted darunavir: a pharmacokinetic subgroup analysis of the DUALIS study. <i>Journal of Antimicrobial Chemotherapy</i> , 2020 , 75, 3082-3084	5.1	1
45	Severe hydrocarbon pneumonitis in African refugees after fuel ingestion. <i>Lancet, The</i> , 2016 , 388, 2350-2351		1
44	A diagnostic algorithm for detection of urinary tract infections in hospitalized patients with bacteriuria: The "Triple F" approach supported by Procalcitonin and paired blood and urine cultures. <i>PLoS ONE</i> , 2020 , 15, e0240981	3.7	1
43	72. Remdesivir vs Standard Care in Patients with Moderate covid-19. <i>Open Forum Infectious Diseases</i> , 2020 , 7, S166-S167	1	1
42	Forced Centralized Allocation of Patients to Temporarily Closed Emergency Departments. <i>Deutsches A&#x0308;rztblatt International</i> , 2020 , 117, 465-471	2.5	1
41	A proof of concept study for the differentiation of SARS-CoV-2, hCoV-NL63, and IAV-H1N1 in vitro cultures using ion mobility spectrometry. <i>Scientific Reports</i> , 2021 , 11, 20143	4.9	1
40	Angiotensin II receptor blocker intake associates with reduced markers of inflammatory activation and decreased mortality in patients with cardiovascular comorbidities and COVID-19 disease. <i>PLoS ONE</i> , 2021 , 16, e0258684	3.7	1
39	Are 96-week data enough for doravirine to DRIVE FORWARD?. <i>Lancet HIV,the</i> , 2020 , 7, e2-e3	7.8	1

38	Drug Resistance Spread in 6 Metropolitan Regions, Germany, 2001-2018. <i>Emerging Infectious Diseases</i> , 2020 , 26, 2439-2443	10.2	1
37	Suspected penicillin allergy: risk assessment using an algorithm as an antibiotic stewardship project. <i>Allergo Journal International</i> , 2020 , 29, 174-180	1.5	1
36	SARS-CoV-2 serology increases diagnostic accuracy in CT-suspected, PCR-negative COVID-19 patients during pandemic. <i>Respiratory Research</i> , 2021 , 22, 119	7.3	1
35	Reconvalescent plasma/camostat mesylate in early SARS-CoV-2 Q-PCR positive high-risk individuals (RES-Q-HR): a structured summary of a study protocol for a randomized controlled trial. <i>Trials</i> , 2021 , 22, 343	2.8	1
34	Hepatitis C virus: Current steps toward elimination in Germany and barriers to reaching the 2030 goal. <i>Health Science Reports</i> , 2021 , 4, e290	2.2	1
33	Extracorporeal multiorgan support including CO-removal with the ADVanced Organ Support (ADVOS) system for COVID-19: A case report. <i>International Journal of Artificial Organs</i> , 2021 , 44, 288-294 ^{1.9}	1.9	1
32	DGI recommendations for COVID-19 pharmacotherapy. <i>Infection</i> , 2021 , 49, 369-370	5.8	1
31	Monthly or Weekly Supplementation with Cholecalciferol 20,000 IU in People Living with HIV: Results from a Nested Cohort Study. <i>Interdisciplinary Perspectives on Infectious Diseases</i> , 2018 , 2018, 7502127	1.7	1
30	Development and validation of a simplified risk score for the prediction of critical COVID-19 illness in newly diagnosed patients. <i>Journal of Medical Virology</i> , 2021 , 93, 6703-6713	19.7	1
29	Early reduction of SARS-CoV-2-replication in bronchial epithelium by kinin B receptor antagonism.. <i>Journal of Molecular Medicine</i> , 2022 , 100, 613	5.5	1
28	SARS-CoV-2-neutralising monoclonal antibodies to prevent COVID-19. <i>The Cochrane Library</i> , 2022 , 2022,	5.2	1
27	Primary skin manifestation of plasmoblastic lymphoma in an AIDS patient with long-term survival. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31, e428-e429	4.6	0
26	Seasonal variations in vitamin D levels in HIV-infected patients. <i>HIV and AIDS Review</i> , 2017 , 1, 50-53	0.3	0
25	Longitudinal Assessment of Health and Quality of Life of COVID-19 Patients Requiring Intensive Care-An Observational Study. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	0
24	Acute HIV infection syndrome mimicking COVID-19 vaccination side effects: a case report. <i>AIDS Research and Therapy</i> , 2021 , 18, 78	3	0
23	Treatment of intestinal tuberculosis with small bowel perforation: a case report. <i>Journal of Medical Case Reports</i> , 2021 , 15, 144	1.2	0
22	An Eschar-like souvenir from a journey to Colombia: Ecthyma gangrenosum as a differential diagnosis of tropical diseases in immunocompromised patients - a case report. <i>BMC Infectious Diseases</i> , 2021 , 21, 344	4	0
21	Retracing the COVID-19 Pandemic in Germany from a Public Perspective using Google Search Queries Related to "coronavirus". <i>Gesundheitswesen</i> , 2021 , 83, e9-e14	0.5	0

20	High prevalence of recreational and illicit drug use in German people living with HIV with a potential for drug-drug interactions with antiretroviral therapy. <i>International Journal of STD and AIDS</i> , 2021 , 32, 75-82	1.4	0
19	The impact of the SARS-CoV-2 pandemic on the prevalence of respiratory tract pathogens in patients with community-acquired pneumonia in Germany. <i>Emerging Microbes and Infections</i> , 2021 , 10, 1515-1518	18.9	0
18	Factors associated with testing for HIV and hepatitis C among behaviorally vulnerable men in Germany: a cross-sectional analysis upon enrollment into an observational cohort. <i>AIDS Research and Therapy</i> , 2021 , 18, 52	3	0
17	Impfung bei reisemedizinisch relevanten gastroenterologischen Erkrankungen. <i>Gastroenterologe</i> , 2015 , 10, 139-149	0.1	
16	Infektiöse Durchfallerkrankungen. <i>Gastroenterologe</i> , 2020 , 15, 159-167	0.1	
15	Alopecia syphilitica diffusa [eine seltene Manifestationsform der Fröhsyphilis. <i>Aktuelle Dermatologie</i> , 2019 , 45, 288-290	0.1	
14	Impfung bei reisemedizinisch relevanten gastroenterologischen Erkrankungen. <i>Zentralblatt Fur Arbeitsmedizin, Arbeitsschutz Und Ergonomie</i> , 2015 , 65, 233-244	0.3	
13	Infektionen im Gastrointestinaltrakt. <i>Gastroenterologe</i> , 2012 , 7, 255-266	0.1	
12	Infektionen im Gastrointestinaltrakt. <i>CME (Berlin, Germany)</i> , 2013 , 10, 55-64	0	
11	73. Geographical Disparities in Clinical Outcomes of Severe COVID-19 Patients Treated with Remdesivir. <i>Open Forum Infectious Diseases</i> , 2020 , 7, S167-S167	1	
10	Six weeks of Sofosbuvir/Ledipasvir treatment of acute hepatitis C Virus genotype 1 mono-infection: Final results of the German HepNet Acute HCV IV Study. <i>Zeitschrift Fur Gastroenterologie</i> , 2016 , 54, 1343-1404	1.6	
9	Rapid clinical evolution for COVID-19 translates into early hospital admission and unfavourable outcome: a preliminary report. <i>Multidisciplinary Respiratory Medicine</i> , 2021 , 16, 744	3	
8	Health-related quality-of-life in people living with HIV after switching to dual therapy with ritonavir-boosted darunavir + dolutegravir: a DUALIS sub-study. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2021 , 1-10	2.2	
7	Reply: Beyond Viral Suppression. <i>Open Forum Infectious Diseases</i> , 2021 , 8, ofab073	1	
6	Virologic outcomes of switching to boosted darunavir plus dolutegravir with respect to history of drug resistance. <i>AIDS Research and Therapy</i> , 2021 , 18, 58	3	
5	Coronary calcium scoring assessed on native screening chest CT imaging as predictor for outcome in COVID-19: An analysis of a hospitalized German cohort 2020 , 15, e0244707		
4	Coronary calcium scoring assessed on native screening chest CT imaging as predictor for outcome in COVID-19: An analysis of a hospitalized German cohort 2020 , 15, e0244707		
3	Coronary calcium scoring assessed on native screening chest CT imaging as predictor for outcome in COVID-19: An analysis of a hospitalized German cohort 2020 , 15, e0244707		

2 Coronary calcium scoring assessed on native screening chest CT imaging as predictor for outcome in COVID-19: An analysis of a hospitalized German cohort **2020**, 15, e0244707

1 Switching to a NRTI-free 2 drug regimen (2DR) -a sub-analysis of the 48 weeks DUALIS study on metabolic and renal changes.. *HIV Research and Clinical Practice*, **2022**, 1-7

1.7