

Hannu Jalanko

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4251492/publications.pdf>

Version: 2024-02-01

68
papers

1,420
citations

331670

21
h-index

361022

35
g-index

68
all docs

68
docs citations

68
times ranked

1780
citing authors

#	ARTICLE	IF	CITATIONS
1	Pericardial Constriction and Myocardial Restriction in Pediatric Mulibrey Nanism: A Complex Disease With Diastolic Dysfunction. <i>CJC Open</i> , 2022, 4, 28-36.	1.5	3
2	Liver pathology and biochemistry in patients with mutations in <i>TRIM37</i> gene (Mulibrey) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.9	2
3	Expression of fibrosis-related genes in liver allografts: Association with histology and long-term outcome after pediatric liver transplantation. <i>Clinical Transplantation</i> , 2021, 35, e14373.	1.6	2
4	Physical performance after pediatric solid organ transplantation. <i>Pediatric Transplantation</i> , 2021, , e14163.	1.0	2
5	Long-term Outcome of Kidney Transplantation in 6 Patients With Autoimmune polyendocrinopathy-candidiasis-ectodermal dystrophy (APECED). <i>Transplantation</i> , 2021, Publish Ahead of Print, .	1.0	1
6	Restriction of lung volumes but normal function of pulmonary tissue in mulibrey nanism. <i>Pediatric Pulmonology</i> , 2020, 55, 122-129.	2.0	2
7	Good long-term renal graft survival and low incidence of cardiac pathology in adults after short dialysis period and renal transplantation in early childhood – a cohort study. <i>Transplant International</i> , 2020, 33, 89-97.	1.6	4
8	Prediction of renal outcome in Henoch-Schönlein nephritis based on biopsy findings. <i>Pediatric Nephrology</i> , 2020, 35, 659-668.	1.7	16
9	Male Sexual Function After Pediatric Kidney Transplantation – A Cross-sectional Nationwide Study. <i>Journal of Sexual Medicine</i> , 2020, 17, 2104-2107.	0.6	4
10	Congenital nephrotic syndrome: is early aggressive treatment needed? Yes. <i>Pediatric Nephrology</i> , 2020, 35, 1985-1990.	1.7	19
11	Cancer morbidity and mortality after pediatric solid organ transplantation – a nationwide register study. <i>Pediatric Nephrology</i> , 2020, 35, 1719-1728.	1.7	7
12	Hemolytic uremic syndrome caused by Shiga toxin-producing <i>Escherichia coli</i> in children: incidence, risk factors, and clinical outcome. <i>Pediatric Nephrology</i> , 2020, 35, 1749-1759.	1.7	37
13	Expression of 6 Biomarkers in Liver Grafts After Pediatric Liver Transplantation: Correlations with Histology, Biochemistry, and Outcome. <i>Annals of Transplantation</i> , 2020, 25, e925980.	0.9	1
14	Expression of 6 Biomarkers in Liver Grafts After Pediatric Liver Transplantation: Correlations with Histology, Biochemistry, and Outcome. <i>Annals of Transplantation</i> , 2020, 25, e925980.	0.9	3
15	Telomere length regulators are activated in young men after pediatric kidney transplantation compared to healthy controls and survivors of childhood cancer – A cross-sectional study. <i>Pediatric Transplantation</i> , 2019, 23, e13550.	1.0	4
16	JC polyomavirus-specific antibody responses in pediatric kidney transplant recipients. <i>Pediatric Transplantation</i> , 2019, 23, e13586.	1.0	1
17	Divergent expression of liver transforming growth factor superfamily cytokines after successful portoenterostomy in biliary atresia. <i>Surgery</i> , 2019, 165, 905-911.	1.9	9
18	Noninvasive Evaluation of Liver Fibrosis and Portal Hypertension After Successful Portoenterostomy for Biliary Atresia. <i>Hepatology Communications</i> , 2019, 3, 382-391.	4.3	20

#	ARTICLE	IF	CITATIONS
19	Renal function after combined liver&kidney transplantation: A longitudinal study of pediatric and adult patients. <i>Pediatric Transplantation</i> , 2019, 23, e13400.	1.0	4
20	BK polyomavirus viremia and antibody responses of pediatric kidney transplant recipients in Finland. <i>Pediatric Transplantation</i> , 2019, 23, e13324.	1.0	8
21	Growth of children with biliary atresia living with native livers: impact of corticoid therapy after portoenterostomy. <i>European Journal of Pediatrics</i> , 2019, 178, 341-349.	2.7	4
22	The Helsinki approach to face transplantation. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2019, 72, 173-180.	1.0	33
23	Liver Inflammation Relates to Decreased Canalicular Bile Transporter Expression in Pediatric Onset Intestinal Failure. <i>Annals of Surgery</i> , 2018, 268, 332-339.	4.2	28
24	Treatment Policy and Liver Histopathology Predict Biliary Atresia Outcomes: Results after National Centralization and Protocol Biopsies. <i>Journal of the American College of Surgeons</i> , 2018, 226, 46-57e1.	0.5	38
25	Lower quality of life in young men after pediatric kidney transplantation when compared to healthy controls and survivors of childhood leukemia-a cross-sectional study. <i>Transplant International</i> , 2018, 31, 157-164.	1.6	16
26	Outcomes of biliary atresia in the Nordic countries â€“ a multicenter study of 158 patients during 2005â€“2016. <i>Journal of Pediatric Surgery</i> , 2018, 53, 1509-1515.	1.6	40
27	Cancer After Liver Transplantation in Children and Young Adults: A Population&Based Study From 4 Nordic Countries. <i>Liver Transplantation</i> , 2018, 24, 1252-1259.	2.4	14
28	Human herpes virus 6 infection in pediatric organ transplant patients. <i>Pediatric Transplantation</i> , 2017, 21, e12905.	1.0	11
29	Abnormally High and Heterogeneous Bone Matrix Mineralization After Childhood Solid Organ Transplantation: A Complex Pathology of Low Bone Turnover and Local Defects in Mineralization. <i>Journal of Bone and Mineral Research</i> , 2017, 32, 1116-1125.	2.8	9
30	Renal findings in patients with Mulibrey nanism. <i>Pediatric Nephrology</i> , 2017, 32, 1531-1536.	1.7	10
31	Molecular signature of active fibrogenesis prevails in biliary atresia after successful portoenterostomy. <i>Surgery</i> , 2017, 162, 548-556.	1.9	20
32	Anemia and low-grade inflammation in pediatric kidney transplant recipients. <i>Pediatric Nephrology</i> , 2017, 32, 347-358.	1.7	4
33	Novel NPHS2 variant in patients with familial steroid-resistant nephrotic syndrome with early onset, slow progression and dominant inheritance pattern. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 677-684.	1.6	7
34	Single Nucleotide Polymorphisms in Pediatric Idiopathic Nephrotic Syndrome. <i>International Journal of Nephrology</i> , 2016, 2016, 1-12.	1.3	12
35	Donor-specific antibodies after pediatric liver transplantation: a cross-sectional study of 50 patients. <i>Transplant International</i> , 2016, 29, 494-505.	1.6	21
36	The second report of the Nordic Pediatric Renal Transplantation Registry 1997&2012: More infant recipients and improved graft survivals. <i>Pediatric Transplantation</i> , 2016, 20, 364-371.	1.0	19

#	ARTICLE	IF	CITATIONS
37	<i>Trim37</i> -deficient mice recapitulate several features of the multi-organ disorder Mulibrey nanism. <i>Biology Open</i> , 2016, 5, 584-595.	1.2	19
38	Increased MMP-7 expression in biliary epithelium and serum underpins native liver fibrosis after successful portoenterostomy in biliary atresia. <i>Journal of Pathology: Clinical Research</i> , 2016, 2, 187-198.	3.0	47
39	Late outcome after paediatric heart transplantation in Finland. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2016, 23, 18-25.	1.1	13
40	Features of liver tissue remodeling in intestinal failure during and after weaning off parenteral nutrition. <i>Surgery</i> , 2016, 160, 632-642.	1.9	13
41	Long-term effects of paediatric kidney transplantation. <i>Nature Reviews Nephrology</i> , 2016, 12, 301-311.	9.6	40
42	Nephrin Trafficking beyond the Kidney: Role in Glucose-Stimulated Insulin Secretion in β Cells. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 965-968.	6.1	1
43	Renal transplantation in infants. <i>Pediatric Nephrology</i> , 2016, 31, 725-735.	1.7	45
44	Early-Onset Diabetic E1-DN Mice Develop Albuminuria and Glomerular Injury Typical of Diabetic Nephropathy. <i>BioMed Research International</i> , 2015, 2015, 1-11.	1.9	10
45	Loss of ileum decreases serum fibroblast growth factor 19 in relation to liver inflammation and fibrosis in pediatric onset intestinal failure. <i>Journal of Hepatology</i> , 2015, 62, 1391-1397.	3.7	64
46	Long-term pulmonary function in children with recessive polycystic kidney disease. <i>Archives of Disease in Childhood</i> , 2015, 100, 944-947.	1.9	5
47	APRI predicts native liver survival by reflecting portal fibrogenesis and hepatic neovascularization at the time of portoenterostomy in biliary atresia. <i>Journal of Pediatric Surgery</i> , 2015, 50, 1528-1531.	1.6	25
48	Podocyte proteins in congenital and minimal change nephrotic syndrome. <i>Clinical and Experimental Nephrology</i> , 2015, 19, 481-488.	1.6	11
49	Altered Osteocyte-Specific Protein Expression in Bone after Childhood Solid Organ Transplantation. <i>PLoS ONE</i> , 2015, 10, e0138156.	2.5	16
50	Histopathology and biomarkers in prediction of renal function in children after kidney transplantation. <i>Transplant Immunology</i> , 2014, 31, 105-111.	1.2	8
51	Combined liver and kidney transplantation in children. <i>Pediatric Nephrology</i> , 2014, 29, 805-814.	1.7	37
52	Serum FGF21 increases with hepatic fat accumulation in pediatric onset intestinal failure. <i>Journal of Hepatology</i> , 2014, 60, 183-190.	3.7	47
53	Myofibroblastic cell activation and neovascularization predict native liver survival and development of esophageal varices in biliary atresia. <i>World Journal of Gastroenterology</i> , 2014, 20, 3312.	3.3	13
54	Congenital nephrotic syndrome. <i>Pediatric Nephrology</i> , 2009, 24, 2121-2128.	1.7	146

#	ARTICLE	IF	CITATIONS
55	The use of fine-needle aspiration biopsy in detection of acute rejection in children after liver transplantation. <i>Transplant International</i> , 2002, 15, 240-247.	1.6	6
56	The Number of Podocyte Slit Diaphragms Is Decreased in Minimal Change Nephrotic Syndrome. <i>Pediatric Research</i> , 2002, 52, 349-355.	2.3	4
57	Genetic kidney diseases disclose the pathogenesis of proteinuria. <i>Annals of Medicine</i> , 2001, 33, 526-533.	3.8	34
58	Expression of Nephritin in Pediatric Kidney Diseases. <i>Journal of the American Society of Nephrology: JASN</i> , 2001, 12, 289-296.	6.1	75
59	Clinical outcome of pediatric patients on peritoneal dialysis under adequacy control. <i>Pediatric Nephrology</i> , 2000, 14, 889-897.	1.7	66
60	Emerging therapeutic targets in paediatric kidney diseases. <i>Expert Opinion on Therapeutic Targets</i> , 2000, 4, 29-38.	1.0	0
61	Paediatric kidney transplantation. <i>Annals of Medicine</i> , 1998, 30, 45-57.	3.8	10
62	Sphingolipid activator proteins in a human hereditary renal disease with deposition of disialogangliosides. <i>The Histochemical Journal</i> , 1996, 28, 681-687.	0.6	6
63	Mechanisms of Proteinuria: Vascular Permeability Factor in Congenital Nephrotic Syndrome of the Finnish Type. <i>Pediatric Research</i> , 1996, 40, 652-657.	2.3	22
64	Congenital nephrosis of the Finnish type (CNF): matrix components of the glomerular basement membranes and of cultured mesangial cells. <i>The Histochemical Journal</i> , 1993, 25, 606-612.	0.6	26
65	Management of Indwelling Central Venous Catheters in Pediatric Cancer Patients with Fever and Neutropenia. <i>Scandinavian Journal of Infectious Diseases</i> , 1993, 25, 357-364.	1.5	21
66	Cytokine and Acute-Phase Reactant Levels in Serum of Children with Cancer Admitted for Fever and Neutropenia. <i>Journal of Infectious Diseases</i> , 1992, 166, 432-436.	4.0	63
67	Etiology of Mild Acute Infectious Myocarditis. <i>Acta Medica Scandinavica</i> , 1983, 213, 65-73.	0.0	92
68	Cognitive Development. , 0 , 412-417.		0