Stephen R Wisniewski

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4252540/publications.pdf

Version: 2024-02-01

369 papers 44,363 citations

100 h-index 199 g-index

370 all docs

370 docs citations

370 times ranked

30205 citing authors

| # | Article | IF | Citations |
|----|---|------|-----------|
| 1 | Acute and Longer-Term Outcomes in Depressed Outpatients Requiring One or Several Treatment Steps: A STAR*D Report. American Journal of Psychiatry, 2006, 163, 1905-1917. | 7.2 | 4,241 |
| 2 | Evaluation of Outcomes With Citalopram for Depression Using Measurement-Based Care in STAR*D: Implications for Clinical Practice. American Journal of Psychiatry, 2006, 163, 28-40. | 7.2 | 3,206 |
| 3 | Treatment of Traumatic Brain Injury with Moderate Hypothermia. New England Journal of Medicine, 1997, 336, 540-546. | 27.0 | 1,321 |
| 4 | Bupropion-SR, Sertraline, or Venlafaxine-XR after Failure of SSRIs for Depression. New England Journal of Medicine, 2006, 354, 1231-1242. | 27.0 | 934 |
| 5 | Sequenced treatment alternatives to relieve depression (STAR*D): rationale and design. Contemporary Clinical Trials, 2004, 25, 119-142. | 1.9 | 898 |
| 6 | Medication Augmentation after the Failure of SSRIs for Depression. New England Journal of Medicine, 2006, 354, 1243-1252. | 27.0 | 897 |
| 7 | Effectiveness of Adjunctive Antidepressant Treatment for Bipolar Depression. New England Journal of Medicine, 2007, 356, 1711-1722. | 27.0 | 822 |
| 8 | Long-Term implications of early onset in bipolar disorder: data from the first 1000 participants in the systematic treatment enhancement program for bipolar disorder (STEP-BD). Biological Psychiatry, 2004, 55, 875-881. | 1.3 | 746 |
| 9 | Difference in Treatment Outcome in Outpatients With Anxious Versus Nonanxious Depression: A STAR*D Report. American Journal of Psychiatry, 2008, 165, 342-351. | 7.2 | 741 |
| 10 | Onset Timing, Thoughts of Self-harm, and Diagnoses in Postpartum Women With Screen-Positive Depression Findings. JAMA Psychiatry, 2013, 70, 490. | 11.0 | 738 |
| 11 | Upregulation of choline acetyltransferase activity in hippocampus and frontal cortex of elderly subjects with mild cognitive impairment. Annals of Neurology, 2002, 51, 145-155. | 5.3 | 639 |
| 12 | Predictors of Recurrence in Bipolar Disorder: Primary Outcomes From the Systematic Treatment Enhancement Program for Bipolar Disorder (STEP-BD). American Journal of Psychiatry, 2006, 163, 217-224. | 7.2 | 563 |
| 13 | The STAR*D project results: A comprehensive review of findings. Current Psychiatry Reports, 2007, 9, 449-459. | 4.5 | 554 |
| 14 | Remissions in Maternal Depression and Child Psychopathology. JAMA - Journal of the American Medical Association, 2006, 295, 1389. | 7.4 | 539 |
| 15 | A Comparison of Lithium and T ₃ Augmentation Following Two Failed Medication Treatments for Depression: A STAR*D Report. American Journal of Psychiatry, 2006, 163, 1519-1530. | 7.2 | 526 |
| 16 | What Did STAR*D Teach Us? Results From a Large-Scale, Practical, Clinical Trial for Patients With Depression. Psychiatric Services, 2009, 60, 1439-1445. | 2.0 | 508 |
| 17 | Anxiety Disorder Comorbidity in Bipolar Disorder Patients: Data From the First 500 Participants in the Systematic Treatment Enhancement Program for Bipolar Disorder (STEP-BD). American Journal of Psychiatry, 2004, 161, 2222-2229. | 7.2 | 501 |
| 18 | Rationale, design, and methods of the systematic treatment enhancement program for bipolar disorder (STEP-BD). Biological Psychiatry, 2003, 53, 1028-1042. | 1.3 | 493 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Psychosocial Treatments for Bipolar Depression. Archives of General Psychiatry, 2007, 64, 419. | 12.3 | 485 |
| 20 | Variation in the Gene Encoding the Serotonin 2A Receptor Is Associated with Outcome of Antidepressant Treatment. American Journal of Human Genetics, 2006, 78, 804-814. | 6.2 | 434 |
| 21 | Positive Aspects of Caregiving. Research on Aging, 2004, 26, 429-453. | 1.8 | 407 |
| 22 | Effect of Age at Onset on the Course of Major Depressive Disorder. American Journal of Psychiatry, 2007, 164, 1539-1546. | 7.2 | 393 |
| 23 | Gender differences in depression: Findings from the STAR*D study. Journal of Affective Disorders, 2005, 87, 141-150. | 4.1 | 359 |
| 24 | Alzheimer's pathology in human temporal cortex surgically excised after severe brain injury. Experimental Neurology, 2004, 190, 192-203. | 4.1 | 358 |
| 25 | Clinical correlates and symptom patterns of anxious depression among patients with major depressive disorder in STAR*D. Psychological Medicine, 2004, 34, 1299-1308. | 4.5 | 352 |
| 26 | An Evaluation of the Quick Inventory of Depressive Symptomatology and the Hamilton Rating Scale for Depression: A Sequenced Treatment Alternatives to Relieve Depression Trial Report. Biological Psychiatry, 2006, 59, 493-501. | 1.3 | 344 |
| 27 | Combining Medications to Enhance Depression Outcomes (CO-MED): Acute and Long-Term Outcomes of a Single-Blind Randomized Study. American Journal of Psychiatry, 2011, 168, 689-701. | 7.2 | 329 |
| 28 | Common genetic variants in the CLDN2 and PRSS1-PRSS2 loci alter risk for alcohol-related and sporadic pancreatitis. Nature Genetics, 2012, 44, 1349-1354. | 21.4 | 303 |
| 29 | Tranylcypromine Versus Venlafaxine Plus Mirtazapine Following Three Failed Antidepressant Medication Trials for Depression: A STAR*D Report. American Journal of Psychiatry, 2006, 163, 1531-1541. | 7.2 | 300 |
| 30 | Cognitive Therapy Versus Medication in Augmentation and Switch Strategies as Second-Step Treatments: A STAR*D Report. American Journal of Psychiatry, 2007, 164, 739-752. | 7.2 | 297 |
| 31 | Clinical and Diagnostic Implications of Lifetime Attention-Deficit/Hyperactivity Disorder Comorbidity in Adults with Bipolar Disorder: Data from the First 1000 STEP-BD Participants. Biological Psychiatry, 2005, 57, 1467-1473. | 1.3 | 247 |
| 32 | The FKBP5-Gene in Depression and Treatment Responseâ€"an Association Study in the Sequenced Treatment Alternatives to Relieve Depression (STAR*D) Cohort. Biological Psychiatry, 2008, 63, 1103-1110. | 1.3 | 240 |
| 33 | Intensive Psychosocial Intervention Enhances Functioning in Patients With Bipolar Depression: Results From a 9-Month Randomized Controlled Trial. American Journal of Psychiatry, 2007, 164, 1340-1347. | 7.2 | 238 |
| 34 | Validity of a Pediatric Version of the Glasgow Outcome Scale–Extended. Journal of Neurotrauma, 2012, 29, 1126-1139. | 3.4 | 237 |
| 35 | A Comparison of Mirtazapine and Nortriptyline Following Two Consecutive Failed Medication Treatments for Depressed Outpatients: A STAR*D Report. American Journal of Psychiatry, 2006, 163, 1161-1172. | 7.2 | 233 |
| 36 | Retrospective age at onset of bipolar disorder and outcome during twoâ€year followâ€up: results from the STEPâ€BD study. Bipolar Disorders, 2009, 11, 391-400. | 1.9 | 229 |

| # | Article | IF | Citations |
|----|---|----------|---------------|
| 37 | Self-Rated Global Measure of the Frequency, Intensity, and Burden of Side Effects. Journal of Psychiatric Practice, 2006, 12, 71-79. | 0.7 | 227 |
| 38 | Comparison of hypothermia and normothermia after severe traumatic brain injury in children (Cool) Tj ETQq0 0 0 | rgBT/Ove | rlock 10 Tf 5 |
| 39 | GABAB Receptors, Schizophrenia and Sleep Dysfunction. CNS Drugs, 2009, PAP, 627-47. | 5.9 | 220 |
| 40 | Treatment-Resistant Bipolar Depression: A STEP-BD Equipoise Randomized Effectiveness Trial of Antidepressant Augmentation With Lamotrigine, Inositol, or Risperidone. American Journal of Psychiatry, 2006, 163, 210-216. | 7.2 | 218 |
| 41 | Cerebrovascular Response in Infants and Young Children following Severe Traumatic Brain Injury: A Preliminary Report. Pediatric Neurosurgery, 1997, 26, 200-207. | 0.7 | 217 |
| 42 | Comorbid psychiatric disorders in depressed outpatients: Demographic and clinical features. Journal of Affective Disorders, 2005, 87, 43-55. | 4.1 | 210 |
| 43 | Sex differences in depression symptoms in treatment-seeking adults: confirmatory analyses from the Sequenced Treatment Alternatives to Relieve Depression study. Comprehensive Psychiatry, 2008, 49, 238-246. | 3.1 | 209 |
| 44 | Can Phase III Trial Results of Antidepressant Medications Be Generalized to Clinical Practice? A STAR*D Report. American Journal of Psychiatry, 2009, 166, 599-607. | 7.2 | 209 |
| 45 | Association Between a Functional Serotonin Transporter Promoter Polymorphism and Citalopram Treatment in Adult Outpatients With Major Depression. Archives of General Psychiatry, 2007, 64, 783. | 12.3 | 208 |
| 46 | Inducible nitric oxide synthase is an endogenous neuroprotectant after traumatic brain injury in rats and mice. Journal of Clinical Investigation, 1999, 104, 647-656. | 8.2 | 200 |
| 47 | Marked Gender Effect on Lipid Peroxidation after Severe Traumatic Brain Injury in Adult Patients. Journal of Neurotrauma, 2004, 21, 1-8. | 3.4 | 198 |
| 48 | Neuron-Specific Enolase and S100B in Cerebrospinal Fluid After Severe Traumatic Brain Injury in Infants and Children. Pediatrics, 2002, 109, e31-e31. | 2.1 | 190 |
| 49 | The Resources for Enhancing Alzheimer's Caregiver Health (REACH): Project design and baseline characteristics Psychology and Aging, 2003, 18, 375-384. | 1.6 | 190 |
| 50 | Association of GRIK4 With Outcome of Antidepressant Treatment in the STAR*D Cohort. American Journal of Psychiatry, 2007, 164, 1181-1188. | 7.2 | 189 |
| 51 | Prospective 12-month course of bipolar disorder in out-patients with and without comorbid anxiety disorders. British Journal of Psychiatry, 2006, 189, 20-25. | 2.8 | 188 |
| 52 | Collaborative Care Outcomes for Pediatric Behavioral Health Problems: A Cluster Randomized Trial. Pediatrics, 2014, 133, e981-e992. | 2.1 | 186 |
| 53 | Adjunctive Antidepressant Use and Symptomatic Recovery Among Bipolar Depressed Patients With Concomitant Manic Symptoms: Findings From the STEP-BD. American Journal of Psychiatry, 2007, 164, 1348-1355. | 7.2 | 185 |
| 54 | Towards A Noninvasive Method for Determination of Patient-Specific Wall Strength Distribution in Abdominal Aortic Aneurysms. Annals of Biomedical Engineering, 2006, 34, 1098-1106. | 2.5 | 181 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Psychiatric Medication and Abnormal Behavior as Predictors of Progression in Probable Alzheimer Disease. Archives of Neurology, 1999, 56, 1266. | 4.5 | 173 |
| 56 | Interleukin-8 is increased in cerebrospinal fluid of children with severe head injury. Critical Care Medicine, 2000, 28, 929-934. | 0.9 | 173 |
| 57 | Children of Depressed Mothers 1 Year After the Initiation of Maternal Treatment: Findings From the STAR*D-Child Study. American Journal of Psychiatry, 2008, 165, 1136-1147. | 7.2 | 169 |
| 58 | A Comparison of Mirtazapine and Nortriptyline Following Two Consecutive Failed Medication Treatments for Depressed Outpatients: A STAR*D Report. American Journal of Psychiatry, 2006, 163, 1161. | 7.2 | 167 |
| 59 | Residual Symptoms in Depressed Outpatients Who Respond by 50% But Do Not Remit to Antidepressant Medication. Journal of Clinical Psychopharmacology, 2011, 31, 180-186. | 1.4 | 166 |
| 60 | Clinical and Demographic Features of Atypical Depression in Outpatients With Major Depressive Disorder. Journal of Clinical Psychiatry, 2005, 66, 1002-1011. | 2.2 | 165 |
| 61 | Sex differences in response to citalopram: A STARâ^—D report. Journal of Psychiatric Research, 2009, 43, 503-511. | 3.1 | 164 |
| 62 | International Study to Predict Optimized Treatment for Depression (iSPOT-D), a randomized clinical trial: rationale and protocol. Trials, 2011, 12, 4. | 1.6 | 163 |
| 63 | The Prospective Course of Rapid-Cycling Bipolar Disorder: Findings From the STEP-BD. American Journal of Psychiatry, 2008, 165, 370-377. | 7.2 | 153 |
| 64 | Selecting Among Second-Step Antidepressant Medication Monotherapies. Archives of General Psychiatry, 2008, 65, 870. | 12.3 | 152 |
| 65 | Relationships of Fear, Anxiety, and Depression With Physical Function in Patients With Knee Osteoarthritis. Archives of Physical Medicine and Rehabilitation, 2009, 90, 1866-1873. | 0.9 | 150 |
| 66 | Children of Depressed Mothers 1 Year After Remission of Maternal Depression: Findings From the STAR*D-Child Study. American Journal of Psychiatry, 2011, 168, 593-602. | 7.2 | 149 |
| 67 | What Clinical and Symptom Features and Comorbid Disorders Characterize Outpatients with Anxious Major Depressive Disorder: A Replication and Extension. Canadian Journal of Psychiatry, 2006, 51, 823-835. | 1.9 | 148 |
| 68 | Chronic Pancreatitis Pain Pattern and Severity Are Independent of Abdominal Imaging Findings. Clinical Gastroenterology and Hepatology, 2015, 13, 552-560. | 4.4 | 145 |
| 69 | Strengthening clinical effectiveness trials: Equipoise-stratified randomization. Biological Psychiatry, 2001, 50, 792-801. | 1.3 | 144 |
| 70 | Therapeutic hypothermia preserves antioxidant defenses after severe traumatic brain injury in infants and children*. Critical Care Medicine, 2009, 37, 689-695. | 0.9 | 141 |
| 71 | Factors Associated With Health-Related Quality of Life Among Outpatients With Major Depressive Disorder. Journal of Clinical Psychiatry, 2006, 67, 185-195. | 2.2 | 139 |
| 72 | Multiplex Assessment of Cytokine and Chemokine Levels in Cerebrospinal Fluid following Severe Pediatric Traumatic Brain Injury: Effects of Moderate Hypothermia. Journal of Neurotrauma, 2007, 24, 1707-1718. | 3.4 | 137 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Changes in sleep quality, but not hormones predict time to postpartum depression recurrence. Journal of Affective Disorders, 2011, 130, 378-384. | 4.1 | 137 |
| 74 | Early adversity in chronic depression: clinical correlates and response to pharmacotherapy. Depression and Anxiety, 2009, 26, 701-710. | 4.1 | 136 |
| 75 | Maximizing the Adequacy of Medication Treatment in Controlled Trials and Clinical Practice: STAR*D Measurement-Based Care. Neuropsychopharmacology, 2007, 32, 2479-2489. | 5.4 | 135 |
| 76 | Excitatory amino acid concentrations in ventricular cerebrospinal fluid after severe traumatic brain injury in infants and children: The role of child abuse. Journal of Pediatrics, 2001, 138, 18-25. | 1.8 | 129 |
| 77 | Predictors of Attrition During Initial (Citalopram) Treatment for Depression: A STAR*D Report. American Journal of Psychiatry, 2007, 164, 1189-1197. | 7.2 | 129 |
| 78 | Insomnia in Patients With Depression: <i>A STAR*D Report</i> . CNS Spectrums, 2010, 15, 394-404. | 1.2 | 125 |
| 79 | Adjunctive Bright Light Therapy for Bipolar Depression: A Randomized Double-Blind Placebo-Controlled Trial. American Journal of Psychiatry, 2018, 175, 131-139. | 7.2 | 125 |
| 80 | Concurrent anxiety and substance use disorders among outpatients with major depression: Clinical features and effect on treatment outcome. Drug and Alcohol Dependence, 2009, 99, 248-260. | 3.2 | 124 |
| 81 | Concise Health Risk Tracking Scale. Journal of Clinical Psychiatry, 2011, 72, 757-764. | 2.2 | 124 |
| 82 | The Efficacy of Omega-3 Supplementation for Major Depression. Journal of Clinical Psychiatry, 2011, 72, 1054-1062. | 2.2 | 123 |
| 83 | Children of Currently Depressed Mothers. Journal of Clinical Psychiatry, 2006, 67, 126-136. | 2,2 | 123 |
| 84 | Factors that differentiate early vs. later onset of major depression disorder. Psychiatry Research, 2004, 129, 127-140. | 3.3 | 121 |
| 85 | Prospective predictors of suicide and suicide attempts in 1,556 patients with bipolar disorders followed for up to 2 years. Bipolar Disorders, 2006, 8, 566-575. | 1.9 | 118 |
| 86 | Prevalence and correlates of tobacco use in bipolar disorder: data from the first 2000 participants in the Systematic Treatment Enhancement Program. General Hospital Psychiatry, 2005, 27, 321-328. | 2.4 | 117 |
| 87 | Gender differences in bipolar disorder: retrospective data from the first 500 STEP-BD participants. Bipolar Disorders, 2005, 7, 465-470. | 1.9 | 116 |
| 88 | Surgery Versus Nonsurgical Treatment of Lumbar Spinal Stenosis. Annals of Internal Medicine, 2015, 162, 465-473. | 3.9 | 115 |
| 89 | Does Recovery From Substance Use Disorder Matter in Patients With Bipolar Disorder?. Journal of Clinical Psychiatry, 2005, 66, 730-735. | 2.2 | 111 |
| 90 | Increases in bcl-2 protein in cerebrospinal fluid and evidence for programmed cell death in infants and children after severe traumatic brain injury. Journal of Pediatrics, 2000, 137, 197-204. | 1.8 | 110 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 91 | Demographic and diagnostic characteristics of the first 1000 patients enrolled in the Systematic Treatment Enhancement Program for Bipolar Disorder (STEPâ€BD). Bipolar Disorders, 2004, 6, 460-469. | 1.9 | 110 |
| 92 | Phenomenology of Rapid-Cycling Bipolar Disorder: Data From the First 500 Participants in the Systematic Treatment Enhancement Program. American Journal of Psychiatry, 2004, 161, 1902-1908. | 7.2 | 110 |
| 93 | Perceived criticism from family members as a predictor of the one-year course of bipolar disorder. Psychiatry Research, 2005, 136, 101-111. | 3.3 | 110 |
| 94 | Pharmacological Treatment Patterns at Study Entry for the First 500 STEP-BD Participants. Psychiatric Services, 2006, 57, 660-665. | 2.0 | 110 |
| 95 | Clinical features of depressed outpatients with and without co-occurring general medical conditions in STAR*D. General Hospital Psychiatry, 2004, 26, 421-429. | 2.4 | 109 |
| 96 | Predictors of pain and function outcome after rehabilitation in patients with patellofemoral pain syndrome. Journal of Rehabilitation Medicine, 2009, 41, 604-612. | 1.1 | 107 |
| 97 | Cerebrospinal fluid and plasma nitrite and nitrate concentrations after head injury in humans. Critical Care Medicine, 1996, 24, 1243-1251. | 0.9 | 107 |
| 98 | Efficacy of Cognitive-Behavioral Therapy for Insomnia Combined With Antidepressant Pharmacotherapy in Patients With Comorbid Depression and Insomnia. Journal of Clinical Psychiatry, 2016, 77, e1316-e1323. | 2.2 | 106 |
| 99 | Isoflurane Improves Long-Term Neurologic Outcome Versus Fentanyl After Traumatic Brain Injury in Rats. Journal of Neurotrauma, 2000, 17, 1179-1189. | 3.4 | 105 |
| 100 | Clinical and Demographic Factors Associated With DSM-IV Melancholic Depression. Annals of Clinical Psychiatry, 2006, 18, 91-98. | 0.6 | 105 |
| 101 | Associates of Physical Function and Pain in Patients with Patellofemoral Pain Syndrome. Archives of Physical Medicine and Rehabilitation, 2009, 90, 285-295. | 0.9 | 105 |
| 102 | Interstitial Adenosine, Inosine, and Hypoxanthine Are Increased after Experimental Traumatic Brain Injury in the Rat. Journal of Neurotrauma, 1998, 15, 163-170. | 3.4 | 104 |
| 103 | Increase in Work Productivity of Depressed Individuals With Improvement in Depressive Symptom Severity. American Journal of Psychiatry, 2013, 170, 633-641. | 7.2 | 104 |
| 104 | Apolipoprotein E Polymorphism: A New Genetic Marker of Hip Fracture RiskThe Study of Osteoporotic Fractures. Journal of Bone and Mineral Research, 1999, 14, 1175-1181. | 2.8 | 104 |
| 105 | Agility and Perturbation Training Techniques in Exercise Therapy for Reducing Pain and Improving Function in People With Knee Osteoarthritis: A Randomized Clinical Trial. Physical Therapy, 2011, 91, 452-469. | 2.4 | 103 |
| 106 | Factors Affecting Survival Rates for Acute Vertebrobasilar Artery Occlusions Treated with Intra-arterial Thrombolytic Therapy: A Meta-analytical Approach. Neurosurgery, 1999, 45, 539-548. | 1.1 | 101 |
| 107 | Effect of Vitamin D ₃ Supplementation on Severe Asthma Exacerbations in Children With Asthma and Low Vitamin D Levels. JAMA - Journal of the American Medical Association, 2020, 324, 752. | 7.4 | 99 |
| 108 | Running in Place: Implications of HIV Incidence Estimates among Urban Men Who Have Sex with Men in the United States and Other Industrialized Countries. AIDS and Behavior, 2009, 13, 615-629. | 2.7 | 98 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Pharmacotherapy for Bipolar Disorder and Comorbid Conditions. Journal of Clinical Psychopharmacology, 2004, 24, 512-520. | 1.4 | 97 |
| 110 | DOES SCREENING WITH THE MDQ AND EPDS IMPROVE IDENTIFICATION OF BIPOLAR DISORDER IN AN OBSTETRICAL SAMPLE?. Depression and Anxiety, 2015, 32, 518-526. | 4.1 | 97 |
| 111 | Cytochrome <i>c</i> , a Biomarker of Apoptosis, is Increased in Cerebrospinal Fluid from Infants with Inflicted Brain Injury from Child Abuse. Journal of Cerebral Blood Flow and Metabolism, 2005, 25, 919-927. | 4.3 | 96 |
| 112 | Presenting characteristics of depressed outpatients as a function of recurrence: Preliminary findings from the STAR*D clinical trial. Journal of Psychiatric Research, 2006, 40, 59-69. | 3.1 | 95 |
| 113 | The functional impact of subsyndromal depressive symptoms in bipolar disorder: Data from STEP-BD. Journal of Affective Disorders, 2009, 114, 58-67. | 4.1 | 94 |
| 114 | Continuous Versus Intermittent Cerebrospinal Fluid Drainage after Severe Traumatic Brain Injury in Children: Effect on Biochemical Markers. Journal of Neurotrauma, 2004, 21, 1113-1122. | 3.4 | 93 |
| 115 | Improving the Efficiency of Psychotherapy for Depression: Computer-Assisted Versus Standard CBT. American Journal of Psychiatry, 2018, 175, 242-250. | 7.2 | 93 |
| 116 | Major Depression Symptoms in Primary Care and Psychiatric Care Settings: A Cross-Sectional Analysis. Annals of Family Medicine, 2007, 5, 126-134. | 1.9 | 92 |
| 117 | Primary Versus Specialty Care Outcomes for Depressed Outpatients Managed with Measurement-Based Care: Results from STAR*D. Journal of General Internal Medicine, 2008, 23, 551-560. | 2.6 | 92 |
| 118 | Response to a Selective Serotonin Reuptake Inhibitor (Citalopram) in Major Depressive Disorder With Melancholic Features. Journal of Clinical Psychiatry, 2008, 69, 1847-1855. | 2.2 | 91 |
| 119 | Clinical correlates of the worsening or emergence of suicidal ideation during SSRI treatment of depression: An examination of citalopram in the STARâŽD study. Journal of Affective Disorders, 2009, 117, 63-73. | 4.1 | 88 |
| 120 | Sleep disturbances in depressed and nondepressed pregnant women. Depression and Anxiety, 2011, 28, 676-685. | 4.1 | 86 |
| 121 | Plasma and cerebrospinal fluid $\hat{l}\pm 1\hat{a}\in a$ ntichymotrypsin levels in Alzheimer's disease: Correlation with cognitive impairment. Annals of Neurology, 2003, 53, 81-90. | 5.3 | 85 |
| 122 | Development of the Barkin Index of Maternal Functioning. Journal of Women's Health, 2010, 19, 2239-2246. | 3.3 | 84 |
| 123 | Substance Use Disorder Comorbidity in Major Depressive Disorder: A Confirmatory Analysis of the STAR*D Cohort. American Journal on Addictions, 2006, 15, 278-285. | 1.4 | 83 |
| 124 | F ₂ -Isoprostane and Neuron-Specific Enolase in Cerebrospinal Fluid after Severe Traumatic Brain Injury in Infants and Children. Journal of Neurotrauma, 2003, 20, 781-786. | 3.4 | 82 |
| 125 | Revisiting Depressive-Prone Bipolar Disorder: Polarity of Initial Mood Episode and Disease Course Among Bipolar I Systematic Treatment Enhancement Program for Bipolar Disorder Participants. Biological Psychiatry, 2005, 58, 549-553. | 1.3 | 82 |
| 126 | Course and Severity of Maternal Depression: Associations with Family Functioning and Child Adjustment. Journal of Youth and Adolescence, 2008, 37, 906-916. | 3.5 | 81 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Suicidal ideation in depressed postpartum women: Associations withÂchildhood trauma, sleep disturbance and anxiety. Journal of Psychiatric Research, 2015, 66-67, 95-104. | 3.1 | 81 |
| 128 | Soluble Adhesion Molecules in CSF Are Increased in Children With Severe Head Injury. Journal of Neurotrauma, 1998, 15, 777-787. | 3.4 | 79 |
| 129 | Are Antidepressants Associated With New-Onset Suicidality in Bipolar Disorder?. Journal of Clinical Psychiatry, 2006, 67, 48-55. | 2.2 | 79 |
| 130 | Assessment of Cerebral Blood Flow and CO2 Reactivity After Controlled Cortical Impact By Perfusion Magnetic Resonance Imaging Using Arterial Spin-Labeling in Rats. Journal of Cerebral Blood Flow and Metabolism, 1997, 17, 865-874. | 4.3 | 78 |
| 131 | Reduction in the Incidence of Influenza A But Not Influenza B Associated With Use of Hand Sanitizer and Cough Hygiene in Schools. Pediatric Infectious Disease Journal, 2011, 30, 921-926. | 2.0 | 78 |
| 132 | Relationship between hyperglycemia and outcome in children with severe traumatic brain injury. Pediatric Critical Care Medicine, 2012, 13, 85-91. | 0.5 | 77 |
| 133 | Short-Term Repeatability of Diurnal Intraocular Pressure Patterns in Glaucomatous Individuals. Ophthalmology, 2011, 118, 47-51. | 5.2 | 76 |
| 134 | Substance use disorder comorbidity in major depressive disorder: an exploratory analysis of the Sequenced Treatment Alternatives to Relieve Depression cohort. Comprehensive Psychiatry, 2005, 46, 81-89. | 3.1 | 75 |
| 135 | Disturbed Sleep and Inflammatory Cytokines in Depressed and Nondepressed Pregnant Women. Psychosomatic Medicine, 2013, 75, 670-681. | 2.0 | 75 |
| 136 | Symptoms of Depressed Mood, Disturbed Sleep, and Sexual Problems in Midlife Women: Cross-Sectional Data from the Study of Women's Health Across the Nation. Journal of Women's Health, 2015, 24, 119-126. | 3.3 | 74 |
| 137 | Pain in depression: STAR*D study findings. Journal of Psychosomatic Research, 2007, 63, 113-122. | 2.6 | 73 |
| 138 | Alterations of Striatal Dopamine Receptor Binding in Alzheimer Disease Are Associated With Lewy Body Pathology and Antemortem Psychosis. Archives of Neurology, 2001, 58, 466-72. | 4.5 | 72 |
| 139 | Quinolinic Acid is Increased in CSF and Associated with Mortality after Traumatic Brain Injury in Humans. Journal of Cerebral Blood Flow and Metabolism, 1998, 18, 610-615. | 4.3 | 71 |
| 140 | Increased adenosine in cerebrospinal fluid after severe traumatic brain injury in infants and children: Association with severity of injury and excitotoxicity. Critical Care Medicine, 2001, 29, 2287-2293. | 0.9 | 71 |
| 141 | Clinical differences among depressed patients with and without a history of suicide attempts: Findings from the STARâZD trial. Journal of Affective Disorders, 2007, 97, 77-84. | 4.1 | 71 |
| 142 | Does comorbid substance use disorder impair recovery from major depression with SSRI treatment? An analysis of the STAR*D level one treatment outcomes. Drug and Alcohol Dependence, 2010, 107, 161-170. | 3.2 | 71 |
| 143 | Introduction to the special section on Resources for Enhancing Alzheimer's Caregiver Health (REACH) Psychology and Aging, 2003, 18, 357-360. | 1.6 | 70 |
| 144 | Influences of hormone-based contraception on depressive symptoms in premenopausal women with major depression. Psychoneuroendocrinology, 2007, 32, 843-853. | 2.7 | 70 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 145 | What predicts attrition in second step medication treatments for depression?: a STAR*D Report. International Journal of Neuropsychopharmacology, 2009, 12, 459. | 2.1 | 69 |
| 146 | Differences in Medical Therapy Goals for Children With Severe Traumatic Brain Injuryâ€"An International Study. Pediatric Critical Care Medicine, 2013, 14, 811-818. | 0.5 | 69 |
| 147 | Acceptability of Second-Step Treatments to Depressed Outpatients: A STAR*D Report. American Journal of Psychiatry, 2007, 164, 753-760. | 7.2 | 68 |
| 148 | Diurnal Intraocular Pressure Patterns are Not Repeatable in the Short Term in Healthy Individuals. Ophthalmology, 2010, 117, 1700-1704. | 5.2 | 68 |
| 149 | Additional procedures after the initial vitrectomy or tap-biopsy in the endophthalmitis vitrectomy study. Ophthalmology, 1998, 105, 707-716. | 5.2 | 67 |
| 150 | Family history of mood disorder and characteristics of major depressive disorder: A STARâ^—D (sequenced treatment alternatives to relieve depression) study. Journal of Psychiatric Research, 2007, 41, 214-221. | 3.1 | 67 |
| 151 | TREAD: TReatment with Exercise Augmentation for Depression: study rationale and design. Clinical Trials, 2006, 3, 291-305. | 1.6 | 66 |
| 152 | Baseline depression severity as a predictor of single and combination antidepressant treatment outcome: Results from the CO-MED trial. European Neuropsychopharmacology, 2012, 22, 183-199. | 0.7 | 65 |
| 153 | Prevalence and Clinical Correlates of Irritability in Major Depressive Disorder. Journal of Clinical Psychiatry, 2005, 66, 159-166. | 2.2 | 65 |
| 154 | Antidepressant-associated chronic irritable dysphoria (ACID) in STEP-BD patients. Journal of Affective Disorders, 2008, 111, 372-377. | 4.1 | 64 |
| 155 | Caregiver Burden and Health in Bipolar Disorder. Journal of Nervous and Mental Disease, 2008, 196, 484-491. | 1.0 | 64 |
| 156 | Rationale and Design of the Genomic Research in Alpha-1 Antitrypsin Deficiency and Sarcoidosis (GRADS) Study. Sarcoidosis Protocol. Annals of the American Thoracic Society, 2015, 12, 1561-1571. | 3.2 | 64 |
| 157 | Risk Factors for Mortality in Children with Abusive Head Trauma. Journal of Pediatrics, 2012, 161, 716-722.e1. | 1.8 | 63 |
| 158 | A direct comparison of presenting characteristics of depressed outpatients from primary vs. specialty care settings: preliminary findings from the STAR*D clinical trial. General Hospital Psychiatry, 2005, 27, 87-96. | 2.4 | 62 |
| 159 | Endothelin-1 Is Increased in Cerebrospinal Fluid and Associated with Unfavorable Outcomes in Children after Severe Traumatic Brain Injury. Journal of Neurotrauma, 2010, 27, 1819-1825. | 3.4 | 61 |
| 160 | Impact of changing the measles vaccine vial size on Niger's vaccine supply chain: a computational model. BMC Public Health, 2011, 11, 425. | 2.9 | 61 |
| 161 | Psychotic Symptoms in Alzheimer Disease: Evidence for Subtypes. American Journal of Geriatric Psychiatry, 2003, 11, 406-413. | 1.2 | 60 |
| 162 | Remission of Maternal Depression: Relations to Family Functioning and Youth Internalizing and Externalizing Symptoms. Journal of Clinical Child and Adolescent Psychology, 2008, 37, 714-724. | 3.4 | 60 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 163 | Concise Associated Symptoms Tracking Scale. Journal of Clinical Psychiatry, 2011, 72, 765-774. | 2.2 | 58 |
| 164 | Vascular Endothelial Growth Factor Is Increased in Cerebrospinal Fluid after Traumatic Brain Injury in Infants and Children. Neurosurgery, 2004, 54, 605-612. | 1.1 | 57 |
| 165 | Comparisons of perceived quality of life across clinical states in bipolar disorder: data from the first 2000 Systematic Treatment Enhancement Program for Bipolar Disorder (STEP-BD) participants. Comprehensive Psychiatry, 2006, 47, 161-168. | 3.1 | 57 |
| 166 | Psychotic Symptoms in Alzheimer's Disease Are Not Associated With More Severe Neuropathologic Features. International Psychogeriatrics, 2000, 12, 547-558. | 1.0 | 56 |
| 167 | Effectiveness of Pharmacological Therapies for Intracranial Hypertension in Children With Severe Traumatic Brain Injury—Results From an Automated Data Collection System Time-Synched to Drug Administration. Pediatric Critical Care Medicine, 2016, 17, 236-245. | 0.5 | 56 |
| 168 | Quinolinic acid in the cerebrospinal fluid of children after traumatic brain injury. Critical Care Medicine, 1999, 27, 493-497. | 0.9 | 56 |
| 169 | Clinical Features of Depression in Outpatients With and Without Co-Occurring General Medical Conditions in STAR*D. Primary Care Companion To the Journal of Clinical Psychiatry, 2007, 09, 7-15. | 0.6 | 56 |
| 170 | Positron emission tomography imaging of peripheral benzodiazepine receptor binding in human immunodeficiency virus–infected subjects with and without cognitive impairment. Journal of NeuroVirology, 2006, 12, 262-271. | 2.1 | 55 |
| 171 | Intracranial pressure-monitoring systems in children with traumatic brain injury: Combining therapeutic and diagnostic tools*. Pediatric Critical Care Medicine, 2011, 12, 560-565. | 0.5 | 55 |
| 172 | Ethnicity/Race and Outcome in the Treatment of Depression. Medical Care, 2007, 45, 1043-1051. | 2.4 | 54 |
| 173 | Suicide and suicide attempts in the Systematic Treatment Enhancement Program for Bipolar Disorder (STEP-BD). Journal of Affective Disorders, 2011, 133, 423-427. | 4.1 | 54 |
| 174 | Implementation of AF-CBT by Community Practitioners Serving Child Welfare and Mental Health. Child Maltreatment, 2012, 17, 32-46. | 3.3 | 53 |
| 175 | Severe Brief Pressure-Controlled Hemorrhagic Shock after Traumatic Brain Injury Exacerbates Functional Deficits and Long-Term Neuropathological Damage in Mice. Journal of Neurotrauma, 2012, 29, 2192-2208. | 3.4 | 53 |
| 176 | Disturbed Sleep, a Novel Risk Factor for Preterm Birth?. Journal of Women's Health, 2012, 21, 54-60. | 3.3 | 53 |
| 177 | Age-Related Characteristics of Depression: A Preliminary STAR*D Report. American Journal of Geriatric Psychiatry, 2005, 13, 852-860. | 1.2 | 52 |
| 178 | Mother-Infant Antidepressant Concentrations, Maternal Depression, and Perinatal Events. Journal of Clinical Psychiatry, 2011, 72, 994-1001. | 2.2 | 52 |
| 179 | Bone mineral density and prevalent vertebral fractures in men and women. Osteoporosis International, 2004, 15, 32-37. | 3.1 | 51 |
| 180 | Abusive Head Trauma and Mortality–An Analysis From an International Comparative Effectiveness Study of Children With Severe Traumatic Brain Injury. Critical Care Medicine, 2017, 45, 1398-1407. | 0.9 | 51 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Do atypical features affect outcome in depressed outpatients treated with citalopram?. International Journal of Neuropsychopharmacology, 2010, 13, 15. | 2.1 | 50 |
| 182 | Assessment of Functioning in New Mothers. Journal of Women's Health, 2010, 19, 1493-1499. | 3.3 | 50 |
| 183 | Relationship of Intracranial Pressure and Cerebral Perfusion Pressure with Outcome in Young Children after Severe Traumatic Brain Injury. Developmental Neuroscience, 2010, 32, 413-9. | 2.0 | 50 |
| 184 | Brain tissue oxygen monitoring after severe traumatic brain injury in children: relationship to outcome and association with other clinical parameters. Journal of Neurosurgery: Pediatrics, 2012, 10, 383-391. | 1.3 | 49 |
| 185 | The Th1 versus Th2 cytokine profile in cerebrospinal fluid after severe traumatic brain injury in infants and children. Pediatric Critical Care Medicine, 2001, 2, 260-264. | 0.5 | 48 |
| 186 | The influence of menopause status and postmenopausal use of hormone therapy on presentation of major depression in women. Menopause, 2010, 17, 828-839. | 2.0 | 47 |
| 187 | Relationship Between Obesity and Depression. Psychosomatic Medicine, 2013, 75, 863-872. | 2.0 | 47 |
| 188 | α-Synuclein Levels Are Elevated in Cerebrospinal Fluid following Traumatic Brain Injury in Infants and Children: The Effect of Therapeutic Hypothermia. Developmental Neuroscience, 2010, 32, 385-395. | 2.0 | 45 |
| 189 | Randomized comparison of selective serotonin reuptake inhibitor (escitalopram) monotherapy and antidepressant combination pharmacotherapy for major depressive disorder with melancholic features: A CO-MED report. Journal of Affective Disorders, 2011, 133, 467-476. | 4.1 | 45 |
| 190 | Impact of Prenatal Exposure to Serotonin Reuptake Inhibitors or Maternal Major Depressive Disorder on Infant Developmental Outcomes. Journal of Clinical Psychiatry, 2014, 75, 1088-1095. | 2.2 | 45 |
| 191 | An Open Pilot Study of the Combination of Escitalopram and Bupropion-SR for Outpatients with Major Depressive Disorder. Journal of Psychiatric Practice, 2008, 14, 271-280. | 0.7 | 44 |
| 192 | Income and attrition in the treatment of depression: a STAR*D report. Depression and Anxiety, 2009, 26, 622-633. | 4.1 | 44 |
| 193 | Life-Threatening Bleeding in Children: A Prospective Observational Study. Critical Care Medicine, 2021, 49, 1943-1954. | 0.9 | 44 |
| 194 | Effect of Antidepressant Medication Treatment on Suicidal Ideation and Behavior in a Randomized Trial. Journal of Clinical Psychiatry, 2011, 72, 1322-1332. | 2.2 | 44 |
| 195 | Hemorrhagic Shock Shifts the Serum Cytokine Profile from Pro- to Anti-Inflammatory after Experimental Traumatic Brain Injury in Mice. Journal of Neurotrauma, 2014, 31, 1386-1395. | 3.4 | 43 |
| 196 | Effect of Antimicrobial Therapy on Respiratory Hospitalization or Death in Adults With Idiopathic Pulmonary Fibrosis. JAMA - Journal of the American Medical Association, 2021, 325, 1841. | 7.4 | 43 |
| 197 | Age-Related Characteristics of Depression: A Preliminary STAR*D Report. American Journal of Geriatric Psychiatry, 2005, 13, 852-860. | 1.2 | 43 |
| 198 | Web-based communications and management of a multi-center clinical trial: the Sequenced Treatment Alternatives to Relieve Depression (STAR*D) project. Clinical Trials, 2004, 1, 387-398. | 1.6 | 42 |

| # | Article | IF | Citations |
|-----|--|--------------|-----------|
| 199 | Increases in Cerebrospinal Fluid Caffeine Concentration are Associated with Favorable Outcome after Severe Traumatic Brain injury in Humans. Journal of Cerebral Blood Flow and Metabolism, 2008, 28, 395-401. | 4.3 | 42 |
| 200 | The Impact of HAART on the Respiratory Complications of HIV Infection: Longitudinal Trends in the MACS and WIHS Cohorts. PLoS ONE, 2013, 8, e58812. | 2.5 | 42 |
| 201 | Mild Hypothermia Improves Survival After Prolonged, Traumatic Hemorrhagic Shock in Pigs. Journal of Trauma, 2005, 59, 291-301. | 2.3 | 41 |
| 202 | Cognitive therapy for anxious depression in STARâŽD: What have we learned?. Journal of Affective Disorders, 2012, 142, 213-218. | 4.1 | 41 |
| 203 | The Psychometric Properties of the Barkin Index of Maternal Functioning. JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing, 2014, 43, 792-802. | 0.5 | 41 |
| 204 | Factors associated with onset timing, symptoms, and severity of depression identified in the postpartum period. Journal of Affective Disorders, 2016, 203, 111-120. | 4.1 | 41 |
| 205 | Treatment Outcomes for Older Depressed Patients With Earlier Versus Late Onset of First Depressive Episode: A Sequenced Treatment Alternatives to Relieve Depression (STAR*D) Report. American Journal of Geriatric Psychiatry, 2008, 16, 58-64. | 1.2 | 40 |
| 206 | Intracranial Hypertension and Cerebral Hypoperfusion in Children With Severe Traumatic Brain Injury: Thresholds and Burden in Accidental and Abusive Insults. Pediatric Critical Care Medicine, 2016, 17, 444-450. | 0.5 | 40 |
| 207 | Improving Cost-effectiveness and Access to Cognitive Behavior Therapy for Depression: Providing Remote-Ready, Computer-Assisted Psychotherapy in Times of Crisis and Beyond. Psychotherapy and Psychosomatics, 2020, 89, 307-313. | 8.8 | 39 |
| 208 | PET imaging of brain macrophages using the peripheral benzodiazepine receptor in a macaque model of neuroAIDS. Journal of Clinical Investigation, 2004, 113, 981-989. | 8.2 | 39 |
| 209 | Phase I randomized clinical trial of N-acetylcysteine in combination with an adjuvant probenecid for treatment of severe traumatic brain injury in children. PLoS ONE, 2017, 12, e0180280. | 2.5 | 39 |
| 210 | Does the Duration of Index Episode Affect the Treatment Outcome of Major Depressive Disorder?. Journal of Clinical Psychiatry, 2008, 69, 1246-1256. | 2.2 | 39 |
| 211 | Mri Assessment of Cerebral Blood Flow after Experimental Traumatic Brain Injury Combined with Hemorrhagic Shock in Mice. Journal of Cerebral Blood Flow and Metabolism, 2013, 33, 129-136. | 4.3 | 38 |
| 212 | Influenza and other respiratory virus infections in outpatients with medically attended acute respiratory infection during the 2011â€12 influenza season. Influenza and Other Respiratory Viruses, 2014, 8, 397-405. | 3.4 | 38 |
| 213 | Age and Mortality in Pediatric Severe Traumatic Brain Injury: Results from an International Study. Neurocritical Care, 2018, 28, 302-313. | 2.4 | 38 |
| 214 | Derivation and Validation of a Prediction Rule for Two‥ear Mortality in Early Diffuse Cutaneous Systemic Sclerosis. Arthritis and Rheumatology, 2014, 66, 1616-1624. | 5 . 6 | 37 |
| 215 | No long-term benefit from hypothermia after severe traumatic brain injury with secondary insult in rats. Critical Care Medicine, 2000, 28, 3218-3223. | 0.9 | 36 |
| 216 | Prevention of Missing Data in Clinical Research Studies. Biological Psychiatry, 2006, 59, 997-1000. | 1.3 | 36 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | Brief, unidimensional melancholia rating scales are highly sensitive to the effect of citalopram and may have biological validity: Implications for the Research Domain Criteria (RDoC). Journal of Affective Disorders, 2014, 163, 18-24. | 4.1 | 36 |
| 218 | Factors Associated with Postpartum Maternal Functioning in Women with Positive Screens for Depression. Journal of Women's Health, 2016, 25, 707-713. | 3.3 | 36 |
| 219 | Challenges and opportunities for pediatric severe TBI—review of the evidence and exploring a way forward. Child's Nervous System, 2017, 33, 1663-1667. | 1.1 | 36 |
| 220 | PET imaging of brain macrophages using the peripheral benzodiazepine receptor in a macaque model of neuroAIDS. Journal of Clinical Investigation, 2004, 113, 981-989. | 8.2 | 36 |
| 221 | Diurnal Mood Variation in Outpatients With Major Depressive Disorder. Journal of Clinical Psychiatry, 2007, 68, 1339-1347. | 2.2 | 36 |
| 222 | Clinical and Sociodemographic Characteristics Associated with Suicidal Ideation in Depressed Outpatients. Canadian Journal of Psychiatry, 2013, 58, 113-122. | 1.9 | 35 |
| 223 | Multi-omic analysis in injured humans: Patterns align with outcomes and treatment responses. Cell Reports Medicine, 2021, 2, 100478. | 6.5 | 35 |
| 224 | Acute etomidate treatment reduces cognitive deficits and histopathology in rats with traumatic brain injury. Critical Care Medicine, 2003, 31, 2222-2227. | 0.9 | 34 |
| 225 | Characterization of the Effects of Adenosine Receptor Agonists on Cerebral Blood Flow in Uninjured and Traumatically Injured Rat Brain using Continuous Arterial Spin-Labeled Magnetic Resonance Imaging. Journal of Cerebral Blood Flow and Metabolism, 2005, 25, 1596-1612. | 4.3 | 34 |
| 226 | Brain imaging predictors and the international study to predict optimized treatment for depression: study protocol for a randomized controlled trial. Trials, 2013, 14, 224. | 1.6 | 34 |
| 227 | Do Menopausal Status and Use of Hormone Therapy Affect Antidepressant Treatment Response? Findings from the Sequenced Treatment Alternatives to Relieve Depression (STAR*D) Study. Journal of Women's Health, 2013, 22, 121-131. | 3.3 | 34 |
| 228 | Contributors to Suicidal Ideation Among Bipolar Patients With and Without a History of Suicide Attempts. Suicide and Life-Threatening Behavior, 2005, 35, 671-680. | 1.9 | 33 |
| 229 | Depression Treatment in Patients With General Medical Conditions: Results From the CO-MED Trial. Annals of Family Medicine, 2012, 10, 23-33. | 1.9 | 33 |
| 230 | Energy Expenditure in Children After Severe Traumatic Brain Injury. Pediatric Critical Care Medicine, 2014, 15, 242-249. | 0.5 | 33 |
| 231 | Paths to Successful Translation of New Therapies for Severe Traumatic Brain Injury in the Golden Age of Traumatic Brain Injury Research: A Pittsburgh Vision. Journal of Neurotrauma, 2020, 37, 2353-2371. | 3.4 | 31 |
| 232 | Major Depressive Disorder and Comorbid Cardiac Disease: Is There a Depressive Subtype With Greater Cardiovascular Morbidity? Results From the STAR*D Study. Psychosomatics, 2007, 48, 418-425. | 2.5 | 30 |
| 233 | Effects of Race and Ethnicity on Depression Treatment Outcomes: The CO-MED Trial. Psychiatric Services, 2011, 62, 1167-1179. | 2.0 | 30 |
| 234 | Depression treatment and maternal functioning. Depression and Anxiety, 2011, 28, 1020-1026. | 4.1 | 29 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 235 | Derivation and External Validation of a Prediction Rule for Fiveâ€Year Mortality in Patients With Early Diffuse Cutaneous Systemic Sclerosis. Arthritis and Rheumatology, 2016, 68, 993-1003. | 5.6 | 29 |
| 236 | Tripartite Stratification of the Glasgow Coma Scale in Children with Severe Traumatic Brain Injury and Mortality: An Analysis from a Multi-Center Comparative Effectiveness Study. Journal of Neurotrauma, 2017, 34, 2220-2229. | 3.4 | 29 |
| 237 | Correlates of Postpartum Maternal Functioning in a Low-Income Obstetric Population. Journal of the American Psychiatric Nurses Association, 2017, 23, 149-158. | 1.0 | 29 |
| 238 | Comparison of Intracranial Pressure Measurements Before and After Hypertonic Saline or Mannitol Treatment in Children With Severe Traumatic Brain Injury. JAMA Network Open, 2022, 5, e220891. | 5.9 | 29 |
| 239 | Assessment of the Macrophage Marker Quinolinic Acid in Cerebrospinal Fluid after Pediatric Traumatic Brain Injury: Insight into the Timing and Severity of Injury in Child Abuse. Journal of Neurotrauma, 2004, 21, 1123-1130. | 3.4 | 28 |
| 240 | Suicidal Ideation and Pharmacotherapy Among STEP-BD Patients. Psychiatric Services, 2005, 56, 1534-1540. | 2.0 | 28 |
| 241 | Serum and Cerebrospinal Fluid Magnesium in Severe Traumatic Brain Injury Outcome. Journal of Neurotrauma, 2007, 24, 1347-1354. | 3.4 | 28 |
| 242 | Sociodemographic, clinical, and treatment characteristics associated with worsened depression during treatment with citalopram: results of the NIMH STAR [*] D trial. Depression and Anxiety, 2009, 26, 612-621. | 4.1 | 28 |
| 243 | Transdermal Estradiol Treatment for Postpartum Depression. Journal of Clinical Psychopharmacology, 2015, 35, 389-395. | 1.4 | 28 |
| 244 | Psychosocial Service Utilization by Patients with Bipolar Disorders: Data from the First 500 Participants in the Systematic Treatment Enhancement Program. Journal of Psychiatric Practice, 2004, 10, 81-87. | 0.7 | 27 |
| 245 | Omega-3 fatty acids in bipolar disorder: Clinical and research considerations. Prostaglandins Leukotrienes and Essential Fatty Acids, 2006, 75, 315-321. | 2.2 | 27 |
| 246 | Comparison of Quality of Life Measures in a Depressed Population. Journal of Nervous and Mental Disease, 2007, 195, 219-225. | 1.0 | 27 |
| 247 | Characteristics of Insured and Noninsured Outpatients With Depression in STAR*D. Psychiatric Services, 2005, 56, 995-1004. | 2.0 | 26 |
| 248 | Response to Zhang et al., (2005) Loss-of-Function Mutation in Tryptophan Hydroxylase-2 Identified in Unipolar Major Depression. Neuron 45, 11–16. Neuron, 2005, 48, 702-703. | 8.1 | 26 |
| 249 | Mitochondrial Heat Shock Protein 60 Is Increased in Cerebrospinal Fluid following Pediatric Traumatic Brain Injury. Developmental Neuroscience, 2006, 28, 336-341. | 2.0 | 26 |
| 250 | Depression Outcomes of Spanish- and English-Speaking Hispanic Outpatients in STAR*D. Psychiatric Services, 2008, 59, 1273-1284. | 2.0 | 26 |
| 251 | The impact of diabetes on depression treatment outcomes. General Hospital Psychiatry, 2010, 32, 33-41. | 2.4 | 26 |
| 252 | What are the clinical implications of new onset or worsening anxiety during the first two weeks of SSRI treatment for depression?. Depression and Anxiety, 2012, 29, 94-101. | 4.1 | 26 |

| # | Article | IF | CITATIONS |
|-----|--|-------------|-----------|
| 253 | Rescue alemtuzumab for refractory acute cellular rejection and bronchiolitis obliterans syndrome after lung transplantation. Clinical Transplantation, 2017, 31, e12899. | 1.6 | 26 |
| 254 | Genetic association of two chromosome 14 genes (presenilin 1 and ?1-Antichymotrypsin) with Alzheimer's disease. Annals of Neurology, 1998, 44, 387-390. | 5. 3 | 25 |
| 255 | Suicide risk management for the sequenced treatment alternatives to relieve depression study: applied NIMH guidelines. Journal of Psychiatric Research, 2004, 38, 583-589. | 3.1 | 25 |
| 256 | Identifying Risk for Attrition during Treatment for Depression. Psychotherapy and Psychosomatics, 2009, 78, 372-379. | 8.8 | 25 |
| 257 | Effect of Hyperoxia on Resuscitation of Experimental Combined Traumatic Brain Injury and Hemorrhagic Shock in Mice. Anesthesiology, 2013, 118, 649-663. | 2.5 | 25 |
| 258 | Clinical Profile, Etiology, and Treatment of Chronic Pancreatitis in North American Women. Pancreas, 2016, 45, 934-940. | 1.1 | 25 |
| 259 | Use of magnetic resonance imaging in severe pediatric traumatic brain injury: assessment of current practice. Journal of Neurosurgery: Pediatrics, 2019, 23, 471-479. | 1.3 | 25 |
| 260 | The Impact of Chronic Depression on Acute and Long-Term Outcomes in a Randomized Trial Comparing Selective Serotonin Reuptake Inhibitor Monotherapy Versus Each of 2 Different Antidepressant Medication Combinations. Journal of Clinical Psychiatry, 2012, 73, 967-976. | 2.2 | 25 |
| 261 | Care satisfaction, hope, and life functioning among adults with bipolar disorder: data from the first 1000 participants in the Systematic Treatment Enhancement Program. Comprehensive Psychiatry, 2005, 46, 98-104. | 3.1 | 23 |
| 262 | Diurnal mood variation in outpatients with major depressive disorder. Depression and Anxiety, 2009, 26, 851-863. | 4.1 | 23 |
| 263 | Disposition of Chiral and Racemic Fluoxetine and Norfluoxetine Across Childbearing. Journal of Clinical Psychopharmacology, 2010, 30, 381-386. | 1.4 | 23 |
| 264 | How influenza vaccination policy may affect vaccine logistics. Vaccine, 2012, 30, 4517-4523. | 3.8 | 23 |
| 265 | The Clinical Relevance of Self-Reported Premenstrual Worsening of Depressive Symptoms in the Management of Depressed Outpatients: A STAR*D Report. Journal of Women's Health, 2013, 22, 219-229. | 3.3 | 23 |
| 266 | Use of Antifibrinolytics in Pediatric Life-Threatening Hemorrhage: A Prospective Observational Multicenter Study. Critical Care Medicine, 2022, 50, e382-e392. | 0.9 | 23 |
| 267 | Clinical and Functional Outcomes of Patients Who Experience Partial Response to Citalopram. Journal of Psychiatric Practice, 2014, 20, 178-187. | 0.7 | 22 |
| 268 | Viral infections in outpatients with medically attended acute respiratory illness during the 2012–2013 influenza season. BMC Infectious Diseases, 2015, 15, 87. | 2.9 | 22 |
| 269 | Initiating Nutritional Support Before 72 Hours Is Associated With Favorable Outcome After Severe Traumatic Brain Injury in Children: A Secondary Analysis of a Randomized, Controlled Trial of Therapeutic Hypothermia. Pediatric Critical Care Medicine, 2018, 19, 345-352. | 0.5 | 22 |
| 270 | Prevalence and clinical correlates of irritability in major depressive disorder: a preliminary report from the Sequenced Treatment Alternatives to Relieve Depression study. Journal of Clinical Psychiatry, 2005, 66, 159-66; quiz 147, 273-4. | 2,2 | 22 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 271 | Baseline Predictors of Serious Adverse Events at One Year Among Patients With Bipolar Disorder in STEP-BD. Psychiatric Services, 2005, 56, 1541-1548. | 2.0 | 21 |
| 272 | Enrolling research subjects from clinical practice: Ethical and procedural issues in the Sequenced Treatment Alternatives to Relieve Depression (STARâŽD) trial. Psychiatry Research, 2006, 141, 193-200. | 3.3 | 21 |
| 273 | Early Adverse Events and Attrition in Selective Serotonin Reuptake Inhibitor Treatment. Journal of Clinical Psychopharmacology, 2010, 30, 259-266. | 1.4 | 21 |
| 274 | Correlates and outcomes of depressed out-patients with greater and fewer anxious symptoms: a CO-MED report. International Journal of Neuropsychopharmacology, 2012, 15, 1387-1399. | 2.1 | 21 |
| 275 | Apolipoprotein E and Alpha-1-Antichymotrypsin Genotypes Do Not Predict Time to Psychosis in Alzheimer's Disease. Journal of Geriatric Psychiatry and Neurology, 2002, 15, 24-30. | 2.3 | 20 |
| 276 | Diabetes and postcataract extraction endophthalmitis. Current Opinion in Ophthalmology, 2002, 13, 147-151. | 2.9 | 20 |
| 277 | Electronic source materials in clinical research: Acceptability and validity of symptom self-rating in major depressive disorder. Journal of Psychiatric Research, 2007, 41, 737-743. | 3.1 | 20 |
| 278 | Metabolic Assessment of Aripiprazole as Adjunctive Therapy in Major Depressive Disorder. Journal of Clinical Psychopharmacology, 2009, 29, 362-367. | 1.4 | 19 |
| 279 | Local Spatial and Temporal Processes of Influenza in Pennsylvania, USA: 2003–2009. PLoS ONE, 2012, 7, e34245. | 2.5 | 19 |
| 280 | Pre-treatment insomnia as a predictor of single and combination antidepressant outcomes: A CO-MED report. Journal of Affective Disorders, 2015, 174, 157-164. | 4.1 | 19 |
| 281 | On-pump versus off-pump coronary artery bypass graft surgery among patients with type 2 diabetes in the Bypass Angioplasty Revascularization Investigation 2 Diabetes trial. European Journal of Cardio-thoracic Surgery, 2016, 49, 406-416. | 1.4 | 19 |
| 282 | Structure, Process, and Culture Differences of Pediatric Trauma Centers Participating in an International Comparative Effectiveness Study of Children with Severe Traumatic Brain Injury. Neurocritical Care, 2016, 24, 353-360. | 2.4 | 19 |
| 283 | Family History of Depression and Therapeutic Outcome. Journal of Clinical Psychiatry, 2009, 70, 185-195. | 2.2 | 19 |
| 284 | Dysfunctional Attitudes, Attributional Styles, and Phase of Illness in Bipolar Disorder. Cognitive Therapy and Research, 2010, 34, 24-34. | 1.9 | 18 |
| 285 | Psychotherapy, Symptom Outcomes, and Role Functioning Over One Year Among Patients With Bipolar Disorder. Psychiatric Services, 2006, 57, 959-965. | 2.0 | 17 |
| 286 | Distal Support and Community Living Among Individuals Diagnosed with Schizophrenia and Schizoaffective Disorder. Psychiatry (New York), 2007, 70, 1-11. | 0.7 | 17 |
| 287 | Acute and Longer-Term Outcomes in Depressed Outpatients Requiring One or Several Treatment Steps: A STAR*D Report. Focus (American Psychiatric Publishing), 2008, 6, 128-142. | 0.8 | 17 |
| 288 | Mood symptoms in pregnant and postpartum women with bipolar disorder: a naturalistic study. Bipolar Disorders, 2017, 19, 295-304. | 1.9 | 17 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 289 | AF-CBT for Families Experiencing Physical Aggression or Abuse Served by the Mental Health or Child Welfare System: An Effectiveness Trial. Child Maltreatment, 2018, 23, 319-333. | 3.3 | 17 |
| 290 | Design and rationale of a multi-center, pragmatic, open-label randomized trial of antimicrobial therapy – the study of clinical efficacy of antimicrobial therapy strategy using pragmatic design in Idiopathic Pulmonary Fibrosis (CleanUP-IPF) clinical trial. Respiratory Research, 2020, 21, 68. | 3.6 | 17 |
| 291 | Quantitative Computer-Assisted Image Analysis of Suction Biopsy in Pediatric Gastroesophageal Reflux. Pediatric Pathology, 1994, 14, 653-664. | 0.5 | 16 |
| 292 | Family history of completed suicide and characteristics of major depressive disorder: A STARâŽD (sequenced treatment alternatives to relieve depression) study. Journal of Affective Disorders, 2008, 108, 129-134. | 4.1 | 16 |
| 293 | Changes in Depressive Symptoms and Social Functioning in the Sequenced Treatment Alternatives to Relieve Depression Study. Journal of Nervous and Mental Disease, 2011, 199, 807-810. | 1.0 | 16 |
| 294 | Assessing anxious features in depressed outpatients. International Journal of Methods in Psychiatric Research, 2011, 20, e69-82. | 2.1 | 16 |
| 295 | Generating an efficient version of the Edinburgh Postnatal Depression Scale in an urban obstetrical population. Journal of Affective Disorders, 2017, 208, 615-620. | 4.1 | 16 |
| 296 | Prevalence and Impact of Obsessive-Compulsive Symptoms in Depression. Journal of Clinical Psychiatry, 2015, 76, 1668-1674. | 2.2 | 16 |
| 297 | A comparison of baseline sociodemographic and clinical characteristics between major depressive disorder patients with and without diabetes: A STARâŽD report. Journal of Affective Disorders, 2008, 108, 113-120. | 4.1 | 15 |
| 298 | The Relationship Between Adverse Events During Selective Serotonin Reuptake Inhibitor Treatment for Major Depressive Disorder and Nonremission in the Suicide Assessment Methodology Study. Journal of Clinical Psychopharmacology, 2011, 31, 31-38. | 1.4 | 15 |
| 299 | Sensitivity, specificity, and predictive power of the "Brief Riskâ€resilience Index for SC reening,―a brief panâ€diagnostic web screen for emotional health. Brain and Behavior, 2012, 2, 576-589. | 2.2 | 15 |
| 300 | EFFECT OF CONCURRENT SUBSTANCE USE DISORDER ON THE EFFECTIVENESS OF SINGLE AND COMBINATION ANTIDEPRESSANT MEDICATIONS FOR THE TREATMENT OF MAJOR DEPRESSION: AN EXPLORATORY ANALYSIS OF A SINGLE-BLIND RANDOMIZED TRIAL. Depression and Anxiety, 2012, 29, 111-122. | 4.1 | 15 |
| 301 | Presenting Characteristics Associated With Outcome in Children With Severe Traumatic Brain Injury: A Secondary Analysis From a Randomized, Controlled Trial of Therapeutic Hypothermia*. Pediatric Critical Care Medicine, 2018, 19, 957-964. | 0.5 | 15 |
| 302 | Local Variations in Spatial Synchrony of Influenza Epidemics. PLoS ONE, 2012, 7, e43528. | 2.5 | 15 |
| 303 | Diurnal mood variation in outpatients with major depressive disorder: implications for DSM-V from an analysis of the Sequenced Treatment Alternatives to Relieve Depression Study data. Journal of Clinical Psychiatry, 2007, 68, 1339-47. | 2.2 | 15 |
| 304 | Mechanical vs Manual Manipulation for Low Back Pain: An Observational Cohort Study. Journal of Manipulative and Physiological Therapeutics, 2010, 33, 193-200. | 0.9 | 14 |
| 305 | Maternal–Infant interaction in women with unipoloar and bipolar depression. Applied Nursing Research, 2015, 28, 381-383. | 2.2 | 14 |
| 306 | Practice Patterns in Pharmacological and Non-Pharmacological Therapies for Children with Mild Traumatic Brain Injury: A Survey of 15 Canadian and United States Centers. Journal of Neurotrauma, 2019, 36, 2886-2894. | 3.4 | 14 |

| # | Article | IF | CITATIONS |
|-----|---|-------------|-----------|
| 307 | Postpartum Lipid Levels in Women with Major Depression. Journal of Women's Health, 2012, 21, 534-538. | 3.3 | 13 |
| 308 | Effect of Administration of Neuromuscular Blocking Agents in Children With Severe Traumatic Brain Injury on Acute Complication Rates and Outcomes. Pediatric Critical Care Medicine, 2015, 16, 352-358. | 0.5 | 13 |
| 309 | Effect of aerosolized antipseudomonals on <i><scp>P</scp>seudomonas</i> positivity and bronchiolitis obliterans syndrome after lung transplantation. Transplant Infectious Disease, 2017, 19, e12688. | 1.7 | 13 |
| 310 | Effect of vitamin D supplementation on total and allergen-specific IgE in children with asthma and low vitamin D levels. Journal of Allergy and Clinical Immunology, 2022, 149, 440-444.e2. | 2.9 | 13 |
| 311 | Are Depressed Outpatients With and Without a Family History of Substance Use Disorder Different?. Journal of Clinical Psychiatry, 2007, 68, 1931-1938. | 2.2 | 13 |
| 312 | Cerebrospinal fluid procalcitonin and severe traumatic brain injury in children. Pediatric Critical Care Medicine, 2002, 3, 39-44. | 0.5 | 12 |
| 313 | Rationale and Design of the Genomic Research in Alpha-1 Antitrypsin Deficiency and Sarcoidosis Study. Alpha-1 Protocol. Annals of the American Thoracic Society, 2015, 12, 1551-1560. | 3.2 | 12 |
| 314 | Association of Pharmacological Interventions With Symptom Burden Reduction in Patients With Mild Traumatic Brain Injury. JAMA Neurology, 2021, 78, 596. | 9.0 | 12 |
| 315 | Clinically Relevant Findings from STAR*D. Psychiatric Annals, 2008, 38, . | 0.1 | 12 |
| 316 | One-Year Developmental Outcomes for Infants of Mothers With Bipolar Disorder. Journal of Clinical Psychiatry, 2017, 78, 1083-1090. | 2.2 | 12 |
| 317 | Comparative Effectiveness of Diversion of Cerebrospinal Fluid for Children With Severe Traumatic Brain Injury. JAMA Network Open, 2022, 5, e2220969. | 5. 9 | 12 |
| 318 | The Impact of Nonclinical Factors on Care Use for Patients with Depression: A STAR*D Report. CNS Neuroscience and Therapeutics, 2009, 15, 320-332. | 3.9 | 11 |
| 319 | Abnormal screening for gestational diabetes, maternal mood disorder, and preterm birth. Bipolar Disorders, 2014, 16, 308-317. | 1.9 | 11 |
| 320 | The Rapid Escalation of Fentanyl in Illicit Drug Evidence in Allegheny County, Pennsylvania, 2010-2016. Public Health Reports, 2018, 133, 142-146. | 2.5 | 11 |
| 321 | Factors Associated with Concomitant Psychotropic Drug Use in the Treatment of Major Depression: A STAR*D Report. CNS Spectrums, 2009, 14, 487-498. | 1.2 | 10 |
| 322 | Anaphylaxis management before and after implementation of guidelines in the pediatric emergency department. Journal of Allergy and Clinical Immunology: in Practice, 2015, 3, 604-606.e2. | 3.8 | 10 |
| 323 | Effectiveness Study of Venlafaxine-XR Combined with Aripiprazole for Chronic or Recurrent Major Depressive Disorder. Australian and New Zealand Journal of Psychiatry, 2009, 43, 956-967. | 2.3 | 9 |
| 324 | Prospective evaluation of nighttime hot flashes during pregnancy and postpartum. Fertility and Sterility, 2013, 100, 1667-1672. | 1.0 | 9 |

| # | Article | IF | Citations |
|-----|---|------|-----------|
| 325 | Cerebrospinal Fluid Sulfonylurea Receptor-1 is Associated with Intracranial Pressure and Outcome after Pediatric TBI: An Exploratory Analysis of the Cool Kids Trial. Journal of Neurotrauma, 2021, 38, 1615-1619. | 3.4 | 9 |
| 326 | Violence-related distress and lung function in two longitudinal studies of youth. European Respiratory Journal, 2022, 59, 2102329. | 6.7 | 9 |
| 327 | Global benefit–risk analysis of adjunctive aripiprazole in the treatment of patients with major depressive disorder. Pharmacoepidemiology and Drug Safety, 2009, 18, 965-972. | 1.9 | 8 |
| 328 | Is third trimester serotonin reuptake inhibitor use associated with postpartum hemorrhage?. Journal of Psychiatric Research, 2016, 73, 79-85. | 3.1 | 8 |
| 329 | Telephone-Based Depression Care Management for Postpartum Women. Journal of Clinical Psychiatry, 2017, 78, 1369-1375. | 2.2 | 8 |
| 330 | Methods of testing feasibility for sequenced treatment alternatives to relieve depression (STAR*D). Journal of Psychiatric Research, 2004, 38, 241-248. | 3.1 | 7 |
| 331 | Predictors of Recurrence in Bipolar Disorder: Primary Outcomes From the Systematic Treatment Enhancement Program for Bipolar Disorder (STEP-BD). Focus (American Psychiatric Publishing), 2006, 4, 553-561. | 0.8 | 7 |
| 332 | The Implementation of Cognitive Therapy in STAR*D. Cognitive Therapy and Research, 2004, 28, 819-833. | 1.9 | 6 |
| 333 | Quality improvement methods as applied to a multicenter effectiveness trialâ€"STAR*D. Contemporary Clinical Trials, 2005, 26, 95-112. | 1.8 | 6 |
| 334 | Relationship Between Increases in Pancreatic Enzymes and Cerebral Events in Children After Traumatic Brain Injury. Neurocritical Care, 2009, 11, 322-329. | 2.4 | 6 |
| 335 | Mortality Among Foreign Nationals in Chiang Mai City, Thailand, 2010 to 2011. Journal of Travel Medicine, 2012, 19, 344-351. | 3.0 | 6 |
| 336 | Severe traumatic brain injury in children: a vision for the future. Intensive Care Medicine, 2016, 42, 1618-1620. | 8.2 | 6 |
| 337 | Are Patients with Childhood Onset of Insomnia and Depression More Difficult to Treat Than Are Those with Adult Onsets of These Disorders? A Report from the TRIAD Study. Journal of Clinical Sleep Medicine, 2017, 13, 205-213. | 2.6 | 6 |
| 338 | Vitamin D supplementation, lung function and asthma control in children with asthma and low vitamin D levels. European Respiratory Journal, 2021, 58, 2100989. | 6.7 | 6 |
| 339 | Dr. Trivedi and Colleagues Reply. American Journal of Psychiatry, 2006, 163, 1293-1294. | 7.2 | 5 |
| 340 | Insured and Non-insured Depressed Outpatients: How Do They Compare?. Annals of Clinical Psychiatry, 2007, 19, 73-82. | 0.6 | 5 |
| 341 | CBT for treatment resistant depression. Lancet, The, 2013, 381, 352-353. | 13.7 | 5 |
| 342 | Detection of Influenza Virus Infection Using Two PCR Methods. Advances in Virology, 2014, 2014, 1-3. | 1.1 | 5 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 343 | Cost-Effective Drug Switch Options After Unsuccessful Treatment With an SSRI for Depression. Psychiatric Services, 2017, 68, 81-87. | 2.0 | 5 |
| 344 | Effects of Collaborative Care for Comorbid Attention Deficit Hyperactivity Disorder Among Children With Behavior Problems in Pediatric Primary Care. Clinical Pediatrics, 2020, 59, 787-800. | 0.8 | 5 |
| 345 | Gene coexpression networks reveal novel molecular endotypes in alpha-1 antitrypsin deficiency. Thorax, 2021, 76, 134-143. | 5.6 | 5 |
| 346 | Effects of heart disease on depression treatment: results from the COMED study. General Hospital Psychiatry, 2012, 34, 24-34. | 2.4 | 4 |
| 347 | Agreement of Physicians and Nurses Performing Tender and Swollen Joint Counts in Rheumatoid Arthritis. Journal of Clinical Rheumatology, 2016, 22, 30-34. | 0.9 | 4 |
| 348 | Cerebrospinal Fluid Biomarkers of Simian Immunodeficiency Virus Encephalitis. Journal of NeuroImmune Pharmacology, 2016, 11, 332-347. | 4.1 | 4 |
| 349 | Development of an efficient SAS® macro to perform permutation tests for two independent samples. Computer Methods and Programs in Biomedicine, 2005, 79, 179-187. | 4.7 | 3 |
| 350 | Voice response system to measure healthcare costs: a STAR*D report. American Journal of Managed Care, 2009, 15, 153-62. | 1.1 | 3 |
| 351 | Cognitive Therapy Versus Medication in Augmentation and Switch Strategies as Second-Step Treatments: A STAR*D Report. Focus (American Psychiatric Publishing), 2008, 6, 104-119. | 0.8 | 2 |
| 352 | Response to Blier Letter. American Journal of Psychiatry, 2012, 169, 95-96. | 7.2 | 2 |
| 353 | Intention to Receive Influenza Vaccine after an Acute Respiratory Illness. American Journal of Health Behavior, 2015, 39, 573-581. | 1.4 | 2 |
| 354 | Characteristics Associated with the Use of an Inpatient Rehabilitation or Skilled Nursing Facility after Acute Care in Children with Severe Traumatic Brain Injury. Developmental Neurorehabilitation, 2021, 24, 466-477. | 1.1 | 2 |
| 355 | Survey to inform trial of lowâ€titer group O wholeâ€blood compared to conventional blood components for children with severe traumatic bleeding. Transfusion, 2021, 61, S43-S48. | 1.6 | 2 |
| 356 | Do Depressed Patients With Diabetes Experience More Side Effects When Treated With Citalopram Than Their Counterparts Without Diabetes?. Primary Care Companion To the Journal of Clinical Psychiatry, 2009, 11, 186-196. | 0.6 | 2 |
| 357 | Cognitive Therapy Augmentation versus CT Switch Treatment: A STAR*D Report. International Journal of Cognitive Therapy, 2009, 2, 66-87. | 2.2 | 1 |
| 358 | Release bias in accessing medical records in clinical trials: a STAR*D report. International Journal of Methods in Psychiatric Research, 2009, 18, 147-158. | 2.1 | 1 |
| 359 | Combining Medications to Enhance Depression Outcomes (CO-MED): Acute and Long-Term Outcomes of a Single-Blind Randomized Study. Focus (American Psychiatric Publishing), 2012, 10, 492-505. | 0.8 | 1 |
| 360 | What Did STAR✫D Teach Us? Results From a Large-Scale, Practical, Clinical Trial for Patients With Depression. Focus (American Psychiatric Publishing), 2012, 10, 510-517. | 0.8 | 1 |

| # | Article | IF | CITATIONS |
|-----|--|-------------------|-------------|
| 361 | Hypothermia in paediatric traumatic brain injury – Authors' reply. Lancet Neurology, The, 2013, 12, 849-850. | 10.2 | 1 |
| 362 | Theoretical Approaches to Maternal–Infant Interaction: Which Approach Best Discriminates Between Mothers With and Without Postpartum Depression?. Archives of Psychiatric Nursing, 2014, 28, 384-388. | 1.4 | 1 |
| 363 | Suicidal Ideation and Pharmacotherapy Among STEP-BD Patients. Focus (American Psychiatric) Tj ETQq1 1 0.784: | 314 rgBT / 0.8 | Oyerlock 10 |
| 364 | Is Psychosocial Management Effective?â€"Reply. Archives of General Psychiatry, 2007, 64, 1452. | 12.3 | 0 |
| 365 | Antecedentes familiares de suicidio consumado y caracterÃsticas del trastorno depresivo mayor: estudio STAR*D (sequenced treatment alternatives to relieve depression). Psiquiatria Biologica, 2008, 15, 195-201. | 0.1 | 0 |
| 366 | Response to Grzeskowiak and Morrison. American Journal of Psychiatry, 2013, 170, 1364-1365. | 7.2 | 0 |
| 367 | Reply. Arthritis and Rheumatology, 2017, 69, 242-242. | 5.6 | 0 |
| 368 | Do depressed patients with diabetes experience more side effects when treated with CitalopramThan their counterparts without diabetes? a STAR*D study. Primary Care Companion To the Journal of Clinical Psychiatry, 2009, 11, 186-96. | 0.6 | 0 |
| 369 | Assessing Unexpected Circumstances That Lead to Modifications in Clinical Trial Design, Conduct, or Analysis. JAMA - Journal of the American Medical Association, 2022, 327, 868. | 7.4 | O |