

Emanuele Bertaglia

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4252698/emanuele-bertaglia-publications-by-year.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| | | | |
|--------------------|-------------------------|----------------|-----------------|
| 115 papers | 3,364 citations | 27 h-index | 55 g-index |
| 123 ext. papers | 4,057 ext. citations | 3.9 avg, IF | 4.51 L-index |

| # | Paper | IF | Citations |
|-----|---|-----|-----------|
| 115 | Does the Age Affect the Outcomes of Cardiac Resynchronization Therapy in Elderly Patients?. <i>Journal of Clinical Medicine</i> , 2021 , 10, | 5.1 | 1 |
| 114 | Extraction of a very old His bundle pacing lead: A safe and effective procedure?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021 , 44, 1464-1465 | 1.6 | 0 |
| 113 | Totally peripheral approach for ICD lead vegetation removal in a GUCH patient. <i>Journal of Cardiovascular Electrophysiology</i> , 2021 , 32, 1778-1781 | 2.7 | 0 |
| 112 | Lead Abandonment and Subcutaneous Implantable Cardioverter-Defibrillator (S-ICD) Implantation in a Cohort of Patients With ICD Lead Malfunction. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 692943 | 5.4 | 2 |
| 111 | Axillary vein access for permanent pacemaker and implantable cardioverter defibrillator implantation: Fluoroscopy compared to ultrasound. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2020 , 43, 566-572 | 1.6 | 4 |
| 110 | Reproducibility of pulmonary vein isolation guided by the ablation index: 1-year outcome of the AIR registry. <i>Journal of Cardiovascular Electrophysiology</i> , 2020 , 31, 1694-1701 | 2.7 | 6 |
| 109 | Clinical predictors of pocket hematoma after cardiac device implantation and replacement. <i>Journal of Cardiovascular Medicine</i> , 2020 , 21, 123-127 | 1.9 | 5 |
| 108 | Evaluation of mexiletine effect on conduction delay and bradyarrhythmic complications in patients with myotonic dystrophy type 1 over long-term follow-up. <i>Heart Rhythm</i> , 2020 , 17, 1944-1950 | 6.7 | 7 |
| 107 | Screening of unknown atrial fibrillation through handheld device in the elderly. <i>Journal of Geriatric Cardiology</i> , 2020 , 17, 495-501 | 1.7 | 1 |
| 106 | Ultrasound-guided serratus anterior plane block for subcutaneous implantable cardioverter defibrillator implantation using the intermuscular two-incision technique. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2020 , 57, 303-309 | 2.4 | 2 |
| 105 | Predictive role of early recurrence of atrial fibrillation after cryoballoon ablation. <i>Europace</i> , 2020 , 22, 1798-1804 | 3.9 | 8 |
| 104 | Syncope, Brugada syndrome, and COVID-19 lung disease. <i>Journal of Arrhythmia</i> , 2020 , 36, 768-770 | 1.5 | 4 |
| 103 | Daily Exposure to Air Pollution Particulate Matter Is Associated with Atrial Fibrillation in High-Risk Patients. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17, | 4.6 | 5 |
| 102 | Cryoballoon Ablation in Patients With Paroxysmal Atrial Fibrillation: An Evaluation of Cohorts With and Without Structural Heart Disease. <i>Heart Lung and Circulation</i> , 2020 , 29, 1078-1086 | 1.8 | 1 |
| 101 | Burden of premature atrial beats in middle-aged endurance athletes with and without lone atrial fibrillation versus sedentary controls. <i>European Journal of Preventive Cardiology</i> , 2020 , 27, 1555-1563 | 3.9 | 1 |
| 100 | Subcutaneous implantable cardioverter defibrillator in patients with arrhythmogenic right ventricular cardiomyopathy: Results from an Italian multicenter registry. <i>International Journal of Cardiology</i> , 2019 , 280, 74-79 | 3.2 | 12 |
| 99 | Multicenter experience with the Evolution RL mechanical sheath for lead extraction using a stepwise approach: Safety, effectiveness, and outcome. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019 , 42, 989-997 | 1.6 | 11 |

| | | | |
|----|---|-----|----|
| 98 | Reproducibility of acute pulmonary vein isolation guided by the ablation index. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019 , 42, 874-881 | 1.6 | 11 |
| 97 | Multicentre experience with the second-generation subcutaneous implantable cardioverter defibrillator and the intermuscular two-incision implantation technique. <i>Journal of Cardiovascular Electrophysiology</i> , 2019 , 30, 854-864 | 2.7 | 16 |
| 96 | First-degree atrioventricular block on basal electrocardiogram predicts future arrhythmic events in patients with Brugada syndrome: a long-term follow-up study from the Veneto region of Northeastern Italy. <i>Europace</i> , 2019 , 21, 322-331 | 3.9 | 12 |
| 95 | The VALID-CRT risk score reliably predicts response and outcome of cardiac resynchronization therapy in a real-world population. <i>Clinical Cardiology</i> , 2019 , 42, 919-924 | 3.3 | 6 |
| 94 | Impact of multipoint pacing on projected battery longevity in cardiac resynchronization therapy. An IRON-MPP study sub-analysis. <i>Journal of Cardiovascular Electrophysiology</i> , 2019 , 30, 2885-2891 | 2.7 | 7 |
| 93 | Use and outcomes of subcutaneous implantable cardioverter-defibrillator (ICD) after transvenous ICD extraction: An analysis of current clinical practice and a comparison with transvenous ICD reimplantation. <i>Heart Rhythm</i> , 2019 , 16, 564-571 | 6.7 | 27 |
| 92 | Physical Activity Measured by Implanted Devices Predicts Atrial Arrhythmias and Patient Outcome: Results of IMPLANTED (Italian Multicentre Observational Registry on Patients With Implantable Devices Remotely Monitored). <i>Journal of the American Heart Association</i> , 2018 , 7, | 6 | 18 |
| 91 | Adherence to 2016 European Society of Cardiology guidelines predicts outcome in a large real-world population of heart failure patients requiring cardiac resynchronization therapy. <i>Heart Rhythm</i> , 2018 , 15, 1675-1682 | 6.7 | 5 |
| 90 | Safety and efficacy of the new bidirectional rotational Evolution [®] mechanical lead extraction sheath: results from a multicentre Italian registry. <i>Europace</i> , 2018 , 20, 829-834 | 3.9 | 20 |
| 89 | The "Subtle" connection between development of cardiac implantable electrical device infection and survival after complete system removal: An observational prospective multicenter study. <i>International Journal of Cardiology</i> , 2018 , 250, 146-149 | 3.2 | 18 |
| 88 | Hybrid minimally invasive technique with the bidirectional rotational Evolution mechanical sheath for transvenous lead extraction: A collaboration between electrophysiologists and cardiac surgeons. <i>Journal of Arrhythmia</i> , 2018 , 34, 329-332 | 1.5 | 6 |
| 87 | Subcutaneous Implantable Cardioverter-Defibrillator in Patients With Arrhythmogenic Right Ventricular Cardiomyopathy/Dysplasia: A Transatlantic Experience. <i>Journal of the American Heart Association</i> , 2018 , 7, e008782 | 6 | 12 |
| 86 | Subcutaneous implantable cardioverter defibrillator in cardiomyopathies and channelopathies. <i>Journal of Cardiovascular Medicine</i> , 2018 , 19, 633-642 | 1.9 | 4 |
| 85 | The stricter criteria for Class I CRT indication suggested by the 2016 ESC Guidelines reliably exclude patients with a worse prognosis in comparison with the 2013 ESC indication criteria. <i>International Journal of Cardiology</i> , 2018 , 273, 162-167 | 3.2 | 1 |
| 84 | Subcutaneous Implantable Cardioverter-Defibrillator and Arrhythmogenic Right Ventricular Cardiomyopathy: The Importance of Repeat ECG Screening During Exercise Test. <i>JACC: Clinical Electrophysiology</i> , 2017 , 3, 785-786 | 4.6 | 9 |
| 83 | Cardiac resynchronization therapy by multipoint pacing improves response of left ventricular mechanics and fluid dynamics: a three-dimensional and particle image velocimetry echo study. <i>Europace</i> , 2017 , 19, 1833-1840 | 3.9 | 21 |
| 82 | Intermuscular Two-Incision Technique for Subcutaneous Implantable Cardioverter Defibrillator Implantation: Results from a Multicenter Registry. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2017 , 40, 278-285 | 1.6 | 35 |
| 81 | Left atrial appendage thrombi relate to easily accessible clinical parameters in patients undergoing atrial fibrillation transcatheter ablation: A multicenter study. <i>International Journal of Cardiology</i> , 2017 , 241, 218-222 | 3.2 | 10 |

| | | | |
|----|--|------|-----|
| 80 | Transthoracic 3D echocardiography imaging of transcatheter pacing system. <i>European Heart Journal Cardiovascular Imaging</i> , 2017 , 18, 937 | 4.1 | 0 |
| 79 | Stricter criteria for left bundle branch block diagnosis do not improve response to CRT. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2017 , 40, 850-856 | 1.6 | 22 |
| 78 | Association between air pollution and ventricular arrhythmias in high-risk patients (ARIA study): a multicentre longitudinal study. <i>Lancet Planetary Health, The</i> , 2017 , 1, e58-e64 | 9.8 | 28 |
| 77 | Twelve-year follow-up of catheter ablation for atrial fibrillation: A prospective, multicenter, randomized study. <i>Heart Rhythm</i> , 2017 , 14, 486-492 | 6.7 | 15 |
| 76 | Implantable cardioverter-defibrillator in the elderly: Predictors of appropriate interventions and mortality at 12-month follow-up. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2017 , 40, 1368-1373 | 1.6 | 3 |
| 75 | NOACs and atrial fibrillation: Incidence and predictors of left atrial thrombus in the real world. <i>International Journal of Cardiology</i> , 2017 , 249, 179-183 | 3.2 | 44 |
| 74 | Multipoint pacing via a quadripolar left-ventricular lead: preliminary results from the Italian registry on multipoint left-ventricular pacing in cardiac resynchronization therapy (IRON-MPP). <i>Europace</i> , 2017 , 19, 1170-1177 | 3.9 | 45 |
| 73 | Axillary vein technique for pacemaker and implantable defibrillator leads implantation: a safe and alternative approach?. <i>Journal of Cardiovascular Medicine</i> , 2016 , 17, 309-13 | 1.9 | 26 |
| 72 | Subcutaneous Implantable Cardioverter-Defibrillator and Left Ventricular Assist Device: A Safe and Effective Approach for Refractory Heart Failure. <i>JACC: Clinical Electrophysiology</i> , 2016 , 2, 246-247 | 4.6 | 7 |
| 71 | Prevalence of true left bundle branch block in current practice of cardiac resynchronization therapy implantation. <i>Journal of Cardiovascular Medicine</i> , 2016 , 17, 462-8 | 1.9 | 10 |
| 70 | Implantable cardioverter defibrillator therapy in young patients with cardiomyopathies and channelopathies: a single Italian centre experience. <i>Journal of Cardiovascular Medicine</i> , 2016 , 17, 485-93 | 1.9 | 9 |
| 69 | Response to Letters Regarding Article, "Arrhythmic Mitral Valve Prolapse and Sudden Cardiac Death". <i>Circulation</i> , 2016 , 133, e460 | 16.7 | 3 |
| 68 | Electrical remodeling after cardiac resynchronization therapy and its relationship with the anatomical remodeling. <i>International Journal of Cardiology</i> , 2016 , 211, 86-7 | 3.2 | 3 |
| 67 | Morphofunctional Abnormalities of Mitral Annulus and Arrhythmic Mitral Valve Prolapse. <i>Circulation: Cardiovascular Imaging</i> , 2016 , 9, e005030 | 3.9 | 128 |
| 66 | Response to letter regarding "Catheter ablation of atrial fibrillation in patients with left ventricular systolic dysfunction: a systematic review and meta-analysis". <i>Circulation: Arrhythmia and Electrophysiology</i> , 2015 , 8, 246 | 6.4 | |
| 65 | Arrhythmic Mitral Valve Prolapse and Sudden Cardiac Death. <i>Circulation</i> , 2015 , 132, 556-66 | 16.7 | 260 |
| 64 | Axillary vein puncture using fluoroscopic landmarks: a safe and effective approach for implantable cardioverter defibrillator leads. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2015 , 43, 263-7 | 2.4 | 22 |
| 63 | Morphology of right atrial appendage for permanent atrial pacing and risk of iatrogenic perforation of the aorta by active fixation lead. <i>Heart Rhythm</i> , 2015 , 12, 744-50 | 6.7 | 6 |

| | | | |
|----|---|-----|-----|
| 62 | Long-term clinical outcome of patients who failed catheter ablation of atrial fibrillation. <i>Europace</i> , 2015 , 17, 403-8 | 3.9 | 5 |
| 61 | Submuscular Approach for Subcutaneous Implantable Cardioverter Defibrillator: A Potential Alternative Technique. <i>Journal of Cardiovascular Electrophysiology</i> , 2015 , 26, 905 | 2.7 | 7 |
| 60 | Catheter-tissue contact force values do not impact mid-term clinical outcome following pulmonary vein isolation in patients with paroxysmal atrial fibrillation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2015 , 42, 21-6 | 2.4 | 19 |
| 59 | Interlead anatomic and electrical distance predict outcome in CRT patients. <i>Heart Rhythm</i> , 2015 , 12, 2226-9 | 1.9 | 15 |
| 58 | Influence of Age and Gender on Complications of Catheter Ablation for Atrial Fibrillation. <i>Journal of Atrial Fibrillation</i> , 2015 , 7, 1197 | 0.8 | 3 |
| 57 | Catheter ablation of atrial fibrillation in patients with left ventricular systolic dysfunction: a systematic review and meta-analysis. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2014 , 7, 1011-8 | 6.4 | 130 |
| 56 | Incidence, management, and prevention of right ventricular perforation by pacemaker and implantable cardioverter defibrillator leads. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2014 , 37, 1602-9 | 1.6 | 54 |
| 55 | Documentation of pulmonary vein isolation improves long term efficacy of persistent atrial fibrillation catheter ablation. <i>International Journal of Cardiology</i> , 2014 , 171, 174-8 | 3.2 | 6 |
| 54 | Prevalence of patent foramen ovale in atrial fibrillation patients with history of cerebral ischemia: a stand-alone additional risk?. <i>International Journal of Cardiology</i> , 2014 , 172, e290-1 | 3.2 | 2 |
| 53 | Rhythm-symptom correlation in patients on continuous monitoring after catheter ablation of atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2014 , 25, 154-60 | 2.7 | 24 |
| 52 | Improving atrial fibrillation detection in patients with implantable cardiac devices by means of a remote monitoring and management application. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2014 , 37, 1610-8 | 1.6 | 9 |
| 51 | Catheter-tissue contact force for pulmonary veins isolation: a pilot multicentre study on effect on procedure and fluoroscopy time. <i>Europace</i> , 2014 , 16, 335-40 | 3.9 | 48 |
| 50 | Low incidence of permanent complications during catheter ablation for atrial fibrillation using open-irrigated catheters: a multicentre registry. <i>Europace</i> , 2014 , 16, 1154-9 | 3.9 | 22 |
| 49 | Geometrical characteristics of interventricular electrical delay. <i>International Journal of Cardiology</i> , 2014 , 172, e271-2 | 3.2 | 3 |
| 48 | Cardiac resynchronization therapy-defibrillator improves long-term survival compared with cardiac resynchronization therapy-pacemaker in patients with a class IA indication for cardiac resynchronization therapy: data from the Contak Italian Registry. <i>Europace</i> , 2013 , 15, 1273-9 | 3.9 | 40 |
| 47 | Implantable Cardioverter-Defibrillator Therapy in Athletes. <i>Cardiac Electrophysiology Clinics</i> , 2013 , 5, 123-130 | 1.4 | 1 |
| 46 | Short-spaced dipole for managing phrenic nerve stimulation in patients with CRT: the "phrenic nerve mapping and stimulation EP" catheter study. <i>Heart Rhythm</i> , 2013 , 10, 39-45 | 6.7 | 17 |
| 45 | Cardiac Resynchronization Therapy MODular REgistry: ECG and Rx predictors of response to cardiac resynchronization therapy (NCT01573091). <i>Journal of Cardiovascular Medicine</i> , 2013 , 14, 886-93 | 1.9 | 15 |

| | | | |
|----|---|-----|-----|
| 44 | Updated national multicenter registry on procedural safety of catheter ablation for atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2013 , 24, 1069-74 | 2.7 | 27 |
| 43 | Comparison of ThermoCool [®] Surround Flow catheter versus ThermoCool [®] catheter in achieving persistent electrical isolation of pulmonary veins: a pilot study. <i>Journal of Cardiovascular Electrophysiology</i> , 2013 , 24, 269-73 | 2.7 | 32 |
| 42 | Conductor externalization of the RIATA implantable cardioverter defibrillator lead: a challenging lead extraction requiring laser-powered sheath. <i>Journal of Cardiovascular Medicine</i> , 2013 , 14, 755-6 | 1.9 | 3 |
| 41 | Current and emerging indications for implantable cardiac monitors. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2012 , 35, 1169-78 | 1.6 | 15 |
| 40 | Predictors of left atrium appendage clot detection despite on-target warfarin prevention for atrial fibrillation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2012 , 35, 151-8 | 2.4 | 12 |
| 39 | Late atrial tachycardia following pulmonary vein isolation: analysis of successful discrete ablation sites. <i>International Journal of Cardiology</i> , 2012 , 156, 270-6 | 3.2 | 1 |
| 38 | Reduced fluoroscopy exposure during ablation of atrial fibrillation using a novel electroanatomical navigation system: a multicentre experience. <i>Europace</i> , 2012 , 14, 60-5 | 3.9 | 71 |
| 37 | Straight screw-in atrial leads "J-post shaped" in right appendage versus J-shaped systems for permanent atrial pacing: a safety comparison. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2011 , 34, 325-30 | 1.6 | 11 |
| 36 | Efficacy of low interatrial septum and right atrial appendage pacing for prevention of permanent atrial fibrillation in patients with sinus node disease: results from the electrophysiology-guided pacing site selection (EPASS) study. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2011 , 4, 844-50 | 6.4 | 32 |
| 35 | Does catheter ablation cure atrial fibrillation? Single-procedure outcome of drug-refractory atrial fibrillation ablation: a 6-year multicentre experience. <i>Europace</i> , 2010 , 12, 181-7 | 3.9 | 109 |
| 34 | Clinical and technical determinants of long-term performance of coronary sinus leads. <i>Journal of Cardiovascular Medicine</i> , 2010 , 11, 40-4 | 1.9 | 5 |
| 33 | Valsartan for prevention of recurrent atrial fibrillation. <i>New England Journal of Medicine</i> , 2009 , 360, 1606-17 | 5.1 | 367 |
| 32 | Image integration increases efficacy of paroxysmal atrial fibrillation catheter ablation: results from the CartoMerge Italian Registry. <i>Europace</i> , 2009 , 11, 1004-10 | 3.9 | 101 |
| 31 | Role of pulmonary veins isolation in persistent atrial fibrillation ablation: the pulmonary vein isolation in persistent atrial fibrillation (PIPA) study. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2009 , 32 Suppl 1, S116-9 | 1.6 | 9 |
| 30 | Long-term outcomes of CRT-PM versus CRT-D recipients. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2009 , 32 Suppl 1, S141-5 | 1.6 | 16 |
| 29 | High prevalence of cooled tip use as compared with 8-mm tip in a multicenter Italian registry on atrial fibrillation ablation: focus on procedural safety. <i>Journal of Cardiovascular Medicine</i> , 2008 , 9, 888-92 | 1.9 | 3 |
| 28 | Integration of three-dimensional left atrial magnetic resonance images into a real-time electroanatomic mapping system: validation of a registration method. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2008 , 31, 273-82 | 1.6 | 41 |
| 27 | Early complications of pulmonary vein catheter ablation for atrial fibrillation: a multicenter prospective registry on procedural safety. <i>Heart Rhythm</i> , 2007 , 4, 1265-71 | 6.7 | 171 |

| | | | |
|----|--|------|-----|
| 26 | Atrio-ventricular block during left atrial flutter ablation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2007 , 30, 921-4 | 1.6 | |
| 25 | A clinical and health-economic evaluation of pulmonary vein encircling ablation compared with antiarrhythmic drug treatment in patients with persistent atrial fibrillation (Catheter Ablation for the Cure of Atrial Fibrillation-2 study). <i>Europace</i> , 2007 , 9, 182-5 | 3.9 | 11 |
| 24 | Persistent barium sulphate oesophagus opacification while pulmonary veins ablation. <i>Europace</i> , 2007 , 9, 931 | 3.9 | |
| 23 | Treatment of macro-re-entrant atrial tachycardia based on electroanatomic mapping: identification and ablation of the mid-diastolic isthmus. <i>Europace</i> , 2007 , 9, 449-57 | 3.9 | 48 |
| 22 | Prevalence of conduction delay of the right atrium in patients with SSS: implications for pacing site selection. <i>Journal of Cardiovascular Medicine</i> , 2007 , 8, 706-12 | 1.9 | 7 |
| 21 | Pulmonary vein isolation predicts freedom from arrhythmia after circumferential antral ablation for paroxysmal atrial fibrillation. <i>Journal of Cardiovascular Medicine</i> , 2007 , 8, 896-903 | 1.9 | 6 |
| 20 | Long-term outcome of patients with atrioventricular node reentrant tachycardia. <i>International Journal of Cardiology</i> , 2007 , 115, 350-3 | 3.2 | 31 |
| 19 | Catheter ablation treatment in patients with drug-refractory atrial fibrillation: a prospective, multi-centre, randomized, controlled study (Catheter Ablation For The Cure Of Atrial Fibrillation Study). <i>European Heart Journal</i> , 2006 , 27, 216-21 | 9.5 | 373 |
| 18 | Antibiotic prophylaxis with a single dose of cefazolin during pacemaker implantation: incidence of long-term infective complications. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2006 , 29, 29-33 | 1.6 | 45 |
| 17 | Long-term outcome of right and left atrial radiofrequency ablation in patients with persistent atrial fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2006 , 29, 153-8 | 1.6 | 17 |
| 16 | Autonomic modulation of the sinus node following electrical cardioversion of persistent atrial fibrillation: relation with early recurrence. <i>International Journal of Cardiology</i> , 2005 , 102, 219-23 | 3.2 | 16 |
| 15 | A controlled study on the effect of verapamil on atrial tachycarrhythmias in patients with brady-tachy syndrome implanted with a DDDR pacemaker. <i>International Journal of Cardiology</i> , 2005 , 104, 73-6 | 3.2 | 6 |
| 14 | Role of transtelephonic electrocardiographic monitoring in detecting short-term arrhythmia recurrences after radiofrequency ablation in patients with atrial fibrillation. <i>Journal of the American College of Cardiology</i> , 2005 , 45, 873-6 | 15.1 | 129 |
| 13 | Predictive value of early atrial tachyarrhythmias recurrence after circumferential anatomical pulmonary vein ablation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2005 , 28, 366-71 | 1.6 | 120 |
| 12 | Different clinical courses and predictors of atrial fibrillation occurrence after transisthmic ablation in patients with preablation lone atrial flutter, coexistent atrial fibrillation, and drug induced atrial flutter. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2004 , 27, 1507-12 | 1.6 | 28 |
| 11 | Left atrial radiofrequency ablation during cardiac surgery in patients with atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2003 , 14, 1289-95 | 2.7 | 21 |
| 10 | Feasibility of pulmonary vein ostia radiofrequency ablation in patients with atrial fibrillation: a multicenter study (CACAF pilot study). <i>PACE - Pacing and Clinical Electrophysiology</i> , 2003 , 26, 284-7 | 1.6 | 17 |
| 9 | Electrophysiological demonstration of dissociation of pulmonary vein potentials through electroanatomically guided circumferential ablation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2003 , 26, 1413-6 | 1.6 | |

| | | | |
|---|--|-----|----|
| 8 | Effects of verapamil and metoprolol on recovery from atrial electrical remodeling after cardioversion of long-lasting atrial fibrillation. <i>International Journal of Cardiology</i> , 2003 , 87, 167-72 | 3.2 | 7 |
| 7 | Success of serial external electrical cardioversion of persistent atrial fibrillation in maintaining sinus rhythm; a randomized study. <i>European Heart Journal</i> , 2002 , 23, 1522-8 | 9.5 | 23 |
| 6 | Transient complete atrioventricular block during transcatheter ablation of a left inferoparaseptal anomalous pathway in a patient with a history of previous surgical repair of ventricular septal defect. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2001 , 24, 1569-71 | 1.6 | 1 |
| 5 | Electrophysiological properties of the atrioventricular node and ageing: evidence of a lower incidence of dual nodal pathways in the elderly. <i>Europace</i> , 2001 , 3, 216-20 | 3.9 | 8 |
| 4 | Cardiovascular adaptations to endurance training and detraining in young and older athletes. <i>International Journal of Cardiology</i> , 1998 , 65, 149-55 | 3.2 | 43 |
| 3 | Efficacy of intravenous propafenone in termination of atrial flutter by overdrive transesophageal pacing previously ineffective. <i>American Journal of Cardiology</i> , 1997 , 79, 500-2 | 3 | 13 |
| 2 | Percutaneous transluminal coronary angioplasty in refractory unstable angina pectoris: are new devices useful?. <i>International Journal of Cardiology</i> , 1996 , 57, 1-7 | 3.2 | 1 |
| 1 | Short- and Long-Term Efficacy of Catheter Ablation Procedures for Atrial fibrillation118-126 | | |