

Yue-Mao Shen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4253971/publications.pdf>

Version: 2024-02-01

238
papers

5,967
citations

94381

37
h-index

133188

59
g-index

253
all docs

253
docs citations

253
times ranked

6057
citing authors

#	ARTICLE	IF	CITATIONS
1	Cytosporone B is an agonist for nuclear orphan receptor Nur77. <i>Nature Chemical Biology</i> , 2008, 4, 548-556.	3.9	302
2	Biosynthesis of HSAF, a Tetramic Acid-Containing Macrolactam from <i>Lysobacter enzymogenes</i> . <i>Journal of the American Chemical Society</i> , 2011, 133, 643-645.	6.6	186
3	Bioactive natural products from <i>Lysobacter</i> . <i>Natural Product Reports</i> , 2012, 29, 1277.	5.2	160
4	Secondary metabolites from endophytic <i>Streptomyces aureofaciens</i> CMUAc130 and their antifungal activity. <i>Microbiology (United Kingdom)</i> , 2005, 151, 1691-1695.	0.7	146
5	A feedback regulatory loop between methyltransferase PRMT1 and orphan receptor TR3. <i>Nucleic Acids Research</i> , 2009, 37, 832-848.	6.5	142
6	Biosynthesis of 3,5-AHBA-derived natural products. <i>Natural Product Reports</i> , 2012, 29, 243-263.	5.2	104
7	A Unique Pharmacophore for Activation of the Nuclear Orphan Receptor Nur77 <i>in vivo</i> and <i>in vitro</i> . <i>Cancer Research</i> , 2010, 70, 3628-3637.	0.4	94
8	Identification and Characterization of the Anti-Methicillin-Resistant <i>Staphylococcus aureus</i> WAP-8294A2 Biosynthetic Gene Cluster from <i>Lysobacter enzymogenes</i> OH11. <i>Antimicrobial Agents and Chemotherapy</i> , 2011, 55, 5581-5589.	1.4	93
9	Discovery of recombinases enables genome mining of cryptic biosynthetic gene clusters in Burkholderiales species. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E4255-E4263.	3.3	80
10	Discovery of Novel Topoisomerase II Inhibitors by Medicinal Chemistry Approaches. <i>Journal of Medicinal Chemistry</i> , 2018, 61, 8947-8980.	2.9	79
11	Iterative Assembly of Two Separate Polyketide Chains by the Same Single-Module Bacterial Polyketide Synthase in the Biosynthesis of HSAF. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 7524-7530.	7.2	72
12	Chemical and Genetic Study of <i>Ligularia tongolensis</i> , <i>Ligularia cymbulifera</i> , and <i>Ligularia atroviolacea</i> in the Hengduan Mountains of China. <i>Bulletin of the Chemical Society of Japan</i> , 2005, 78, 1302-1308.	2.0	69
13	Cytosporone B, an Inhibitor of the Type III Secretion System of <i>Salmonella enterica</i> Serovar Typhimurium. <i>Antimicrobial Agents and Chemotherapy</i> , 2013, 57, 2191-2198.	1.4	69
14	Indole and carbazole alkaloids from <i>Glycosmis montana</i> with weak anti-HIV and cytotoxic activities. <i>Phytochemistry</i> , 2005, 66, 697-701.	1.4	68
15	Chemical constituents of <i>Ligularia virgaurea</i> and its diversity in southwestern Sichuan of China. <i>Tetrahedron</i> , 2006, 62, 4988-4995.	1.0	68
16	Identification of a small molecule signaling factor that regulates the biosynthesis of the antifungal polycyclic tetramate macrolactam HSAF in <i>Lysobacter enzymogenes</i> . <i>Applied Microbiology and Biotechnology</i> , 2015, 99, 801-811.	1.7	67
17	3-Acetyl-3-hydroxyoxindole: a new inducer of systemic acquired resistance in plants. <i>Plant Biotechnology Journal</i> , 2008, 6, 301-308.	4.1	65
18	HSAF-induced antifungal effects in <i>Candida albicans</i> through ROS-mediated apoptosis. <i>RSC Advances</i> , 2016, 6, 30895-30904.	1.7	65

#	ARTICLE	IF	CITATIONS
19	Heterocyclic Aromatic <i>N</i> -Oxidation in the Biosynthesis of Phenazine Antibiotics from <i>Lysobacter antibioticus</i> . <i>Organic Letters</i> , 2016, 18, 2495-2498.	2.4	63
20	A New Macrolide Antibiotic with Antitumor Activity Produced by <i>Streptomyces</i> sp. CS, a Commensal Microbe of <i>Maytenus hookeri</i> . <i>Journal of Antibiotics</i> , 2003, 56, 415-418.	1.0	62
21	Isolation and Asymmetric Total Synthesis of Perforanoid A. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 7539-7543.	7.2	62
22	A Novel Ansamycin, Naphthomycin K from <i>Streptomyces</i> sp.. <i>Journal of Antibiotics</i> , 2007, 60, 649-653.	1.0	57
23	Challenges and potential for improving the druggability of podophyllotoxin-derived drugs in cancer chemotherapy. <i>Natural Product Reports</i> , 2021, 38, 470-488.	5.2	55
24	Biosynthesis of the Polycyclic System in the Antifungal HSAF and Analogues from <i>Lysobacter enzymogenes</i> . <i>Angewandte Chemie - International Edition</i> , 2018, 57, 6221-6225.	7.2	53
25	Phomopsidone A, a novel depsidone metabolite from the mangrove endophytic fungus <i>Phomopsis</i> sp. A123. <i>FÄ-toterapÄ-Äç</i> , 2014, 96, 146-151.	1.1	51
26	Three New Sesquiterpenoids from <i>Xylaria</i> sp. NCY2. <i>Helvetica Chimica Acta</i> , 2008, 91, 46-52.	1.0	50
27	Alteramide B is a microtubule antagonist of inhibiting <i>Candida albicans</i> . <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2016, 1860, 2097-2106.	1.1	50
28	Mycoepoxydiene, a fungal polyketide, induces cell cycle arrest at the G2/M phase and apoptosis in HeLa cells. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 7054-7058.	1.0	49
29	3-Hydroxylation of the polycyclic tetramate macrolactam in the biosynthesis of antifungal HSAF from <i>Lysobacter enzymogenes</i> C3. <i>MedChemComm</i> , 2012, 3, 982.	3.5	48
30	Heterologous Production and Yield Improvement of Epothilones in Burkholderiales Strain DSM 7029. <i>ACS Chemical Biology</i> , 2017, 12, 1805-1812.	1.6	48
31	Chemical and genetic diversity of <i>Ligularia vellerea</i> in Yunnan, China. <i>Phytochemistry</i> , 2008, 69, 1158-1165.	1.4	47
32	Activating a Cryptic Ansamycin Biosynthetic Gene Cluster To Produce Three New Naphthalenic Octaketide Ansamycins with <i>n</i> -Pentyl and <i>n</i> -Butyl Side Chains. <i>Organic Letters</i> , 2015, 17, 3706-3709.	2.4	44
33	Unusual Activities of the Thioesterase Domain for the Biosynthesis of the Polycyclic Tetramate Macrolactam HSAF in <i>Lysobacter enzymogenes</i> C3. <i>Biochemistry</i> , 2012, 51, 4-6.	1.2	43
34	Hygrocins Câ€“G, Cytotoxic Naphthoquinone Ansamycins from <i>gdmAI</i> -Disrupted <i>Streptomyces</i> sp. LZ35. <i>Journal of Natural Products</i> , 2013, 76, 2175-2179.	1.5	40
35	Design, synthesis and anti-HIV-1 evaluation of hydrazide-based peptidomimetics as selective gelatinase inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2016, 24, 2125-2136.	1.4	40
36	Biosynthetic Mechanism for Sunscreens of the Biocontrol Agent <i>Lysobacter enzymogenes</i> . <i>PLoS ONE</i> , 2013, 8, e66633.	1.1	39

#	ARTICLE	IF	CITATIONS
37	Enhanced Heterologous Spinosad Production from a 79-kb Synthetic Multioperon Assembly. <i>ACS Synthetic Biology</i> , 2019, 8, 137-147.	1.9	39
38	Biosynthesis of Hygrocins, Antitumor Naphthoquinone Ansamycins Produced by <i>Streptomyces</i> sp. LZ35. <i>ChemBioChem</i> , 2014, 15, 94-102.	1.3	38
39	Secondary metabolites from <i>Phomopsis</i> sp. A123. <i>Mycology</i> , 2010, 1, 254-261.	2.0	37
40	Cloning and functional analysis of the naphthomycin biosynthetic gene cluster in <i>Streptomyces</i> sp. CS. <i>Molecular BioSystems</i> , 2011, 7, 2459.	2.9	37
41	4-Hydroxybenzoic acid is a diffusible factor that connects metabolic shikimate pathway to the biosynthesis of a unique antifungal metabolite in <i>Lysobacter enzymogenes</i> . <i>Molecular Microbiology</i> , 2017, 104, 163-178.	1.2	37
42	Four New Terpenoids from <i>Xylaria</i> sp. 101. <i>Helvetica Chimica Acta</i> , 2010, 93, 796-802.	1.0	36
43	p-Terphenyl O- β -glucuronides, DNA topoisomerase inhibitors from <i>Streptomyces</i> sp. LZ35 TM gdmAl. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014, 24, 1362-1365.	1.0	36
44	Quinoxalinone (Part II). Discovery of (Z)-3-(2-(pyridin-4-yl)vinyl)quinoxalinone derivatives as potent VEGFR-2 kinase inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2016, 24, 1840-1852.	1.4	36
45	Chemical and Genetic Differentiation of <i>Ligularia pleurocaulis</i> in Northwestern Yunnan and Southwestern Sichuan Provinces of China. <i>Bulletin of the Chemical Society of Japan</i> , 2006, 79, 300-304.	2.0	35
46	Guanacastane-type diterpenoids from <i>Coprinus radians</i> . <i>Phytochemistry</i> , 2012, 78, 190-196.	1.4	35
47	Characterization of the flavoenzyme XiaK as an N-hydroxylase and implications in indolosesquiterpene diversification. <i>Chemical Science</i> , 2017, 8, 5067-5077.	3.7	35
48	High Diversity of <i>Ligularia dictyoneura</i> in Chemical Composition and DNA Sequence. <i>Chemistry and Biodiversity</i> , 2007, 4, 2874-2888.	1.0	34
49	Labdane and Tetranorlabdane Diterpenoids from <i>Botryosphaeria</i> sp. MHF, an Endophytic fungus of <i>Maytenus hookeri</i> . <i>Helvetica Chimica Acta</i> , 2009, 92, 1118-1125.	1.0	33
50	Approach to the Biosynthesis of Atisine-Type Diterpenoid Alkaloids. <i>Journal of Natural Products</i> , 2009, 72, 645-649.	1.5	33
51	Seven Novel Linear Polyketides from <i>Xylaria</i> sp. NCY2. <i>Helvetica Chimica Acta</i> , 2010, 93, 925-933.	1.0	33
52	Para-Aminobenzoic Acid (PABA) Synthase Enhances Thermotolerance of Mushroom <i>Agaricus bisporus</i> . <i>PLoS ONE</i> , 2014, 9, e91298.	1.1	33
53	Three New Antimicrobial Metabolites of <i>Phomopsis</i> sp.. <i>Journal of Antibiotics</i> , 2008, 61, 250-253.	1.0	32
54	Macrolides of the bafilomycin family produced by <i>Streptomyces</i> sp. CS. <i>Journal of Antibiotics</i> , 2010, 63, 595-599.	1.0	32

#	ARTICLE	IF	CITATIONS
55	Juanlimycins A and B, Ansamycin Macrolactams from <i>Streptomyces</i> sp.. Organic Letters, 2014, 16, 2752-2755.	2.4	32
56	Indole-Induced Reversion of Intrinsic Multiantibiotic Resistance in <i>Lysobacter enzymogenes</i> . Applied and Environmental Microbiology, 2017, 83, .	1.4	32
57	Species Diversity, Distribution, and Genetic Structure of Endophytic and Epiphytic <i>Trichoderma</i> Associated with Banana Roots. Microbial Ecology, 2011, 61, 619-625.	1.4	31
58	Effect of salinity on the growth, biological activity and secondary metabolites of some marine fungi. Acta Oceanologica Sinica, 2011, 30, 118-123.	0.4	31
59	Licoflavonol is an inhibitor of the type three secretion system of <i>Salmonella enterica</i> serovar Typhimurium. Biochemical and Biophysical Research Communications, 2016, 477, 998-1004.	1.0	31
60	Isoflavone Diglycosides from <i>Glycosmis pentaphylla</i> . Journal of Natural Products, 2006, 69, 778-782.	1.5	30
61	Tricycloalternarenes A–E: Five New Mixed Terpenoids from the Endophytic Fungal Strain <i>Alternaria alternata</i> Ly83. Helvetica Chimica Acta, 2008, 91, 1588-1594.	1.0	30
62	Secondary metabolites of <i>Aspergillus</i> sp. F1, a commensal fungal strain of <i>Trewia nudiflora</i> . Natural Product Research, 2009, 23, 77-85.	1.0	30
63	Identification and characterization of the biosynthetic gene cluster of divergolides from <i>Streptomyces</i> sp. W112. Gene, 2014, 544, 93-99.	1.0	30
64	The Chemistry and Biochemistry of <i>Spiraea japonica</i> Complex. Current Medicinal Chemistry, 2003, 10, 2253-2263.	1.2	29
65	Amide N-Glycosylation by Asm25, an N-Glycosyltransferase of Ansamitocins. Chemistry and Biology, 2008, 15, 863-874.	6.2	29
66	Diversities Within Genotypes, Bioactivity and Biosynthetic Genes of Endophytic Actinomycetes Isolated from Three Pharmaceutical Plants. Current Microbiology, 2009, 59, 475-482.	1.0	29
67	A novel p-terphenyl derivative inducing cell-cycle arrest and apoptosis in MDA-MB-435 cells through topoisomerase inhibition. European Journal of Medicinal Chemistry, 2013, 68, 192-202.	2.6	29
68	Facile Method for Site-specific Gene Integration in <i>Lysobacter enzymogenes</i> for Yield Improvement of the Anti-MRSA Antibiotics WAP-8294A and the Antifungal Antibiotic HSAF. ACS Synthetic Biology, 2013, 2, 670-678.	1.9	29
69	Identification and catalytic characterization of a nonribosomal peptide synthetase-like (NRPS-like) enzyme involved in the biosynthesis of echosides from <i>Streptomyces</i> sp. LZ35. Gene, 2014, 546, 352-358.	1.0	29
70	Chemical Constituents of the Endophytic Fungal Strain <i>Phomopsis</i> sp. NXZ-05 of <i>Camptotheca acuminata</i> . Helvetica Chimica Acta, 2007, 90, 1811-1817.	1.0	28
71	Design, synthesis, biological evaluation and molecular docking study on peptidomimetic analogues of XK469. European Journal of Medicinal Chemistry, 2016, 124, 311-325.	2.6	28
72	Targeted Discovery and Combinatorial Biosynthesis of Polycyclic Tetramate Macrolactam Combamides A–E. Organic Letters, 2018, 20, 3504-3508.	2.4	28

#	ARTICLE	IF	CITATIONS
73	Secondary Metabolites of <i>Phomopsis</i> sp. XZ26, an Endophytic Fungus from <i>Camptotheca acuminata</i> . European Journal of Organic Chemistry, 2009, 2975-2982.	1.2	27
74	Direct Regulation of Extracellular Chitinase Production by the Transcription Factor <i>LeClp</i> in <i>Lysobacter enzymogenes</i> OH11. Phytopathology, 2016, 106, 971-977.	1.1	27
75	Anti-Angiogenic Therapy: Strategies to Develop Potent VEGFR-2 Tyrosine Kinase Inhibitors and Future Prospect. Current Medicinal Chemistry, 2016, 23, 1000-1040.	1.2	27
76	New Chemical Constituents from the Endophyte <i>Streptomyces</i> Species LR4612 Cultivated on <i>Maytenus hookeri</i> . Chemistry and Biodiversity, 2006, 3, 337-342.	1.0	26
77	Secondary Metabolites from Endophytic <i>Streptomyces</i> sp. Lz531. Chemistry and Biodiversity, 2007, 4, 899-904.	1.0	26
78	Tricycloalternarene derivatives produced by an endophyte <i>Alternaria alternata</i> isolated from <i>Maytenus hookeri</i> . Journal of Basic Microbiology, 2007, 47, 340-343.	1.8	26
79	Mycoepoxydiene inhibits activation of BV2 microglia stimulated by lipopolysaccharide through suppressing NF- κ B, ERK 1/2 and toll-like receptor pathways. International Immunopharmacology, 2014, 19, 88-93.	1.7	26
80	Chemical and Genetic Diversity of <i>Ligularia latihastata</i> and <i>Ligularia villosa</i> in Yunnan Province of China. Chemistry and Biodiversity, 2007, 4, 2210-2217.	1.0	25
81	Clavicolides A and B, Sesquiterpenoids from the Fermentation Products of Edible Fungus <i>Clavicornia pyxidata</i> . Organic Letters, 2009, 11, 109-112.	2.4	25
82	Selective Isolation and Ansamycin-Targeted Screenings of Commensal Actinomycetes from the <i>Maytansinoids</i> -Producing <i>Arboreal Trewia nudiflora</i> . Current Microbiology, 2009, 58, 87-94.	1.0	25
83	17-DMCHAG, a new geldanamycin derivative, inhibits prostate cancer cells through Hsp90 inhibition and survivin downregulation. Cancer Letters, 2015, 362, 83-96.	3.2	25
84	Characterization of tailoring genes involved in the modification of geldanamycin polyketide in <i>Streptomyces hygroscopicus</i> JCM4427. Journal of Microbiology and Biotechnology, 2008, 18, 1101-8.	0.9	25
85	Dinorditerpene, Diterpenes, Alkaloids, and Coumarins from <i>Clausena dunniana</i> . Helvetica Chimica Acta, 2003, 86, 3187-3193.	1.0	24
86	New amide N-glycosides of ansamitocins identified from <i>Actinosynnema pretiosum</i> . Archives of Pharmacal Research, 2007, 30, 670-673.	2.7	24
87	Four Novel Diterpenoids from <i>Crinipellis</i> sp. 113. Helvetica Chimica Acta, 2010, 93, 2151-2157.	1.0	24
88	Heterologous Expression Guides Identification of the Biosynthetic Gene Cluster of Chuangxinmycin, an Indole Alkaloid Antibiotic. Journal of Natural Products, 2018, 81, 1060-1064.	1.5	24
89	A Novel Amide N-Glycoside of Ansamitocins from <i>Actinosynnema pretiosum</i> . Journal of Antibiotics, 2004, 57, 348-350.	1.0	22
90	Three New Polyketide Metabolites from the Endophytic Fungal Strain <i>Cladosporium tenuissimum</i> LR463 of <i>Maytenus hookeri</i> . Helvetica Chimica Acta, 2006, 89, 527-531.	1.0	22

#	ARTICLE	IF	CITATIONS
91	Chemical and Genetic Differentiation of <i>Ligularia tsangchanensis</i> in Yunnan and Sichuan Provinces of China. <i>Chemistry and Biodiversity</i> , 2007, 4, 500-507.	1.0	22
92	Design, synthesis and biological evaluation of 17-arylmethylamine-17-demethoxygeldanamycin derivatives as potent Hsp90 inhibitors. <i>European Journal of Medicinal Chemistry</i> , 2014, 85, 359-370.	2.6	22
93	Optimization of genome shuffling for high-yield production of the antitumor deacetylmycoepoxydiene in an endophytic fungus of mangrove plants. <i>Applied Microbiology and Biotechnology</i> , 2016, 100, 7491-7498.	1.7	22
94	Chemical Constituents and Diversity of <i>Ligularia lankongensis</i> in Yunnan Province of China. <i>Journal of Natural Products</i> , 2008, 71, 520-524.	1.5	21
95	Identification and Characterization of the Cuevaene A Biosynthetic Gene Cluster in <i>Streptomyces</i> sp. LZ35. <i>ChemBioChem</i> , 2013, 14, 1468-1475.	1.3	21
96	Mycoepoxydiene Inhibits Lipopolysaccharide-Induced Inflammatory Responses through the of TRAF6 Polyubiquitination. <i>PLoS ONE</i> , 2012, 7, e44890.	1.1	21
97	Two New Macrolides Produced by <i>Streptomyces</i> sp. CS. <i>Journal of Antibiotics</i> , 2004, 57, 597-600.	1.0	20
98	Mycoepoxydiene, a fungal polyketide inhibits MCF-7 cells through simultaneously targeting p53 and NF- κ B pathways. <i>Biochemical Pharmacology</i> , 2012, 84, 891-899.	2.0	20
99	New Diterpene Alkaloids from the Roots of <i>Spiraea japonica</i> . <i>Journal of Natural Products</i> , 2001, 64, 379-380.	1.5	19
100	Harnessing the potential of chemical defenses from antimicrobial activities. <i>BioEssays</i> , 2004, 26, 808-813.	1.2	19
101	Chemical Constituents from the Pericarp of <i>Trewia nudiflora</i> . <i>Helvetica Chimica Acta</i> , 2004, 87, 758-763.	1.0	19
102	Dimeric Coumarin and Phenylpropanoids from <i>Clausena lenis</i> . <i>Helvetica Chimica Acta</i> , 2006, 89, 2836-2840.	1.0	19
103	New sesquiterpenes from <i>Marasmius cladophyllus</i> . <i>Mycology</i> , 2011, 2, 30-36.	2.0	19
104	A new cyclic peptide from the marine fungal strain <i>Aspergillus</i> sp. AF119. <i>Chemistry of Natural Compounds</i> , 2011, 47, 786-788.	0.2	19
105	Guanacastane-type diterpenoids with cytotoxic activity from <i>Coprinus plicatilis</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012, 22, 5059-5062.	1.0	19
106	Nam7 Hydroxylase Is Responsible for the Formation of the Naphthalenic Ring in the Biosynthesis of Neoansamycins. <i>Organic Letters</i> , 2017, 19, 2442-2445.	2.4	19
107	Discovery of novel bioactive natural products driven by genome mining. <i>Drug Discoveries and Therapeutics</i> , 2018, 12, 318-328.	0.6	19
108	Structural Mechanism of the Arrestin-3/JNK3 Interaction. <i>Structure</i> , 2019, 27, 1162-1170.e3.	1.6	19

#	ARTICLE	IF	CITATIONS
109	Natural product sciences: an integrative approach to the innovations of plant natural products. <i>Science China Life Sciences</i> , 2020, 63, 1634-1650.	2.3	19
110	New Sesquiterpenes from Edible Fungus <i>Clavicornia pyxidata</i> . <i>Helvetica Chimica Acta</i> , 2008, 91, 2174-2180.	1.0	18
111	Protoplast Mutation and Genome Shuffling Induce the Endophytic Fungus <i>Tubercularia</i> sp. TF5 to Produce New Compounds. <i>Current Microbiology</i> , 2010, 61, 254-260.	1.0	18
112	New Polyketides Isolated from <i>Botryosphaeria australis</i> Strain ZJ12A. <i>Helvetica Chimica Acta</i> , 2011, 94, 897-902.	1.0	18
113	Mycocopolydiene suppresses RANKL-induced osteoclast differentiation and reduces ovariectomy-induced bone loss in mice. <i>Applied Microbiology and Biotechnology</i> , 2013, 97, 767-774.	1.7	18
114	Fusaric acid modulates Type Three Secretion System of <i>Salmonella enterica</i> serovar Typhimurium. <i>Biochemical and Biophysical Research Communications</i> , 2014, 449, 455-459.	1.0	17
115	Design and synthesis of 2-phenyl-naphthalenoids and 2-phenyl-benzofuranoids as DNA topoisomerase inhibitors and antitumor agents. <i>European Journal of Medicinal Chemistry</i> , 2015, 102, 277-287.	2.6	17
116	Overexpression of <i>hgc1</i> increases the production and diversity of hygrocins in <i>Streptomyces</i> sp. LZ35. <i>RSC Advances</i> , 2015, 5, 83843-83846.	1.7	17
117	Design and synthesis of N-(5-chloro-2,4-dihydroxybenzoyl)-(R)-1,2,3,4-tetrahydroisoquinoline-3-carboxamides as novel Hsp90 inhibitors. <i>European Journal of Medicinal Chemistry</i> , 2016, 121, 272-282.	2.6	17
118	New diketopiperazine derivatives with cytotoxicity from <i>Nocardopsis</i> sp. YIM M13066. <i>Journal of Antibiotics</i> , 2017, 70, 795-797.	1.0	17
119	Components of Stem Barks of <i>Winchia calophylla</i> A. DC. and Their Bronchodilator Activities. <i>Journal of Integrative Plant Biology</i> , 2005, 47, 892-896.	4.1	16
120	Two New Diterpenoids from <i>Callicarpa pedunculata</i> . <i>Helvetica Chimica Acta</i> , 2006, 89, 1017-1022.	1.0	16
121	A Rare New Cleistanthane Diterpene from the Pericarp of <i>Trewia nudiflora</i> . <i>Helvetica Chimica Acta</i> , 2006, 89, 2841-2845.	1.0	16
122	Secondary metabolites of <i>Tubercularia</i> sp. TF5, an endophytic fungal strain of <i>Taxus mairei</i> . <i>Natural Product Research</i> , 2009, 23, 70-76.	1.0	16
123	New Polyketides from Endophytic <i>Diaporthe</i> sp. XZ-07. <i>Helvetica Chimica Acta</i> , 2009, 92, 1184-1190.	1.0	16
124	Three New Triterpenes from <i>Xylarialean</i> sp. A45, an Endophytic Fungus from <i>Annona squamosa</i> . <i>Helvetica Chimica Acta</i> , 2011, 94, 301-305.	1.0	16
125	Characterization of Eight New Secondary Metabolites from the Mutant Strain G444 of <i>Tubercularia</i> sp. TF5. <i>Helvetica Chimica Acta</i> , 2014, 97, 334-344.	1.0	16
126	Design and synthesis of 2-phenyl-naphthalenoids as inhibitors of DNA topoisomerase II α and antitumor agents. <i>European Journal of Medicinal Chemistry</i> , 2014, 86, 782-796.	2.6	16

#	ARTICLE	IF	CITATIONS
127	Guanacastane-type diterpenoids from <i>Coprinus plicatilis</i> . <i>Phytochemistry Letters</i> , 2014, 7, 161-164.	0.6	16
128	<scpd>-Alanylation in the Assembly of Ansatrienin Side Chain Is Catalyzed by a Modular NRPS. <i>ACS Chemical Biology</i> , 2016, 11, 876-881.	1.6	16
129	Mycoepoxydiene suppresses HeLa cell growth by inhibiting glycolysis and the pentose phosphate pathway. <i>Applied Microbiology and Biotechnology</i> , 2017, 101, 4201-4213.	1.7	16
130	Identification of an Anti-MRSA Cyclic Lipodepsipeptide, WBP-29479A1, by Genome Mining of <i>Lysobacter antibioticus</i> . <i>Organic Letters</i> , 2019, 21, 6432-6436.	2.4	16
131	Tuberculariols Aâ€‰â€‰C, New Sesquiterpenes from the Mutant Strain Mâ€‰741 of <i>Tubercularia</i> sp. TF5. <i>Helvetica Chimica Acta</i> , 2009, 92, 1514-1519.	1.0	15
132	Constitutive overexpression of <i>asm18</i> increases the production and diversity of maytansinoids in <i>Actinosynnema pretiosum</i> . <i>Applied Microbiology and Biotechnology</i> , 2016, 100, 2641-2649.	1.7	15
133	Activation of a Cryptic Gene Cluster in <i>Lysobacter enzymogenes</i> Reveals a Module/Domain Portable Mechanism of Nonribosomal Peptide Synthetases in the Biosynthesis of Pyrrolopyrazines. <i>Organic Letters</i> , 2017, 19, 5010-5013.	2.4	15
134	Targeted Discovery of Pentaketide Ansamycin Aminoansamycins Aâ€‰G. <i>Organic Letters</i> , 2019, 21, 7818-7822.	2.4	15
135	Discovery of diamine-linked 17-aroylamido-17-demethoxygeldanamycins as potent Hsp90 inhibitors. <i>European Journal of Medicinal Chemistry</i> , 2014, 87, 346-363.	2.6	14
136	Deletion of the side chain assembly reveals diverse post-PKS modifications in the biosynthesis of ansatrienins. <i>RSC Advances</i> , 2016, 6, 88571-88579.	1.7	14
137	Amexanthomycins Aâ€‰J, pentangular polyphenols produced by <i>Amycolatopsis mediterranei</i> S699â€‰trifA. <i>Applied Microbiology and Biotechnology</i> , 2018, 102, 689-702.	1.7	14
138	Deacetylmycoepoxydiene is an agonist of Rac1, and simultaneously induces autophagy and apoptosis. <i>Applied Microbiology and Biotechnology</i> , 2018, 102, 5965-5975.	1.7	14
139	Expression of the Clifednamide Biosynthetic Pathway in <i>Streptomyces</i> Generates 27,28- <i>seco</i> -Derivatives. <i>Journal of Natural Products</i> , 2020, 83, 2803-2808.	1.5	14
140	Two new p-terphenyl derivatives from the marine fungal strain <i>Aspergillus</i> sp. AF119. <i>Natural Product Communications</i> , 2012, 7, 1057-62.	0.2	14
141	Enzymatic cyclization of linear peptide to plant cyclopeptide heterophyllin B. <i>Science in China Series B: Chemistry</i> , 2006, 49, 63-66.	0.8	13
142	In Vitro Reconstitution of a PKS Pathway for the Biosynthesis of Galbonolides in <i>Streptomyces</i> sp. LZ35. <i>ChemBioChem</i> , 2015, 16, 998-1007.	1.3	13
143	Four pairs of proline-containing cyclic dipeptides from <i>Nocardioopsis</i> sp. HT88, an endophytic bacterium of <i>Mallotus nudiflorus</i> L. <i>Natural Product Research</i> , 2020, 34, 2219-2224.	1.0	13
144	Five unusual natural carbohydrates from <i>Actinosynnema pretiosum</i> . <i>Chemistry of Natural Compounds</i> , 2008, 44, 594-597.	0.2	12

#	ARTICLE	IF	CITATIONS
145	CS1 is a novel topoisomerase II \pm inhibitor with favorable drug resistance profiles. <i>Biochemical and Biophysical Research Communications</i> , 2014, 453, 302-308.	1.0	12
146	Ansavaricins Aâ€“E: five new streptovaricin derivatives from <i>Streptomyces</i> sp. S012. <i>RSC Advances</i> , 2017, 7, 5684-5693.	1.7	12
147	Isolation of 11,12- <i>seco</i> -Rifamycin W Derivatives Reveals a Cleavage Pattern of the Rifamycin <i>ansa</i> Chain. <i>Organic Letters</i> , 2019, 21, 900-903.	2.4	12
148	A New Cyclopeptide from <i>Clausena anisum-olens</i> . <i>Helvetica Chimica Acta</i> , 2005, 88, 2345-2348.	1.0	11
149	Cardenolides and Cardiac Aglycone from the Stem Bark of <i>Trewia nudiflora</i> . <i>Helvetica Chimica Acta</i> , 2005, 88, 2781-2787.	1.0	11
150	Two 18-membered epothilones from <i>Sorangium cellulosum</i> So0157-2. <i>Journal of Antibiotics</i> , 2010, 63, 571-574.	1.0	11
151	Anti-virulence activities of biflavonoids from <i>Mesua ferrea</i> L. flower. <i>Drug Discoveries and Therapeutics</i> , 2019, 13, 222-227.	0.6	11
152	8-Deoxy-Rifamycin Derivatives from <i>Amycolatopsis mediterranei</i> S699 γ Strain. <i>Biomolecules</i> , 2020, 10, 1265.	1.8	11
153	Four diterpenes from <i>Callicarpa pedunculata</i> . <i>Biochemical Systematics and Ecology</i> , 2002, 30, 999-1001.	0.6	10
154	Two New Diterpenoid Alkaloids from <i>Spiraea japonica</i> L. f. var. <i>fortunei</i> (Planchon) Rehd.. <i>Journal of Integrative Plant Biology</i> , 2005, 47, 120-123.	4.1	10
155	4-arylcoumarin inhibits immediate-type allergy. <i>Food and Agricultural Immunology</i> , 2007, 18, 203-211.	0.7	10
156	Structure-antibacterial relationship of nigericin derivatives. <i>Chemistry of Natural Compounds</i> , 2009, 45, 333-337.	0.2	10
157	Two New <i>p</i> -Terphenyl Derivatives from the Marine Fungal Strain <i>Aspergillus</i> sp. AF119. <i>Natural Product Communications</i> , 2012, 7, 1934578X1200700.	0.2	10
158	17-ABAG, a novel geldanamycin derivative, inhibits LNCaP-cell proliferation through heat shock protein 90 inhibition. <i>International Journal of Molecular Medicine</i> , 2015, 36, 424-432.	1.8	10
159	Synthesis, biological evaluation and modeling studies of terphenyl topoisomerase II \pm inhibitors as anticancer agents. <i>European Journal of Medicinal Chemistry</i> , 2015, 94, 427-435.	2.6	10
160	Two novel cyclic hexapeptides from the genetically engineered <i>Actinosynnema pretiosum</i> . <i>Applied Microbiology and Biotechnology</i> , 2017, 101, 2273-2279.	1.7	10
161	Synthesis of Aryl-Substituted Naphthalenoids as Potent Topoisomerase Inhibitors. <i>Medicinal Chemistry</i> , 2014, 10, 533-539.	0.7	10
162	Fine-Tuning of Cholesterol Homeostasis Controls Erythroid Differentiation. <i>Advanced Science</i> , 2022, 9, e2102669.	5.6	10

#	ARTICLE	IF	CITATIONS
163	Chemical constituents from the stem bark of <i>Trewia nudiflora</i> . <i>Chemistry of Natural Compounds</i> , 2009, 45, 536-538.	0.2	9
164	Mycoepoxydiene inhibits antigen-stimulated activation of mast cells and suppresses IgE-mediated anaphylaxis in mice. <i>International Immunopharmacology</i> , 2013, 17, 336-341.	1.7	9
165	Mycoepoxydiene induces apoptosis and inhibits TPA-induced invasion in human cholangiocarcinoma cells via blocking NF- κ B pathway. <i>Biochimie</i> , 2014, 101, 183-191.	1.3	9
166	Inhibitory effects of Mycoepoxydiene on macrophage foam cell formation and atherosclerosis in ApoE-deficient mice. <i>Cell and Bioscience</i> , 2015, 5, 23.	2.1	9
167	Ansavaricins A–I, new DNA topoisomerase inhibitors produced by <i>Streptomyces</i> sp. S012. <i>RSC Advances</i> , 2017, 7, 14857-14867.	1.7	9
168	Unusual acylation of chloramphenicol in <i>Lysobacter enzymogenes</i> , a biocontrol agent with intrinsic resistance to multiple antibiotics. <i>BMC Biotechnology</i> , 2017, 17, 59.	1.7	9
169	PMN inhibits colorectal cancer cells through inducing mitotic arrest and p53-dependent apoptosis via the inhibition of tubulin polymerization. <i>Biochemical and Biophysical Research Communications</i> , 2018, 499, 927-933.	1.0	9
170	Targeted Discovery of the Polyene Macrolide Hexacosalactone A from <i>Streptomyces</i> by Reporter-Guided Selection of Fermentation Media. <i>Journal of Natural Products</i> , 2021, 84, 1924-1929.	1.5	9
171	Biosynthesis of Chuangxinmycin Featuring a Deubiquitinase-like Sulfurtransferase. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 24418-24423.	7.2	9
172	Combinatorial Biosynthesis of Oxidized Combamides Using Cytochrome P450 Enzymes from Different Polycyclic Tetramate Macrolactam Pathways. <i>ACS Synthetic Biology</i> , 2021, 10, 2434-2439.	1.9	9
173	Arylazolythioacetanilide. Part 11: Design, Synthesis and Biological Evaluation of 1,2,4-triazole Thioacetanilide Derivatives as Novel Non-nucleoside HIV-1 Reverse Transcriptase Inhibitors. <i>Medicinal Chemistry</i> , 2013, 9, 968-973.	0.7	9
174	One New Ten-membered Lactone from <i>Phomopsis</i> sp. B27, an Endophytic Fungus of <i>Annona squamosa</i> L.. <i>Chinese Journal of Natural Medicines</i> , 2009, 6, 391-394.	0.7	9
175	New Oplopane-type Sesquiterpenoids from <i>Ligularia duciformis</i> . <i>Natural Product Communications</i> , 2007, 2, 1934578X0700200.	0.2	8
176	Parenteral nanosuspension of a novel synthesized antitumor candidate: Investigation of tissue biodistributions and plasma pharmacokinetics. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2013, 436, 868-872.	2.3	8
177	Cuevaenes E: Three new triene carboxylic derivatives from <i>Streptomyces</i> sp. LZ35 ^{gdmA} . <i>Beilstein Journal of Organic Chemistry</i> , 2014, 10, 858-862.	1.3	8
178	Siderochelins with anti-mycobacterial activity from <i>Amycolatopsis</i> sp. LZ149. <i>Chinese Journal of Natural Medicines</i> , 2015, 13, 69-72.	0.7	8
179	Yield improvement of epothilones in <i>Burkholderia</i> strain DSM7029 via transporter engineering. <i>FEMS Microbiology Letters</i> , 2018, 365, .	0.7	8
180	OX4 Is an NADPH-Dependent Dehydrogenase Catalyzing an Extended Michael Addition Reaction To Form the Six-Membered Ring in the Antifungal HSAF. <i>Biochemistry</i> , 2019, 58, 5245-5248.	1.2	8

#	ARTICLE	IF	CITATIONS
181	Identification and structure–function analyses of an allosteric inhibitor of the tyrosine phosphatase PTPN22. <i>Journal of Biological Chemistry</i> , 2019, 294, 8653-8663.	1.6	8
182	A Single-Component Flavoenzyme Catalyzed Regioselective Halogenation of Pyrone in the Biosynthesis of Venemycins. <i>ACS Chemical Biology</i> , 2019, 14, 2533-2537.	1.6	8
183	Synthesis and biological evaluation of geldanamycin–ferulic acid conjugate as a potent Hsp90 inhibitor. <i>RSC Advances</i> , 2019, 9, 42509-42515.	1.7	8
184	Discovery of 4,6-O-Thenylidene- β -D-glucopyranoside-(2-acetamido), Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 632 To Potential Less Toxic Antitumor Candidate Drugs by Reducing DNA Damage and Less Inhibition of PI3K. <i>Journal of Medicinal Chemistry</i> , 2020, 63, 2877-2893.	2.9	8
185	Rifamycin W Analogues from <i>Amycolatopsis mediterranei</i> S699 \hat{r} rif-orf5 Strain. <i>Biomolecules</i> , 2021, 11, 920.	1.8	8
186	Structural optimization of natural product fusaric acid to discover novel T3SS inhibitors of <i>Salmonella</i> . <i>Biochemical and Biophysical Research Communications</i> , 2021, 582, 72-76.	1.0	8
187	The Chemical Constituents from the Callus Culture of <i>Trewia nudiflora</i> . <i>Helvetica Chimica Acta</i> , 2005, 88, 2424-2429.	1.0	7
188	Three New β -Trachylobane Diterpenoids from Co-cultures of the Calli of <i>Trewia nudiflora</i> and <i>Fusarium</i> sp. WXE. <i>Helvetica Chimica Acta</i> , 2009, 92, 2783-2789.	1.0	7
189	A new antitumour ansamitocin from <i>Actinosynnema pretiosum</i> . <i>Natural Product Research</i> , 2010, 24, 1146-1150.	1.0	7
190	Discovery of a series of 2-phenyl-naphthalenes as firefly luciferase inhibitors. <i>RSC Advances</i> , 2015, 5, 63450-63457.	1.7	7
191	Identification of HN252 as a potent inhibitor of protein phosphatase PPM1B. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 13463-13471.	1.6	7
192	Anti-inflammatory Effects of 4-Arylcoumarins in LPS-induced Murine Macrophage RAW 264.7 Cells. <i>Pharmaceutical Biology</i> , 2006, 44, 576-580.	1.3	6
193	A New Limonoid from <i>Trichilia connaroides</i> . <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2010, 65, 762-764.	0.3	6
194	Gambogic acid activates AMP-activated protein kinase in mammalian cells. <i>Biochemical and Biophysical Research Communications</i> , 2012, 424, 100-104.	1.0	6
195	Highly Acetylated Lanostane-type Triterpenoids from <i>Coprinus cinereus</i> 120. <i>Helvetica Chimica Acta</i> , 2012, 95, 282-285.	1.0	6
196	Deacetyl-mycoepoxydiene, isolated from plant endophytic fungi <i>Phomopsis</i> sp. demonstrates anti-microtubule activity in MCF-7 cells. <i>Biomedicine and Pharmacotherapy</i> , 2015, 69, 82-89.	2.5	6
197	Four new meridamycin congeners from <i>Streptomyces</i> sp. SR107. <i>RSC Advances</i> , 2016, 6, 49792-49796.	1.7	6
198	Crystal structure and catalytic activity of the PPM1K N94K mutant. <i>Journal of Neurochemistry</i> , 2019, 148, 550-560.	2.1	6

#	ARTICLE	IF	CITATIONS
199	Urolithins and intestinal health. <i>Drug Discoveries and Therapeutics</i> , 2022, 16, 105-111.	0.6	6
200	A new dihydroisocoumarin from the strain <i>Aspergillus</i> sp. CMM, an endophytic fungus of <i>Cephalotaxus mannii</i> . <i>Chemistry of Natural Compounds</i> , 2008, 44, 569-571.	0.2	5
201	Novel Polyketides Isolated from <i>Streptomyces</i> sp.. <i>Helvetica Chimica Acta</i> , 2008, 91, 741-745.	1.0	5
202	Secondary metabolites of <i>Pyrenochaeta</i> sp. B36, an endophytic fungus from <i>Annona squamosa</i> L.. <i>Natural Product Research</i> , 2011, 25, 1008-1013.	1.0	5
203	Transformation of <i>Fusarium verticillioides</i> with a polyketide gene cluster isolated from a fungal endophyte activates the biosynthesis of fusaric acid. <i>Mycology</i> , 2011, 2, 24-29.	2.0	5
204	Isotryptoquivaline F, a new quinazolinone derivative with anti TNF- α activity from <i>Aspergillus</i> sp. CM9a. <i>Drug Discoveries and Therapeutics</i> , 2014, 8, 208-211.	0.6	5
205	Design, synthesis and pharmacological evaluation of N-(5-chloro-2,4-dihydroxybenzoyl)-(R)-N-arylmethyl-1,2,3,4-tetrahydro-3-isoquinolinecarboxamides as potent Hsp90 inhibitors. <i>European Journal of Medicinal Chemistry</i> , 2018, 143, 85-96.	2.6	5
206	New Polycyclic Tetramate Macrolactam from <i>Streptomyces</i> sp. S001. <i>Chinese Journal of Organic Chemistry</i> , 2020, 40, 1779.	0.6	5
207	Five diterpene alkaloids from <i>Spiraea japonica</i> (Rosaceae). <i>Biochemical Systematics and Ecology</i> , 2004, 32, 75-78.	0.6	4
208	Spiraeosides A and B, Two New Diterpenoid Glucosides from <i>Spiraea japonica</i> var. <i>ovalifolia</i> . <i>Planta Medica</i> , 2009, 75, 1349-1351.	0.7	4
209	Two New Cyclopeptides and One New Nonenolide from <i>Xylaria</i> sp. 101. <i>Natural Product Communications</i> , 2011, 6, 1934578X1100601.	0.2	4
210	Diversity of Polyketide Chains Achieved by Deleting the Tailoring Genes in the Biosynthesis of Ansatrieninins. <i>ChemBioChem</i> , 2018, 19, 256-262.	1.3	4
211	Identification of the Bacterial Maytansinoid Gene Cluster <i>asc</i> Provides Insights into the Post-PKS Modifications of Ansacarbamitocin Biosynthesis. <i>Organic Letters</i> , 2019, 21, 5823-5826.	2.4	4
212	Two New Nonenolides from <i>Diaporthe</i> sp. SXZ-19, an Endophytic Fungus of <i>Camptotheca Acuminata</i> . <i>Chemistry and Biodiversity</i> , 2021, 18, e2001055.	1.0	4
213	Two New Pimarane-Type Diterpenes from the Metabolites of <i>Xylaria</i> sp. 290. <i>Chinese Journal of Organic Chemistry</i> , 2013, 33, 2618.	0.6	4
214	The HSP90 inhibitor 17-PAG effectively inhibits the proliferation and migration of androgen-independent prostate cancer cells. <i>American Journal of Cancer Research</i> , 2015, 5, 3198-209.	1.4	4
215	7-Hydroxy-4,6-dimethyl-3H-isobenzofuran-1-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2006, 62, o4172-o4173.	0.2	3
216	Introduction of the AAL-Toxin Polyketide Synthase Gene <i>ALT1</i> into <i>FUM1</i> -disrupted <i>Fusarium verticillioides</i> Produces Metabolites with the Fumonisin Methylation Pattern. <i>Journal of Natural Products</i> , 2009, 72, 1328-1330.	1.5	3

#	ARTICLE	IF	CITATIONS
217	Two New N-(O-Carbamoylglucopyranosyl)-N-dimethylansamitocins from <i>Actinosynnema pretiosum</i> . <i>Helvetica Chimica Acta</i> , 2012, 95, 1630-1636.	1.0	3
218	Discovery of New Substrates for <i>LuxAB</i> Bacterial Bioluminescence. <i>Chemical Biology and Drug Design</i> , 2016, 88, 197-208.	1.5	3
219	Neoansamycins from <i>Streptomyces</i> sp. LZ35. <i>RSC Advances</i> , 2017, 7, 35460-35465.	1.7	3
220	The small molecule CS1 inhibits mitosis and sister chromatid resolution in HeLa cells. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2018, 1862, 1134-1147.	1.1	3
221	An Explorer of Chemical Biology of Plant Natural Products in Southwest China, Xiaojiang Hao. <i>Natural Products and Bioprospecting</i> , 2018, 8, 217-226.	2.0	3
222	Cytotoxic Polyketides with an Oxygen-Bridged Cyclooctadiene Core Skeleton from the Mangrove Endophytic Fungus <i>Phomopsis</i> sp. A818. <i>Molecules</i> , 2017, 22, 1547.	1.7	3
223	One New Ten-membered Lactone from <i>Phomopsis</i> sp. B27, an Endophytic Fungus of <i>Annona squamosa</i> . <i>Chinese Journal of Natural Medicines</i> , 2008, 6, 391-394.	0.7	2
224	Two New Acorane-Type Sesquiterpenoids from <i>Aschersonia</i> sp. D20, an Endophytic Fungus of <i>Annona squamosa</i> . <i>Chemistry of Natural Compounds</i> , 2015, 51, 870-872.	0.2	2
225	Para-aminobenzoic acid synthase from mushroom <i>Agaricus bisporus</i> enhances UV-C tolerance in <i>Arabidopsis</i> by reducing oxidative DNA damage. <i>Acta Physiologiae Plantarum</i> , 2019, 41, 1.	1.0	2
226	Recent advances in the boric acid/boronate-based fluorescent probes for detection of hydrogen peroxide. <i>Scientia Sinica Chimica</i> , 2012, 42, 1683-1693.	0.2	2
227	An Efficient Synthesis of Cytosporone B. <i>Chinese Journal of Organic Chemistry</i> , 2015, 35, 2013.	0.6	2
228	Shunt products of aminoansamycins from <i>aas1</i> overexpressed mutant strain of <i>Streptomyces</i> sp. S35. <i>Chinese Journal of Natural Medicines</i> , 2020, 18, 952-956.	0.7	2
229	Trinulactones "D", New Dinorsesterterpenoids from <i>Streptomyces</i> sp. S006. <i>Natural Product Communications</i> , 2018, 13, 1934578X1801301.	0.2	1
230	The coupled reaction catalyzed by EchB and EchC lead to the formation of the common 2,3,5-trihydroxy-benzene core in echosides biosynthesis. <i>Biochemical and Biophysical Research Communications</i> , 2021, 559, 62-69.	1.0	1
231	Triazole/thiadiazole substituted 4-demethylepipodophyllotoxin derivatives induced apoptosis in HeLa cells by up-regulating TMEM133. <i>European Journal of Pharmacology</i> , 2021, 905, 174189.	1.7	1
232	Biosynthesis of chuangxinmycin featuring a deubiquitinase-like sulfurtransferase. <i>Angewandte Chemie</i> , 0, .	1.6	1
233	Specialised metabolites as chemotaxonomic markers of <i>Coptosapelta diffusa</i> , supporting its delimitation as sisterhood phylogenetic relationships with Rubioideae. <i>Phytochemistry</i> , 2021, 192, 112929.	1.4	1
234	Four natural epothilone derivatives isolated from <i>Sorangium cellulosum</i> strain So0157-2. <i>Journal of Chinese Pharmaceutical Sciences</i> , 2013, 22, .	0.4	1

#	ARTICLE	IF	CITATIONS
235	Chemical Components of Some Microorganisms Isolated from Specific Habitats and Their Antitumor Activities. Chinese Journal of Organic Chemistry, 2013, 33, 1135.	0.6	1
236	Synthesis of (E)-N-(4-Styrene) Acrylamides for DNA Topoisomerase II α Inhibitors and Antitumor Agents. Chinese Journal of Organic Chemistry, 2022, 42, 293.	0.6	1
237	Crystallization and preliminary X-ray diffraction analysis of the diterpene cyclooctatin synthase (CYC) from <i>Streptomyces</i> sp. LZ35. Acta Crystallographica Section F, Structural Biology Communications, 2014, 70, 366-369.	0.4	0
238	Synthesis and Antitumor Activity of Lycogarubin C and Lycogalic Acid. Chinese Journal of Organic Chemistry, 2014, 34, 797.	0.6	0