

# Dan Liu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/425402/publications.pdf>

Version: 2024-02-01

32  
papers

899  
citations

471509

17  
h-index

454955

30  
g-index

34  
all docs

34  
docs citations

34  
times ranked

1044  
citing authors

#	ARTICLE	IF	CITATIONS
1	Efficient and stable noble-metal-free catalyst for acidic water oxidation. <i>Nature Communications</i> , 2022, 13, 2294.	12.8	89
2	An unusual mechanism of building up of a high magnetization blocking barrier in an octahedral alkoxide Dy <sup>3+</sup> -based single-molecule magnet. <i>Inorganic Chemistry Frontiers</i> , 2021, 8, 1166-1174.	6.0	37
3	Magnetic investigation in di- and tetranuclear lanthanide complexes. <i>New Journal of Chemistry</i> , 2021, 45, 2200-2207.	2.8	7
4	Design of Fe <sup>III</sup> -Ln <sup>III</sup> binuclear complexes using compartmental ligands: synthesis, crystal structures, magnetic properties, and <i>ab initio</i> analysis. <i>Journal of Materials Chemistry C</i> , 2021, 9, 10912-10926.	5.5	7
5	Tunable Linearity of High-Performance Vertical Dual-Gate vdW Phototransistors. <i>Advanced Materials</i> , 2021, 33, e2008080.	21.0	36
6	Modulating the relaxation dynamics of the Na <sub>2</sub> Mn <sub>3</sub> system <i>via</i> an auxiliary anion change. <i>Dalton Transactions</i> , 2021, 50, 14774-14781.	3.3	0
7	A quasilinear hydrazone-based mononuclear dysprosium compound with C <sub>4v</sub> symmetry exhibiting field-induced complex magnetic relaxation. <i>New Journal of Chemistry</i> , 2021, 45, 21708-21715.	2.8	1
8	An Inconspicuous Six-Coordinate Neutral Dy <sup>III</sup> Single-Ion Magnet with Remarkable Magnetic Anisotropy and Stability. <i>Inorganic Chemistry</i> , 2020, 59, 7158-7166.	4.0	31
9	Dynamical Jahn-Teller effect in the first excited. <i>International Journal of Quantum Chemistry</i> , 2020, 120, e26148.	2.0	4
10	Ferromagnetic kinetic exchange interaction in magnetic insulators. <i>Physical Review Research</i> , 2020, 2, .	3.6	10
11	Predicting intersystem crossing efficiencies of organic molecules for efficient thermally activated delayed fluorescence. <i>Journal of Materials Chemistry C</i> , 2019, 7, 9523-9530.	5.5	52
12	Dynamical Jahn-Teller effect of fullerene anions. <i>Physical Review B</i> , 2018, 97, .	3.2	13
13	Quadratic Jahn-Teller effect of fullerene anions. <i>Physical Review B</i> , 2018, 98, .	3.2	5
14	An organolanthanide( <sup>iii</sup> ) single-molecule magnet with an axial crystal-field: influence of the Raman process over the slow relaxation. <i>Chemical Communications</i> , 2017, 53, 4706-4709.	4.1	43
15	Hyperfine-Interaction-Driven Suppression of Quantum Tunneling at Zero Field in a Holmium(III) Single-Ion Magnet. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 4996-5000.	13.8	173
16	Hyperfine-Interaction-Driven Suppression of Quantum Tunneling at Zero Field in a Holmium(III) Single-Ion Magnet. <i>Angewandte Chemie</i> , 2017, 129, 5078-5082.	2.0	31
17	Transitions of two magnetic interaction states in dinuclear Dy( <sup>iii</sup> ) complexes via subtle structural variations. <i>Dalton Transactions</i> , 2017, 46, 638-642.	3.3	47
18	Innentitelbild: Hyperfine-Interaction-Driven Suppression of Quantum Tunneling at Zero Field in a Holmium(III) Single-Ion Magnet ( <i>Angew. Chem.</i> 18/2017). <i>Angewandte Chemie</i> , 2017, 129, 4974-4974.	2.0	1

#	ARTICLE	IF	CITATIONS
19	Synthesis of graphene oxide functionalized surface-imprinted polymer for the preconcentration of tetracycline antibiotics. <i>RSC Advances</i> , 2016, 6, 11742-11748.	3.6	26
20	Preparation of a monolith functionalized with zinc oxide nanoparticles and its application in the enrichment of fluoroquinolone antibiotics. <i>Journal of Separation Science</i> , 2015, 38, 134-140.	2.5	15
21	Molecular charge transfer by adsorbing TCNQ/TTF molecules via $\pi$ - $\pi$ interaction: a simple and effective strategy to modulate the electronic and magnetic behaviors of zigzag SiC nanoribbons. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 941-950.	2.8	14
22	Poly(glycidyl methacrylate-co-N-methylolacrylamide-co-ethylene dimethacrylate) monolith coupled to high-performance liquid chromatography for the determination of adenosine phosphates in royal jelly. <i>Journal of Separation Science</i> , 2014, 37, 1826-1833.	2.5	8
23	Dihalogen edge-modification: an effective approach to realize the half-metallicity and metallicity in zigzag silicon carbon nanoribbons. <i>Journal of Materials Chemistry C</i> , 2014, 2, 7836-7850.	5.5	28
24	Pillarene functionalized polymer monolithic column for the solid-phase microextraction preconcentration of parabens. <i>RSC Advances</i> , 2014, 4, 49153-49160.	3.6	24
25	Introducing the Triangular Defect to Effectively Engineer the Wide Band Gap of Boron Nitride Nanoribbons with Zigzag and Even Armchair Edges. <i>Journal of Physical Chemistry C</i> , 2014, 118, 12880-12889.	3.1	20
26	Polymer monolith microextraction coupled to microwave plasma torch atomic emission spectrometry for the determination of Nd, Eu and Yb in tea samples. <i>Analytical Methods</i> , 2012, 4, 2970.	2.7	7
27	Coordination polymers constructed by 1,3-bis(4-pyridyl)propane with four different conformations and 2,2'-dinitro-4,4'-biphenyldicarboxylate ligands: the effects of metal ions. <i>CrystEngComm</i> , 2011, 13, 1291-1298.	2.6	51
28	Design and construction of coordination polymers by 2,2'-dinitro-4,4'-biphenyldicarboxylate and imidazole-based ligands: diverse structures based on different metal ions. <i>CrystEngComm</i> , 2011, 13, 2457.	2.6	26
29	Two Coordination Polymers with Rare Topologies Based on Copper(II) and Ligands Generated by In Situ Reactions. <i>European Journal of Inorganic Chemistry</i> , 2011, 2011, 35-38.	2.0	13
30	Solvothermal Synthesis, Crystal Structures, and Magnetic Properties of Two Organically Templated Iron Sulfates with Chain Structures. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2010, 636, 2681-2685.	1.2	3
31	Ferromagnetic Properties of Y-Doped AlN Nanorods. <i>Journal of Physical Chemistry C</i> , 2010, 114, 15574-15577.	3.1	38
32	Constructing octa- and hexadecanuclear manganese clusters from tetrahedral Mn(III)Mn(II) cores bridged by quinque-dentate Schiff base and versatile azide groups. <i>Dalton Transactions</i> , 2010, 39, 5504.	3.3	38