Suguru Yoshida

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/425461/suguru-yoshida-publications-by-year.pdf

Version: 2024-04-05

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

136 3,388 50 34 h-index g-index citations papers 3,897 5.92 175 5.2 L-index avg, IF ext. citations ext. papers

| # | Paper | IF | Citations |
|-----|--|------------------|-----------|
| 136 | Electronic Origin of Non-Zone-Center Phonon Condensation: Octahedral Rotation as a Case Study. <i>Physical Review Letters</i> , 2021 , 127, 215701 | 7.4 | 2 |
| 135 | Synthesis of Azidoanilines by the Buchwald-Hartwig Amination. <i>Journal of Organic Chemistry</i> , 2021 , 86, 15674-15688 | 4.2 | 0 |
| 134 | Transition-Metal-Free Synthesis of Arylphenothiazines through an - and -Arylation Sequence. <i>Organic Letters</i> , 2021 , 23, 2347-2352 | 6.2 | 7 |
| 133 | Palladium-Catalyzed Sulfinylation of Aryl- and Alkenylborons with Sulfinate Esters. <i>Organic Letters</i> , 2021 , 23, 3793-3797 | 6.2 | 3 |
| 132 | Recent Insertion Reactions of Aryne Intermediates 2021 , 111-148 | | |
| 131 | Assembly of four modules onto a tetraazide platform by consecutive 1,2,3-triazole formations. <i>Chemical Communications</i> , 2021 , 57, 899-902 | 5.8 | 6 |
| 130 | Facile Synthesis of Tetraarylpyrazines by Sequential Cross-coupling Approach. <i>Chemistry Letters</i> , 2021 , 50, 180-183 | 1.7 | 1 |
| 129 | Diverse diaryl sulfide synthesis through consecutive aryne reactions. <i>Chemical Communications</i> , 2021 , 57, 2621-2624 | 5.8 | 3 |
| 128 | Nucleophilic transformations of azido-containing carbonyl compounds via protection of the azido group. <i>Chemical Communications</i> , 2021 , 57, 6062-6065 | 5.8 | O |
| 127 | Acylalkylation of Arynes Generated from -lodoaryl Triflates with Hydrosilanes and Cesium Fluoride. <i>Organic Letters</i> , 2021 , 23, 1868-1873 | 6.2 | 5 |
| 126 | Facile Synthetic Methods for Diverse N-Arylphenylalanine Derivatives via Transformations of Aryne Intermediates and Cross-Coupling Reactions. <i>Bulletin of the Chemical Society of Japan</i> , 2021 , 94, 1823-1 | 8 3 2 | |
| 125 | S1PR3-G-biased agonist ALESIA targets cancer metabolism and promotes glucose starvation. <i>Cell Chemical Biology</i> , 2021 , 28, 1132-1144.e9 | 8.2 | 1 |
| 124 | Thioxanthone Synthesis from Benzoic Acid Esters through Directed ortho-Lithiation. <i>Chemistry Letters</i> , 2021 , 50, 1624-1627 | 1.7 | |
| 123 | Synthesis of Phenoxathiins and Phenothiazines by Aryne Reactions with Thiosulfonates. <i>Chemistry Letters</i> , 2020 , 49, 593-596 | 1.7 | 11 |
| 122 | Synthesis of Thioxanthones through Formal CH Thiolation of Benzoic Acid Esters and Acid-mediated Direct Cyclization. <i>Chemistry Letters</i> , 2020 , 49, 753-756 | 1.7 | 3 |
| 121 | Functionalization of a Single C-F Bond of Trifluoromethylarenes Assisted by an ortho-Silyl Group Using a Trityl-Based All-in-One Reagent with Ytterbium Triflate Catalyst. <i>Chemistry - A European Journal</i> , 2020 , 26, 6136-6140 | 4.8 | 15 |
| 120 | Facile assembly of three cycloalkyne-modules onto a platform compound bearing thiophene S,S-dioxide moiety and two azido groups. <i>Chemical Communications</i> , 2020 , 56, 4720-4723 | 5.8 | 9 |

(2019-2020)

| 119 | Sulfoxide synthesis from sulfinate esters under Pummerer-like conditions. <i>Chemical Communications</i> , 2020 , 56, 5429-5432 | 5.8 | 8 | |
|-----|--|------|----|--|
| 118 | Sequential conjugation methods based on triazole formation and related reactions using azides. Organic and Biomolecular Chemistry, 2020, 18, 1550-1562 | 3.9 | 15 | |
| 117 | Consecutive Aryne Generation Strategy for the Synthesis of 1,3-Diarylpyrazoles. <i>Journal of Organic Chemistry</i> , 2020 , 85, 4448-4462 | 4.2 | 11 | |
| 116 | Synthesis of benzyl sulfides via substitution reaction at the sulfur of phosphinic acid thioesters. <i>Chemical Communications</i> , 2020 , 56, 5771-5774 | 5.8 | 4 | |
| 115 | Aryne Reaction and Cross-coupling Approach for the Synthesis of Diverse N-Arylphenylalanine Derivatives. <i>Chemistry Letters</i> , 2020 , 49, 809-812 | 1.7 | 4 | |
| 114 | One-pot Synthesis of Allyl Sulfides from Sulfinate Esters and Allylsilanes through Reduction of Alkoxysulfonium Intermediates. <i>Chemistry Letters</i> , 2020 , 49, 813-816 | 1.7 | 3 | |
| 113 | Synthesis of multisubstituted cycloalkenes through carbomagnesiation of strained cycloalkynes. <i>Chemical Communications</i> , 2020 , 56, 7147-7150 | 5.8 | 3 | |
| 112 | HaloTag-based conjugation of proteins to barcoding-oligonucleotides. <i>Nucleic Acids Research</i> , 2020 , 48, e8 | 20.1 | 5 | |
| 111 | Synthesis of Functionalized Benzopyran/Coumarin-Derived Aryne Precursors and Their Applications. <i>Organic Letters</i> , 2020 , 22, 8505-8510 | 6.2 | 10 | |
| 110 | Triazole formation of phosphinyl alkynes with azides through transient protection of phosphine by copper. <i>Chemical Communications</i> , 2020 , 56, 14003-14006 | 5.8 | 4 | |
| 109 | Selective strain-promoted azide-alkyne cycloadditions through transient protection of bicyclo[6.1.0]nonynes with silver or gold. <i>Chemical Communications</i> , 2020 , 56, 9823-9826 | 5.8 | 7 | |
| 108 | 2-Azidoacrylamides as compact platforms for efficient modular synthesis. <i>Chemical Communications</i> , 2020 , 56, 15541-15544 | 5.8 | 2 | |
| 107 | Single C-F Transformations of -Hydrosilyl Benzotrifluorides with Trityl Compounds as All-in-One Reagents. <i>Organic Letters</i> , 2020 , 22, 9292-9297 | 6.2 | 16 | |
| 106 | One-step synthesis of benzo[]thiophenes by aryne reaction with alkynyl sulfides. <i>Chemical Science</i> , 2020 , 11, 9691-9696 | 9.4 | 14 | |
| 105 | (Hexafluoroacetylacetonato)copper(I)-cycloalkyne complexes as protected cycloalkynes. <i>Chemical Communications</i> , 2020 , 56, 11449-11452 | 5.8 | 4 | |
| 104 | Synthesis of Diverse Aromatic Ketones through C-F Cleavage of Trifluoromethyl Group. <i>Chemistry - A European Journal</i> , 2020 , 26, 12333-12337 | 4.8 | 9 | |
| 103 | A novel yellow fluorescent protein of recombinant apoPholasin with dehydrocoelenterazine. <i>Biochemical and Biophysical Research Communications</i> , 2020 , 526, 404-409 | 3.4 | 3 | |
| 102 | Facile Synthesis of Diverse 2,6-Disubstituted Arylsilanes via Silylamination and Silylsulfanylation of Aryne Intermediates Generated from o-Iodoaryl Triflates. <i>Chemistry Letters</i> , 2019 , 48, 1296-1299 | 1.7 | 14 | |

3-Thioaryne Intermediates for the Synthesis of Diverse Thioarenes. Organic Letters, 2019, 21, 5252-52586.2 101 28 Target Identification of Bioactive Compounds by Photoaffinity Labeling Using Diazido Probes 2019, 335-355 100 Effect of Resonance on the Clickability of Alkenyl Azides in the Strain-promoted Cycloaddition with 1.7 99 9 Dibenzo-fused Cyclooctynes. Chemistry Letters, 2019, 48, 1038-1041 Synthesis of Alkynyl Sulfides by Copper-Catalyzed Thiolation of Terminal Alkynes Using 98 6.2 30 Thiosulfonates. Organic Letters, 2019, 21, 3172-3177 Modular Synthesis of Unsymmetrical Doubly-ring-fused Benzene Derivatives Based on a Sequential Ring Construction Strategy Using Oxadiazinones as a Platform Molecule. Chemistry Letters, 2019, 97 1.7 15 48, 582-585 Facile Synthesis of Diverse o-Iodoaryl Triflates from o-Silylaryl Triflates by Aluminum-mediated 96 1.7 7 Desilyliodination. Chemistry Letters, 2019, 48, 742-745 Synthesis of Diverse EAryl-Eketoesters via Aryne Intermediates Generated by C-C Bond Cleavage. 6.2 95 15 *Organic Letters*, **2019**, 21, 9019-9023 Synthesis of Diverse 3-Azido-5-(azidomethyl)benzene Derivatives via Formal Cℍ Azidation and 0.8 94 Functional Group-Selective Transformations. Heterocycles, 2019, 99, 1053 Recent Advances in Synthetic Hetaryne Chemistry. Heterocycles, 2019, 98, 1623 0.8 18 93 Cell-based HTS identifies a chemical chaperone for preventing ER protein aggregation and 8.9 10 92 proteotoxicity. ELife, 2019, 8, Synthetic Aryne Chemistry toward Multicomponent Coupling. Yuki Gosei Kagaku Kyokaishi/Journal 91 0.2 O of Synthetic Organic Chemistry, 2019, 77, 145-162 A facile preparation of functional cycloalkynes via an azide-to-cycloalkyne switching approach. 90 5.8 11 Chemical Communications, **2019**, 55, 3556-3559 Ligand binding to human prostaglandin E receptor EP at the lipid-bilayer interface. Nature Chemical 89 58 11.7 Biology, 2019, 15, 18-26 Convergent synthesis of trifunctional molecules by three sequential azido-type-selective 88 5.8 cycloadditions. Chemical Communications, 2018, 54, 3705-3708 Synthesis of Diverse Phenothiazines by Direct Thioamination of Arynes with S-(o-Bromoaryl)-S-methylsulfilimines and Subsequent Intramolecular BuchwaldHartwig Amination. 87 18 1.7 Chemistry Letters, 2018, 47, 825-828 Modified Conditions for Copper-catalyzed ipso-Thiolation of Arylboronic Acid Esters with 86 1.7 25 Thiosulfonates. Chemistry Letters, 2018, 47, 85-88 Generation of Arynes by Selective Cleavage of a Carbon Phosphorus Bond of 85 18 1.7 o-(Diarylphosphinyl)aryl Triflates Using a Grignard Reagent. Chemistry Letters, 2018, 47, 1216-1219 Controlled Reactive Intermediates Enabling Facile Molecular Conjugation. Bulletin of the Chemical 84 26 5.1 Society of Japan, **2018**, 91, 1293-1318

| 83 | Transient Protection of Organic Azides from Click Reactions with Alkynes by Phosphazide Formation. <i>Organic Letters</i> , 2018 , 20, 4126-4130 | 6.2 | 25 |
|----|--|------|----|
| 82 | Expanding the synthesizable multisubstituted benzo[]thiophenes 6,7-thienobenzynes generated from -silylaryl triflate-type precursors <i>RSC Advances</i> , 2018 , 8, 21754-21758 | 3.7 | 13 |
| 81 | Prenatal neurogenesis induction therapy normalizes brain structure and functions in Down syndrome mice. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018 , WCP2018, OR24-5 | О | |
| 80 | Backstage Tour in the Development of Click Chemistry based on the Two-faced Copper. <i>Yuki Gosei Kagaku Kyokaishi/Journal of Synthetic Organic Chemistry</i> , 2018 , 76, 518-521 | 0.2 | |
| 79 | Further enhancement of the clickability of doubly sterically-hindered aryl azides by para-amino substitution. <i>Chemical Communications</i> , 2018 , 54, 13499-13502 | 5.8 | 14 |
| 78 | Hybrid Improper Ferroelectricity in (Sr,Ca)SnO and Beyond: Universal Relationship between Ferroelectric Transition Temperature and Tolerance Factor in n = 2 Ruddlesden-Popper Phases. <i>Journal of the American Chemical Society</i> , 2018 , 140, 15690-15700 | 16.4 | 45 |
| 77 | Recent advances in reactions between arynes and organosulfur compounds. <i>Tetrahedron Letters</i> , 2018 , 59, 4197-4208 | 2 | 48 |
| 76 | Ferroelectric Sr3Zr2O7: Competition between Hybrid Improper Ferroelectric and Antiferroelectric Mechanisms. <i>Advanced Functional Materials</i> , 2018 , 28, 1801856 | 15.6 | 57 |
| 75 | Staudinger reaction using 2,6-dichlorophenyl azide derivatives for robust aza-ylide formation applicable to bioconjugation in living cells. <i>Chemical Communications</i> , 2018 , 54, 7904-7907 | 5.8 | 25 |
| 74 | Aromatic Azido-selective Reduction via the Staudinger Reaction Using Tri-n-butylphosphonium Tetrafluoroborate with Triethylamine. <i>Chemistry Letters</i> , 2017 , 46, 473-476 | 1.7 | 21 |
| 73 | Three-Component Coupling of Triflyloxy-Substituted Benzocyclobutenones, Organolithium Reagents, and Arynophiles Promoted by Generation of Aryne via Carbon-Carbon Bond Cleavage. <i>Organic Letters</i> , 2017 , 19, 1184-1187 | 6.2 | 39 |
| 72 | Sequential Molecular Conjugation Using Thiophene S,S-Dioxides Bearing a Clickable Functional Group. <i>Chemistry Letters</i> , 2017 , 46, 1137-1140 | 1.7 | 18 |
| 71 | Development of an orally available inhibitor of CLK1 for skipping a mutated dystrophin exon in Duchenne muscular dystrophy. <i>Scientific Reports</i> , 2017 , 7, 46126 | 4.9 | 29 |
| 70 | Facile Synthesis of Phthalides from Methyl ortho-Iodobenzoates and Ketones via an IodineMagnesium Exchange Reaction Using a Silylmethyl Grignard Reagent. <i>Chemistry Letters</i> , 2017 , 46, 858-861 | 1.7 | 10 |
| 69 | Enhancing the Synthetic Utility of 3-Haloaryne Intermediates by Their Efficient Generation from Readily Synthesizable ortho-Iodoaryl Triflate-type Precursors. <i>Chemistry Letters</i> , 2017 , 46, 733-736 | 1.7 | 26 |
| 68 | Competing Structural Instabilities in the Ruddlesden P opper Derivatives HRTiO4 (R = Rare Earths): Oxygen Octahedral Rotations Inducing Noncentrosymmetricity and Layer Sliding Retaining Centrosymmetricity. <i>Chemistry of Materials</i> , 2017 , 29, 656-665 | 9.6 | 19 |
| 67 | Synthesis of Diverse o-Arylthio-Substituted Diaryl Ethers by Direct Oxythiolation of Arynes with Diaryl Sulfoxides Involving Migratory O-Arylation. <i>Organic Letters</i> , 2017 , 19, 5521-5524 | 6.2 | 40 |
| 66 | Comparison of pharmacokinetics of newly discovered aromatase inhibitors by a cassette microdosing approach in healthy Japanese subjects. <i>Drug Metabolism and Pharmacokinetics</i> , 2017 , 32, 293-300 | 2.2 | 5 |

| 65 | Rhodium-catalyzed odorless synthesis of diaryl sulfides from borylarenes and S-aryl thiosulfonates. <i>Chemical Communications</i> , 2017 , 53, 10640-10643 | 5.8 | 45 |
|----|---|------|----|
| 64 | Construction of Condensed Polycyclic Aromatic Frameworks through Intramolecular Cycloaddition Reactions Involving Arynes Bearing an Internal Alkyne Moiety. <i>Chemistry - A European Journal</i> , 2017 , 23, 15332-15335 | 4.8 | 29 |
| 63 | Perovskite-Type InCoO with Low-Spin Co: Effect of In-O Covalency on Structural Stabilization in Comparison with Rare-Earth Series. <i>Inorganic Chemistry</i> , 2017 , 56, 11113-11122 | 5.1 | 4 |
| 62 | Prenatal neurogenesis induction therapy normalizes brain structure and function in Down syndrome mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, 10268-10273 | 11.5 | 50 |
| 61 | Synthesis of Unsymmetrical Tertiary Phosphine Oxides via Sequential Substitution Reaction of Phosphonic Acid Dithioesters with Grignard Reagents. <i>Organic Letters</i> , 2017 , 19, 3899-3902 | 6.2 | 17 |
| 60 | Facile Synthesis of Multisubstituted Benzo[b]furans via 2,3-Disubstituted 6,7-Furanobenzynes Generated from ortho-Iodoaryl Triflate-type Precursors. <i>Chemistry Letters</i> , 2017 , 46, 118-121 | 1.7 | 19 |
| 59 | Reactions of Arynes with Sulfoximines: Formal Sulfinylamination vs. N-Arylation. <i>Chemistry Letters</i> , 2017 , 46, 77-80 | 1.7 | 30 |
| 58 | Facile Diversification of Simple Benzo[b]thiophenes via Thienobenzyne Intermediates. <i>Chemistry Letters</i> , 2017 , 46, 81-84 | 1.7 | 26 |
| 57 | Controlled Generation of 3-Triflyloxyarynes. <i>Synthesis</i> , 2016 , 48, 4099-4109 | 2.9 | 25 |
| 56 | Thiazolobenzyne: a versatile intermediate for multisubstituted benzothiazoles. <i>Chemical Communications</i> , 2016 , 52, 11199-202 | 5.8 | 24 |
| 55 | Aryne Relay Chemistry en Route to Aminoarenes: Synthesis of 3-Aminoaryne Precursors via Regioselective Silylamination of 3-(Triflyloxy)arynes. <i>Organic Letters</i> , 2016 , 18, 6212-6215 | 6.2 | 57 |
| 54 | The mevalonate pathway regulates primitive streak formation via protein farnesylation. <i>Scientific Reports</i> , 2016 , 6, 37697 | 4.9 | 7 |
| 53 | Synthesis of Diverse Benzotriazoles from Aryne Precursors Bearing an Azido Group via Inter- and Intramolecular Cycloadditions. <i>Chemistry Letters</i> , 2016 , 45, 726-728 | 1.7 | 31 |
| 52 | Selective inhibition of the kinase DYRK1A by targeting its folding process. <i>Nature Communications</i> , 2016 , 7, 11391 | 17.4 | 56 |
| 51 | Structural phase transitions in EuNbO3 perovskite. <i>Journal of Solid State Chemistry</i> , 2016 , 239, 192-199 | 3.3 | 8 |
| 50 | Topochemical Nitridation with Anion Vacancy-Assisted N(3-)/O(2-) Exchange. <i>Journal of the American Chemical Society</i> , 2016 , 138, 3211-7 | 16.4 | 37 |
| 49 | Novel Methods for Efficient Conjugation of Two Azide Molecules. <i>Yuki Gosei Kagaku Kyokaishi/Journal of Synthetic Organic Chemistry</i> , 2016 , 74, 453-461 | 0.2 | 1 |
| 48 | Single CE Bond Cleavage of Trifluoromethylarenes with an ortho-Silyl Group. <i>Angewandte Chemie</i> , 2016 , 128, 10562-10565 | 3.6 | 22 |

| 47 | Innentitelbild: Single CE Bond Cleavage of Trifluoromethylarenes with an ortho-Silyl Group (Angew. Chem. 35/2016). <i>Angewandte Chemie</i> , 2016 , 128, 10308-10308 | 3.6 | |
|----------------------------|--|---------------------------|----------------------------|
| 46 | Single C-F Bond Cleavage of Trifluoromethylarenes with an ortho-Silyl Group. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 10406-9 | 16.4 | 70 |
| 45 | Identification of a Dual Inhibitor of SRPK1 and CK2 That Attenuates Pathological Angiogenesis of Macular Degeneration in Mice. <i>Molecular Pharmacology</i> , 2015 , 88, 316-25 | 4.3 | 27 |
| 44 | Concise Synthesis of v-Coelenterazines. <i>Organic Letters</i> , 2015 , 17, 3888-91 | 6.2 | 17 |
| 43 | Generation of cycloheptynes and cyclooctynes via a sulfoxide-magnesium exchange reaction of readily synthesized 2-sulfinylcycloalkenyl triflates. <i>Chemical Communications</i> , 2015 , 51, 8745-8 | 5.8 | 31 |
| 42 | A mild and facile synthesis of aryl and alkenyl sulfides via copper-catalyzed deborylthiolation of organoborons with thiosulfonates. <i>Chemical Communications</i> , 2015 , 51, 16613-6 | 5.8 | 63 |
| 41 | Direct thioamination of arynes via reaction with sulfilimines and migratory N-arylation. <i>Journal of the American Chemical Society</i> , 2015 , 137, 14071-4 | 16.4 | 93 |
| 40 | Generation of Arynes Using Trimethylsilylmethyl Grignard Reagent for Activation of ortho-Iodoaryl or ortho-Sulfinylaryl Triflates. <i>Chemistry Letters</i> , 2015 , 44, 691-693 | 1.7 | 43 |
| 39 | Facile Synthesis of Diverse Multisubstituted ortho-Silylaryl Triflates via Cℍ Borylation. <i>Chemistry Letters</i> , 2015 , 44, 1324-1326 | 1.7 | 36 |
| | | | |
| 38 | The Renaissance and Bright Future of Synthetic Aryne Chemistry. <i>Chemistry Letters</i> , 2015 , 44, 1450-146 | 501.7 | 152 |
| 38 | The Renaissance and Bright Future of Synthetic Aryne Chemistry. <i>Chemistry Letters</i> , 2015 , 44, 1450-146 An Alternative Method for Generating Arynes from ortho-Silylaryl Triflates: Activation by Cesium Carbonate in the Presence of a Crown Ether. <i>Molecules</i> , 2015 , 20, 10131-40 | 4.8 | 152 42 |
| | An Alternative Method for Generating Arynes from ortho-Silylaryl Triflates: Activation by Cesium | , | 42 |
| 37 | An Alternative Method for Generating Arynes from ortho-Silylaryl Triflates: Activation by Cesium Carbonate in the Presence of a Crown Ether. <i>Molecules</i> , 2015 , 20, 10131-40 Rectifier of aberrant mRNA splicing recovers tRNA modification in familial dysautonomia. | 4.8 | 42 |
| 37 | An Alternative Method for Generating Arynes from ortho-Silylaryl Triflates: Activation by Cesium Carbonate in the Presence of a Crown Ether. <i>Molecules</i> , 2015 , 20, 10131-40 Rectifier of aberrant mRNA splicing recovers tRNA modification in familial dysautonomia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 2764-9 Formal CH-Azidation Based Shortcut to Diazido Building Blocks for the Versatile Preparation of | 4.8 | 42 67 |
| 37 36 35 | An Alternative Method for Generating Arynes from ortho-Silylaryl Triflates: Activation by Cesium Carbonate in the Presence of a Crown Ether. <i>Molecules</i> , 2015 , 20, 10131-40 Rectifier of aberrant mRNA splicing recovers tRNA modification in familial dysautonomia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 2764-9 Formal CH-Azidation Based Shortcut to Diazido Building Blocks for the Versatile Preparation of Photoaffinity Labeling Probes. <i>European Journal of Organic Chemistry</i> , 2014 , 2014, 3991-3995 Modular synthesis of bis- and tris-1,2,3-triazoles by permutable sequential azide-aryne and | 4.8 | 42 67 25 |
| 37 36 35 | An Alternative Method for Generating Arynes from ortho-Silylaryl Triflates: Activation by Cesium Carbonate in the Presence of a Crown Ether. <i>Molecules</i> , 2015 , 20, 10131-40 Rectifier of aberrant mRNA splicing recovers tRNA modification in familial dysautonomia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 2764-9 Formal CH-Azidation Based Shortcut to Diazido Building Blocks for the Versatile Preparation of Photoaffinity Labeling Probes. <i>European Journal of Organic Chemistry</i> , 2014 , 2014, 3991-3995 Modular synthesis of bis- and tris-1,2,3-triazoles by permutable sequential azide-aryne and azide-alkyne cycloadditions. <i>Organic and Biomolecular Chemistry</i> , 2014 , 12, 7489-93 Transient protection of strained alkynes from click reaction via complexation with copper. <i>Journal</i> | 4.8 11.5 3.2 3.9 | 42 67 25 38 |
| 37 36 35 34 33 | An Alternative Method for Generating Arynes from ortho-Silylaryl Triflates: Activation by Cesium Carbonate in the Presence of a Crown Ether. <i>Molecules</i> , 2015 , 20, 10131-40 Rectifier of aberrant mRNA splicing recovers tRNA modification in familial dysautonomia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 2764-9 Formal CH-Azidation Based Shortcut to Diazido Building Blocks for the Versatile Preparation of Photoaffinity Labeling Probes. <i>European Journal of Organic Chemistry</i> , 2014 , 2014, 3991-3995 Modular synthesis of bis- and tris-1,2,3-triazoles by permutable sequential azide-aryne and azide-alkyne cycloadditions. <i>Organic and Biomolecular Chemistry</i> , 2014 , 12, 7489-93 Transient protection of strained alkynes from click reaction via complexation with copper. <i>Journal of the American Chemical Society</i> , 2014 , 136, 13590-3 | 4.8 11.5 3.2 3.9 | 42 67 25 38 50 |

| 29 | An efficient generation method and remarkable reactivities of 3-triflyloxybenzyne. <i>Chemical Communications</i> , 2014 , 50, 15059-62 | 5.8 | 58 |
|----|---|------|-----|
| 28 | CDK9 inhibitor FIT-039 prevents replication of multiple DNA viruses. <i>Journal of Clinical Investigation</i> , 2014 , 124, 3479-88 | 15.9 | 49 |
| 27 | Copper-catalyzed extended Pummerer reactions of ketene dithioacetal monoxides with alkynyl sulfides and ynamides with an accompanying oxygen rearrangement. <i>Chemistry - A European Journal</i> , 2013 , 19, 5625-30 | 4.8 | 28 |
| 26 | A new organic two-electron oxidant: 9,10-diaryl-9,10-dihydroanthracene-9,10-bis(ylium). <i>Chemistry - an Asian Journal</i> , 2013 , 8, 2588-91 | 4.5 | O |
| 25 | C6-Deoxy coelenterazine analogues as an efficient substrate for glow luminescence reaction of nanoKAZ: the mutated catalytic 19 kDa component of Oplophorus luciferase. <i>Biochemical and Biophysical Research Communications</i> , 2013 , 437, 23-8 | 3.4 | 33 |
| 24 | Expression, purification and luminescence properties of coelenterazine-utilizing luciferases from Renilla, Oplophorus and Gaussia: comparison of substrate specificity for C2-modified coelenterazines. <i>Protein Expression and Purification</i> , 2013 , 88, 150-6 | 2 | 29 |
| 23 | Development of bis-unsaturated ester aldehydes as amino-glue probes: sequential double azaelectrocyclization as a promising strategy for bioconjugation. <i>Organic and Biomolecular Chemistry</i> , 2013 , 11, 7326-33 | 3.9 | 23 |
| 22 | Synthesis of Diverse Aromatic Oxophosphorus Compounds by the Michaelis Arbuzov-type Reaction of Arynes. <i>Chemistry Letters</i> , 2013 , 42, 583-585 | 1.7 | 51 |
| 21 | Palladium-catalyzed regio- and stereoselective hydrosilylation of electron-deficient alkynes. <i>Organic Letters</i> , 2012 , 14, 1552-5 | 6.2 | 63 |
| 20 | Nucleophilic substitution reaction at the nitrogen of arylsulfonamides with phosphide anion. <i>Journal of the American Chemical Society</i> , 2012 , 134, 19358-61 | 16.4 | 38 |
| 19 | Enhanced clickability of doubly sterically-hindered aryl azides. <i>Scientific Reports</i> , 2011 , 1, 82 | 4.9 | 62 |
| 18 | Remodeling of actin cytoskeleton in mouse periosteal cells under mechanical loading induces periosteal cell proliferation during bone formation. <i>PLoS ONE</i> , 2011 , 6, e24847 | 3.7 | 38 |
| 17 | Synthesis of 3-trifluoromethylbenzo[b]furans from phenols via direct ortho functionalization by extended Pummerer reaction. <i>Journal of the American Chemical Society</i> , 2010 , 132, 11838-40 | 16.4 | 137 |
| 16 | Intermolecular reductive radical addition to 2-(2,2,2-trifluoroethylidene)-1,3-dithiane 1-oxide: experimental and theoretical studies. <i>Organic Letters</i> , 2010 , 12, 5748-51 | 6.2 | 6 |
| 15 | Strain-promoted double-click reaction for chemical modification of azido-biomolecules. <i>Organic and Biomolecular Chemistry</i> , 2010 , 8, 4051-5 | 3.9 | 84 |
| 14 | Reaction of 2-(2,2,2-Trifluoroethylidene)-1,3-dithiane 1-Oxide with Ketones under Pummerer Conditions and Its Application to the Synthesis of 3-Trifluoromethyl-Substituted Five-Membered Heteroarenes. <i>Angewandte Chemie</i> , 2010 , 122, 2390-2393 | 3.6 | 30 |
| 13 | Reaction of 2-(2,2,2-trifluoroethylidene)-1,3-dithiane 1-oxide with ketones under Pummerer conditions and its application to the synthesis of 3-trifluoromethyl-substituted five-membered heteroarenes. <i>Angewandte Chemie - International Edition</i> , 2010 , 49, 2340-3 | 16.4 | 82 |
| 12 | Tin-Hydride-Mediated Radical Addition of Alkyl Halides to 2-Methylene-1,3-dithiane Monoxide as a Ketene Equivalent. <i>Heterocycles</i> , 2010 , 80, 259 | 0.8 | 2 |

LIST OF PUBLICATIONS

| | 11 | 2-(2,2,2-Trifluoroethylidene)-1,3-dithiane monoxide as a trifluoromethylketene equivalent. <i>Organic Letters</i> , 2009 , 11, 2185-8 | 6.2 | 81 |
|---|----|---|-----------------|----|
| | 10 | Radical Addition of Alkyl Halides to 2-Methylene-1,3-dithiane Monoxide as a Ketene Equivalent. <i>Chemistry Letters</i> , 2009 , 38, 248-249 | 1.7 | 8 |
| | 9 | Palladium-catalyzed MizorokiHeck Reactions of 2-Methylene-1,3-dithiane 1-Oxide with Aryl Iodides. <i>Chemistry Letters</i> , 2009 , 38, 624-625 | 1.7 | 6 |
| | 8 | Extended Pummerer Reaction of Arylketene Dithioacetal Monoxides with Aromatic Compounds by Means of Trifluoromethanesulfonic Anhydride. <i>Chemistry Letters</i> , 2008 , 37, 786-787 | 1.7 | 33 |
| | 7 | Synthesis of bulky arylphosphanes by rhodium-catalyzed formal [2+2+2] cycloaddition reaction and their use as ligands. <i>Chemistry - an Asian Journal</i> , 2008 , 3, 1613-9 | 4.5 | 13 |
| | 6 | 2-Alkylidene-1,3-dithiane Monoxides as Activated Alkenes in Rhodium-Catalyzed Addition Reaction of Arylboronic Acids. <i>Heterocycles</i> , 2008 , 76, 679 | 0.8 | 1 |
| | 5 | Zirconocene-catalyzed alkylative dimerization of 2-methylene-1,3-dithiane via a single electron transfer process to provide symmetrical vic-bis(dithiane)s. <i>Journal of Organometallic Chemistry</i> , 2007 , 692, 3110-3114 | 2.3 | 10 |
| | 4 | Rhodium-Catalyzed Addition of Arylboronic Acids to 2-Methylene-1,3-Idithiane Monoxide. <i>Synlett</i> , 2007 , 2007, 1622-1624 | 2.2 | 4 |
| , | 3 | Synthesis of benzo[b]thiophenes by cyclization of arylketene dithioacetal monoxides under pummerer-like conditions. <i>Organic Letters</i> , 2007 , 9, 5573-6 | 6.2 | 75 |
| | 2 | Naphthalene-1,8-diylbis(diphenylmethylium) as an organic two-electron oxidant: benzidine synthesis via oxidative self-coupling of N,N-dialkylanilines. <i>Journal of Organic Chemistry</i> , 2006 , 71, 6414- | 4 .2 | 35 |
| | 1 | 1,8-bis(diphenylmethylium)naphthalenediyl dication as an organic oxidant: synthesis of benzidines via self-coupling of N,N-dialkylanilines. <i>Organic Letters</i> , 2004 , 6, 4563-5 | 6.2 | 29 |