Mark G Bowden

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4256357/publications.pdf Version: 2024-02-01



MARK C. ROWDEN

#	Article	IF	CITATIONS
1	Commentary: Remote assessments of gait and balance - Implications for research during and beyond Covid-19. Topics in Stroke Rehabilitation, 2022, 29, 74-81.	1.9	10
2	Revisiting the Concept of Minimal Detectable Change for Patient-Reported Outcome Measures. Physical Therapy, 2022, 102, .	2.4	8
3	Comparing cortico-motor hotspot identification methods in the lower extremities post-stroke: MEP amplitude vs. latency. Neuroscience Letters, 2021, 754, 135884.	2.1	2
4	Benchmarking in Academic Physical Therapy: A Multicenter Trial Using the PT-GQ Survey. Physical Therapy, 2021, 101, .	2.4	7
5	Altered post-stroke propulsion is related to paretic swing phase kinematics. Clinical Biomechanics, 2020, 72, 24-30.	1.2	13
6	These legs were made for propulsion: advancing the diagnosis and treatment of post-stroke propulsion deficits. Journal of NeuroEngineering and Rehabilitation, 2020, 17, 139.	4.6	43
7	Lessons Learned: The Difficulties of Incorporating Intensity Principles Into Inpatient Stroke Rehabilitation. Archives of Rehabilitation Research and Clinical Translation, 2020, 2, 100052.	0.9	6
8	Bilateral Assessment of the Corticospinal Pathways of the Ankle Muscles Using Navigated Transcranial Magnetic Stimulation. Journal of Visualized Experiments, 2019, , .	0.3	7
9	The influence of locomotor training on dynamic balance during steady-state walking post-stroke. Journal of Biomechanics, 2019, 89, 21-27.	2.1	6
10	Merged plantarflexor muscle activity is predictive of poor walking performance in post-stroke hemiparetic subjects. Journal of Biomechanics, 2019, 82, 361-367.	2.1	19
11	Paretic propulsion as a measure of walking performance and functional motor recovery post-stroke: A review. Gait and Posture, 2019, 68, 6-14.	1.4	90
12	Characterizing the corticomotor connectivity of the bilateral ankle muscles during rest and isometric contraction in healthy adults. Journal of Electromyography and Kinesiology, 2018, 41, 9-18.	1.7	7
13	A systematic review of mechanisms of gait speed change post-stroke. Part 2: exercise capacity, muscle activation, kinetics, and kinematics. Topics in Stroke Rehabilitation, 2017, 24, 394-403.	1.9	57
14	A systematic review of mechanisms of gait speed change post-stroke. Part 1: spatiotemporal parameters and asymmetry ratios. Topics in Stroke Rehabilitation, 2017, 24, 435-446.	1.9	85
15	POWER training in chronic stroke individuals: differences between responders and nonresponders. Topics in Stroke Rehabilitation, 2017, 24, 496-502.	1.9	18
16	The Effects of POWER Training in Young and Older Adults after Stroke. Stroke Research and Treatment, 2016, 2016, 1-5.	0.8	12
17	Dimensionality and Item-Difficulty Hierarchy of the Lower Extremity Fugl-Meyer Assessment in Individuals With Subacute and Chronic Stroke. Archives of Physical Medicine and Rehabilitation, 2016, 97, 582-589.e2.	0.9	23
18	Correlations between measures of dynamic balance in individuals with post-stroke hemiparesis. Journal of Biomechanics, 2016, 49, 396-400.	2.1	80

Mark G Bowden

#	Article	IF	CITATIONS
19	Motor Cortex and Motor Cortical Interhemispheric Communication in Walking After Stroke. Neurorehabilitation and Neural Repair, 2016, 30, 94-102.	2.9	20
20	Lower Extremity Strength Is Correlated with Walking Function After Incomplete SCI. Topics in Spinal Cord Injury Rehabilitation, 2015, 21, 133-139.	1.8	12
21	Prediction of responders for outcome measures of Locomotor Experience Applied Post Stroke trial. Journal of Rehabilitation Research and Development, 2014, 51, 39-50.	1.6	47
22	Locomotor Rehabilitation of Individuals With Chronic Stroke: Difference Between Responders and Nonresponders. Archives of Physical Medicine and Rehabilitation, 2013, 94, 856-862.	0.9	84
23	The influence of locomotor rehabilitation on module quality and post-stroke hemiparetic walking performance. Gait and Posture, 2013, 38, 511-517.	1.4	135
24	Promoting neuroplasticity and recovery after stroke. Current Opinion in Neurology, 2013, 26, 37-42.	3.6	71
25	Rehabilitating Walking Speed Poststroke With Treadmill-Based Interventions. Neurorehabilitation and Neural Repair, 2013, 27, 709-721.	2.9	22
26	Advancing Measurement of Locomotor Rehabilitation Outcomes to Optimize Interventions and Differentiate Between Recovery Versus Compensation. Journal of Neurologic Physical Therapy, 2012, 36, 38-44.	1.4	32
27	Rehabilitation of Walking After Stroke. Current Treatment Options in Neurology, 2012, 14, 521-530.	1.8	13
28	Physical Therapy Adjuvants to Promote Optimization of Walking Recovery after Stroke. Stroke Research and Treatment, 2011, 2011, 1-10.	0.8	23
29	Comparison of Motor Control Deficits During Treadmill and Overground Walking Poststroke. Neurorehabilitation and Neural Repair, 2011, 25, 756-765.	2.9	69
30	Evaluation of Abnormal Synergy Patterns Poststroke: Relationship of the Fugl-Meyer Assessment to Hemiparetic Locomotion. Neurorehabilitation and Neural Repair, 2010, 24, 328-337.	2.9	119
31	Relationship Between Step Length Asymmetry and Walking Performance in Subjects With Chronic Hemiparesis. Archives of Physical Medicine and Rehabilitation, 2007, 88, 43-49.	0.9	379
32	Step Activity Monitor: Accuracy and test-retest reliability in persons with incomplete spinal cord injury. Journal of Rehabilitation Research and Development, 2007, 44, 355.	1.6	65
33	Anterior-Posterior Ground Reaction Forces as a Measure of Paretic Leg Contribution in Hemiparetic Walking. Stroke, 2006, 37, 872-876.	2.0	283
34	Neuroplasticity After Spinal Cord Injury and Training: An Emerging Paradigm Shift in Rehabilitation and Walking Recovery. Physical Therapy, 2006, 86, 1406-1425.	2.4	251
35	Locomotor Training Progression and Outcomes After Incomplete Spinal Cord Injury. Physical Therapy, 2005, 85, 1356-1371.	2.4	171
36	Locomotor training progression and outcomes after incomplete spinal cord injury. Physical Therapy, 2005, 85, 1356-71.	2.4	64