

Cristina Cutillas

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4256430/publications.pdf>

Version: 2024-02-01

61

papers

1,059

citations

394421

19

h-index

477307

29

g-index

63

all docs

63

docs citations

63

times ranked

650

citing authors

#	ARTICLE	IF	CITATIONS
1	Bacterial communities from <i>Trichuris</i> spp. A contribution to deciphering the role of parasitic nematodes as vector of pathogens. <i>Acta Tropica</i> , 2022, 226, 106277.	2.0	5
2	Characterization of trichuris species from porcupine (<i>Hystrix cristata</i>) at zoological garden of Spain. <i>Acta Tropica</i> , 2022, 228, 106276.	2.0	1
3	Comparative molecular and morphological study of <i>< i>Stenoponia tripectinata tripectinata</i></i> (Siphonaptera: Stenoponiidae) from the Canary Islands and Corsica. <i>Bulletin of Entomological Research</i> , 2022, , 1-10.	1.0	4
4	The Use of MALDI-TOF MS as a Diagnostic Tool for Adult <i>Trichuris</i> Species. <i>Frontiers in Veterinary Science</i> , 2022, 9, .	2.2	5
5	Complete Mitochondrial Genome of <i>Trichuristrichiura</i> from <i>Macaca sylvanus</i> and <i>Papio papio</i> . <i>Life</i> , 2021, 11, 126.	2.4	5
6	New records of bacteria in different species of fleas from France and Spain. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2021, 76, 101648.	1.6	11
7	Combination of nuclear and mitochondrial markers as a useful tool to identify <i>Ctenophthalmus</i> species and subspecies (Siphonaptera: Ctenophthalmidae). <i>Organisms Diversity and Evolution</i> , 2021, 21, 547-559.	1.6	2
8	<i>Trichuris trichiura</i> isolated from <i>Macaca sylvanus</i> : morphological, biometrical, and molecular study. <i>BMC Veterinary Research</i> , 2020, 16, 445.	1.9	13
9	<i>Ctenophthalmus baeticus boisseauorum</i> (Beaucournu, 1968) and <i>Ctenophthalmus apertus allani</i> (Smit,) Tj ETQq1 1 0.784314 rgBT /Ov molecular characterization. <i>Bulletin of Entomological Research</i> , 2020, 110, 663-676.	1.0	8
10	Fleas and flea-borne diseases of North Africa. <i>Acta Tropica</i> , 2020, 211, 105627.	2.0	16
11	Differentiation of <i>Trichuris</i> species eggs from non-human primates by geometric morphometric analysis. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2020, 12, 214-219.	1.5	7
12	<i>Trichuris trichiura</i> (Linnaeus, 1771) From Human and Non-human Primates: Morphology, Biometry, Host Specificity, Molecular Characterization, and Phylogeny. <i>Frontiers in Veterinary Science</i> , 2020, 7, 626120.	2.2	8
13	Insights into the molecular systematics of <i>Trichuris</i> infecting captive primates based on mitochondrial DNA analysis. <i>Veterinary Parasitology</i> , 2019, 272, 23-30.	1.8	17
14	Differentiation of <i>Trichuris</i> species using a morphometric approach. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2019, 9, 218-223.	1.5	10
15	Origin, evolution, phylogeny and taxonomy of <i>< i>Pulex irritans</i></i> . <i>Medical and Veterinary Entomology</i> , 2019, 33, 296-311.	1.5	27
16	Matrix-assisted laser desorption/ionization time-of-flight mass spectrometry as a useful tool for the rapid identification of wild flea vectors preserved in alcohol. <i>Medical and Veterinary Entomology</i> , 2019, 33, 185-194.	1.5	16
17	Morphological-molecular characterization and phylogenetic relationships of a new <i>Trichuris</i> species (Nematoda: Trichuridae) parasitic on <i>Holochilus chacarius</i> (Cricetidae: Sigmodontinae) from the Chaco ecoregion (Argentina). <i>Infection, Genetics and Evolution</i> , 2018, 58, 66-76.	2.3	8
18	Morphological, biometrical and molecular characterization of <i>< i>Archaeopsylla erinacei</i></i> (Bouché, 1835). <i>Bulletin of Entomological Research</i> , 2018, 108, 726-738.	1.0	10

#	ARTICLE	IF	CITATIONS
19	Description of a new species, <i>Trichuris ursinus</i> n. sp. (Nematoda: Trichuridae) from <i>Papio ursinus</i> Keer, 1792 from South Africa. <i>Infection, Genetics and Evolution</i> , 2017, 51, 182-193.	2.3	22
20	Morphological and molecular study of the genus <i>Nosopsyllus</i> (Siphonaptera: Ceratophyllidae). <i>Nosopsyllus barbarus</i> () as a junior synonym of <i>Nosopsyllus fasciatus</i> (Bosc d'Antic, 1800). <i>Insect Systematics and Evolution</i> , 2017, 49, 81-101.	0.7	10
21	Molecular diversification of <i>Trichuris</i> spp. from <i>Sigmodontinae</i> (Cricetidae) rodents from Argentina based on mitochondrial DNA sequences. <i>Parasitology Research</i> , 2016, 115, 2933-2945.	1.6	17
22	Infection Rates of <i>Wolbachia</i> sp. and <i>Bartonella</i> sp. in Different Populations of Fleas. <i>Current Microbiology</i> , 2016, 73, 704-713.	2.2	12
23	< i> <i>Ctenocephalides felis</i> </i> and < i> <i>Ctenocephalides canis</i> </i>: introgressive hybridization?. <i>Systematic Entomology</i> , 2016, 41, 567-579.	3.9	14
24	Molecular study of < i> <i>Stenoponia tripectinata tripectinata</i> </i> (Siphonaptera: Ctenophthalmidae) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 Research, 2015, 105, 704-711.	1.0	15
25	Taxonomy and phylogeny of <i>Trichuris globulosa</i> Von Linstow, 1901 from camels. A review of <i>Trichuris</i> species parasitizing herbivorous. <i>Infection, Genetics and Evolution</i> , 2015, 34, 61-74.	2.3	12
26	Nuclear and mitochondrial genes for inferring <i>Trichuris</i> phylogeny. <i>Parasitology Research</i> , 2015, 114, 4591-4599.	1.6	30
27	How many species of whipworms do we share? Whipworms from man and other primates form two phylogenetic lineages. <i>Folia Parasitologica</i> , 2015, 62, .	1.3	17
28	Morphological and Molecular Characterization of a New <i>Trichuris</i> Species (Nematoda- Trichuridae), and Phylogenetic Relationships of <i>Trichuris</i> Species of Cricetid Rodents from Argentina. <i>PLoS ONE</i> , 2014, 9, e112069.	2.5	28
29	<i>Trichuris colobae</i> n. sp. (Nematoda: Trichuridae), a new species of <i>Trichuris</i> from <i>Colobus guereza kikuyensis</i> . <i>Parasitology Research</i> , 2014, 113, 2725-2732.	1.6	33
30	Morphological, biometrical, and molecular characterization of <i>Ctenocephalides felis</i> and <i>Ctenocephalides canis</i> isolated from dogs from different geographical regions. <i>Parasitology Research</i> , 2013, 112, 2289-2298.	1.6	29
31	Molecular characterization and phylogeny of whipworm nematodes inferred from DNA sequences of cox1 mtDNA and 18S rDNA. <i>Parasitology Research</i> , 2013, 112, 3933-3949.	1.6	51
32	Phylogeography of <i>Trichuris</i> populations isolated from different Cricetidae rodents. <i>Parasitology</i> , 2012, 139, 1795-1812.	1.5	15
33	Molecular study on three morphotypes of <i>Demodex</i> mites (Acarina: Demodicidae) from dogs. <i>Parasitology Research</i> , 2012, 111, 2165-2172.	1.6	41
34	16S partial gene mitochondrial DNA and internal transcribed spacers ribosomal DNA as differential markers of <i>Trichuris discolor</i> populations. <i>Veterinary Parasitology</i> , 2012, 186, 350-363.	1.8	29
35	Morphobiometrical and molecular study of two populations of <i>Demodex folliculorum</i> from humans. <i>Parasitology Research</i> , 2012, 110, 227-233.	1.6	33
36	Molecular evolution of <i>Trichuris muris</i> isolated from different Muridae hosts in Europe. <i>Parasitology Research</i> , 2010, 107, 631-641.	1.6	25

#	ARTICLE	IF	CITATIONS
37	Cytochrome oxidase subunit 1 and mitochondrial 16S rDNA sequences of <i>Trichuris skrjabini</i> (Tricocephalida: Trichuridae). Parasitology Research, 2009, 104, 715-716.	1.6	13
38	<i>Trichuris suis</i> and <i>Trichuris trichiura</i> are different nematode species. Acta Tropica, 2009, 111, 299-307.	2.0	90
39	Comparative study on removal of pathogenic and parasitic organisms using extended wastewaters treatment technologies. Desalination and Water Treatment, 2009, 4, 135-142.	1.0	3
40	Utility of ITS1-5.8S-ITS2 and 16S mitochondrial DNA sequences for species identification and phylogenetic inference within the <i>Rhinonyssus coniventris</i> species complex (Acari: Rhinonyssidae). Parasitology Research, 2007, 100, 1041-1046.	1.6	21
41	Molecular identification of <i>Trichuris vulpis</i> and <i>Trichuris suis</i> isolated from different hosts. Parasitology Research, 2007, 100, 383-389.	1.6	46
42	Determination of <i>Trichuris skrjabini</i> by Sequencing of the ITS1-5.8S-ITS2 Segment of the Ribosomal DNA: Comparative Molecular Study of Different Species of Trichurids. Journal of Parasitology, 2004, 90, 648-652.	0.7	35
43	Determination of <i>Trichuris muris</i> from murid hosts and <i>T. arvicola</i> (Nematoda) from arvicolid rodents by amplification and sequentiation of the ITS1-5.8S-ITS2 segment of the ribosomal DNA. Parasitology Research, 2002, 88, 574-582.	1.6	34
44	Phylogenetic relationships in rhinonyssid mites (Acari: Rhinonyssidae) based on ribosomal DNA sequences: insights for the discrimination of closely related species. Parasitology Research, 2002, 88, 675-681.	1.6	39
45	Phylogenetic relationships in rhinonyssid mites (Acari: Rhinonyssidae) based on mitochondrial 16S rDNA sequences. Experimental and Applied Acarology, 2001, 25, 957-967.	1.6	32
46	Characterization of four species of <i>Trichuris</i> (Nematoda: Enoploida) by their second internal transcribed spacer ribosomal DNA sequence. Parasitology Research, 2000, 86, 1008-1013.	1.6	43
47	Characterization of <i>Chabertia ovina</i> by isoenzyme gel electrophoresis: comparative study with <i>Oesophagostomum venulosum</i> . Parasitology Research, 1999, 85, 884-886.	1.6	3
48	Characterization of porcine and ovine <i>Oesophagostomum</i> spp. by isoenzymatic patterns and restriction-fragment-length polymorphisms (RFLPs). Acta Tropica, 1999, 73, 59-71.	2.0	9
49	Morphologic, biometric, and isoenzyme characterization of <i>Trichuris suis</i> . Parasitology Research, 1998, 84, 513-515.	1.6	8
50	Characterization of <i>Trichuris skrjabini</i> by isoenzyme gel electrophoresis: comparative study with <i>Trichuris ovis</i> . Acta Tropica, 1996, 62, 63-69.	2.0	13
51	Malic dehydrogenase isoenzymatic pattern in lung-nematode parasite species. Parasitology Research, 1996, 82, 92-94.	1.6	7
52	<i>Trichuris ovis</i> and <i>Trichuris globulosa</i> : Morphological, Biometrical, and Genetic Studies. Experimental Parasitology, 1995, 81, 621-625.	1.2	23
53	Differential diagnosis of lung nematode parasites from livestock by electrophoretic techniques. International Journal for Parasitology, 1995, 25, 215-220.	3.1	6
54	Studies on the karyotype and gametogenesis in <i>Trichuris muris</i> . Journal of Helminthology, 1994, 68, 67-72.	1.0	19

#	ARTICLE	IF	CITATIONS
55	Isoenzymatic pattern of glucose 6-phosphate dehydrogenase from <i>Ascaris suum</i> . Journal of Helminthology, 1993, 67, 226-232.	1.0	2
56	Isoenzymatic pattern and structure of glutamate dehydrogenase from <i>< i>Ascaris suum</i></i> . Journal of Helminthology, 1992, 66, 310-312.	1.0	1
57	Glucose 6-phosphate dehydrogenase: isoenzymatic pattern in <i>Oesophagostomum venulosum</i> , <i>Trichuris ovis</i> and <i>T. suis</i> . Journal of Helminthology, 1991, 65, 289-295.	1.0	1
58	Chromosome C-banding techniques in <i>Dictyocaulus filaria</i> (Rudolphi, 1809) Railliet and Henry, 1907. Journal of Helminthology, 1990, 64, 115-121.	1.0	1
59	Protostrongylus rufescens: a cytogenetic study. Journal of Helminthology, 1987, 61, 72-76.	1.0	0
60	Cytogenetics of <i>Dictyocaulus arnfieldi</i> (Cobbod, 1884) Railliet and Henry, 1907. Journal of Parasitology, 1986, 72, 728.	0.7	1
61	The Spermatogenesis of <i>Dictyocaulus filaria</i> (Nematoda, Trichostrongyoidea). Journal of Parasitology, 1985, 71, 500.	0.7	2