

Antonella Radice

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4256793/publications.pdf>

Version: 2024-02-01

56
papers

3,403
citations

186209

28
h-index

161767

54
g-index

57
all docs

57
docs citations

57
times ranked

3365
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Definition of IgG Subclass-Specific Glycopatterns in Idiopathic Membranous Nephropathy: Aberrant IgG Glycoforms in Blood. <i>International Journal of Molecular Sciences</i> , 2022, 23, 4664. | 1.8 | 7 |
| 2 | Combined Plasmatic and Tissue Approach to Membranous Nephropathy—Proposal of a Diagnostic Algorithm Including Immunogold Labelling: Changing the Paradigm of a Serum-based Approach. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2020, 28, 376-383. | 0.6 | 5 |
| 3 | 2020 international consensus on ANCA testing beyond systemic vasculitis. <i>Autoimmunity Reviews</i> , 2020, 19, 102618. | 2.5 | 79 |
| 4 | Current laboratory and clinical practices in reporting and interpreting anti-nuclear antibody indirect immunofluorescence (ANA IIF) patterns: results of an international survey. <i>Autoimmunity Highlights</i> , 2020, 11, 17. | 3.9 | 14 |
| 5 | Multi-Autoantibody Signature and Clinical Outcome in Membranous Nephropathy. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2020, 15, 1762-1776. | 2.2 | 17 |
| 6 | A new diagnostic algorithm for pattern-oriented autoantibody testing according to the ICAP nomenclature: A pilot study. <i>Autoimmunity Reviews</i> , 2020, 19, 102588. | 2.5 | 10 |
| 7 | International Consensus on Antineutrophil Cytoplasm Antibodies Testing in Eosinophilic Granulomatosis with Polyangiitis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020, 202, 1360-1372. | 2.5 | 36 |
| 8 | Aggiornamento delle linee guida SIPMeL sull'utilizzo dei test autoanticorpali nella diagnosi e nel monitoraggio delle malattie autoimmuni reumatiche sistemiche: metodi per lo screening degli anticorpi anti-antigeni cellulari (ANA). <i>Rivista Italiana Della Medicina Di Laboratorio</i> , 2020, 15, . | 0.2 | 5 |
| 9 | ANCA: Methods and Clinical Significance. <i>Rare Diseases of the Immune System</i> , 2020, , 47-56. | 0.1 | 0 |
| 10 | Routine immunohistochemical staining in membranous nephropathy: in situ detection of phospholipase A2 receptor and thrombospondin type 1 containing 7A domain. <i>Journal of Nephrology</i> , 2018, 31, 543-550. | 0.9 | 14 |
| 11 | The association of solid-phase assays to immunofluorescence increases the diagnostic accuracy for ANA screening in patients with autoimmune rheumatic diseases. <i>Autoimmunity Reviews</i> , 2018, 17, 541-547. | 2.5 | 55 |
| 12 | An international survey on anti-neutrophil cytoplasmic antibodies (ANCA) testing in daily clinical practice. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018, 56, 1759-1770. | 1.4 | 10 |
| 13 | Low-dose rituximab is poorly effective in patients with primary membranous nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, gfw251. | 0.4 | 39 |
| 14 | Revised 2017 international consensus on testing of ANCAs in granulomatosis with polyangiitis and microscopic polyangiitis. <i>Nature Reviews Rheumatology</i> , 2017, 13, 683-692. | 3.5 | 302 |
| 15 | The ANA-reflex test as a model for improving clinical appropriateness in autoimmune diagnostics. <i>Autoimmunity Highlights</i> , 2016, 7, 9. | 3.9 | 24 |
| 16 | Simultaneous comprehensive multiplex autoantibody analysis for rapidly progressive glomerulonephritis. <i>Medicine (United States)</i> , 2016, 95, e5225. | 0.4 | 7 |
| 17 | Fc γ 3-receptor 3B (FCGR3B) copy number variations in patients with eosinophilic granulomatosis with polyangiitis. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 137, 1597-1599.e8. | 1.5 | 18 |
| 18 | Clinical usefulness of autoantibodies to M-type phospholipase A2 receptor (PLA2R) for monitoring disease activity in idiopathic membranous nephropathy (IMN). <i>Autoimmunity Reviews</i> , 2016, 15, 146-154. | 2.5 | 78 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Il test ANA-reflex. Rivista Italiana Della Medicina Di Laboratorio, 2015, 11, 171-175. | 0.2 | 3 |
| 20 | The Value of a Panel of Autoantibodies for Predicting the Activity of Lupus Nephritis at Time of Renal Biopsy. Journal of Immunology Research, 2015, 2015, 1-8. | 0.9 | 59 |
| 21 | Second generation analysis of antinuclear antibody (ANA) by combination of screening and confirmatory testing. Clinical Chemistry and Laboratory Medicine, 2015, 53, 1991-2002. | 1.4 | 24 |
| 22 | Value of a commercial kit for detecting anti-C1q autoantibodies and correlation with immunological and clinical activity of lupus nephritis. Clinical Chemistry and Laboratory Medicine, 2015, 53, 1771-7. | 1.4 | 5 |
| 23 | Glomerular Autoimmune Multicomponents of Human Lupus Nephritis In Vivo (2). Journal of the American Society of Nephrology: JASN, 2015, 26, 1905-1924. | 3.0 | 58 |
| 24 | Glomerular Autoimmune Multicomponents of Human Lupus Nephritis In Vivo. Journal of the American Society of Nephrology: JASN, 2014, 25, 2483-2498. | 3.0 | 112 |
| 25 | Antineutrophil Cytoplasmic Antibodies with Specificity for Proteinase 3. , 2014, , 115-120. | | 1 |
| 26 | Novel Clinical and Diagnostic Aspects of Antineutrophil Cytoplasmic Antibodies. Journal of Immunology Research, 2014, 2014, 1-12. | 0.9 | 45 |
| 27 | International recommendations for the assessment of autoantibodies to cellular antigens referred to as anti-nuclear antibodies. Annals of the Rheumatic Diseases, 2014, 73, 17-23. | 0.5 | 471 |
| 28 | Antineutrophil cytoplasmic antibodies (ANCA) testing: detection methods and clinical application. Clinical and Experimental Rheumatology, 2014, 32, S112-7. | 0.4 | 12 |
| 29 | From ANA-screening to antigen-specificity: an EASI-survey on the daily practice in European countries. Clinical and Experimental Rheumatology, 2014, 32, 539-46. | 0.4 | 21 |
| 30 | Anti-Ro/SSA-p200 antibodies in the prediction of congenital heart block. An Italian multicentre cross-sectional study on behalf of the 'Forum Interdisciplinare per la Ricerca nelle Malattie Autoimmuni (FIRMA) Group'. Clinical and Experimental Rheumatology, 2014, 32, 848-54. | 0.4 | 12 |
| 31 | Anti-neutrophil cytoplasmic autoantibodies: Methodological aspects and clinical significance in systemic vasculitis. Autoimmunity Reviews, 2013, 12, 487-495. | 2.5 | 95 |
| 32 | Renal involvement in anti-neutrophil cytoplasmic autoantibody associated vasculitis. Autoimmunity Reviews, 2013, 12, 477-482. | 2.5 | 105 |
| 33 | Comparison of PR3-ANCA specific assay performance for the diagnosis of granulomatosis with polyangiitis (Wegener's). Clinical Chemistry and Laboratory Medicine, 2013, 51, 2141-2149. | 1.4 | 11 |
| 34 | Performance evaluation of a novel chemiluminescence assay for detection of anti-GBM antibodies: an international multicenter study. Nephrology Dialysis Transplantation, 2012, 27, 243-252. | 0.4 | 31 |
| 35 | Correlation Between IgA Tissue Transglutaminase Antibody Ratio and Histological Finding in Celiac Disease. Journal of Pediatric Gastroenterology and Nutrition, 2012, 55, 44-49. | 0.9 | 102 |
| 36 | Coexistence of Different Circulating Anti-Podocyte Antibodies in Membranous Nephropathy. Clinical Journal of the American Society of Nephrology: CJASN, 2012, 7, 1394-1400. | 2.2 | 123 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Detection of anti-IF16 antibodies by ELISA: clinical and serological associations in systemic sclerosis. <i>Rheumatology</i> , 2011, 50, 674-681. | 0.9 | 23 |
| 38 | Diagnostic accuracy of currently available anti-double-stranded DNA antibody assays. An Italian multicentre study. <i>Clinical and Experimental Rheumatology</i> , 2011, 29, 50-6. | 0.4 | 30 |
| 39 | Anti-C1q Autoantibodies in Lupus Nephritis. <i>Annals of the New York Academy of Sciences</i> , 2009, 1173, 47-51. | 1.8 | 54 |
| 40 | Infectious Serologies and Autoantibodies in Wegener's Granulomatosis and Other Vasculitides. <i>Annals of the New York Academy of Sciences</i> , 2009, 1173, 649-657. | 1.8 | 43 |
| 41 | Complement Cascade in Systemic Lupus Erythematosus. <i>Annals of the New York Academy of Sciences</i> , 2009, 1173, 427-434. | 1.8 | 10 |
| 42 | Antinucleosome antibodies in primary antiphospholipid syndrome: A hint at systemic autoimmunity?. <i>Journal of Autoimmunity</i> , 2008, 30, 51-57. | 3.0 | 50 |
| 43 | ANTINEUTROPHIL CYTOPLASMIC AUTOANTIBODIES WITH SPECIFICITY FOR PROTEINASE 3. , 2007, , 105-110. | | 5 |
| 44 | Evaluation of Current Methods for the Measurement of Serum Anti Double-Stranded DNA Antibodies. <i>Annals of the New York Academy of Sciences</i> , 2007, 1109, 401-406. | 1.8 | 28 |
| 45 | A new oligonucleotide-based ELISA for the detection of anti-double-stranded DNA antibodies. <i>Autoimmunity</i> , 2006, 39, 113-119. | 1.2 | 11 |
| 46 | Anti-glomerular basement membrane antibodies in the diagnosis of Goodpasture syndrome: a comparison of different assays. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 397-401. | 0.4 | 100 |
| 47 | Value of a New Automated Fluorescence Immunoassay (EliA) for PR3 and MPO-ANCA in Monitoring Disease Activity in ANCA-Associated Systemic Vasculitis. <i>Annals of the New York Academy of Sciences</i> , 2005, 1050, 185-192. | 1.8 | 28 |
| 48 | Anti-C1q Autoantibodies in Lupus Nephritis: Prevalence and Clinical Significance. <i>Annals of the New York Academy of Sciences</i> , 2005, 1050, 193-200. | 1.8 | 76 |
| 49 | Prevalence and clinical significance of antineutrophil cytoplasmic antibodies in Churg-Strauss syndrome. <i>Arthritis and Rheumatism</i> , 2005, 52, 2926-2935. | 6.7 | 592 |
| 50 | Anti-DNA antibodies: a diagnostic and prognostic tool for systemic lupus erythematosus?. <i>Autoimmunity</i> , 2005, 38, 39-45. | 1.2 | 86 |
| 51 | Autoantibodies to proteinase 3 and myeloperoxidase in systemic sclerosis. <i>Journal of Rheumatology</i> , 2002, 29, 918-23. | 1.0 | 27 |
| 52 | The use of laboratory tests in diagnosis and monitoring of systemic lupus erythematosus. <i>Journal of Nephrology</i> , 2002, 15 Suppl 6, S20-7. | 0.9 | 13 |
| 53 | Anti-Çlaminin auto antibodies in ANCA-associated vasculitis. <i>Nephrology Dialysis Transplantation</i> , 2000, 15, 1600-1603. | 0.4 | 10 |
| 54 | Anti-endothelial cell IgG antibodies from patients with Wegener's granulomatosis bind to human endothelial cells in vitro and induce adhesion molecule expression and cytokine secretion. <i>Arthritis and Rheumatism</i> , 1996, 39, 758-766. | 6.7 | 132 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Lack of IgA Antineutrophil Cytoplasmic Antibodies in Henoch-Schönlein Purpura and IgA Nephropathy. <i>Clinical Immunology and Immunopathology</i> , 1994, 73, 19-26. | 2.1 | 32 |
| 56 | Methylprednisolone normalizes superoxide anion production by polymorphs from patients with ANCA-positive vasculitides. <i>Kidney International</i> , 1993, 44, 215-220. | 2.6 | 30 |