

Xufei Fang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4256852/xufei-fang-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68

papers

788

citations

16

h-index

23

g-index

70

ext. papers

1,035

ext. citations

4.6

avg. IF

4.61

L-index

#	Paper	IF	Citations
68	Beating hydrogen with its own weapon: Nano-twin gradients enhance embrittlement resistance of a high-entropy alloy. <i>Materials Today</i> , 2018 , 21, 1003-1009	21.8	70
67	Diffusion and Stress Coupling Effect during Oxidation at High Temperature. <i>Journal of the American Ceramic Society</i> , 2013 , 96, 44-46	3.8	61
66	Ablation of C/SiC, C/SiC α rO ₂ and C/SiC α rB ₂ composites in dry air and air mixed with water vapor. <i>Ceramics International</i> , 2014 , 40, 2985-2991	5.1	33
65	Formation mechanisms of characteristic structures on the surface of C/SiC composites subjected to thermal ablation. <i>Journal of the European Ceramic Society</i> , 2016 , 36, 451-456	6	29
64	Interfacial nanophases stabilize nanotwins in high-entropy alloys. <i>Acta Materialia</i> , 2020 , 185, 218-232	8.4	27
63	Three-point bending test at extremely high temperature enhanced by real-time observation and measurement. <i>Measurement: Journal of the International Measurement Confederation</i> , 2015 , 59, 171-176	4.6	26
62	Synchronous Full-Field Measurement of Temperature and Deformation of C/SiC Composite Subjected to Flame Heating at High Temperature. <i>Experimental Mechanics</i> , 2016 , 56, 659-671	2.6	22
61	In situ measurement of oxidation evolution at elevated temperature by nanoindentation. <i>Scripta Materialia</i> , 2015 , 103, 61-64	5.6	22
60	Measurements for displacement and deformation at high temperature by using edge detection of digital image. <i>Applied Optics</i> , 2015 , 54, 8731-7	0.2	22
59	In situ observation and measurement of composites subjected to extremely high temperature. <i>Review of Scientific Instruments</i> , 2014 , 85, 035104	1.7	21
58	Effects of creep and oxidation on reduced modulus in high-temperature nanoindentation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 678, 65-71	5.3	20
57	Hydrogen embrittlement of tungsten induced by deuterium plasma: Insights from nanoindentation tests. <i>Journal of Materials Research</i> , 2018 , 33, 3530-3536	2.5	19
56	Influence of composition and crystal structure on the fracture toughness of NbCo ₂ Laves phase studied by micro-cantilever bending tests. <i>Materials and Design</i> , 2018 , 145, 116-121	8.1	18
55	Isothermal oxidation behavior of NiAl and NiAl-(Cr,Mo) eutectic alloys. <i>Corrosion Science</i> , 2019 , 151, 27-34	3.8	16
54	Experimental and numerical investigation on SiC coating delamination from C/SiC composites. <i>Composites Science and Technology</i> , 2015 , 110, 210-216	8.6	16
53	Surface evolution at nanoscale during oxidation: A competing mechanism between local curvature effect and stress effect. <i>Journal of Applied Physics</i> , 2016 , 119, 155302	2.5	16
52	High-Linearity Hydrogen Peroxide Sensor Based on Nanoporous Gold Electrode. <i>Journal of the Electrochemical Society</i> , 2019 , 166, B814-B820	3.9	15

51	Synchronous full-field measurement of temperature and deformation based on separated radiation and reflected light. <i>Optics and Lasers in Engineering</i> , 2019 , 116, 94-102	4.6	14
50	Performance of TBCs system due to the different thicknesses of top ceramic layer. <i>Ceramics International</i> , 2015 , 41, 2840-2846	5.1	14
49	Nanoscale to microscale reversal in room-temperature plasticity in SrTiO ₃ by tuning defect concentration. <i>Scripta Materialia</i> , 2020 , 188, 228-232	5.6	14
48	Bridging the Gap between Bulk Compression and Indentation Test on Room-Temperature Plasticity in Oxides: Case Study on SrTiO ₃ . <i>Crystals</i> , 2020 , 10, 933	2.3	12
47	Effect of interface reaction and diffusion on stress-oxidation coupling at high temperature. <i>Journal of Applied Physics</i> , 2018 , 123, 155301	2.5	12
46	Hydrogen peroxide sensor based on electrodeposited Prussian blue film. <i>Journal of Applied Electrochemistry</i> , 2017 , 47, 1261-1271	2.6	12
45	Dislocation-toughened ceramics. <i>Materials Horizons</i> , 2021 , 8, 1528-1537	14.4	12
44	Ceramic-Based Speckles and Enhanced Feature-Detecting Algorithm for Deformation Measurement at High Temperature. <i>Experimental Mechanics</i> , 2017 , 57, 377-386	2.6	10
43	In-situ testing of surface evolution of SiC during thermal ablation: Mechanisms of formation, flowing and growth of liquid silica beads. <i>Ceramics International</i> , 2017 , 43, 7040-7047	5.1	10
42	Bio-Inspired Microstructure Design to Improve Thermal Ablation and Oxidation Resistance: Experiment on SiC. <i>Journal of the American Ceramic Society</i> , 2015 , 98, 4010-4015	3.8	10
41	Plastic deformation of tungsten due to deuterium plasma exposure: Insights from micro-compression tests. <i>Scripta Materialia</i> , 2019 , 162, 132-135	5.6	10
40	High-temperature DIC based on aluminium dihydrogen phosphate speckle. <i>Measurement: Journal of the International Measurement Confederation</i> , 2019 , 133, 133-138	4.6	10
39	Evolution of surface droplets and flow patterns on C/SiC during thermal ablation. <i>Journal of the European Ceramic Society</i> , 2019 , 39, 3566-3574	6	9
38	Oxidation at High Temperature Under Three-Point Bending Considering Stress-Diffusion Coupling Effects. <i>Oxidation of Metals</i> , 2016 , 86, 125-133	1.6	9
37	Temperature-Dependent Modulus of Metals Based on Lattice Vibration Theory. <i>Journal of Applied Mechanics, Transactions ASME</i> , 2014 , 81,	2.7	9
36	Nanoindentation pop-in in oxides at room temperature: Dislocation activation or crack formation?. <i>Journal of the American Ceramic Society</i> , 2021 , 104, 4728-4741	3.8	9
35	Photoindentation: A New Route to Understanding Dislocation Behavior in Light. <i>Nano Letters</i> , 2021 , 21, 1962-1967	11.5	9
34	Overcoming high luminance gradient using serial exposure time method for synchronous full-field measurement of temperature and deformation. <i>Applied Optics</i> , 2019 , 58, 6966-6974	1.7	8

33	Unmasking of the temperature window and mechanism for loss of passivation effect of a Cr-13 type martensite stainless steel. <i>Corrosion Science</i> , 2020 , 177, 108951	6.8	8
32	Challenges and opportunities in chemomechanics of materials: A perspective. <i>Science China Technological Sciences</i> , 2019 , 62, 1385-1387	3.5	7
31	Full-field measurement of surface topographies and thin film stresses at elevated temperatures by digital gradient sensing method. <i>Applied Optics</i> , 2015 , 54, 721-7	1.7	7
30	Prussian Blue Modified Submicron Structured Gold Electrodes for Amperometric Hydrogen Peroxide Sensing. <i>Electroanalysis</i> , 2018 , 30, 583-592	3	7
29	Wrinkles formation and evolution of nanoribbons with finite length on elastomeric substrate. <i>Applied Physics Letters</i> , 2011 , 99, 141903	3.4	7
28	Thermal shock resistance of alumina ceramics enhanced by nanostructured conformal coatings using metal-organic frameworks. <i>Scripta Materialia</i> , 2016 , 119, 38-42	5.6	7
27	Dislocation-based crack initiation and propagation in single-crystal SrTiO ₃ . <i>Journal of Materials Science</i> , 2021 , 56, 5479-5492	4.3	7
26	Curvature effect on the surface topography evolution during oxidation at small scale. <i>Journal of Applied Physics</i> , 2017 , 121, 125301	2.5	6
25	Microstructure evolution of FeNiCr alloy induced by stress-oxidation coupling using high temperature nanoindentation. <i>Corrosion Science</i> , 2018 , 135, 192-196	6.8	6
24	Chemo-mechanical coupling effect on high temperature oxidation: A review. <i>Science China Technological Sciences</i> , 2019 , 62, 1297-1321	3.5	6
23	The Temperature-Dependent Strength of Metals: Theory and Experimental Validation. <i>Journal of Applied Mechanics, Transactions ASME</i> , 2014 , 81,	2.7	6
22	Isothermal oxidation behavior of Tribaloy™ T400 and T800. <i>Npj Materials Degradation</i> , 2018 , 2,	5.7	6
21	Modification of the mechanism for stress-aided grain boundary oxidation ahead of cracks. <i>Oxidation of Metals</i> , 2018 , 89, 331-338	1.6	5
20	In situ full-field measurement of surface oxidation on Ni-based alloy using high temperature scanning probe microscopy. <i>Scientific Reports</i> , 2018 , 8, 6684	4.9	5
19	Removal of optical crosstalk caused by light source for synchronous measurement of temperature and deformation. <i>Optical Engineering</i> , 2020 , 59, 1	1.1	5
18	Temperature and deformation measurement for large-scale flat specimens based on image mosaic algorithms. <i>Applied Optics</i> , 2020 , 59, 3145-3155	1.7	5
17	Optimized deposition time boosts the performance of Prussian blue modified nanoporous gold electrodes for hydrogen peroxide monitoring. <i>Nanotechnology</i> , 2020 , 31, 045501	3.4	5
16	Revealing thermal ablation mechanisms of C/SiC with in situ optical observation and numerical simulation. <i>Journal of the European Ceramic Society</i> , 2020 , 40, 3897-3905	6	5

15	Switching the fracture toughness of single-crystal ZnS using light irradiation. <i>Applied Physics Letters</i> , 2021 , 118, 154103	3.4	5
14	Transition of oxide film configuration and the critical stress inferred by scanning probe microscopy at nanoscale. <i>Chemical Physics Letters</i> , 2016 , 660, 33-36	2.5	5
13	Digital Gradient Sensing Method to Evaluate Thermal Stress at Elevated Temperatures. <i>Experimental Mechanics</i> , 2016 , 56, 1123-1132	2.6	4
12	High-frequency flashing of light source for synchronous measurement of temperature and deformation at elevated temperature. <i>Optics and Lasers in Engineering</i> , 2021 , 137, 106361	4.6	4
11	Self-sharpening ability enhanced by torque gradient in twisted tungsten-fiber-reinforced Cu-Zn matrix composite. <i>Journal of Alloys and Compounds</i> , 2019 , 794, 396-401	5.7	3
10	Chemo-mechanical coupling effect on bidirectional diffusion process during oxidation. <i>Journal of Applied Physics</i> , 2020 , 127, 125305	2.5	2
9	In situ nanoindentation during electrochemical hydrogen charging: a comparison between front-side and a novel back-side charging approach. <i>Journal of Materials Science</i> , 2021 , 56, 8732-8744	4.3	1
8	Room-temperature dislocation plasticity in SrTiO ₃ tuned by defect chemistry. <i>Journal of the American Ceramic Society</i> , 2022 , 105, 1318	3.8	1
7	A new family of high temperature lead-free Na _{1/2} Bi _{1/2} TiO ₃ -BiFeO ₃ piezoelectrics. <i>Materials Today Physics</i> , 2021 , 21, 100526	8	1
6	Mechanical tailoring of dislocation densities in SrTiO ₃ at room temperature. <i>Journal of the American Ceramic Society</i> , 2022 , 105, 2399-2402	3.8	1
5	Tuning the pitting performance of a Cr-13 type martensitic stainless steel by tempering time. <i>Corrosion Science</i> , 2022 , 203, 110346	6.8	1
4	Dislocation-enhanced electrical conductivity in rutile TiO ₂ accessed by room-temperature nanoindentation. <i>Scripta Materialia</i> , 2022 , 212, 114543	5.6	0
3	Nanoindentation study of the oxide scale on FeCr alloy by high-pressure torsion. <i>Corrosion Science</i> , 2022 , 194, 109951	6.8	0
2	High-Temperature Scanning Probe Microscopy 2020 , 1-1-1-14		
1	Photoindentation: A Method to Understand Dislocation Behavior of Inorganic Semiconductors in Light at the Nanoscale. <i>Funtai Oyobi Fumatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy</i> , 2021 , 68, 469-475	0.2	