

ThÃ¸ger Gorm Jensen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4257785/publications.pdf>

Version: 2024-02-01

23
papers

618
citations

687363

13
h-index

677142

22
g-index

24
all docs

24
docs citations

24
times ranked

1064
citing authors

#	ARTICLE	IF	CITATIONS
1	Rectally shed SARS-CoV-2 in COVID-19 inpatients is consistently lower than respiratory shedding and lacks infectivity. <i>Clinical Microbiology and Infection</i> , 2022, 28, 304.e1-304.e3.	6.0	15
2	OUP accepted manuscript. <i>European Journal of Public Health</i> , 2022, , .	0.3	0
3	Impact of C-reactive protein and albumin levels on short, medium, and long term mortality in patients with diffuse large B-cell lymphoma. <i>Annals of Medicine</i> , 2022, 54, 713-722.	3.8	8
4	Comparison of 16 Serological SARS-CoV-2 Immunoassays in 16 Clinical Laboratories. <i>Journal of Clinical Microbiology</i> , 2021, 59, .	3.9	97
5	Electronic reporting of diagnostic laboratory test results from all healthcare sectors is a cornerstone of national preparedness and control of COVID-19 in Denmark. <i>Apmis</i> , 2021, 129, 438-451.	2.0	54
6	Rectally shed SARS-CoV-2 lacks infectivity: time to rethink faecal-oral transmission?. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2021, 18, 669-669.	17.8	11
7	The SARS-CoV-2 neutralizing capacity of kidney transplant recipients 4 weeks after receiving a second dose of the BNT162b2 vaccine. <i>Kidney International</i> , 2021, 100, 1129-1131.	5.2	14
8	SARS-CoV-2 viral load as a predictor for disease severity in outpatients and hospitalised patients with COVID-19: A prospective cohort study. <i>PLoS ONE</i> , 2021, 16, e0258421.	2.5	31
9	Longitudinal trajectory patterns of plasma albumin and C-reactive protein levels around diagnosis, relapse, bacteraemia, and death of acute myeloid leukaemia patients. <i>BMC Cancer</i> , 2020, 20, 249.	2.6	11
10	C-reactive protein and albumin kinetics after antibiotic therapy in community-acquired bloodstream infection. <i>International Journal of Infectious Diseases</i> , 2020, 95, 50-58.	3.3	10
11	Reduction in human Lyme neuroborreliosis associated with a major epidemic among roe deer. <i>Ticks and Tick-borne Diseases</i> , 2018, 9, 379-381.	2.7	7
12	Real-life data patterns of C-reactive protein and albumin level trajectories around bacteremia. <i>Biomarkers in Medicine</i> , 2018, 12, 1251-1259.	1.4	5
13	Characteristics and Clinical Outcome of Lyme Neuroborreliosis in a High Endemic Area, 1995-2014: A Retrospective Cohort Study in Denmark. <i>Clinical Infectious Diseases</i> , 2017, 65, 1489-1495.	5.8	90
14	Reduced ability to work both before and after infectious spondylodiscitis in working-age patients. <i>Infectious Diseases</i> , 2017, 49, 95-103.	2.8	14
15	Association between Hypoalbuminaemia and Mortality in Patients with Community-Acquired Bacteraemia Is Primarily Related to Acute Disorders. <i>PLoS ONE</i> , 2016, 11, e0160466.	2.5	28
16	Seasonal Variation of <i>Escherichia coli</i> , <i>Staphylococcus aureus</i> , and <i>Streptococcus pneumoniae</i> Bacteremia According to Acquisition and Patient Characteristics: A Population-Based Study. <i>Infection Control and Hospital Epidemiology</i> , 2016, 37, 946-953.	1.8	14
17	The daily risk of bacteremia during hospitalization and associated 30-day mortality evaluated in relation to the traditional classification of bacteremia. <i>American Journal of Infection Control</i> , 2016, 44, 167-172.	2.3	16
18	Low Completeness of Bacteraemia Registration in the Danish National Patient Registry. <i>PLoS ONE</i> , 2015, 10, e0131682.	2.5	12

#	ARTICLE	IF	CITATIONS
19	Bacteremia is associated with excess long-term mortality: A 12-year population-based cohort study. <i>Journal of Infection</i> , 2015, 70, 111-126.	3.3	37
20	Increased short- and long-term mortality among patients with infectious spondylodiscitis compared with a reference population. <i>Spine Journal</i> , 2015, 15, 1233-1240.	1.3	72
21	Risk Factors for Hospitalization Due to Community-Acquired Sepsis – A Population-Based Case-Control Study. <i>PLoS ONE</i> , 2015, 10, e0124838.	2.5	27
22	Characteristics of patients with community-acquired bacteremia who have low levels of C-reactive protein (≤20 mg/L). <i>Journal of Infection</i> , 2014, 68, 149-155.	3.3	13
23	Does C-reactive protein independently predict mortality in adult community-acquired bacteremia patients with known sepsis severity?. <i>Apmis</i> , 2013, 121, 835-842.	2.0	19