

Martijn W Heymans

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4257834/martijn-w-heyman-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

420
papers

12,305
citations

54
h-index

92
g-index

436
ext. papers

15,314
ext. citations

4.5
avg, IF

6.49
L-index

| # | Paper | IF | Citations |
|-----------------|--|-----|-----------|
| 4 ²⁰ | Three-year trajectories in functional limitations and cognitive decline among Dutch 75+ year olds, using nine-month intervals.. <i>BMC Geriatrics</i> , 2022 , 22, 89 | 4.1 | 0 |
| 4 ¹⁹ | An individualized decision between physical therapy or surgery for patients with degenerative meniscal tears cannot be based on continuous treatment selection markers: a marker-by-treatment analysis of the ESCAPE study.. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022 , 1 | 5.5 | 0 |
| 4 ¹⁸ | Do changes in frailty, physical functioning, and cognitive functioning predict mortality in old age? Results from the Longitudinal Aging Study Amsterdam.. <i>BMC Geriatrics</i> , 2022 , 22, 193 | 4.1 | 1 |
| 4 ¹⁷ | Proposed New Dynamic Prognostic Index for Diffuse Large B-Cell Lymphoma: International Metabolic Prognostic Index.. <i>Journal of Clinical Oncology</i> , 2022 , JCO2102063 | 2.2 | 3 |
| 4 ¹⁶ | Predictors of resilience in older adults with lower limb osteoarthritis and persistent severe pain.. <i>BMC Geriatrics</i> , 2022 , 22, 246 | 4.1 | 1 |
| 4 ¹⁵ | Social position of older immigrants in the Netherlands: where do immigrants perceive themselves on the societal ladder?. <i>Journal of Cross-Cultural Gerontology</i> , 2022 , 1 | 2 | 0 |
| 4 ¹⁴ | Improved intention, self-efficacy and social influence in the workspace may help low vision service workers to discuss depression and anxiety with visually impaired and blind adults.. <i>BMC Health Services Research</i> , 2022 , 22, 528 | 2.9 | 0 |
| 4 ¹³ | Sex Differences in Presentation of Stroke: A Systematic Review and Meta-Analysis.. <i>Stroke</i> , 2021 , STROKEAHA120034040 | 6.7 | 1 |
| 4 ¹² | Mediation analysis methods used in observational research: a scoping review and recommendations. <i>BMC Medical Research Methodology</i> , 2021 , 21, 226 | 4.7 | 6 |
| 4 ¹¹ | Predicting unplanned hospital visits in older home care recipients: a cross-country external validation study. <i>BMC Geriatrics</i> , 2021 , 21, 551 | 4.1 | 0 |
| 4 ¹⁰ | Symptoms of depression, anxiety, and perceived mastery in older adults before and during the COVID-19 pandemic: Results from the Longitudinal Aging Study Amsterdam. <i>Journal of Psychosomatic Research</i> , 2021 , 151, 110656 | 4.1 | 2 |
| 4 ⁰⁹ | Developing clinical prediction models for nonrecovery in older patients seeking care for back pain: the back complaints in the elders prospective cohort study. <i>Pain</i> , 2021 , 162, 1632-1640 | 8 | 4 |
| 4 ⁰⁸ | A longitudinal exploration of mental health resilience, cognitive impairment and loneliness. <i>International Journal of Geriatric Psychiatry</i> , 2021 , 36, 1020-1028 | 3.9 | 4 |
| 4 ⁰⁷ | Challenges and solutions in prognostic prediction models in spinal disorders. <i>Journal of Clinical Epidemiology</i> , 2021 , 132, 125-130 | 5.7 | 1 |
| 4 ⁰⁶ | Do Cardiovascular Risk Factors and Cardiovascular Disease Explain Sex Differences in Cognitive Functioning in Old Age?. <i>Journal of Alzheimer's Disease</i> , 2021 , 80, 1643-1655 | 4.3 | 3 |
| 4 ⁰⁵ | The association of objectively measured physical activity and sedentary behavior with skeletal muscle strength and muscle power in older adults: A systematic review and meta-analysis. <i>Ageing Research Reviews</i> , 2021 , 67, 101266 | 12 | 22 |
| 4 ⁰⁴ | Optimal timing and criteria of interim PET in DLBCL: a comparative study of 1692 patients. <i>Blood Advances</i> , 2021 , 5, 2375-2384 | 7.8 | 9 |

| | | | |
|-----|---|------|----|
| 403 | Common variants in Alzheimer's disease and risk stratification by polygenic risk scores. <i>Nature Communications</i> , 2021 , 12, 3417 | 17.4 | 23 |
| 402 | An examination of reciprocal effects between cardiovascular morbidity, depressive symptoms and loneliness over time in a longitudinal cohort of Dutch older adults. <i>Journal of Affective Disorders</i> , 2021 , 288, 122-128 | 6.6 | 2 |
| 401 | Steeling or Sensitizing? A Longitudinal Examination of How Ongoing Accumulation of Negative Life Events Affects Depressive Symptoms in Older Adults. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2021 , 76, 2041-2053 | 4.6 | 1 |
| 400 | Assessing the Robustness of Mediation Analysis Results Using Multiverse Analysis. <i>Prevention Science</i> , 2021 , 1 | 4 | 0 |
| 399 | Cerebroplacental ratio in predicting adverse perinatal outcome: a meta-analysis of individual participant data. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021 , 128, 226-235 | 3.7 | 11 |
| 398 | Automated Segmentation of Baseline Metabolic Total Tumor Burden in Diffuse Large B-Cell Lymphoma: Which Method Is Most Successful? A Study on Behalf of the PETRA Consortium. <i>Journal of Nuclear Medicine</i> , 2021 , 62, 332-337 | 8.9 | 10 |
| 397 | Loneliness in Later Life and Reaching Longevity: Findings From the Longitudinal Aging Study Amsterdam. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2021 , 76, 415-424 | 4.6 | 2 |
| 396 | A meta-analysis of accelerometer sleep outcomes in healthy children based on the Sadeh algorithm: the influence of child and device characteristics. <i>Sleep</i> , 2021 , 44, | 1.1 | 1 |
| 395 | Sleep characteristics across the lifespan in 1.1 million people from the Netherlands, United Kingdom and United States: a systematic review and meta-analysis. <i>Nature Human Behaviour</i> , 2021 , 5, 113-122 | 12.8 | 46 |
| 394 | Gender, marital and educational inequalities in mid- to late-life depressive symptoms: cross-cohort variation and moderation by urbanicity degree. <i>Journal of Epidemiology and Community Health</i> , 2021 , 75, 442-449 | 5.1 | 1 |
| 393 | Global trends in the prevalence and incidence of depression: a systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2021 , 281, 235-243 | 6.6 | 23 |
| 392 | The use of traditional and causal estimators for mediation models with a binary outcome and exposure-mediator interaction. <i>Structural Equation Modeling</i> , 2021 , 28, 345-355 | 3.7 | 9 |
| 391 | Perceived Importance and Enjoyment of Sexuality in Late Midlife: Cohort Differences in the Longitudinal Aging Study Amsterdam (LASA). <i>Sexuality Research and Social Policy</i> , 2021 , 18, 621-635 | 2.1 | 2 |
| 390 | Strategy for finding occupational health survey participants at risk of long-term sickness absence. <i>European Journal of Public Health</i> , 2021 , 31, 1003-1009 | 2.1 | |
| 389 | Genome-wide meta-analysis of muscle weakness identifies 15 susceptibility loci in older men and women. <i>Nature Communications</i> , 2021 , 12, 654 | 17.4 | 10 |
| 388 | External validation of two prediction tools for patients at risk for recurrent infection. <i>Therapeutic Advances in Gastroenterology</i> , 2021 , 14, 1756284820977385 | 4.7 | 3 |
| 387 | Predictors of Frailty and Vitality in Older Adults Aged 75 years and Over: Results from the Longitudinal Aging Study Amsterdam. <i>Gerontology</i> , 2021 , 67, 69-77 | 5.5 | 4 |
| 386 | In patients eligible for meniscal surgery who first receive physical therapy, multivariable prognostic models cannot predict who will eventually undergo surgery. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021 , 1 | 5.5 | 2 |

| | | | |
|-----|---|------|----|
| 385 | Inequalities in Frailty Among Older Turkish and Moroccan Immigrants and Native Dutch: Data from the Longitudinal Aging Study Amsterdam. <i>Journal of Immigrant and Minority Health</i> , 2021 , 1 | 2.2 | 1 |
| 384 | External validation of prognostic models for recovery in patients with neck pain. <i>Brazilian Journal of Physical Therapy</i> , 2021 , 25, 775-775 | 3.7 | 0 |
| 383 | Splicing factor gene mutations in acute myeloid leukemia offer additive value if incorporated in current risk classification. <i>Blood Advances</i> , 2021 , 5, 3254-3265 | 7.8 | 2 |
| 382 | Long-Term Gender-Affirming Hormone Therapy and Cognitive Functioning in Older Transgender Women Compared With Cisgender Women and Men. <i>Journal of Sexual Medicine</i> , 2021 , 18, 1434-1443 | 1.1 | 2 |
| 381 | Genetics Contributes to Concomitant Pathology and Clinical Presentation in Dementia with Lewy Bodies. <i>Journal of Alzheimer's Disease</i> , 2021 , 83, 269-279 | 4.3 | 3 |
| 380 | Association of Thyroid Dysfunction With Cognitive Function: An Individual Participant Data Analysis. <i>JAMA Internal Medicine</i> , 2021 , 181, 1440-1450 | 11.5 | 4 |
| 379 | Psychosocial factors and cancer incidence (PSY-CA): Protocol for individual participant data meta-analyses. <i>Brain and Behavior</i> , 2021 , 11, e2340 | 3.4 | 2 |
| 378 | Pain trajectories and possible predictors of a favourable course of low back pain in patients consulting musculoskeletal physicians in The Netherlands. <i>Chiropractic & Manual Therapies</i> , 2021 , 29, 38 | 1.8 | 0 |
| 377 | The joint effects of clinically relevant depressive symptoms and cardiovascular risk factors on incident cardiovascular disease among older adults in the community. <i>Journal of Psychosomatic Research</i> , 2021 , 149, 110572 | 4.1 | 0 |
| 376 | Repeat hepatectomy justified in patients with early recurrence of colorectal cancer liver metastases: A systematic review and meta-analysis. <i>Cancer Epidemiology</i> , 2021 , 74, 101977 | 2.8 | 5 |
| 375 | Association Between Subjective Remaining Life Expectancy and Advance Care Planning in Older Adults: A Cross-Sectional Study. <i>Journal of Pain and Symptom Management</i> , 2021 , 62, 757-767 | 4.8 | 3 |
| 374 | Development and internal validation of prognostic models for recovery in patients with non-specific neck pain presenting in primary care. <i>Physiotherapy</i> , 2021 , 113, 61-72 | 3 | 0 |
| 373 | The Effect of Alzheimer's Disease-Associated Genetic Variants on Longevity.. <i>Frontiers in Genetics</i> , 2021 , 12, 748781 | 4.5 | 1 |
| 372 | Long-Term Exposure to Anticholinergic and Sedative Medications and Cognitive and Physical Function in Later Life. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020 , 75, 357-365 | 6.4 | 13 |
| 371 | Immune response and endocytosis pathways are associated with the resilience against Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2020 , 16, e042614 | 1.2 | |
| 370 | Instrumented measures of sedentary behaviour and physical activity are associated with mortality in community-dwelling older adults: A systematic review, meta-analysis and meta-regression analysis. <i>Ageing Research Reviews</i> , 2020 , 61, 101061 | 12 | 10 |
| 369 | Missing item responses in latent growth analysis: Item response theory versus classical test theory. <i>Statistical Methods in Medical Research</i> , 2020 , 29, 996-1014 | 2.3 | 1 |
| 368 | Long-term sickness absence in a working population: development and validation of a risk prediction model in a large Dutch prospective cohort. <i>BMC Public Health</i> , 2020 , 20, 699 | 4.1 | 2 |

| | | | |
|-----|--|------|----|
| 367 | Brain Network Integration in Patients with Migraine: A Magnetoencephalography Study. <i>Brain Connectivity</i> , 2020 , 10, 224-235 | 2.7 | 3 |
| 366 | Dynamic prediction model to identify young children at high risk of future overweight: Development and internal validation in a cohort study. <i>Pediatric Obesity</i> , 2020 , 15, e12647 | 4.6 | 3 |
| 365 | Prevalence of protein intake below recommended in community-dwelling older adults: a meta-analysis across cohorts from the PROMISS consortium. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2020 , 11, 1212-1222 | 10.3 | 18 |
| 364 | Underlying goals of advance care planning (ACP): a qualitative analysis of the literature. <i>BMC Palliative Care</i> , 2020 , 19, 27 | 3 | 12 |
| 363 | Ignoring competing events in the analysis of survival data may lead to biased results: a nonmathematical illustration of competing risk analysis. <i>Journal of Clinical Epidemiology</i> , 2020 , 122, 42-48 | 5.7 | 35 |
| 362 | The Current Status of Immune Checkpoint Inhibitors in Neuro-Oncology: A Systematic Review. <i>Cancers</i> , 2020 , 12, | 6.6 | 28 |
| 361 | Kinesiophobia is not required to predict chronic low back pain in workers: a decision curve analysis. <i>BMC Musculoskeletal Disorders</i> , 2020 , 21, 163 | 2.8 | 2 |
| 360 | PLCG2 protective variant p.P522R modulates tau pathology and disease progression in patients with mild cognitive impairment. <i>Acta Neuropathologica</i> , 2020 , 139, 1025-1044 | 14.3 | 18 |
| 359 | Development of a prediction model to target screening for high blood pressure in children. <i>Preventive Medicine</i> , 2020 , 132, 105997 | 4.3 | 1 |
| 358 | Older people's emotional connections with their physical urban environment. <i>Cities and Health</i> , 2020 , 4, 25-30 | 2.8 | 1 |
| 357 | Physical Activity as Moderator of the Association Between APOE and Cognitive Decline in Older Adults: Results from Three Longitudinal Cohort Studies. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020 , 75, 1880-1886 | 6.4 | 12 |
| 356 | Incidence and characteristics of non-accidental burns in children: A systematic review. <i>Burns</i> , 2020 , 46, 1243-1253 | 2.3 | 7 |
| 355 | Preclinical Activity of JNJ-7957, a Novel BCMA \times CD3 Bispecific Antibody for the Treatment of Multiple Myeloma, Is Potentiated by Daratumumab. <i>Clinical Cancer Research</i> , 2020 , 26, 2203-2215 | 12.9 | 29 |
| 354 | Family integrated care in single family rooms for preterm infants and late-onset sepsis: a retrospective study and mediation analysis. <i>Pediatric Research</i> , 2020 , 88, 593-600 | 3.2 | 9 |
| 353 | Psychological Resilience in the Context of Disability: A Study With Turkish and Moroccan Young-Old Immigrants Living in the Netherlands. <i>Gerontologist, The</i> , 2020 , 60, 259-269 | 5 | 7 |
| 352 | Lifetime trajectories of socio-economic adversity and their associations with psychosocial factors and attitudes towards social class. <i>Longitudinal and Life Course Studies</i> , 2020 , 11, 81-104 | 1 | |
| 351 | Development and Validation of a Prediction Model for 6-Month Societal Costs in Older Community Care-Recipients in Multiple Countries; the IBenC Study. <i>Health Services Insights</i> , 2020 , 13, 1178632920980462 | 1.9 | 4 |
| 350 | Work characteristics and health in older workers: Educational inequalities. <i>PLoS ONE</i> , 2020 , 15, e0241051 | 3.7 | 2 |

| | | | |
|-----|---|------|----|
| 349 | Reply to LTE: Automated segmentation of TMTV in DLBCL patients: what about method measurement uncertainty?. <i>Journal of Nuclear Medicine</i> , 2020 , | 8.9 | 2 |
| 348 | Clinical course of pain and disability following primary lumbar discectomy: systematic review and meta-analysis. <i>European Spine Journal</i> , 2020 , 29, 1660-1670 | 2.7 | 4 |
| 347 | Effect of Partial Sick Leave on Sick Leave Duration in Employees with Musculoskeletal Disorders. <i>Journal of Occupational Rehabilitation</i> , 2020 , 30, 203-210 | 3.6 | 2 |
| 346 | Macro-level determinants of post-retirement health and health inequalities: A multilevel analysis of 18 European countries. <i>Social Science and Medicine</i> , 2020 , 245, 112669 | 5.1 | 9 |
| 345 | The authors reply: Letter on: " Sarcopenia and its association with falls and fractures in older adults: A systematic review and meta-analysis" by Zhang et al. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2020 , 11, 332-335 | 10.3 | 1 |
| 344 | Gait speed as predictor of transition into cognitive impairment: Findings from three longitudinal studies on aging. <i>Experimental Gerontology</i> , 2020 , 129, 110783 | 4.5 | 14 |
| 343 | Baseline Patient Characteristics Commonly Captured Before Surgery Do Not Accurately Predict Long-Term Outcomes of Lumbar Microdiscectomy Followed by Physiotherapy. <i>Spine</i> , 2020 , 45, E885-E891 | 3.3 | 1 |
| 342 | Predicting return to work after long-term sickness absence with subjective health complaints: a prospective cohort study. <i>BMC Public Health</i> , 2020 , 20, 1095 | 4.1 | 2 |
| 341 | Regeneration of deprived neighbourhoods and indicators of functioning in older adults: A quasi-experimental evaluation of the Dutch District Approach. <i>Health and Place</i> , 2020 , 64, 102359 | 4.6 | 2 |
| 340 | Authors' reply re: Cerebroplacental ratio in predicting adverse perinatal outcome: a meta-analysis of individual participant data. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020 , 127, 1439-1440 | 3.7 | 5 |
| 339 | Genetic Liability for Depression, Social Factors and Their Interaction Effect in Depressive Symptoms and Depression Over Time in Older Adults. <i>American Journal of Geriatric Psychiatry</i> , 2020 , 28, 844-855 | 6.5 | 3 |
| 338 | Local recurrence after local excision of early rectal cancer: a meta-analysis of completion TME, adjuvant (chemo)radiation, or no additional treatment. <i>British Journal of Surgery</i> , 2020 , 107, 1719-1730 | 5.3 | 16 |
| 337 | Psychosocial work characteristics and long-term sickness absence due to mental disorders. <i>Journal of Mental Health</i> , 2020 , 29, 649-656 | 2.7 | 2 |
| 336 | Photovoice method with older persons: a review. <i>Ageing and Society</i> , 2020 , 40, 1759-1787 | 1.7 | 11 |
| 335 | Development and validation of the Brabant Hip Fracture Score for 30-day and 1-year mortality. <i>HIP International</i> , 2020 , 30, 354-362 | 1.7 | 5 |
| 334 | Longitudinal Examination of Emotional Functioning in Older Adults After Spousal Bereavement. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2020 , 75, 1668-1678 | 4.6 | 10 |
| 333 | The Linkage Between Aging, Migration, and Resilience: Resilience in the Life of Older Turkish and Moroccan Immigrants. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2020 , 75, 1113-1123 | 4.6 | 8 |
| 332 | Educational differences in macro-level determinants of early exit from paid work: a multilevel analysis of 14 European countries. <i>European Journal of Ageing</i> , 2020 , 17, 217-227 | 3.6 | 4 |

| | | | |
|-----|---|------|-----|
| 331 | Latent growth modeling of IRT versus CTT measured longitudinal latent variables. <i>Statistical Methods in Medical Research</i> , 2020 , 29, 962-986 | 2.3 | 2 |
| 330 | The Longitudinal Aging Study Amsterdam: cohort update 2019 and additional data collections. <i>European Journal of Epidemiology</i> , 2020 , 35, 61-74 | 12.1 | 36 |
| 329 | Interventions to improve functioning, participation, and quality of life in children with visual impairment: a systematic review. <i>Survey of Ophthalmology</i> , 2019 , 64, 512-557 | 6.1 | 22 |
| 328 | Systematic review on the comparative effectiveness of foot orthoses in patients with rheumatoid arthritis. <i>Journal of Foot and Ankle Research</i> , 2019 , 12, 32 | 3.2 | 10 |
| 327 | The Effect of a Screening and Treatment Program for the Prevention of Fractures in Older Women: A Randomized Pragmatic Trial. <i>Journal of Bone and Mineral Research</i> , 2019 , 34, 1993-2000 | 6.3 | 27 |
| 326 | Neighbourhood characteristics and prevalence and severity of depression: pooled analysis of eight Dutch cohort studies. <i>British Journal of Psychiatry</i> , 2019 , 215, 468-475 | 5.4 | 33 |
| 325 | Prevalence of protein-energy malnutrition risk in European older adults in community, residential and hospital settings, according to 22 malnutrition screening tools validated for use in adults ≥ 65 years: A systematic review and meta-analysis. <i>Maturitas</i> , 2019 , 126, 80-89 | 5 | 84 |
| 324 | Comparison of logistic-regression based methods for simple mediation analysis with a dichotomous outcome variable. <i>BMC Medical Research Methodology</i> , 2019 , 19, 19 | 4.7 | 40 |
| 323 | Childhood prediction models for hypertension later in life: a systematic review. <i>Journal of Hypertension</i> , 2019 , 37, 865-877 | 1.9 | 3 |
| 322 | Factors across life associated with remaining free from functional limitations despite lifelong exposure to socioeconomic adversity. <i>Journal of Epidemiology and Community Health</i> , 2019 , 73, 529-536 | 5.1 | 1 |
| 321 | Predictive value of quantitative diffusion-weighted imaging and 18-F-FDG-PET in head and neck squamous cell carcinoma treated by (chemo)radiotherapy. <i>European Journal of Radiology</i> , 2019 , 113, 39-50 | 4.7 | 25 |
| 320 | Framingham score and work-related variables for predicting cardiovascular disease in the working population. <i>European Journal of Public Health</i> , 2019 , 29, 832-837 | 2.1 | 2 |
| 319 | Societal participation of individuals aged 55-64 years with and without chronic disease. <i>European Journal of Public Health</i> , 2019 , 29, 93-98 | 2.1 | 3 |
| 318 | Predictive value of interim positron emission tomography in diffuse large B-cell lymphoma: a systematic review and meta-analysis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019 , 46, 65-79 | 8.8 | 34 |
| 317 | Natural Course of Frailty Components in People Who Develop Frailty Syndrome: Evidence From Two Cohort Studies. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019 , 74, 667-674 | 6.4 | 31 |
| 316 | Do religious activities among young-old immigrants act as a buffer against the effect of a lack of resources on well-being?. <i>Aging and Mental Health</i> , 2019 , 23, 625-632 | 3.5 | 5 |
| 315 | A meta-analysis of genome-wide association studies identifies multiple longevity genes. <i>Nature Communications</i> , 2019 , 10, 3669 | 17.4 | 102 |
| 314 | Systematic review with meta-analysis: risk factors for thiopurine-induced leukopenia in IBD. <i>Alimentary Pharmacology and Therapeutics</i> , 2019 , 50, 484-506 | 6.1 | 18 |

| | | | |
|-----|---|-----|----|
| 313 | Development of a clinical prediction model for the onset of functional decline in people aged 65-75 years: pooled analysis of four European cohort studies. <i>BMC Geriatrics</i> , 2019 , 19, 179 | 4.1 | 9 |
| 312 | Palliative care provision in long-term care facilities differs across Europe: Results of a cross-sectional study in six European countries (PACE). <i>Palliative Medicine</i> , 2019 , 33, 1176-1188 | 5.5 | 11 |
| 311 | Predictors of Purchasing a Hearing Aid After an Evaluation Period: A Prospective Study in Dutch Older Hearing Aid Candidates. <i>American Journal of Audiology</i> , 2019 , 28, 802-805 | 1.8 | 4 |
| 310 | Performance of methods to conduct mediation analysis with time-to-event outcomes. <i>Statistica Neerlandica</i> , 2019 , 74, 72 | 0.9 | 2 |
| 309 | Health needs of refugee children identified on arrival in reception countries: a systematic review and meta-analysis. <i>BMJ Paediatrics Open</i> , 2019 , 3, e000516 | 2.4 | 22 |
| 308 | Educational inequalities in health after work exit: the role of work characteristics. <i>BMC Public Health</i> , 2019 , 19, 1515 | 4.1 | 9 |
| 307 | Development of Prediction Model for the Prognosis of Sick Leave Due to Low Back Pain. <i>Journal of Occupational and Environmental Medicine</i> , 2019 , 61, 1065-1071 | 2 | 4 |
| 306 | Het beloop van duizeligheid bij ouderen voorspellen. <i>Huisarts En Wetenschap</i> , 2019 , 62, 36-38 | 0.1 | 1 |
| 305 | Sex differences in healthy life expectancy among nonagenarians: A multistate survival model using data from the Vitality 90+ study. <i>Experimental Gerontology</i> , 2019 , 116, 80-85 | 4.5 | 17 |
| 304 | Predicting Mortality in Nursing Home Residents With Dementia and Pneumonia Treated With Antibiotics: Validation of a Prediction Model in a More Recent Population. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019 , 74, 1922-1928 | 6.4 | 1 |
| 303 | Development of Prediction Models for Sick Leave Due to Musculoskeletal Disorders. <i>Journal of Occupational Rehabilitation</i> , 2019 , 29, 617-624 | 3.6 | 6 |
| 302 | An Empirical Comparison of Meta- and Mega-Analysis With Data From the ENIGMA Obsessive-Compulsive Disorder Working Group. <i>Frontiers in Neuroinformatics</i> , 2018 , 12, 102 | 3.9 | 41 |
| 301 | Smoking Cessation and 16-year Trajectories of Functional Limitations Among Dutch Older Adults: Results from the Longitudinal Aging Study Amsterdam. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018 , 73, 1722-1728 | 6.4 | 5 |
| 300 | "Tough Times Have Become Good Times": Resilience in Older Adults With a Low Socioeconomic Position. <i>Gerontologist</i> , 2018 , 58, 843-852 | 5 | 21 |
| 299 | Secular trends in excess mortality of late-life depression. <i>Journal of Affective Disorders</i> , 2018 , 234, 28-336.6 | | 5 |
| 298 | Neighbourhood safety and smoking in population subgroups: The HELIUS study. <i>Preventive Medicine</i> , 2018 , 112, 111-118 | 4.3 | 5 |
| 297 | The diagnostic accuracy of methylation markers in urine for the detection of bladder cancer: a systematic review. <i>Epigenomics</i> , 2018 , 10, 673-687 | 4.4 | 20 |
| 296 | Development and external validation of a prediction rule for an unfavorable course of late-life depression: A multicenter cohort study. <i>Journal of Affective Disorders</i> , 2018 , 235, 105-113 | 6.6 | 8 |

| | | | |
|-----|---|------|-----|
| 295 | Intraoperative evaluation of perfusion in free flap surgery: A systematic review and meta-analysis. <i>Microsurgery</i> , 2018 , 38, 804-818 | 2.1 | 18 |
| 294 | Socio-economic differences in the change of fruit and vegetable intakes among Dutch adults between 2004 and 2011: the GLOBE study. <i>Public Health Nutrition</i> , 2018 , 21, 1704-1716 | 3.3 | 7 |
| 293 | Transitions across cognitive states and death among older adults in relation to education: A multistate survival model using data from six longitudinal studies. <i>Alzheimer's and Dementia</i> , 2018 , 14, 462-472 | 1.2 | 32 |
| 292 | Reirradiation + hyperthermia for recurrent breast cancer en cuirasse. <i>Strahlentherapie Und Onkologie</i> , 2018 , 194, 206-214 | 4.3 | 17 |
| 291 | An internally validated prognostic model for success in revision stapes surgery for otosclerosis. <i>Laryngoscope</i> , 2018 , 128, 2390-2396 | 3.6 | 10 |
| 290 | Passive imputation and parcel summaries are both valid to handle missing items in studies with many multi-item scales. <i>Statistical Methods in Medical Research</i> , 2018 , 27, 1128-1140 | 2.3 | 13 |
| 289 | Resilience in the Disabling Effect of Gait Speed Among Older Turkish and Moroccan Immigrants and Native Dutch. <i>Journal of Aging and Health</i> , 2018 , 30, 711-737 | 2.6 | 9 |
| 288 | Development and validation of a prediction model for long-term sickness absence based on occupational health survey variables. <i>Disability and Rehabilitation</i> , 2018 , 40, 168-175 | 2.4 | 17 |
| 287 | Prognostic accuracy of cerebroplacental ratio and middle cerebral artery Doppler for adverse perinatal outcome: systematic review and meta-analysis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018 , 51, 313-322 | 5.8 | 101 |
| 286 | Trends in lifestyle among three cohorts of adults aged 55-64 years in 1992/1993, 2002/2003 and 2012/2013. <i>European Journal of Public Health</i> , 2018 , 28, 564-570 | 2.1 | 9 |
| 285 | Socioeconomic Inequalities in Frailty among Older Adults: Results from a 10-Year Longitudinal Study in the Netherlands. <i>Gerontology</i> , 2018 , 64, 157-164 | 5.5 | 22 |
| 284 | Vitamin D status in relation to physical performance, falls and fractures in the Longitudinal Aging Study Amsterdam: A reanalysis of previous findings using standardized serum 25-hydroxyvitamin D values. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2018 , 177, 255-260 | 5.1 | 10 |
| 283 | Size and shape of the associations of glucose, HbA _{1c} , insulin and HOMA-IR with incident type 2 diabetes: the Hoorn Study. <i>Diabetologia</i> , 2018 , 61, 93-100 | 10.3 | 14 |
| 282 | Salvage surgery for local recurrence after stereotactic body radiotherapy for early stage non-small cell lung cancer: a systematic review. <i>Therapeutic Advances in Medical Oncology</i> , 2018 , 10, 1758835918787989 | 5.4 | 6 |
| 281 | MINDMAP: establishing an integrated database infrastructure for research in ageing, mental well-being, and the urban environment. <i>BMC Public Health</i> , 2018 , 18, 158 | 4.1 | 18 |
| 280 | External Validation of a Tool Predicting 7-Year Risk of Developing Cardiovascular Disease, Type 2 Diabetes or Chronic Kidney Disease. <i>Journal of General Internal Medicine</i> , 2018 , 33, 182-188 | 4 | 7 |
| 279 | The physical, mental, and social impact of COPD in a population-based sample: results from the Longitudinal Aging Study Amsterdam. <i>Npj Primary Care Respiratory Medicine</i> , 2018 , 28, 30 | 3.2 | 18 |
| 278 | Prominent Non-Memory Deficits in Alzheimer's Disease Are Associated with Faster Disease Progression. <i>Journal of Alzheimer's Disease</i> , 2018 , 65, 1029-1039 | 4.3 | 9 |

| | | | |
|-----|--|-----|----|
| 277 | Age dependency of risk factors for cognitive decline. <i>BMC Geriatrics</i> , 2018 , 18, 187 | 4.1 | 48 |
| 276 | Effects of vitamin D supplementation on markers for cardiovascular disease and type 2 diabetes: an individual participant data meta-analysis of randomized controlled trials. <i>American Journal of Clinical Nutrition</i> , 2018 , 107, 1043-1053 | 7 | 31 |
| 275 | Development and internal validation of a multivariable prediction model for tinnitus recovery following unilateral cochlear implantation: a cross-sectional retrospective study. <i>BMJ Open</i> , 2018 , 8, e021068 | 3 | 6 |
| 274 | Development and validation of a clinical prediction tool to estimate the individual risk of depressive relapse or recurrence in individuals with recurrent depression. <i>Journal of Psychiatric Research</i> , 2018 , 104, 1-7 | 5.2 | 10 |
| 273 | Prediction models to identify workers at risk of sick leave due to low-back pain in the Dutch construction industry. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018 , 44, 156-162 | 4.3 | 6 |
| 272 | Socioeconomic inequalities in frailty among older adults in six low- and middle-income countries: Results from the WHO Study on global AGEing and adult health (SAGE). <i>Maturitas</i> , 2018 , 115, 56-63 | 5 | 23 |
| 271 | Perceived constraints in late midlife: Cohort differences in the Longitudinal Aging Study Amsterdam (LASA). <i>Psychology and Aging</i> , 2018 , 33, 754-768 | 3.6 | 7 |
| 270 | Affective well-being in the last years of life: The role of health decline. <i>Psychology and Aging</i> , 2018 , 33, 739-753 | 3.6 | 6 |
| 269 | Secular trends in the prevalence of major and subthreshold depression among 55-64-year olds over 20 years. <i>Psychological Medicine</i> , 2018 , 48, 1824-1834 | 6.9 | 15 |
| 268 | O3-02-03: FACTORS AND TRANSITIONS BETWEEN COGNITIVE STATES: A MULTI-STUDY APPROACH USING DATA FROM SIX INTERNATIONAL LONGITUDINAL STUDIES OF AGEING 2018 , 14, P1012-P1012 | | |
| 267 | P2-134: THE ADDED VALUE OF EXTREME PHENOTYPES IN ALZHEIMER'S DISEASE CASE-CONTROL STUDIES 2018 , 14, P719-P719 | | |
| 266 | O5-04-01: A RARE GENETIC VARIANT IN THE PLCG2 GENE IS ASSOCIATED WITH A REDUCED RISK OF ALL MAJOR TYPES OF DEMENTIA AND AN INCREASED RISK TO REACH AN EXTREMELY OLD AGE 2018 , 14, P1648-P1649 | | |
| 265 | P3-553: EDUCATION AND THE ONSET OF COGNITIVE PATHOLOGY 2018 , 14, P1334-P1335 | | |
| 264 | Dynamic prediction of childhood high blood pressure in a population-based birth cohort: a model development study. <i>BMJ Open</i> , 2018 , 8, e023912 | 3 | 4 |
| 263 | An innovative implementation strategy to improve the use of Dutch guidelines on hypertensive disorders in pregnancy: A randomized controlled trial. <i>Pregnancy Hypertension</i> , 2018 , 14, 131-138 | 2.6 | 3 |
| 262 | Factors Influencing Academic Motivation of Ethnic Minority Students: A Review. <i>SAGE Open</i> , 2018 , 8, 215824401878541 | 1.5 | 17 |
| 261 | Salvage surgery for recurrent or persistent tumour after radical (chemo)radiotherapy for locally advanced non-small cell lung cancer: a systematic review. <i>Therapeutic Advances in Medical Oncology</i> , 2018 , 10, 1758835918804150 | 5.4 | 6 |
| 260 | Clinical course and prognostic models for the conservative management of cervical radiculopathy: a prospective cohort study. <i>European Spine Journal</i> , 2018 , 27, 2710-2719 | 2.7 | 7 |

| | | | |
|-----|---|-----|----|
| 259 | Two-year effectiveness of a stepped-care depression prevention intervention and predictors of incident depression in primary care patients with diabetes type 2 and/or coronary heart disease and subthreshold depression: data from the Step-Dep cluster randomised controlled trial. <i>BMJ Open</i> , 2018 , 8, e020412 | 3 | 3 |
| 258 | Domains and determinants of retirement timing: A systematic review of longitudinal studies. <i>BMC Public Health</i> , 2018 , 18, 1083 | 4.1 | 28 |
| 257 | Predicting an Unfavorable Course of Dizziness in Older Patients. <i>Annals of Family Medicine</i> , 2018 , 16, 428-435 | 2.9 | 10 |
| 256 | Cohort profile: the Geoscience and Health Cohort Consortium (GECCO) in the Netherlands. <i>BMJ Open</i> , 2018 , 8, e021597 | 3 | 18 |
| 255 | A Six-Year Prospective Study of the Prognosis and Predictors in Patients With Late-Life Depression. <i>American Journal of Geriatric Psychiatry</i> , 2018 , 26, 985-997 | 6.5 | 30 |
| 254 | Tracking changes in frailty throughout later life: results from a 17-year longitudinal study in the Netherlands. <i>Age and Ageing</i> , 2018 , 47, 727-733 | 3 | 35 |
| 253 | Development and validation of two clinical prediction models to inform clinical decision-making for lumbar spinal fusion surgery for degenerative disorders and rehabilitation following surgery: protocol for a prospective observational study. <i>BMJ Open</i> , 2018 , 8, e021078 | 3 | 6 |
| 252 | Prediction of insufficient serum vitamin D status in older women: a validated model. <i>Osteoporosis International</i> , 2018 , 29, 1539-1547 | 5.3 | 5 |
| 251 | Frailty in Older Adults with Cardiovascular Disease: Cause, Effect or Both? 2018 , 9, 489-497 | | 38 |
| 250 | What are the essential features of resilience for informal caregivers of people living with dementia? A Delphi consensus examination. <i>Ageing and Mental Health</i> , 2017 , 21, 509-517 | 3.5 | 37 |
| 249 | Oral appliance therapy versus nasal continuous positive airway pressure in obstructive sleep apnea: a randomized, placebo-controlled trial on psychological distress. <i>Clinical Oral Investigations</i> , 2017 , 21, 2371-2378 | 4.2 | 4 |
| 248 | Decreasing Hospital Length of Stay: Effects on Daily Functioning in Older Adults. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 1214-1221 | 5.6 | 25 |
| 247 | The role of frailty in explaining the association between the metabolic syndrome and mortality in older adults. <i>Experimental Gerontology</i> , 2017 , 91, 5-8 | 4.5 | 16 |
| 246 | Prognostic Factors for Niche Development in the Uterine Caesarean Section Scar. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017 , 213, 31-32 | 2.4 | 6 |
| 245 | Development and validation of a frailty index in the Longitudinal Aging Study Amsterdam. <i>Ageing Clinical and Experimental Research</i> , 2017 , 29, 927-933 | 4.8 | 47 |
| 244 | Clinical Prediction Models for Patients With Nontraumatic Knee Pain in Primary Care: A Systematic Review and Internal Validation Study. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2017 , 47, 518-529 | 4.3 | 3 |
| 243 | The association of self-regulation with weight loss maintenance after an intensive combined lifestyle intervention for children and adolescents with severe obesity. <i>BMC Obesity</i> , 2017 , 4, 13 | 3.6 | 6 |
| 242 | Modifiable Risk Factors for Prevention of Dementia in Midlife, Late Life and the Oldest-Old: Validation of the LIBRA Index. <i>Journal of Alzheimer's Disease</i> , 2017 , 58, 537-547 | 4.3 | 59 |

| | | | |
|-----|--|------|-----|
| 241 | External validation of the diffuse intrinsic pontine glioma survival prediction model: a collaborative report from the International DIPG Registry and the SIOPE DIPG Registry. <i>Journal of Neuro-Oncology</i> , 2017 , 134, 231-240 | 4.8 | 16 |
| 240 | Oral appliance therapy versus nasal continuous positive airway pressure in obstructive sleep apnoea syndrome: a randomised, placebo-controlled trial on self-reported symptoms of common sleep disorders and sleep-related problems. <i>Journal of Oral Rehabilitation</i> , 2017 , 44, 452-460 | 3.4 | 10 |
| 239 | Capturing the Diversity of Successful Aging: An Operational Definition Based on 16-Year Trajectories of Functioning. <i>Gerontologist, The</i> , 2017 , 57, 240-251 | 5 | 45 |
| 238 | Predicting glycated hemoglobin levels in the non-diabetic general population: Development and validation of the DIRECT-DETECT prediction model - a DIRECT study. <i>PLoS ONE</i> , 2017 , 12, e0171816 | 3.7 | 10 |
| 237 | Variability in quantitative analysis of atherosclerotic plaque inflammation using 18F-FDG PET/CT. <i>PLoS ONE</i> , 2017 , 12, e0181847 | 3.7 | 8 |
| 236 | Methods for significance testing of categorical covariates in logistic regression models after multiple imputation: power and applicability analysis. <i>BMC Medical Research Methodology</i> , 2017 , 17, 1294-7 | 4.7 | 23 |
| 235 | Design of the SALT Osteoporosis Study: a randomised pragmatic trial, to study a primary care screening and treatment program for the prevention of fractures in women aged 65 years or older. <i>BMC Musculoskeletal Disorders</i> , 2017 , 18, 424 | 2.8 | 8 |
| 234 | Predictors of Entering a Hearing Aid Evaluation Period: A Prospective Study in Older Hearing-Help Seekers. <i>Trends in Hearing</i> , 2017 , 21, 2331216517744915 | 3.2 | 19 |
| 233 | Temporal Relationship Between Cognitive and Physical Performance in Middle-Aged to Oldest Old People. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2017 , 72, 662-668 | 6.4 | 21 |
| 232 | Comparison of methods for the analysis of relatively simple mediation models. <i>Contemporary Clinical Trials Communications</i> , 2017 , 7, 130-135 | 1.8 | 28 |
| 231 | Health behaviour information provided to clients during midwife-led prenatal booking visits: Findings from video analyses. <i>Midwifery</i> , 2017 , 54, 7-17 | 2.8 | 10 |
| 230 | Back Schools for chronic non-specific low back pain. <i>The Cochrane Library</i> , 2017 , 8, CD011674 | 5.2 | 33 |
| 229 | Comparison of Coronary CT Angiography, SPECT, PET, and Hybrid Imaging for Diagnosis of Ischemic Heart Disease Determined by Fractional Flow Reserve. <i>JAMA Cardiology</i> , 2017 , 2, 1100-1107 | 16.2 | 176 |
| 228 | National and transnational belonging among Turkish and Moroccan older migrants in the Netherlands: protective against loneliness?. <i>European Journal of Ageing</i> , 2017 , 14, 341-351 | 3.6 | 29 |
| 227 | Optimal use of anti-EGFR monoclonal antibodies for patients with advanced colorectal cancer: a meta-analysis. <i>Cancer and Metastasis Reviews</i> , 2017 , 36, 395-406 | 9.6 | 19 |
| 226 | Cognitive functioning among Dutch older adults: Do neighborhood socioeconomic status and urbanity matter?. <i>Social Science and Medicine</i> , 2017 , 187, 29-38 | 5.1 | 14 |
| 225 | Upfront combination therapy reduces right ventricular volumes in pulmonary arterial hypertension. <i>European Respiratory Journal</i> , 2017 , 49, | 13.6 | 34 |
| 224 | Myocardial Microvascular Responsiveness During Acute Cardiac Sympathectomy Induced by Thoracic Epidural Anesthesia. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2017 , 31, 134-141 | 2.1 | 7 |

| | | | |
|-----|--|------|-----|
| 223 | The Relationships of Health Behaviour and Psychological Characteristics with Spontaneous Preterm Birth in Nulliparous Women. <i>Maternal and Child Health Journal</i> , 2017 , 21, 873-882 | 2.4 | 10 |
| 222 | [O3D6D4]: PROMINENT NON-MEMORY DEFICITS IN AD ARE ASSOCIATED WITH A FASTER DISEASE PROGRESSION 2017 , 13, P912 | | |
| 221 | The Effects of Life Events and Socioeconomic Position in Childhood and Adulthood on Successful Aging. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2017 , 72, 268-278 | 4.6 | 10 |
| 220 | Beyond return to work from sickness absence due to mental disorders: 5-year longitudinal study of employment status among production workers. <i>European Journal of Public Health</i> , 2017 , 27, 79-83 | 2.1 | 8 |
| 219 | Predictive Factors for Insufficient Weight Loss After Bariatric Surgery: Does Obstructive Sleep Apnea Influence Weight Loss?. <i>Obesity Surgery</i> , 2016 , 26, 1048-56 | 3.7 | 21 |
| 218 | An evidence-update on the prospective relationship between childhood sedentary behaviour and biomedical health indicators: a systematic review and meta-analysis. <i>Obesity Reviews</i> , 2016 , 17, 833-49 | 10.6 | 108 |
| 217 | Bisoprolol in idiopathic pulmonary arterial hypertension: an explorative study. <i>European Respiratory Journal</i> , 2016 , 48, 787-96 | 13.6 | 64 |
| 216 | Psychosocial interventions to improve mental health in adults with vision impairment: systematic review and meta-analysis. <i>Ophthalmic and Physiological Optics</i> , 2016 , 36, 584-606 | 4.1 | 29 |
| 215 | O4-09-05: Risk Factors for Cognitive Decline are Age Dependent 2016 , 12, P356-P356 | | |
| 214 | Trend study on the association between hospital admissions and the health of Dutch older adults (1995-2009). <i>BMJ Open</i> , 2016 , 6, e011967 | 3 | 8 |
| 213 | Self-reported hypoglycaemia in patients with type 2 diabetes treated with insulin in the Hoorn Diabetes Care System Cohort, the Netherlands: a prospective cohort study. <i>BMJ Open</i> , 2016 , 6, e012793 ³ | | 4 |
| 212 | How to design clinical rehabilitation trials for the upper paretic limb early post stroke?. <i>Trials</i> , 2016 , 17, 468 | 2.8 | 32 |
| 211 | Relation between carotid stiffness, cognitive performance and brain connectivity in a healthy middle-aged population: an observational neurophysiological cohort study with magnetoencephalography. <i>BMJ Open</i> , 2016 , 6, e013441 | 3 | 6 |
| 210 | Multiple imputation strategies for zero-inflated cost data in economic evaluations: which method works best?. <i>European Journal of Health Economics</i> , 2016 , 17, 939-950 | 3.6 | 28 |
| 209 | Late-life depression symptom dimensions and cognitive functioning in the Longitudinal Aging Study Amsterdam (LASA). <i>Journal of Affective Disorders</i> , 2016 , 201, 171-8 | 6.6 | 34 |
| 208 | Developing a Risk Prediction Model for Long-Term Physical and Psychological Functioning after Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2016 , 22, 549-56 | 4.7 | 11 |
| 207 | Multicentre validation of frequent sickness absence predictions. <i>Occupational Medicine</i> , 2016 , 66, 69-71 | 2.1 | 1 |
| 206 | Prenatal Visualization of the Pulmonary and Aortic Valves and Leaflets Is Feasible Using 4-Dimensional Sonography. <i>Journal of Ultrasound in Medicine</i> , 2016 , 35, 497-504 | 2.9 | 4 |

| | | | |
|-----|--|------|-----|
| 205 | Shortened version of the work ability index to identify workers at risk of long-term sickness absence. <i>European Journal of Public Health</i> , 2016 , 26, 301-5 | 2.1 | 30 |
| 204 | Association between funding, risk of bias, and outcome of randomised controlled trials in oral and maxillofacial surgery. <i>British Journal of Oral and Maxillofacial Surgery</i> , 2016 , 54, 46-50 | 1.4 | 4 |
| 203 | Predicting chronic low-back pain based on pain trajectories in patients in an occupational setting: an exploratory analysis. <i>Scandinavian Journal of Work, Environment and Health</i> , 2016 , 42, 520-527 | 4.3 | 8 |
| 202 | Generalizability of Dutch Prediction Models for Low Hemoglobin Deferral: A Study on External Validation and Updating in Swiss Whole Blood Donors. <i>Transfusion Medicine and Hemotherapy</i> , 2016 , 43, 407-414 | 4.2 | 5 |
| 201 | Course and predictors of pain and physical functioning in patients with hip osteoarthritis: Systematic review and meta-analysis. <i>Journal of Rehabilitation Medicine</i> , 2016 , 48, 245-52 | 3.4 | 26 |
| 200 | Prognosis of Pain and Physical Functioning in Patients With Knee Osteoarthritis: A Systematic Review and Meta-Analysis. <i>Arthritis Care and Research</i> , 2016 , 68, 481-92 | 4.7 | 80 |
| 199 | Back schools for acute and subacute non-specific low-back pain. <i>The Cochrane Library</i> , 2016 , 4, CD008325.2 | 5.2 | 19 |
| 198 | Prenatal detection of congenital heart disease--results of a national screening programme. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016 , 123, 400-7 | 3.7 | 106 |
| 197 | Predicting mortality in patients treated differently: updating and external validation of a prediction model for nursing home residents with dementia and lower respiratory infections. <i>BMJ Open</i> , 2016 , 6, e011380 | 3 | 2 |
| 196 | Socioeconomic inequalities in a 16-year longitudinal measurement of successful ageing. <i>Journal of Epidemiology and Community Health</i> , 2016 , 70, 1106-1113 | 5.1 | 18 |
| 195 | The Longitudinal Aging Study Amsterdam: cohort update 2016 and major findings. <i>European Journal of Epidemiology</i> , 2016 , 31, 927-45 | 12.1 | 137 |
| 194 | O3-05-03: Modifiable Risk Factors for Prevention of Dementia in Midlife and Late Life: The Libra Index 2016 , 12, P295-P296 | | 1 |
| 193 | Commentary on "Histone H3F3A and HIST1H3B K27M mutations define two subgroups of diffuse intrinsic pontine gliomas with different prognosis and phenotypes". <i>Acta Neuropathologica</i> , 2016 , 131, 793-4 | 14.3 | 4 |
| 192 | Psychological distress screener for risk of future mental sickness absence in non-sicklisted employees. <i>European Journal of Public Health</i> , 2016 , 26, 510-2 | 2.1 | 5 |
| 191 | Risk scores for outcome in bacterial meningitis: Systematic review and external validation study. <i>Journal of Infection</i> , 2016 , 73, 393-401 | 18.9 | 13 |
| 190 | Incidence of symptomatic venous thromboembolism in oncological oral and maxillofacial operations: retrospective analysis. <i>British Journal of Oral and Maxillofacial Surgery</i> , 2015 , 53, 244-50 | 1.4 | 12 |
| 189 | The prevalence and impact of overuse injuries in five Norwegian sports: Application of a new surveillance method. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2015 , 25, 323-30 | 4.6 | 115 |
| 188 | Including auxiliary item information in longitudinal data analyses improved handling missing questionnaire outcome data. <i>Journal of Clinical Epidemiology</i> , 2015 , 68, 637-45 | 5.7 | 7 |

| | | | |
|-----|---|------|----|
| 187 | The role of perceived barriers in explaining socio-economic status differences in adherence to the fruit, vegetable and fish guidelines in older adults: a mediation study. <i>Public Health Nutrition</i> , 2015 , 18, 797-808 | 3.3 | 27 |
| 186 | The association between depressive symptoms in the community, non-psychiatric hospital admission and hospital outcomes: a systematic review. <i>Journal of Psychosomatic Research</i> , 2015 , 78, 25-33 | 4.1 | 59 |
| 185 | The estimated volume of the fibroid uterus: a comparison of ultrasound and bimanual examination versus volume at MRI or hysterectomy. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015 , 184, 89-96 | 2.4 | 7 |
| 184 | Noninvasive identification of left-sided heart failure in a population suspected of pulmonary arterial hypertension. <i>European Respiratory Journal</i> , 2015 , 46, 422-30 | 13.6 | 27 |
| 183 | Risk reclassification analysis investigating the added value of fatigue to sickness absence predictions. <i>International Archives of Occupational and Environmental Health</i> , 2015 , 88, 1069-75 | 3.2 | 2 |
| 182 | Generation shifts in smoking over 20 years in two Dutch population-based cohorts aged 20-100 years. <i>BMC Public Health</i> , 2015 , 15, 142 | 4.1 | 12 |
| 181 | Relative flow reserve derived from quantitative perfusion imaging may not outperform stress myocardial blood flow for identification of hemodynamically significant coronary artery disease. <i>Circulation: Cardiovascular Imaging</i> , 2015 , 8, | 3.9 | 50 |
| 180 | Diagnostic performance of the Bernese versus Ottawa ankle rules: Results of a randomised controlled trial. <i>Injury</i> , 2015 , 46, 1645-9 | 2.5 | 14 |
| 179 | Health measures in prediction models for high sickness absence: single-item self-rated health versus multi-item SF-12. <i>European Journal of Public Health</i> , 2015 , 25, 668-72 | 2.1 | 13 |
| 178 | Reirradiation and hyperthermia for irresectable locoregional recurrent breast cancer in previously irradiated area: Size matters. <i>Radiotherapy and Oncology</i> , 2015 , 117, 223-8 | 5.3 | 43 |
| 177 | Survival prediction model of children with diffuse intrinsic pontine glioma based on clinical and radiological criteria. <i>Neuro-Oncology</i> , 2015 , 17, 160-6 | 1 | 87 |
| 176 | Prognostic factors and course for successful clinical outcome quality of life and patients' perceived effect after a cognitive behavior therapy for chronic non-specific low back pain: A 12-months prospective study. <i>Manual Therapy</i> , 2015 , 20, 96-102 | | 9 |
| 175 | Host immune response to tuberculous meningitis. <i>Clinical Infectious Diseases</i> , 2015 , 60, 177-87 | 11.6 | 39 |
| 174 | Updating and prospective validation of a prognostic model for high sickness absence. <i>International Archives of Occupational and Environmental Health</i> , 2015 , 88, 113-22 | 3.2 | 13 |
| 173 | Analyzing Incomplete Item Scores in Longitudinal Data by Including Item Score Information as Auxiliary Variables. <i>Structural Equation Modeling</i> , 2015 , 22, 588-602 | 3.7 | 10 |
| 172 | The effect of trends in health and longevity on health services use by older adults. <i>BMC Health Services Research</i> , 2015 , 15, 574 | 2.9 | 23 |
| 171 | The use of 3D power Doppler ultrasound in the quantification of blood vessels in uterine fibroids: feasibility and reproducibility. <i>Journal of Clinical Ultrasound</i> , 2015 , 43, 171-8 | 1 | 10 |
| 170 | Back schools for chronic non-specific low back pain 2015 , | | 1 |

| | | | |
|-----|--|-----|-----|
| 169 | Mental health symptoms identify workers at risk of long-term sickness absence due to mental disorders: prospective cohort study with 2-year follow-up. <i>BMC Public Health</i> , 2015 , 15, 1235 | 4.1 | 15 |
| 168 | Surgical Excision with Adjuvant Irradiation for Treatment of Keloid Scars: A Systematic Review. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2015 , 3, e440 | 1.2 | 70 |
| 167 | Using Nursing Activities Score to Assess Nursing Workload on a Medium Care Unit. <i>Anesthesia and Analgesia</i> , 2015 , 121, 1274-80 | 3.9 | 17 |
| 166 | Predictive Value of the SF-12 for Sickness Absence Because of Mental, Musculoskeletal, and Other Somatic Disorders. <i>Journal of Occupational and Environmental Medicine</i> , 2015 , 57, 1113-8 | 2 | 6 |
| 165 | Prognosis and course of work-participation in patients with chronic non-specific low back pain: a 12-month follow-up cohort study. <i>Journal of Rehabilitation Medicine</i> , 2015 , 47, 854-9 | 3.4 | 7 |
| 164 | The effect of VoorZorg, the Dutch nurse-family partnership, on child maltreatment and development: a randomized controlled trial. <i>PLoS ONE</i> , 2015 , 10, e0120182 | 3.7 | 58 |
| 163 | Incidence and types of complications after ablative oral cancer surgery with primary microvascular free flap reconstruction. <i>Medicina Oral, Patologia Oral Y Cirugia Bucal</i> , 2015 , 20, e744-50 | 2.6 | 13 |
| 162 | Prognosis and course of pain in patients with chronic non-specific low back pain: A 1-year follow-up cohort study. <i>European Journal of Pain</i> , 2015 , 19, 1101-10 | 3.7 | 25 |
| 161 | Cross-national validation of prognostic models predicting sickness absence and the added value of work environment variables. <i>Journal of Occupational Rehabilitation</i> , 2015 , 25, 279-87 | 3.6 | 7 |
| 160 | Signs of right ventricular deterioration in clinically stable patients with pulmonary arterial hypertension. <i>Chest</i> , 2015 , 147, 1063-1071 | 5.3 | 78 |
| 159 | Thresholds for Serum 25(OH)D Concentrations With Respect to Different Outcomes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 2480-8 | 5.6 | 25 |
| 158 | Prenatal examination of the area and morphology of the atrioventricular valves using four-dimensional ultrasound in normal and abnormal hearts. <i>Prenatal Diagnosis</i> , 2015 , 35, 741-7 | 3.2 | 6 |
| 157 | Doppler-derived intracoronary physiology indices predict the occurrence of microvascular injury and microvascular perfusion deficits after angiographically successful primary percutaneous coronary intervention. <i>Circulation: Cardiovascular Interventions</i> , 2015 , 8, e001786 | 6 | 42 |
| 156 | Screening manual and office workers for risk of long-term sickness absence: cut-off points for the Work Ability Index. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015 , 41, 36-42 | 4.3 | 25 |
| 155 | Re: Amelsvoort et al. "Approaches for predicting long-term sickness absence". <i>Scandinavian Journal of Work, Environment and Health</i> , 2015 , 41, 324 | 4.3 | |
| 154 | Work Ability Index as tool to identify workers at risk of premature work exit. <i>Journal of Occupational Rehabilitation</i> , 2014 , 24, 747-54 | 3.6 | 42 |
| 153 | No evidence that embryo selection by near-infrared spectroscopy in addition to morphology is able to improve live birth rates: results from an individual patient data meta-analysis. <i>Human Reproduction</i> , 2014 , 29, 455-61 | 5.7 | 29 |
| 152 | Missing data in a multi-item instrument were best handled by multiple imputation at the item score level. <i>Journal of Clinical Epidemiology</i> , 2014 , 67, 335-42 | 5.7 | 124 |

| | | | |
|-----|--|------|-----|
| 151 | Feature tracking compared with tissue tagging measurements of segmental strain by cardiovascular magnetic resonance. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014 , 16, 10 | 6.9 | 94 |
| 150 | Intermittent fasting during Ramadan causes a transient increase in total, LDL, and HDL cholesterol and hs-CRP in ethnic obese adolescents. <i>European Journal of Pediatrics</i> , 2014 , 173, 1103-6 | 4.1 | 13 |
| 149 | Additional value of transluminal attenuation gradient in CT angiography to predict hemodynamic significance of coronary artery stenosis. <i>JACC: Cardiovascular Imaging</i> , 2014 , 7, 374-86 | 8.4 | 57 |
| 148 | Diagnostic and clinical value of 3D gel installation sonohysterography in addition to 2D gel installation sonohysterography in the assessment of intrauterine abnormalities. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2014 , 175, 67-74 | 2.4 | 8 |
| 147 | Efficacy and safety of IVF/ICSI in patients with severe endometriosis after long-term pituitary down-regulation. <i>Reproductive BioMedicine Online</i> , 2014 , 28, 39-46 | 4 | 20 |
| 146 | Statin therapy is associated with improved survival after endovascular and open aneurysm repair. <i>Journal of Vascular Surgery</i> , 2014 , 59, 39-44.e1 | 3.5 | 56 |
| 145 | The clinical and radiographical characteristics of zygomatic complex fractures: a comparison between the surgically and non-surgically treated patients. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2014 , 42, 492-7 | 3.6 | 17 |
| 144 | Preserved cross-bridge kinetics in human hypertrophic cardiomyopathy patients with MYBPC3 mutations. <i>Pflugers Archiv European Journal of Physiology</i> , 2014 , 466, 1619-33 | 4.6 | 11 |
| 143 | Ventral striatum, but not cortical volume loss, is related to cognitive dysfunction in type 1 diabetic patients with and without microangiopathy. <i>Diabetes Care</i> , 2014 , 37, 2483-90 | 14.6 | 26 |
| 142 | Prediction of vitamin D deficiency by simple patient characteristics. <i>American Journal of Clinical Nutrition</i> , 2014 , 99, 1089-95 | 7 | 36 |
| 141 | Impact of anatomical and functional severity of coronary atherosclerotic plaques on the transmural perfusion gradient: a [¹⁵ O]H ₂ O PET study. <i>European Heart Journal</i> , 2014 , 35, 2094-105 | 9.5 | 47 |
| 140 | Quantitative assessment of myocardial perfusion in the detection of significant coronary artery disease: cutoff values and diagnostic accuracy of quantitative [(15)O]H ₂ O PET imaging. <i>Journal of the American College of Cardiology</i> , 2014 , 64, 1464-75 | 15.1 | 165 |
| 139 | Discovery of biomarkers for glycaemic deterioration before and after the onset of type 2 diabetes: rationale and design of the epidemiological studies within the IMI DIRECT Consortium. <i>Diabetologia</i> , 2014 , 57, 1132-42 | 10.3 | 39 |
| 138 | Efficacy and safety of intrauterine insemination in patients with moderate-to-severe endometriosis. <i>Reproductive BioMedicine Online</i> , 2014 , 28, 590-8 | 4 | 24 |
| 137 | Three trajectories of activity limitations in early symptomatic knee osteoarthritis: a 5-year follow-up study. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 1369-75 | 2.4 | 70 |
| 136 | Hospital costs associated with depression in a cohort of older men living in Western Australia. <i>General Hospital Psychiatry</i> , 2014 , 36, 33-7 | 5.6 | 12 |
| 135 | The course of health-related quality of life in head and neck cancer patients treated with chemoradiation: a prospective cohort study. <i>Radiotherapy and Oncology</i> , 2014 , 110, 422-8 | 5.3 | 60 |
| 134 | Disease prevalence based on older people's self-reports increased, but patient-general practitioner agreement remained stable, 1992-2009. <i>Journal of Clinical Epidemiology</i> , 2014 , 67, 773-80 | 5.7 | 30 |

| | | | |
|-----|--|------|-----|
| 133 | Explaining the association between educational level and frailty in older adults: results from a 13-year longitudinal study in the Netherlands. <i>Annals of Epidemiology</i> , 2014 , 24, 538-44.e2 | 6.4 | 105 |
| 132 | Reproducibility of three-dimensional gel installation sonohysterography in the assessment and classification of intrauterine abnormalities. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2014 , 179, 141-6 | 2.4 | 4 |
| 131 | Evaluation of the usefulness of 2 prediction models of clinical prediction models in physical therapy: a qualitative process evaluation. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2014 , 37, 334-41 | 1.3 | 5 |
| 130 | The right ventricle explains sex differences in survival in idiopathic pulmonary arterial hypertension. <i>Chest</i> , 2014 , 145, 1230-1236 | 5.3 | 117 |
| 129 | Fatigue as prognostic risk marker of mental sickness absence in white collar employees. <i>Journal of Occupational Rehabilitation</i> , 2014 , 24, 307-15 | 3.6 | 3 |
| 128 | Impaired hyperemic myocardial blood flow is associated with inducibility of ventricular arrhythmia in ischemic cardiomyopathy. <i>Circulation: Cardiovascular Imaging</i> , 2014 , 7, 20-30 | 3.9 | 21 |
| 127 | Comparison of different cardiac risk scores for coronary artery disease in symptomatic women: do female-specific risk factors matter?. <i>European Journal of Preventive Cardiology</i> , 2014 , 21, 1443-50 | 3.9 | 12 |
| 126 | Prediction of time to return to work after gynaecological surgery: a prospective cohort study in the Netherlands. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014 , 121, 487-97 | 3.7 | 34 |
| 125 | Body mass index is related to microvascular vasomotion, this is partly explained by adiponectin. <i>European Journal of Clinical Investigation</i> , 2014 , 44, 660-7 | 4.6 | 9 |
| 124 | Expression of apoptosis regulating proteins identifies stage II and III colon cancer patients with high risk of recurrence. <i>Journal of Surgical Oncology</i> , 2014 , 109, 255-65 | 2.8 | 8 |
| 123 | Do psychosocial resources modify the effects of frailty on functional decline and mortality?. <i>Journal of Psychosomatic Research</i> , 2014 , 77, 547-51 | 4.1 | 34 |
| 122 | Differential insertion of the atrioventricular valves: measurement protocol to detect various congenital heart defects. <i>Prenatal Diagnosis</i> , 2014 , 34, 935-9 | 3.2 | 1 |
| 121 | Motivations to eat healthily in older Dutch adults--a cross sectional study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014 , 11, 141 | 8.4 | 20 |
| 120 | Systematic review and meta-analysis of intrauterine adhesions after miscarriage: prevalence, risk factors and long-term reproductive outcome. <i>Human Reproduction Update</i> , 2014 , 20, 262-78 | 15.8 | 203 |
| 119 | Effect of long-term GH replacement therapy on cardiovascular outcomes in GH-deficient patients previously treated for acromegaly: a sub-analysis from the Dutch National Registry of Growth Hormone Treatment in Adults. <i>European Journal of Endocrinology</i> , 2014 , 171, 717-26 | 6.5 | 8 |
| 118 | Does dipeptidyl peptidase-4 inhibition prevent the diabetogenic effects of glucocorticoids in men with the metabolic syndrome? A randomized controlled trial. <i>European Journal of Endocrinology</i> , 2014 , 170, 429-39 | 6.5 | 25 |
| 117 | Effect of long-term GH replacement therapy on cardiovascular outcomes in isolated GH deficiency compared with multiple pituitary hormone deficiencies: a sub-analysis from the Dutch National Registry of Growth Hormone Treatment in Adults. <i>European Journal of Endocrinology</i> , 2014 , 171, 151-60 | 6.5 | 10 |
| 116 | Classification models for identification of at-risk groups for incident memory complaints. <i>International Psychogeriatrics</i> , 2014 , 26, 257-71 | 3.4 | 7 |

| | | | |
|-----|---|------|-----|
| 115 | Work ability as prognostic risk marker of disability pension: single-item work ability score versus multi-item work ability index. <i>Scandinavian Journal of Work, Environment and Health</i> , 2014 , 40, 428-31 | 4.3 | 35 |
| 114 | Elevated homocysteine levels are associated with low muscle strength and functional limitations in older persons. <i>Journal of Nutrition, Health and Aging</i> , 2013 , 17, 578-84 | 5.2 | 31 |
| 113 | Overview of data-synthesis in systematic reviews of studies on outcome prediction models. <i>BMC Medical Research Methodology</i> , 2013 , 13, 42 | 4.7 | 15 |
| 112 | A new approach to analyse longitudinal epidemiological data with an excess of zeros. <i>BMC Medical Research Methodology</i> , 2013 , 13, 27 | 4.7 | 7 |
| 111 | Addition of host genetic variants in a prediction rule for post meningitis hearing loss in childhood: a model updating study. <i>BMC Infectious Diseases</i> , 2013 , 13, 340 | 4 | 5 |
| 110 | External validation of two prediction models identifying employees at risk of high sickness absence: cohort study with 1-year follow-up. <i>BMC Public Health</i> , 2013 , 13, 105 | 4.1 | 21 |
| 109 | Postprandial microvascular function deteriorates in parallel with gradual worsening of insulin sensitivity and glucose tolerance in men with the metabolic syndrome or type 2 diabetes. <i>Diabetologia</i> , 2013 , 56, 583-7 | 10.3 | 10 |
| 108 | Predicting Optimal cAnCER Rehabilitation and Supportive care (POLARIS): rationale and design for meta-analyses of individual patient data of randomized controlled trials that evaluate the effect of physical activity and psychosocial interventions on health-related quality of life in cancer survivors. <i>Systematic Reviews</i> , 2013 , 2, 75 | 3 | 29 |
| 107 | Magnetic resonance imaging-defined areas of microvascular obstruction after acute myocardial infarction represent microvascular destruction and haemorrhage. <i>European Heart Journal</i> , 2013 , 34, 2346-53 | 9.5 | 141 |
| 106 | Multiple imputation of missing values was not necessary before performing a longitudinal mixed-model analysis. <i>Journal of Clinical Epidemiology</i> , 2013 , 66, 1022-8 | 5.7 | 235 |
| 105 | Risk of bias in research in oral and maxillofacial surgery. <i>British Journal of Oral and Maxillofacial Surgery</i> , 2013 , 51, 913-9 | 1.4 | 4 |
| 104 | The BladderScan BVI 6200□ is not accurate enough for use in a bladder retraining program. <i>Journal of Pediatric Urology</i> , 2013 , 9, 904-9 | 1.5 | 5 |
| 103 | The working mechanism of manual therapy in participants with chronic tension-type headache. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2013 , 43, 693-9 | 4.2 | 13 |
| 102 | Association between TV viewing, computer use and overweight, determinants and competing activities of screen time in 4- to 13-year-old children. <i>International Journal of Obesity</i> , 2013 , 37, 47-53 | 5.5 | 130 |
| 101 | The development and validation of two prediction models to identify employees at risk of high sickness absence. <i>European Journal of Public Health</i> , 2013 , 23, 128-33 | 2.1 | 23 |
| 100 | Understanding the Mortality Decline at Older Ages Improved Life Course or Improved Present Period?. <i>Annual Review of Gerontology and Geriatrics</i> , 2013 , 33, 259-291 | | 12 |
| 99 | PS16 - 1. The impact of Ramadan fast on BMI and cardiometabolic factors in ethnic obese adolescents. <i>Nederlands Tijdschrift Voor Diabetologie</i> , 2013 , 11, 189-190 | 0 | |
| 98 | ADAM12s and PP13 as first trimester screening markers for adverse pregnancy outcome. <i>Clinical Chemistry and Laboratory Medicine</i> , 2013 , 51, 1279-84 | 5.9 | 7 |

| | | | |
|----|--|-----|----|
| 97 | Hybrid imaging using quantitative H215O PET and CT-based coronary angiography for the detection of coronary artery disease. <i>Journal of Nuclear Medicine</i> , 2013 , 54, 55-63 | 8.9 | 91 |
| 96 | Intraoperative cell salvage is associated with reduced postoperative blood loss and transfusion requirements in cardiac surgery: a cohort study. <i>Transfusion</i> , 2013 , 53, 2782-9 | 2.9 | 44 |
| 95 | Unsuccessful validation of 2004 model for predicting academic or behavioural limitations after childhood bacterial meningitis. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2013 , 102, e553-9 | 3.1 | 1 |
| 94 | Prognosis and course of disability in patients with chronic nonspecific low back pain: a 5- and 12-month follow-up cohort study. <i>Physical Therapy</i> , 2013 , 93, 1603-14 | 3.3 | 29 |
| 93 | General anesthesia with sevoflurane decreases myocardial blood volume and hyperemic blood flow in healthy humans. <i>Anesthesia and Analgesia</i> , 2013 , 116, 767-74 | 3.9 | 10 |
| 92 | What constitutes a clinically important pain reduction in patients after third molar surgery?. <i>Pain Research and Management</i> , 2013 , 18, 319-22 | 2.6 | 16 |
| 91 | Independent validation of an existing model enables prediction of hearing loss after childhood bacterial meningitis. <i>PLoS ONE</i> , 2013 , 8, e58707 | 3.7 | 8 |
| 90 | Socio-demographic and lifestyle-related characteristics associated with self-reported any, daily and occasional smoking during pregnancy. <i>PLoS ONE</i> , 2013 , 8, e74197 | 3.7 | 18 |
| 89 | Effect of nurse home visits vs. usual care on reducing intimate partner violence in young high-risk pregnant women: a randomized controlled trial. <i>PLoS ONE</i> , 2013 , 8, e78185 | 3.7 | 47 |
| 88 | Economic evaluation of a participatory return-to-work intervention for temporary agency and unemployed workers sick-listed due to musculoskeletal disorders. <i>Scandinavian Journal of Work, Environment and Health</i> , 2013 , 39, 46-56 | 4.3 | 17 |
| 87 | Clinical Interventions to Reduce Work Disability in Workers with Musculoskeletal Disorders or Mental Health Problems 2013 , 317-334 | | 8 |
| 86 | Prediction of asthma by common risk factors: a follow-up study in Cuban schoolchildren. <i>Journal of Investigational Allergology and Clinical Immunology</i> , 2013 , 23, 415-20 | 2.3 | 7 |
| 85 | The course of limitations in activities over 5 years in patients with knee and hip osteoarthritis with moderate functional limitations: risk factors for future functional decline. <i>Osteoarthritis and Cartilage</i> , 2012 , 20, 503-10 | 6.2 | 74 |
| 84 | Clinical variables associated with recovery in patients with chronic tension-type headache after treatment with manual therapy. <i>Pain</i> , 2012 , 153, 893-899 | 8 | 22 |
| 83 | Rectal balloon training as add-on therapy to pelvic floor muscle training in adults with fecal incontinence: a randomized controlled trial. <i>Neurourology and Urodynamics</i> , 2012 , 31, 132-8 | 2.3 | 37 |
| 82 | Overweight children with type 1 diabetes have a more favourable lipid profile than overweight non-diabetic children. <i>European Journal of Pediatrics</i> , 2012 , 171, 493-8 | 4.1 | 13 |
| 81 | Standardization of catheter load speed during embryo transfer: comparison of manual and pump-regulated embryo transfer. <i>Reproductive BioMedicine Online</i> , 2012 , 24, 163-9 | 4 | 16 |
| 80 | Positive predictive value of computed tomography coronary angiography in clinical practice. <i>International Journal of Cardiology</i> , 2012 , 156, 315-9 | 3.2 | 10 |

| | | | |
|----|--|------|-----|
| 79 | Is thromboembolism prophylaxis necessary for low and moderate risk patients in maxillofacial trauma? A retrospective analysis. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2012 , 41, 902-5 | 2.9 | 6 |
| 78 | Can a single pain rating replace a multiple pain rating in third molar surgery studies? Analysis of 220 patients. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2012 , 41, 1010-3 | 2.9 | |
| 77 | The effect of a comprehensive lifestyle intervention on cardiovascular risk factors in pharmacologically treated patients with stable cardiovascular disease compared to usual care: a randomised controlled trial. <i>BMC Cardiovascular Disorders</i> , 2012 , 12, 71 | 2.3 | 18 |
| 76 | Economic evaluation of a weight control program with e-mail and telephone counseling among overweight employees: a randomized controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012 , 9, 112 | 8.4 | 11 |
| 75 | Carotid artery intima-media thickness, but not coronary artery calcium, predicts coronary vascular resistance in patients evaluated for coronary artery disease. <i>European Heart Journal Cardiovascular Imaging</i> , 2012 , 13, 317-23 | 4.1 | 10 |
| 74 | Preliminary state of development of prediction models for primary care physical therapy: a systematic review. <i>Journal of Clinical Epidemiology</i> , 2012 , 65, 1257-66 | 5.7 | 33 |
| 73 | Treatment and complications of mandibular fractures: a 10-year analysis. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2012 , 40, e108-11 | 3.6 | 47 |
| 72 | Aetiology and incidence of maxillofacial trauma in Amsterdam: a retrospective analysis of 579 patients. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2012 , 40, e165-9 | 3.6 | 99 |
| 71 | Missing data and imputation: a practical illustration in a prognostic study on low back pain. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2012 , 35, 464-71 | 1.3 | 13 |
| 70 | Cell cycle proteins predict recurrence in stage II and III colon cancer. <i>Annals of Surgical Oncology</i> , 2012 , 19 Suppl 3, S682-92 | 3.1 | 43 |
| 69 | Perioperative outcomes using LigaSure compared to conventional bipolar instruments in laparoscopic salpingo-oophorectomy: a randomized controlled trial. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2012 , 26, 2884-91 | 5.2 | 6 |
| 68 | Weight loss of 5% or more predicts loss of fat-free mass during palliative chemotherapy in patients with advanced cancer: a pilot study. <i>Nutrition and Cancer</i> , 2012 , 64, 826-32 | 2.8 | 25 |
| 67 | Peak expiratory flow rate shows a gender-specific association with vitamin D deficiency. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 2164-71 | 5.6 | 15 |
| 66 | Measurement properties of disease-specific questionnaires in patients with neck pain: a systematic review. <i>Quality of Life Research</i> , 2012 , 21, 659-70 | 3.7 | 164 |
| 65 | High frequency of vertebral fractures in early spondylarthropathies. <i>Osteoporosis International</i> , 2012 , 23, 1683-90 | 5.3 | 54 |
| 64 | Missing data: a systematic review of how they are reported and handled. <i>Epidemiology</i> , 2012 , 23, 729-32 | 3.1 | 107 |
| 63 | Multiple myocardial crypts on modified long-axis view are a specific finding in pre-hypertrophic HCM mutation carriers. <i>European Heart Journal Cardiovascular Imaging</i> , 2012 , 13, 292-7 | 4.1 | 48 |
| 62 | One risk assessment tool for cardiovascular disease, type 2 diabetes, and chronic kidney disease. <i>Diabetes Care</i> , 2012 , 35, 741-8 | 14.6 | 31 |

| | | | |
|----|---|------|-----|
| 61 | Factors associated with dizygotic twinning after IVF treatment with double embryo transfer. <i>Human Reproduction</i> , 2012 , 27, 2966-70 | 5.7 | 6 |
| 60 | Progressive right ventricular dysfunction in patients with pulmonary arterial hypertension responding to therapy. <i>Journal of the American College of Cardiology</i> , 2011 , 58, 2511-9 | 15.1 | 564 |
| 59 | Effectiveness of phone and e-mail lifestyle counseling for long term weight control among overweight employees. <i>Journal of Occupational and Environmental Medicine</i> , 2011 , 53, 680-6 | 2 | 28 |
| 58 | Clinically significant change in stroke volume in pulmonary hypertension. <i>Chest</i> , 2011 , 139, 1003-1009 | 5.3 | 75 |
| 57 | Serum 25-hydroxyvitamin D levels and the metabolic syndrome in older persons: a population-based study. <i>Clinical Endocrinology</i> , 2011 , 75, 608-13 | 3.4 | 36 |
| 56 | Perioperative outcomes using LigaSure compared with conventional bipolar instruments in laparoscopic hysterectomy: a randomised controlled trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2011 , 118, 1568-75 | 3.7 | 35 |
| 55 | Small portion sizes in worksite cafeterias: do they help consumers to reduce their food intake?. <i>International Journal of Obesity</i> , 2011 , 35, 1200-7 | 5.5 | 48 |
| 54 | Biomarker evaluation does not confirm efficacy of computer-tailored nutrition education. <i>Journal of Nutrition Education and Behavior</i> , 2011 , 43, 323-30 | 2 | 5 |
| 53 | Do whiplash patients differ from other patients with non-specific neck pain regarding pain, function or prognosis?. <i>Manual Therapy</i> , 2011 , 16, 456-62 | | 25 |
| 52 | Cost-utility analysis of a one-time supervisor telephone contact at 6-weeks post-partum to prevent extended sick leave following maternity leave in The Netherlands: results of an economic evaluation alongside a randomized controlled trial. <i>BMC Public Health</i> , 2011 , 11, 57 | 4.1 | 8 |
| 51 | Influence of placement of a nutrition logo on cafeteria menu items on lunchtime food Choices at Dutch work sites. <i>Journal of the American Dietetic Association</i> , 2011 , 111, 131-6 | | 66 |
| 50 | Low bone mineral density is related to male gender and decreased functional capacity in early spondylarthropathies. <i>Clinical Rheumatology</i> , 2011 , 30, 497-503 | 3.9 | 44 |
| 49 | The Evaluation of Screening and Early Detection Strategies for Type 2 Diabetes and Impaired Glucose Tolerance (DETECT-2) update of the Finnish diabetes risk score for prediction of incident type 2 diabetes. <i>Diabetologia</i> , 2011 , 54, 1004-12 | 10.3 | 51 |
| 48 | Risk scores for predicting type 2 diabetes: using the optimal tool. <i>Diabetologia</i> , 2011 , 54, 2468-70 | 10.3 | |
| 47 | Multifactorial evaluation and treatment of persons with a high risk of recurrent falling was not cost-effective. <i>Osteoporosis International</i> , 2011 , 22, 2187-96 | 5.3 | 21 |
| 46 | Measurement properties of translated versions of neck-specific questionnaires: a systematic review. <i>BMC Medical Research Methodology</i> , 2011 , 11, 87 | 4.7 | 81 |
| 45 | Prediction of persistent shoulder pain in general practice: comparing clinical consensus from a Delphi procedure with a statistical scoring system. <i>BMC Family Practice</i> , 2011 , 12, 63 | 2.6 | 11 |
| 44 | Cardiometabolic risk variables in overweight and obese children: a worldwide comparison. <i>Cardiovascular Diabetology</i> , 2011 , 10, 106 | 8.7 | 45 |

| | | | |
|----|---|------|-----|
| 43 | Association of plasma osteoprotegerin and adiponectin with arterial function, cardiac function and metabolism in asymptomatic type 2 diabetic men. <i>Cardiovascular Diabetology</i> , 2011 , 10, 67 | 8.7 | 26 |
| 42 | Sequence optimization to reduce velocity offsets in cardiovascular magnetic resonance volume flow quantification--a multi-vendor study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2011 , 13, 18 | 6.9 | 42 |
| 41 | Does growth hormone replacement therapy reduce mortality in adults with growth hormone deficiency? Data from the Dutch National Registry of Growth Hormone Treatment in adults. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, 3151-9 | 5.6 | 86 |
| 40 | Early prediction of outcome of activities of daily living after stroke: a systematic review. <i>Stroke</i> , 2011 , 42, 1482-8 | 6.7 | 309 |
| 39 | Long-term follow-up of a randomized controlled trial of oral appliance therapy in obstructive sleep apnea. <i>Respiration</i> , 2011 , 82, 162-8 | 3.7 | 79 |
| 38 | Development and validation of a general population renal risk score. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011 , 6, 1731-8 | 6.9 | 56 |
| 37 | Optimal cutoff values for high-risk waist circumference in older adults based on related health outcomes. <i>American Journal of Epidemiology</i> , 2011 , 174, 479-89 | 3.8 | 31 |
| 36 | Cohort profile: the Longitudinal Aging Study Amsterdam. <i>International Journal of Epidemiology</i> , 2011 , 40, 868-76 | 7.8 | 326 |
| 35 | Economic burden of physical activity-related injuries in Dutch children aged 10-12. <i>British Journal of Sports Medicine</i> , 2011 , 45, 1058-63 | 10.3 | 49 |
| 34 | The cost-effectiveness of a lifestyle physical activity intervention in addition to a work style intervention on recovery from neck and upper limb symptoms and pain reduction in computer workers. <i>Occupational and Environmental Medicine</i> , 2011 , 68, 265-72 | 2.1 | 24 |
| 33 | Prediction of nucleated cells in bone marrow stem cell products by donor characteristics: a retrospective single centre analysis. <i>Vox Sanguinis</i> , 2010 , 98, e276-83 | 3.1 | 16 |
| 32 | Low mid-upper arm circumference, calf circumference, and body mass index and mortality in older persons. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2010 , 65, 1107-14 | 6.4 | 78 |
| 31 | Economic evaluation of a workplace intervention for sick-listed employees with distress. <i>Occupational and Environmental Medicine</i> , 2010 , 67, 603-10 | 2.1 | 25 |
| 30 | Comparing health care use and related costs between groups with and without hearing impairment. <i>International Journal of Audiology</i> , 2010 , 49, 881-90 | 2.6 | 8 |
| 29 | The prognosis of chronic low back pain is determined by changes in pain and disability in the initial period. <i>Spine Journal</i> , 2010 , 10, 847-56 | 4 | 48 |
| 28 | Potential savings of a program to prevent ankle sprain recurrence: economic evaluation of a randomized controlled trial. <i>American Journal of Sports Medicine</i> , 2010 , 38, 2194-200 | 6.8 | 70 |
| 27 | Incidence of venous thromboembolism in oral and maxillofacial surgery: a retrospective analysis. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2010 , 39, 256-9 | 2.9 | 18 |
| 26 | Prognosis of patients with nonspecific neck pain: development and external validation of a prediction rule for persistence of complaints. <i>Spine</i> , 2010 , 35, E827-35 | 3.3 | 33 |

| | | | |
|----|---|-----|-----|
| 25 | Prognostic factors for perceived recovery or functional improvement in non-specific low back pain: secondary analyses of three randomized clinical trials. <i>European Spine Journal</i> , 2010 , 19, 650-9 | 2.7 | 47 |
| 24 | Exploring cut-off values for large waist circumference in older adults: a new methodological approach. <i>Journal of Nutrition, Health and Aging</i> , 2010 , 14, 272-7 | 5.2 | 13 |
| 23 | The search for stable prognostic models in multiple imputed data sets. <i>BMC Medical Research Methodology</i> , 2010 , 10, 81 | 4.7 | 21 |
| 22 | Cost-effectiveness of a minimal intervention for stress-related sick leave in general practice: results of an economic evaluation alongside a pragmatic randomised control trial. <i>Journal of Affective Disorders</i> , 2010 , 120, 177-87 | 6.6 | 18 |
| 21 | Prognostic factors for the two-year course of activity limitations in early osteoarthritis of the hip and/or knee. <i>Arthritis Care and Research</i> , 2010 , 62, 1415-25 | 4.7 | 49 |
| 20 | Een beslismodel voor aspecifieke nekpijn. <i>Huisarts En Wetenschap</i> , 2009 , 52, 384-390 | 0.1 | 2 |
| 19 | Return to work in a cohort of low back pain patients: development and validation of a clinical prediction rule. <i>Journal of Occupational Rehabilitation</i> , 2009 , 19, 155-65 | 3.6 | 49 |
| 18 | Categorizing continuous variables resulted in different predictors in a prognostic model for nonspecific neck pain. <i>Journal of Clinical Epidemiology</i> , 2009 , 62, 868-74 | 5.7 | 24 |
| 17 | Physical and cognitive functioning after 3 years can be predicted using information from the diagnostic process in recently diagnosed multiple sclerosis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2009 , 90, 1478-88 | 2.8 | 13 |
| 16 | Onset of anxiety and depression in the aging population: comparison of risk factors in a 9-year prospective study. <i>American Journal of Geriatric Psychiatry</i> , 2009 , 17, 642-52 | 6.5 | 66 |
| 15 | Back pain recurrence: an evaluation of existing indicators and direction for future research. <i>Spine</i> , 2009 , 34, 970-7 | 3.3 | 17 |
| 14 | Career preference and medical students' biographical characteristics and academic achievement. <i>Medical Teacher</i> , 2008 , 30, e15-e22 | 3 | 17 |
| 13 | Variable selection under multiple imputation using the bootstrap in a prognostic study. <i>BMC Medical Research Methodology</i> , 2007 , 7, 33 | 4.7 | 108 |
| 12 | Exploring the contribution of patient-reported and clinician based variables for the prediction of low back work status. <i>Journal of Occupational Rehabilitation</i> , 2007 , 17, 383-97 | 3.6 | 22 |
| 11 | Cost-effectiveness of interpersonal psychotherapy for elderly primary care patients with major depression. <i>International Journal of Technology Assessment in Health Care</i> , 2007 , 23, 480-7 | 1.8 | 13 |
| 10 | Promoting physical activity with people in different places--a Dutch perspective. <i>Journal of Science and Medicine in Sport</i> , 2006 , 9, 371-7 | 4.4 | 14 |
| 9 | Does flexion-distraction help treat chronic low back pain?. <i>Nature Clinical Practice Rheumatology</i> , 2006 , 2, 360-1 | | 4 |
| 8 | The effectiveness of high-intensity versus low-intensity back schools in an occupational setting: a pragmatic randomized controlled trial. <i>Spine</i> , 2006 , 31, 1075-82 | 3.3 | 64 |

| | | | |
|---|--|-----|-----|
| 7 | Workers' beliefs and expectations affect return to work over 12 months. <i>Journal of Occupational Rehabilitation</i> , 2006 , 16, 685-95 | 3.6 | 85 |
| 6 | Educational inequalities in cause-specific mortality in middle-aged and older men and women in eight western European populations. <i>Lancet, The</i> , 2005 , 365, 493-500 | 4.0 | 353 |
| 5 | Back schools for nonspecific low back pain: a systematic review within the framework of the Cochrane Collaboration Back Review Group. <i>Spine</i> , 2005 , 30, 2153-63 | 3.3 | 124 |
| 4 | Prognostic factors for duration of sick leave in patients sick listed with acute low back pain: a systematic review of the literature. <i>Occupational and Environmental Medicine</i> , 2005 , 62, 851-60 | 2.1 | 328 |
| 3 | Back schools in occupational health care: design of a randomized controlled trial and cost-effectiveness study. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2004 , 27, 457-65 | 1.3 | 10 |
| 2 | Episodes of Low Back Pain. <i>Spine</i> , 2002 , 27, 2409-2416 | 3.3 | 268 |
| 1 | Episodes of low back pain: a proposal for uniform definitions to be used in research. <i>Spine</i> , 2002 , 27, 2409-16 | 3.3 | 127 |