

Sanjay Krishna

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4258006/publications.pdf>

Version: 2024-02-01

509
papers

10,367
citations

38742

50
h-index

54911

84
g-index

514
all docs

514
docs citations

514
times ranked

7127
citing authors

#	ARTICLE	IF	CITATIONS
1	Interband Quantum Cascade Infrared Photodetectors: Current Status and Future Trends. Physical Review Applied, 2022, 17, .	3.8	14
2	Random alloy thick AlGaAsSb avalanche photodiodes on InP substrates. Applied Physics Letters, 2022, 120, .	3.3	17
3	Impact Ionization Coefficients of Digital Alloy and Random Alloy Al _{0.85} Ga _{0.15} As _{0.56} Sb _{0.44} in a Wide Electric Field Range. Journal of Lightwave Technology, 2022, 40, 4758-4764.	4.6	10
4	Temperature Dependence of Avalanche Breakdown of AlGaAsSb and AlInAsSb Avalanche Photodiodes. Journal of Lightwave Technology, 2022, 40, 5934-5942.	4.6	6
5	Morphological and optical characterization of self-assembled InAlGaAs/GaAs quantum dots. Journal of Applied Physics, 2022, 131, 233104.	2.5	2
6	Signal and Noise Analysis of an Open-Circuit Voltage Pixel for Uncooled Infrared Image Sensors. IEEE Transactions on Circuits and Systems I: Regular Papers, 2021, , 1-14.	5.4	2
7	Plasmonic-coupled quantum dot photodetectors for mid-infrared photonics. Optics Express, 2021, 29, 7145.	3.4	3
8	AlInAsSb avalanche photodiodes on InP substrates. Applied Physics Letters, 2021, 118, .	3.3	31
9	Low noise AlInAsSb avalanche photodiodes on InP substrates for 1.55 μm infrared applications. , 2021, , .		4
10	Thick Al _{0.85} Ga _{0.15} As _{0.56} Sb _{0.44} avalanche photodiodes on InP substrate. , 2021, , .		3
11	Investigating the physics of higher-order optical transitions in InAs/GaSb superlattices. Physical Review B, 2021, 104, .	3.2	6
12	Antimonide-Based Avalanche Photodiodes on InP Substrates. , 2021, , .		0
13	Simulation of Impact Ionization Coefficients in InAlAs/InAsSb Type-II Superlattice Material Systems. Journal of Electronic Materials, 2021, 50, 7293.	2.2	1
14	Dielectric Resonator Antenna-Coupled Antimonide-Based Detectors (DRACAD) for the Infrared. IEEE Transactions on Antennas and Propagation, 2021, 69, 6762-6771.	5.1	4
15	Investigation of bulk and surface minority carrier lifetimes in metamorphic InAsSb grown on GaAs and Si. Journal of Applied Physics, 2021, 129, 015106.	2.5	2
16	Low noise Al _{0.85} Ga _{0.15} As _{0.56} Sb _{0.44} avalanche photodiodes on InP substrates. Applied Physics Letters, 2021, 118, .	3.3	30
17	Optical constants of Al _{0.85} Ga _{0.15} As _{0.56} Sb _{0.44} and Al _{0.79} In _{0.21} As _{0.74} Sb _{0.26} . Applied Physics Letters, 2021, 119, .	3.3	8
18	Antimonide-Based Avalanche Photodiodes on InP Substrates. , 2021, , .		0

#	ARTICLE	IF	CITATIONS
19	Photoluminescence spectroscopy of metamorphic InAsSb on GaAs and Si. Journal of Luminescence, 2020, 228, 117581.	3.1	4
20	Multiplication characteristics of Al _{0.4} Ga _{0.07} In _{0.53} As avalanche photodiodes grown as digital alloys on InP substrates. , 2020, , .		0
21	Open-circuit voltage photodetector architecture for infrared imagers. Applied Physics Letters, 2020, 117, .	3.3	5
22	Engineering of impact ionization characteristics in In _{0.53} Ga _{0.47} As/Al _{0.48} In _{0.52} As superlattice avalanche photodiodes on InP substrate. Scientific Reports, 2020, 10, 16735.	3.3	12
23	InAsSb-Based Infrared Photodetectors: Thirty Years Later On. Sensors, 2020, 20, 7047.	3.8	46
24	Advancing Uncooled Infrared Imagers Using An Open-Circuit Voltage Pixel. , 2020, , .		1
25	Vertical carrier transport in strain-balanced InAs/InAsSb type-II superlattice material. Applied Physics Letters, 2020, 116, .	3.3	27
26	Determination of background doping polarity of unintentionally doped semiconductor layers. Applied Physics Letters, 2020, 116, .	3.3	4
27	InAs _{1-x} Sb _y virtual substrates grown by MOCVD for long wave infrared detectors. Journal of Crystal Growth, 2020, 535, 125552.	1.5	4
28	Quantum efficiency of plasmonic-coupled quantum dot infrared photodetectors for single- color detection: the upper limit of plasmonic enhancement. Optics Express, 2020, 28, 7618.	3.4	3
29	Phonon-polaritons: enabling powerful capabilities for infrared photonics. Nanophotonics, 2019, 8, 2129-2175.	6.0	113
30	Measurement of carrier lifetime in micron-scaled materials using resonant microwave circuits. Nature Communications, 2019, 10, 1625.	12.8	12
31	Temperature-Dependent Minority-Carrier Mobility in $\text{In}_{0.53}\text{Ga}_{0.47}\text{As}$	3.8	13
32	Investigation of carrier localization in InAs/AlSb type-II superlattice material system. Applied Physics Letters, 2019, 115, .	3.3	10
33	Photodetector Architecture for Open Circuit Voltage Operation of MWIR InAsSb Detectors. , 2019, , .		2
34	Carrier concentration and transport in Be-doped InAsSb for infrared sensing applications. Infrared Physics and Technology, 2019, 96, 184-191.	2.9	5
35	Photoluminescence study of InAs/InGaAs sub-monolayer quantum dot infrared photodetectors with various numbers of multiple stack layers. Journal of Luminescence, 2019, 207, 512-519.	3.1	18
36	Subwavelength antimonide infrared detector coupled with dielectric resonator antenna. , 2019, , .		6

#	ARTICLE	IF	CITATIONS
37	Temperature-dependent minority carrier lifetime in InAsSb nBn detectors on alternative substrates. , 2019, , .		4
38	RF Read-Out of Minority Carrier Lifetimes in Micro-Scale Infrared Materials. , 2019, , .		0
39	Low noise, near-infrared APDs for laser wavefront monitoring. , 2019, , .		0
40	Novel photodetector design using open circuit voltage for mid-wave infrared imagers. , 2019, , .		2
41	Fabrication of InAs quantum ring nanostructures on GaSb by droplet epitaxy. Journal of Crystal Growth, 2018, 492, 71-76.	1.5	7
42	Photoreflectance study on the photovoltaic effect in InAs/GaAs quantum dot solar cell. Current Applied Physics, 2018, 18, 667-672.	2.4	9
43	Investigation of digital alloyed AlInSb metamorphic buffers. Journal of Vacuum Science and Technology B:Nanotechnology and Microelectronics, 2018, 36, .	1.2	4
44	Mid-wavelength infrared unipolar nBp superlattice photodetector. Infrared Physics and Technology, 2018, 88, 114-118.	2.9	11
45	Electrical Readout of Carrier Dynamics in Micro-Scale Infrared Materials. , 2018, , .		0
46	Antimonide Based Infrared Detectors for Remote Sensing. , 2018, , .		0
47	Antimonide Based Infrared Detectors and Focal Plane Arrays. , 2018, , .		0
48	Side Wall Passivation of LWIR P-type Superlattice Detectors using Atomic Layer Deposition. , 2018, , .		3
49	Theoretical study of strain-dependent optical absorption in a doped self-assembled InAs/InGaAs/GaAs/AlGaAs quantum dot. Beilstein Journal of Nanotechnology, 2018, 9, 1075-1084.	2.8	2
50	Impact of temperature and gamma radiation on electron diffusion length and mobility in p-type InAs/GaSb superlattices. Journal of Applied Physics, 2018, 123, .	2.5	6
51	Many-body perturbation theory study of type-II InAs/GaSb superlattices within the GW approximation. Journal of Physics Condensed Matter, 2018, 30, 325701.	1.8	8
52	Vertical transport study of InAs/GaSb type-II superlattice nBp MWIR detectors using electron beam-induced current measurements. , 2018, , .		0
53	Carrier concentration and transport in Be-doped InAsSb for infrared sensing applications. , 2018, , .		0
54	InAs/AlSb type II superlattice avalanche photodiodes (Erratum). , 2018, , .		1

#	ARTICLE	IF	CITATIONS
55	Electronic structure modeling of InAs/GaSb superlattices with hybrid density functional theory. <i>Infrared Physics and Technology</i> , 2017, 81, 27-31.	2.9	12
56	Antimonide-based membranes synthesis integration and strain engineering. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E1-E8.	7.1	15
57	Vertical Charge Transfer and Lateral Transport in Graphene/Germanium Heterostructures. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 15830-15840.	8.0	2
58	A novel approach to study the pMDI plume using an infrared camera and to evaluate the aerodynamic properties after varying the time between actuations. <i>International Journal of Pharmaceutics</i> , 2017, 526, 41-49.	5.2	6
59	High quantum efficiency mid-wavelength infrared superlattice photodetector. , 2017, , .		1
60	In situ flashes of gallium technique for oxide-free epitaxial GaSb (100) surface. <i>Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics</i> , 2017, 35, 02B114.	1.2	3
61	Noise, gain, and capture probability of p-type InAs-GaAs quantum-dot and quantum dot-in-well infrared photodetectors. <i>Journal of Applied Physics</i> , 2017, 121, 244501.	2.5	22
62	Detection theory for accurate and non-invasive skin cancer diagnosis using dynamic thermal imaging. <i>Biomedical Optics Express</i> , 2017, 8, 2301.	2.9	42
63	CMOS approach to compressed-domain image acquisition. <i>Optics Express</i> , 2017, 25, 4076.	3.4	3
64	Ultra-thin infrared metamaterial detector for multicolor imaging applications. <i>Optics Express</i> , 2017, 25, 23343.	3.4	66
65	Extraction of minority carrier diffusion length of MWIR Type-II superlattice nBp detector. , 2017, , .		3
66	Intelligent bias-selection method for computational imaging on a CMOS imager. , 2016, , .		0
67	Antimonid Based Mid-Infrared Detectors and Focal Plane Arrays. , 2016, , .		0
68	Comparison of MWIR unipolar barrier structures based on strained layer superlattices (Conference) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5		
69	InAs-QDIP hybrid broadband infrared photodetector. <i>MRS Advances</i> , 2016, 1, 3301-3306.	0.9	0
70	Indium-bump-free antimonide superlattice membrane detectors on silicon substrates. <i>Applied Physics Letters</i> , 2016, 108, .	3.3	13
71	Intelligent bias-selection method for computational imaging on a CMOS imager. , 2016, , .		0
72	Development of dual-band barrier detectors. <i>Proceedings of SPIE</i> , 2016, , .	0.8	6

#	ARTICLE	IF	CITATIONS
73	Frequency-division-multiplexed single-pixel imaging with metamaterials. <i>Optica</i> , 2016, 3, 133.	9.3	23
74	Antimonide superlattice membrane detectors on a silicon substrate. , 2016, , .		1
75	Type-II InAs/GaSb photodiode array pixel isolation by femto-second laser anneal. <i>Infrared Physics and Technology</i> , 2016, 78, 162-166.	2.9	7
76	Single Pixel Quadrature Imaging with Metamaterials. <i>Advanced Optical Materials</i> , 2016, 4, 66-69.	7.3	16
77	Phase 1 Study of Trametinib and Neoadjuvant Chemoradiation (CRT) in Locally Advanced Rectal Cancer (LARC) with KRAS, BRAF, or NRAS Mutations. <i>International Journal of Radiation Oncology Biology Physics</i> , 2016, 96, S107-S108.	0.8	0
78	Oscillatory penetration of near-fields in plasmonic excitation at metal-dielectric interfaces. <i>Scientific Reports</i> , 2016, 6, 24400.	3.3	10
79	Spatio-Temporal Bias-Tunable Readout Circuit for On-Chip Intelligent Image Processing. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2016, 63, 1825-1832.	5.4	7
80	Indium-bump-free antimonide superlattice membrane detectors on a silicon substrates. , 2016, , .		0
81	Band Offsets of III-V and II-VI Materials Studied by Temperature-Dependent Internal Photoemission Spectroscopy. <i>Journal of Electronic Materials</i> , 2016, 45, 4626-4630.	2.2	3
82	Mid-infrared interband cascade photodetectors with high quantum efficiency. , 2016, , .		1
83	Design and Fabrication of a Multispectral Infrared Metamaterial Detector. , 2016, , .		0
84	Mid-infrared metamorphic interband cascade photodetectors on GaAs substrates. <i>Applied Physics Letters</i> , 2015, 107, .	3.3	9
85	InAsSb-based nBn photodetectors: lattice mismatched growth on GaAs and low-frequency noise performance. <i>Semiconductor Science and Technology</i> , 2015, 30, 105011.	2.0	23
86	Growth of InAs-InAsSb SLS through the use of digital alloys. <i>Journal of Crystal Growth</i> , 2015, 425, 29-32.	1.5	16
87	Progress on the development of interband cascade photodetectors. <i>Proceedings of SPIE</i> , 2015, , .	0.8	0
88	High-operating temperature MWIR unipolar barrier photodetectors based on strained layer superlattices. <i>Proceedings of SPIE</i> , 2015, , .	0.8	2
89	Confocal Raman spectroscopy and AFM for evaluation of sidewalls in type II superlattice FPAs. , 2015, , .		1
90	Mid-infrared materials and devices for μ th generation infrared imagers. , 2015, , .		0

#	ARTICLE	IF	CITATIONS
91	Investigation of a near mid-gap trap energy level in mid-wavelength infrared InAs/GaSb type-II superlattices. Semiconductor Science and Technology, 2015, 30, 115004.	2.0	15
92	4th generation infrared detectors and focal plane arrays. , 2015, , .		0
93	Quadrature & frequency diverse terahertz imaging with metamaterials. , 2015, , .		0
94	Surface photovoltage spectroscopy study of InAs quantum dot in quantum well multilayer structures for infrared photodetectors. Superlattices and Microstructures, 2015, 88, 711-722.	3.1	8
95	Post-etching mesa surface composition investigation of InAs/GaSb type-II strained layer superlattices using XPS characterization. Infrared Physics and Technology, 2015, 70, 66-69.	2.9	2
96	Photocapacitance study of GaSb: In, As for defect analysis in InAs/GaSb type-II strained layer superlattices. Infrared Physics and Technology, 2015, 70, 40-43.	2.9	1
97	Molecular beam epitaxy growth of antimony-based mid-infrared interband cascade photodetectors. Journal of Crystal Growth, 2015, 425, 364-368.	1.5	7
98	Dark current improvement of the type-II InAs / GaSb superlattice photodetectors by using a gate bias control. Journal of the Korean Physical Society, 2015, 66, 535-538.	0.7	3
99	Radiometric characterization of an LWIR, type-II strained layer superlattice pBiBn photodetector. Infrared Physics and Technology, 2015, 70, 70-75.	2.9	5
100	Reprint of "Mid-infrared InAsSb-based nBn photodetectors with AlGaAsSb barrier layers" grown on GaAs, using an interfacial misfit array, and on native GaSb. Infrared Physics and Technology, 2015, 70, 107-110.	2.9	2
101	InAs/GaAs quantum dot and dots-in-well infrared photodetectors based on p-type valence-band intersublevel transitions. Infrared Physics and Technology, 2015, 70, 15-19.	2.9	17
102	Dark current in antimony-based mid-infrared interband cascade infrared photodetectors. Infrared Physics and Technology, 2015, 70, 44-47.	2.9	8
103	Investigation of plasmonic enhancement in a quantum dot-in-a-well structure. Proceedings of SPIE, 2015, , .	0.8	0
104	Pixel isolation in Type-II InAs/GaSb superlattice photodiodes by femto-second laser annealing. Proceedings of SPIE, 2015, , .	0.8	2
105	Mid-Infrared Interband Cascade Photodetectors With Different Absorber Designs. IEEE Journal of Quantum Electronics, 2015, 51, 1-5.	1.9	14
106	Progress towards vertical transport study of proton-irradiated InAs/GaSb type-II strained-layer superlattice materials for space-based infrared detectors using magnetoresistance measurements. Proceedings of SPIE, 2015, , .	0.8	0
107	Dark current reduction in InAs/InAsSb superlattice mid-wave infrared detectors through restoration etch. Electronics Letters, 2015, 51, 2009-2010.	1.0	9
108	Infrared detectors based on InAs/GaSb superlattice materials (Presentation Recording). , 2015, , .		0

#	ARTICLE	IF	CITATIONS
109	Metamaterial-based single pixel imaging system (Presentation Recording). , 2015, , .		0
110	Modelling of current-voltage characteristics of infrared photo-detectors based on type II InAs/GaSb super-lattice diodes with unipolar blocking layers. AIP Advances, 2015, 5, .	1.3	8
111	MWIR unipolar barrier photodetectors based on strained layer superlattices. Proceedings of SPIE, 2015, , .	0.8	0
112	Dynamic infrared imaging for skin cancer screening. Infrared Physics and Technology, 2015, 70, 147-152.	2.9	38
113	InAs/GaSb Type-II Superlattice for Radiation Thermometry. IEEE Transactions on Instrumentation and Measurement, 2015, 64, 502-508.	4.7	6
114	Dual color longwave InAs/GaSb type-II strained layer superlattice detectors. Infrared Physics and Technology, 2015, 70, 93-98.	2.9	8
115	nBn T2SLs InAs/GaSb/B-AlGaSb HOT detector for fast frequency response operation. , 2014, , .		1
116	Influence of composition in InAs/GaSb type-II superlattices on their optical properties. Electronics Letters, 2014, 50, 1733-1734.	1.0	11
117	Order-of-magnitude enhancement of intersubband photoresponse in a plasmonic quantum dot system. Optics Letters, 2014, 39, 4454.	3.3	3
118	Large aperture adaptive doublet polymer lens for imaging applications. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2014, 31, 1842.	1.5	7
119	Effect of barrier on the performance of sub-monolayer quantum dot infrared photodetectors. Optical Materials Express, 2014, 4, 198.	3.0	11
120	Two-photon photovoltaic effect in gallium arsenide. Optics Letters, 2014, 39, 5297.	3.3	11
121	Simulation and analysis of grating-integrated quantum dot infrared detectors for spectral response control and performance enhancement. Journal of Applied Physics, 2014, 115, .	2.5	2
122	High operating temperature interband cascade focal plane arrays. Applied Physics Letters, 2014, 105, .	3.3	30
123	Study of valence-band intersublevel transitions in InAs/GaAs quantum dots-in-well infrared photodetectors. Applied Physics Letters, 2014, 104, .	3.3	11
124	A novel readout circuit for on-sensor multispectral classification. , 2014, , .		2
125	MWIR superlattice detectors integrated with substrate side-illuminated plasmonic coupler. Proceedings of SPIE, 2014, , .	0.8	3
126	Mid-wave infrared interband cascade photodetectors and focal plane arrays. , 2014, , .		2

#	ARTICLE	IF	CITATIONS
127	Graphene nano-objects tailored by interference lithography. Proceedings of SPIE, 2014, , .	0.8	0
128	Coded and compressive THz imaging with metamaterials. Proceedings of SPIE, 2014, , .	0.8	1
129	High operating temperature midwave infrared (MWIR) photodetectors based on type II InAs/GaSb strained layer superlattice. Proceedings of SPIE, 2014, , .	0.8	3
130	Adaptive polymer lens for rapid zoom shortwave infrared imaging applications. Optical Engineering, 2014, 53, 1.	1.0	5
131	Mid-wavelength infrared type-II InAs/GaSb superlattice interband cascade photodetectors. Optical Engineering, 2014, 53, 043107.	1.0	28
132	Passivation of long-wave infrared InAs/GaSb superlattice detectors with epitaxially grown ZnTe. , 2014, , .		3
133	Investigation of quantum efficiency in mid-wave infrared (MWIR) InAs/GaSb type-II strained layer superlattice (T2SL) detectors. Proceedings of SPIE, 2014, , .	0.8	0
134	Polarization-dependent photocurrent enhancement in metamaterial-coupled quantum dots-in-a-well infrared detectors. Optics Communications, 2014, 312, 31-34.	2.1	13
135	Model-Based Edge Detector for Spectral Imagery Using Sparse Spatiospectral Masks. IEEE Transactions on Image Processing, 2014, 23, 2315-2327.	9.8	4
136	High temperature terahertz response in a p-type quantum dot-in-well photodetector. Applied Physics Letters, 2014, 105, 151107.	3.3	10
137	Carrier lifetime studies in midwave infrared type-II InAs/GaSb strained layer superlattice. Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics, 2014, 32, .	1.2	40
138	Terahertz compressive imaging with metamaterial spatial light modulators. Nature Photonics, 2014, 8, 605-609.	31.4	676
139	Mid-infrared InAsSb-based nBn photodetectors with AlGaAsSb barrier layers " Grown on GaAs, using an interfacial misfit array, and on native GaSb. Infrared Physics and Technology, 2014, 67, 210-213.	2.9	11
140	Passivation techniques for InAs/GaSb strained layer superlattice detectors. Laser and Photonics Reviews, 2013, 7, 45-59.	8.7	42
141	Optical properties of nonpolar III-nitrides for intersubband photodetectors. Journal of Applied Physics, 2013, 113, .	2.5	34
142	Electron barrier study of mid-wave infrared interband cascade photodetectors. Applied Physics Letters, 2013, 103, .	3.3	15
143	Surface Charge Transfer Doping of III"V Nanostructures. Journal of Physical Chemistry C, 2013, 117, 17845-17849.	3.1	19
144	Selective InAs/GaSb strained layer superlattice etch stop layers for GaSb substrate removal. Applied Physics A: Materials Science and Processing, 2013, 111, 671-674.	2.3	4

#	ARTICLE	IF	CITATIONS
145	Broadband enhancement of infrared photodetectors with metamaterial resonators. , 2013, , .		0
146	Dual-band pBp detectors based on InAs/GaSb strained layer superlattices. Infrared Physics and Technology, 2013, 59, 28-31.	2.9	5
147	Fourâ€Color Metamaterial Absorber THz Spatial Light Modulator. Advanced Optical Materials, 2013, 1, 905-909.	7.3	84
148	Investigation of thermal interdiffusion in InAs/In _{0.15} Ga _{0.85} As/GaAs quantum dot-in-a-well heterostructures. Journal of Luminescence, 2013, 143, 96-100.	3.1	9
149	Type-II InAs/GaSb strained layer superlattices grown on GaSb (111)B substrate. Journal of Vacuum Science and Technology B:Nanotechnology and Microelectronics, 2013, 31, 03C123.	1.2	6
150	InAs/GaAs <i>p</i>-type quantum dot infrared photodetector with higher efficiency. Applied Physics Letters, 2013, 103, .	3.3	43
151	Hetero-engineering infrared detectors with type-II superlattices. Proceedings of SPIE, 2013, , .	0.8	1
152	MWIR type-II InAs/GaSb superlattice interband cascade photodetectors. , 2013, , .		4
153	Radiation tolerance of type-II strained layer superlattice-based interband cascade infrared photodetectors (ICIP). Proceedings of SPIE, 2013, , .	0.8	1
154	High-operating-temperature MWIR detectors using type II superlattices. Proceedings of SPIE, 2013, , .	0.8	2
155	Low-frequency noise in type-II superlattice MWIR nBn detector. , 2013, , .		4
156	Electron Transport in InAsSb-Based nBn Photodetector Structures. IEEE Transactions on Electron Devices, 2013, 60, 510-512.	3.0	3
157	Performance of mid-wave T2SL detectors with heterojunction barriers. Infrared Physics and Technology, 2013, 59, 22-27.	2.9	28
158	Band engineered HOT midwave infrared detectors based on type-II InAs/GaSb strained layer superlattices. Infrared Physics and Technology, 2013, 59, 72-77.	2.9	21
159	Multi-stack InAs/InGaAs sub-monolayer quantum dots infrared photodetectors. Applied Physics Letters, 2013, 102, 011131.	3.3	73
160	Photovoltaic operation of quantum dot quantum cascade detector with low photoconductive gain for midwave infrared photodetection. Physica Status Solidi C: Current Topics in Solid State Physics, 2013, 10, 756-760.	0.8	0
161	High quality interfaces of InAs-on-insulator field-effect transistors with ZrO ₂ gate dielectrics. Applied Physics Letters, 2013, 102, .	3.3	33
162	High Operating Temperature Midwave Infrared InAs/GaSb Superlattice Photodetectors on (111) GaSb Substrates. IEEE Electron Device Letters, 2013, 34, 426-428.	3.9	4

#	ARTICLE	IF	CITATIONS
163	Low-dark current structures for long-wavelength Type-II strained layer superlattice photodiodes. Proceedings of SPIE, 2013, , .	0.8	3
164	Barrier Engineered Infrared Photodetectors Based on Type-II InAs/GaSb Strained Layer Superlattices. IEEE Journal of Quantum Electronics, 2013, 49, 211-217.	1.9	36
165	Metamaterial-based imaging for potential security applications. , 2013, , .		2
166	Quantum-engineered mid-infrared type-II InAs/GaSb superlattice photodetectors for high temperature operations. Proceedings of SPIE, 2013, , .	0.8	1
167	(111) InAs/GaSb type-II strained layer superlattice material for high operating temperature detection. Physica Status Solidi C: Current Topics in Solid State Physics, 2013, 10, 748-751.	0.8	2
168	nAnalysis of subwavelength metal hole array structure for the enhancement of back-illuminated quantum dot infrared photodetectors. Optics Express, 2013, 21, 4709.	3.4	20
169	Noise spectrum measurements of a midwave, interband cascade infrared photodetector with 33 nm wide electron barrier. Proceedings of SPIE, 2013, , .	0.8	3
170	Modeling of midwavelength infrared InAs/GaSb type II superlattice detectors. Optical Engineering, 2013, 52, 061307.	1.0	15
171	Uncooled MWIR InAs/GaSb type-II superlattice grown on a GaAs substrate. , 2013, , .		5
172	Mid-infrared InAs _{0.79} Sb _{0.21} -based nBn photodetectors with Al _{0.9} Ga _{0.2} As _{0.1} Sb _{0.9} barrier layers, and comparisons with InAs _{0.87} Sb _{0.13} $p-i-n$ diodes, both grown on GaAs using interfacial misfit arrays. Applied Physics Letters, 2013, 103, .	3.3	50
173	A new CMOS readout circuit approach for multispectral imaging. , 2013, , .		2
174	Mid-wave infrared interband cascade photodetectors and focal plane arrays based on InAs/GaSb superlattices. , 2013, , .		1
175	Spatio-temporal tunable pixels for multi-spectral infrared imagers. , 2013, , .		1
176	Quantum of optical absorption in two-dimensional semiconductors. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 11688-11691.	7.1	75
177	Band offsets and carrier dynamics of type-II InAs/GaSb superlattice photodetectors studied by internal photoemission spectroscopy. Applied Physics Letters, 2013, 103, .	3.3	13
178	Compound Semiconductors. Physica Status Solidi C: Current Topics in Solid State Physics, 2013, 10, 719-725.	0.8	1
179	Polarization dependent photocurrent spectroscopy for identification of quantum confined interband transitions in type-II InAs/GaSb superlattices. Physica Status Solidi C: Current Topics in Solid State Physics, 2013, 10, 736-739.	0.8	2
180	nBn Based InAs/GaSb Type II Superlattice Detectors with an N-type Barrier Doping for the Long Wave Infrared Detection. Applied Science and Convergence Technology, 2013, 22, 327-334.	0.9	0

#	ARTICLE	IF	CITATIONS
181	Long-wave type-II superlattice detectors with unipolar electron and hole barriers. Optical Engineering, 2012, 51, 124001.	1.0	17
182	Continuous time-varying biasing approach for spectrally tunable infrared detectors. Optics Express, 2012, 20, 29823.	3.4	5
183	InAs/InAsSb strain balanced superlattices for optical detectors: Material properties and energy band simulations. Journal of Applied Physics, 2012, 111, 034507.	2.5	54
184	Effects of contact space charge on the performance of quantum intersubband photodetectors. Applied Physics Letters, 2012, 100, 191107.	3.3	2
185	Sub-monolayer quantum dots in confinement enhanced dots-in-a-well heterostructure. Applied Physics Letters, 2012, 100, .	3.3	49
186	Identification of quantum confined interband transitions in type-II InAs/GaSb superlattices using polarization sensitive photocurrent spectroscopy. Applied Physics Letters, 2012, 101, .	3.3	5
187	Performance modeling of MWIR InAs/GaSb/B α €“Al _{0.2} Ga _{0.8} Sb type-II superlattice nBn detector. Semiconductor Science and Technology, 2012, 27, 055002.	2.0	28
188	Barrier engineering in quantum dots in a well detector. , 2012, , .		1
189	Barrier Selection Rules for Quantum Dots-in-a-Well Infrared Photodetector. IEEE Journal of Quantum Electronics, 2012, 48, 1243-1251.	1.9	10
190	Radiation tolerance of a dual-band IR detector based on a pBp architecture. Proceedings of SPIE, 2012, , .	0.8	2
191	Recent developments in type-II superlattice detectors at IRnova AB. Proceedings of SPIE, 2012, , .	0.8	2
192	Increased normal incidence photocurrent in quantum dot infrared photodetectors. Applied Physics Letters, 2012, 101, 241114.	3.3	11
193	Radiation tolerance characterization of dual band InAs/GaSb type-II strain-layer superlattice pBp detectors using 63 MeV protons. Applied Physics Letters, 2012, 101, .	3.3	30
194	Design and development of low dark current SLS detectors for IRFPA applications. Proceedings of SPIE, 2012, , .	0.8	2
195	Temperature-dependent absorption derivative on InAs/GaSb Type II superlattices. Proceedings of SPIE, 2012, , .	0.8	1
196	Classifier-enhanced algorithm for compressive spatio-spectral edge detection. , 2012, , .		0
197	Polarization-dependent photocurrent enhancement in metamaterial-integrated quantum dot infrared detectors. , 2012, , .		0
198	Performance of single-and dual-color detectors using InAs/GaSb strained layer superlattices. , 2012, , .		0

#	ARTICLE	IF	CITATIONS
199	Nanoscale InGaSb Heterostructure Membranes on Si Substrates for High Hole Mobility Transistors. Nano Letters, 2012, 12, 2060-2066.	9.1	85
200	Self-Aligned, Extremely High Frequency III-V Metal-Oxide-Semiconductor Field-Effect Transistors on Rigid and Flexible Substrates. Nano Letters, 2012, 12, 4140-4145.	9.1	73
201	Dark current modeling of MWIR type-II superlattice detectors. , 2012, , .		11
202	Electronic transport in InAs/GaSb type-II superlattices for long wavelength infrared focal plane array applications. Proceedings of SPIE, 2012, , .	0.8	1
203	Photoconductive gain in barrier heterostructure infrared detectors. Proceedings of SPIE, 2012, , .	0.8	0
204	Sub-monolayer InAs/InGaAs quantum dot infrared photodetectors (SML-QDIP). , 2012, , .		6
205	Vertical minority carrier electron transport in p-type InAs/GaSb type-II superlattices. Applied Physics Letters, 2012, 101, .	3.3	33
206	High operating temperature interband cascade midwave infrared detector based on type-II InAs/GaSb strained layer superlattice. Applied Physics Letters, 2012, 101, .	3.3	93
207	Photovoltaic quantum dot quantum cascade infrared photodetector. Applied Physics Letters, 2012, 100, .	3.3	28
208	Leaky-mode effects in plasmonic-coupled quantum dot infrared photodetectors. Applied Physics Letters, 2012, 100, 011110.	3.3	9
209	III-V Complementary Metal-Oxide-Semiconductor Electronics on Silicon Substrates. Nano Letters, 2012, 12, 3592-3595.	9.1	80
210	Electrical transport in InAs/GaSb superlattice: role of surface states and interface roughness. Semiconductor Science and Technology, 2012, 27, 105025.	2.0	4
211	Gallium free type II InAs/InAs _x Sb _{1-x} superlattice photodetectors. Applied Physics Letters, 2012, 101, 071111.	3.3	40
212	Vertical transport in InAs/GaSb type-II superlattices. , 2012, , .		0
213	Characterization of InAs/GaSb type-II superlattice photodiodes for mid-wave IR with different mesa sidewall passivation schemes. Physica Status Solidi C: Current Topics in Solid State Physics, 2012, 9, 1690-1692.	0.8	4
214	Quantum Size Effects on the Chemical Sensing Performance of Two-Dimensional Semiconductors. Journal of Physical Chemistry C, 2012, 116, 9750-9754.	3.1	41
215	Performance improvement of long-wave infrared InAs/GaSb strained-layer superlattice detectors through sulfur-based passivation. Infrared Physics and Technology, 2012, 55, 216-219.	2.9	14
216	Ultrathin-Body High-Mobility InAsSb-on-Insulator Field-Effect Transistors. IEEE Electron Device Letters, 2012, 33, 504-506.	3.9	28

#	ARTICLE	IF	CITATIONS
217	Ultra-thin compound semiconductor on insulator (XOI) for MOSFETs and TFETs. , 2011, , .		1
218	Quantum dots-in-a-well (DWELL) infrared photodetectors with confinement enhancing barriers. , 2011, , .		0
219	Polarization selective interband transitions in type-II InAs/GaSb superlattices. , 2011, , .		0
220	High detectivity MWIR Type-II superlattice grown on a GaAs substrate. , 2011, , .		0
221	Multispectral Classification With Bias-Tunable Quantum Dots-in-a-Well Focal Plane Arrays. IEEE Sensors Journal, 2011, 11, 1342-1351.	4.7	11
222	Plasmonic-Enhanced Photodetectors for Focal Plane Arrays. IEEE Photonics Technology Letters, 2011, 23, 935-937.	2.5	27
223	Infrared detectors with plasmonic structures. , 2011, , .		0
224	Enhanced normal incidence photocurrent in quantum dot infrared photodetectors. Journal of Vacuum Science and Technology B:Nanotechnology and Microelectronics, 2011, 29, .	1.2	14
225	High Operating Temperature Quantum-Dot Infrared Photodetector Using Advanced Capping Techniques. IEEE Nanotechnology Magazine, 2011, 10, 1010-1014.	2.0	6
226	InAs/(In)GaSb Type II Strained Layer Superlattice Detectors. , 2011, , 229-264.		7
227	A monolithically integrated plasmonic infrared quantum dot camera. Nature Communications, 2011, 2, 286.	12.8	137
228	Performance optimization of long-wave infrared detectors based on InAs/GaSb strained layer superlattices. Proceedings of SPIE, 2011, , .	0.8	2
229	High performance dual-band InAs/GaSb SLS detectors with nBn and pBp architectures. , 2011, , .		3
230	Vertical transport in InAs/GaSb type-II strained layer superlattices for infrared focal plane array applications. , 2011, , .		8
231	Low-temperature noise measurements of an InAs/GaSb-based nBn MWIR detector. , 2011, , .		13
232	Characterization of different transitions in quantum dots-in-a-well (DWELL) infrared photodetectors. , 2011, , .		0
233	Surface study of thioacetamide and zinc sulfide passivated long wavelength infrared type-II strained layer superlattice. , 2011, , .		4
234	Lateral diffusion of minority carriers in InAsSb-based nBn detectors. , 2011, , .		5

#	ARTICLE	IF	CITATIONS
235	Varshni parameters for InAs/GaSb strained layer superlattice infrared photodetectors. Journal Physics D: Applied Physics, 2011, 44, 075102.	2.8	52
236	Data compressive paradigm for multispectral sensing using tunable DWELL mid-infrared detectors. Optics Express, 2011, 19, 19454.	3.4	12
237	Comparison of superlattice based dual color nBn and pBp infrared detectors. , 2011, , .		7
238	Quantum Confinement Effects in Nanoscale-Thickness InAs Membranes. Nano Letters, 2011, 11, 5008-5012.	9.1	97
239	Surface Plasma Wave Excitation at a 2-D Corrugated Metal-semiconductor Interface for Infrared Photodetectors. AIP Conference Proceedings, 2011, , .	0.4	0
240	Quantum dot focal plane array with plasmonic resonator. , 2011, , .		0
241	Barrier engineered superlattice and quantum dot detectors for HOT operation. , 2011, , .		1
242	Bias Switchable Dual-Band InAs/GaSb Superlattice Detector With pBp Architecture. IEEE Photonics Journal, 2011, 3, 234-240.	2.0	20
243	Versatile Spectral Imaging With an Algorithm-Based Spectrometer Using Highly Tuneable Quantum Dot Infrared Photodetectors. IEEE Journal of Quantum Electronics, 2011, 47, 190-197.	1.9	16
244	Noise, Gain, and Responsivity in Low-Strain Quantum Dot Infrared Photodetectors With up to 80 Dot-in-a-Well Periods. IEEE Journal of Quantum Electronics, 2011, 47, 607-613.	1.9	5
245	Comparison of Quantum Dots-in-a-Double-Well and Quantum Dots-in-a-Well Focal Plane Arrays in the Long-Wave Infrared. IEEE Transactions on Electron Devices, 2011, 58, 2022-2027.	3.0	16
246	A Readout Integrated Circuit (ROIC) with hybrid source/sensor array. , 2011, , .		3
247	High temperature operation of quantum dots-in-a-well infrared photodetectors. Infrared Physics and Technology, 2011, 54, 215-219.	2.9	21
248	Passivation of long-wave infrared InAs/GaSb strained layer superlattice detectors. Infrared Physics and Technology, 2011, 54, 252-257.	2.9	31
249	Heterojunction bandgap engineered photodetector based on type-II InAs/GaSb superlattice for single color and bicolor infrared detection. Infrared Physics and Technology, 2011, 54, 273-277.	2.9	5
250	Saturation of the second harmonic generation from GaAs-filled metallic hole arrays by nonlinear absorption. Physical Review B, 2011, 83, .	3.2	7
251	Benchmarking the performance of ultrathin body InAs-on-insulator transistors as a function of body thickness. Applied Physics Letters, 2011, 99, .	3.3	40
252	Confinement enhancing barriers for high performance quantum dots-in-a-well infrared detectors. Applied Physics Letters, 2011, 99, .	3.3	29

#	ARTICLE	IF	CITATIONS
253	Three color infrared detector using InAs/GaSb superlattices with unipolar barriers. Applied Physics Letters, 2011, 98, 121106.	3.3	31
254	Strain engineering of epitaxially transferred, ultrathin layers of III-V semiconductor on insulator. Applied Physics Letters, 2011, 98, 012111.	3.3	23
255	Ultrathin body InAs tunneling field-effect transistors on Si substrates. Applied Physics Letters, 2011, 98, .	3.3	76
256	Bio-inspired infrared retina with nanoscale quantum dots and type II superlattices. , 2011, , .		0
257	Compressive multispectral sensing algorithm with tunable quantum dots-in-a-well infrared photodetectors. , 2011, , .		0
258	Performance of long-wave infrared InAs/GaSb strained layer superlattice detectors for the space applications. , 2011, , .		3
259	Gamma-ray irradiation effects on InAs/GaSb-based nBn IR detector. Proceedings of SPIE, 2011, , .	0.8	9
260	Quantum Dot Infrared Photodetectors. Semiconductors and Semimetals, 2011, 84, 153-193.	0.7	16
261	Ultrafast density-and-temperature-dependent carrier dynamics in a quantum dots-in-a-well heterostructure. Proceedings of SPIE, 2011, , .	0.8	0
262	ENGINEERING THE BARRIER OF QUANTUM DOTS-IN-A-WELL (DWELL) INFRARED PHOTODETECTORS FOR HIGH TEMPERATURE OPERATION. International Journal of High Speed Electronics and Systems, 2011, 20, 549-555.	0.7	2
263	Voltage controllable dual-band response from InAs/GaSb strained layer superlattice detectors with nBn design. Electronics Letters, 2011, 47, 133.	1.0	14
264	Improving the operating temperature of quantum dots-in-a-well detectors. Proceedings of SPIE, 2010, , .	0.8	2
265	Backside illuminated infrared detectors with plasmonic resonators. Proceedings of SPIE, 2010, , .	0.8	3
266	Characterization of multicolor type-II InAs/GaSb strained-layer superlattice photodetectors for use in astronomical observation. , 2010, , .		1
267	Study of Surface Treatments on InAs/GaSb Superlattice LWIR Detectors. Journal of Electronic Materials, 2010, 39, 2203-2209.	2.2	17
268	Study of Short- and Long-Term Effectiveness of Ammonium Sulfide as Surface Passivation for InAs/GaSb Superlattices Using X-Ray Photoelectron Spectroscopy. Journal of Electronic Materials, 2010, 39, 2210-2214.	2.2	27
269	Long-Wave InAs/GaSb Superlattice Detectors Based on nBn and Pin Designs. IEEE Journal of Quantum Electronics, 2010, 46, 959-964.	1.9	27
270	Multispectral Quantum Dots-in-a-Well Infrared Detectors Using Plasmon Assisted Cavities. IEEE Journal of Quantum Electronics, 2010, 46, 1051-1057.	1.9	20

#	ARTICLE	IF	CITATIONS
271	Resonant Tunneling Barriers in Quantum Dots-in-a-Well Infrared Photodetectors. IEEE Journal of Quantum Electronics, 2010, 46, 1105-1114.	1.9	28
272	Review of current progress in quantum dot infrared photodetectors. Laser and Photonics Reviews, 2010, 4, 738-750.	8.7	110
273	Structure of the first representative of Pfam family PF09410 (DUF2006) reveals a structural signature of the calycin superfamily that suggests a role in lipid metabolism. Acta Crystallographica Section F: Structural Biology Communications, 2010, 66, 1153-1159.	0.7	18
274	Open and closed conformations of two SpoIIAA-like proteins (YP_749275.1 and YP_001095227.1) provide insights into membrane association and ligand binding. Acta Crystallographica Section F: Structural Biology Communications, 2010, 66, 1245-1253.	0.7	8
275	Linear mode operation of the quantum dot avalanche photodiode (QDAP). Physica Status Solidi C: Current Topics in Solid State Physics, 2010, 7, 2548-2551.	0.8	1
276	Heterostructure engineering in Type II InAs/GaSb strained layer superlattices. Physica Status Solidi C: Current Topics in Solid State Physics, 2010, 7, 2506-2509.	0.8	3
277	Ultrathin compound semiconductor on insulator layers for high-performance nanoscale transistors. Nature, 2010, 468, 286-289.	27.8	373
278	Heterostructure band engineering of type-II InAs/GaSb superlattice based longwave infrared photodiodes using unipolar current blocking barriers. Proceedings of SPIE, 2010, , .	0.8	4
279	Electrical and optical characterization of InAs/GaSb-based nBn IR detector. Proceedings of SPIE, 2010, , .	0.8	4
280	Dual-carrier multiplication high-gain MWIR strain layer superlattice impact ionization engineered avalanche photodiodes. Proceedings of SPIE, 2010, , .	0.8	4
281	Multimodal sensing: enhanced functionality with data compression. , 2010, , .		0
282	Shift Estimation Algorithm for Dynamic Sensors With Frame-to-Frame Variation in Their Spectral Response. IEEE Sensors Journal, 2010, 10, 686-692.	4.7	2
283	Systematic study of different transitions in high operating temperature quantum dots in a well photodetectors. Applied Physics Letters, 2010, 97, .	3.3	35
284	Enhanced efficiency and functionality of algorithmic multispectral sensing using tunable DWELL-based MidIR detectors. , 2010, , .		0
285	Joint spatio-spectral based edge detection for multispectral infrared imagery. , 2010, , .		2
286	Performance improvement of InAs/GaSb strained layer superlattice detectors by reducing surface leakage currents with SU-8 passivation. Applied Physics Letters, 2010, 96, 033502.	3.3	46
287	Molecular beam epitaxy growth and characterization of type-II InAs/GaSb strained layer superlattices for long-wave infrared detection. Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics, 2010, 28, C3G13-C3G18.	1.2	12
288	Reduction of surface leakage current in InAs/GaSb strained layer long wavelength superlattice detectors using SU-8 passivation. Applied Physics Letters, 2010, 97, .	3.3	44

#	ARTICLE	IF	CITATIONS
289	Lateral diffusion of minority carriers in InAsSb-based nBn detectors. Applied Physics Letters, 2010, 97, 123503.	3.3	41
290	Spectrally tunable quantum dot infrared detectors: Implementation of an algorithm-based spectrometer. , 2010, , .		0
291	Progress and Prospects for Quantum Dots in a Well Infrared Photodetectors. Journal of Nanoscience and Nanotechnology, 2010, 10, 1450-1460.	0.9	13
292	SU-8 passivation of type-II InAs/GaSb strained layer superlattice detectors. Proceedings of SPIE, 2010, , .	0.8	5
293	Mid-infrared InAs/GaSb strained layer superlattice detectors with nBn design grown on a GaAs substrate. Semiconductor Science and Technology, 2010, 25, 085010.	2.0	56
294	Mid-wavelength InAsSb detectors based on nBn design. Proceedings of SPIE, 2010, , .	0.8	16
295	Midwave infrared quantum dot avalanche photodiode. Applied Physics Letters, 2010, 97, .	3.3	17
296	Density-dependent carrier dynamics in a quantum dots-in-a-well heterostructure. Applied Physics Letters, 2010, 96, .	3.3	4
297	Performance of InAsSb-based infrared detectors with nBn design. , 2010, , .		4
298	A Surface Plasmon Enhanced Infrared Photodetector Based on InAs Quantum Dots. Nano Letters, 2010, 10, 1704-1709.	9.1	277
299	Origin of resonant peaks in plasmonic dots-in-a-well infrared detectors. , 2010, , .		0
300	Dry etching and surface passivation techniques for type-II InAs/GaSb superlattice infrared detectors. Proceedings of SPIE, 2010, , .	0.8	3
301	Design of plasmonic photonic crystal resonant cavities for polarization sensitive infrared photodetectors. Optics Express, 2010, 18, 3672.	3.4	46
302	Performance improvement of longwave infrared photodetector based on type-II InAs/GaSb superlattices using unipolar current blocking layers. Applied Physics Letters, 2010, 96, .	3.3	121
303	Quantum dot infrared photodetectors with highly tunable spectral response for an algorithm-based spectrometer. , 2010, , .		3
304	Background carrier concentration in midwave and longwave InAs/GaSb type II superlattices on GaAs substrate. Applied Physics Letters, 2010, 97, 051109.	3.3	21
305	The infrared retina: Moving towards the fourth generation infrared detectors with quantum dots and superlattices. , 2010, , .		1
306	Barrier engineering in superlattices and quantum dots for higher operating temperature. , 2010, , .		0

#	ARTICLE	IF	CITATIONS
307	Investigation of multistack InAs/InGaAs/GaAs self-assembled quantum dots-in-double-well structures for infrared detectors. Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics, 2010, 28, C3G1-C3G7.	1.2	20
308	Light direction-dependent plasmonic enhancement in quantum dot infrared photodetectors. Applied Physics Letters, 2010, 97, .	3.3	52
309	Bio inspired infrared retina for fourth gen infrared sensors. , 2010, , .		0
310	Midwave infrared InAs/GaSb strained layer superlattice hole avalanche photodiode. Applied Physics Letters, 2009, 94, 201107.	3.3	13
311	The effect of absorber doping on electrical and optical properties of nBn based type-II InAs/GaSb strained layer superlattice infrared detectors. Applied Physics Letters, 2009, 95, 121110.	3.3	5
312	Infrared retina using quantum dots in a well and type II InAs/GaSb strained layer superlattice detectors. , 2009, , .		0
313	Low strain multiple stack quantum dot infrared photodetectors for multispectral and high resolution hyperspectral imaging. , 2009, , .		0
314	Epitaxial growth of 20 nm InAs and GaAs quantum dots on GaAs through block copolymer templated SiO ₂ masks. Journal of Applied Physics, 2009, 105, .	2.5	13
315	Subband transitions in dual-band n-B-n InAs/GaSb superlattice infrared photodetector identified by photoresponse spectra. Applied Physics Letters, 2009, 95, 102106.	3.3	9
316	Design of resonant tunneling barriers for reduction in the dark current in quantum dots-in-a-well infrared photodetectors. , 2009, , .		0
317	Multispectral classification with bias-tunable quantum dots in a well focal plane array. , 2009, , .		0
318	Demonstration of the quantum dot avalanche photodiode (QDAP). , 2009, , .		2
319	Mid-infrared transmission enhancement through sub-wavelength metal hole array using impedance-matching dielectric layer. Electronics Letters, 2009, 45, 643.	1.0	6
320	Improved performance of InAs/GaSb strained layer superlattice detectors with SU-8 passivation. Proceedings of SPIE, 2009, , .	0.8	2
321	Long wavelength InAs/GaSb superlattice detectors based on nBn and pin design. Proceedings of SPIE, 2009, , .	0.8	3
322	The infrared retina. Journal Physics D: Applied Physics, 2009, 42, 234005.	2.8	17
323	Comparison of Long-Wave Infrared Quantum-Dots-in-a-Well and Quantum-Well Focal Plane Arrays. IEEE Transactions on Electron Devices, 2009, 56, 512-516.	3.0	10
324	Electrical Characterization of Different Passivation Treatments for Long-Wave Infrared InAs/GaSb Strained Layer Superlattice Photodiodes. Journal of Electronic Materials, 2009, 38, 1944-1947.	2.2	26

#	ARTICLE	IF	CITATIONS
325	Mid-Infrared transmission through a subwavelength circular aperture coupled to a surrounding concentric metal grating by surface plasmon excitation. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2009, 6, S175.	0.8	1
326	Optimization of InAs/GaSb type-II superlattice interfaces for long-wave ($\lambda \sim 14\text{--}18\mu\text{m}$) infrared detection. <i>Journal of Crystal Growth</i> , 2009, 311, 1901-1904.	1.5	30
327	Demonstration of a bias tunable quantum dots-in-a-well focal plane array. <i>Infrared Physics and Technology</i> , 2009, 52, 380-384.	2.9	13
328	InAs/GaSb strained layer superlattice detectors with nBn design. <i>Infrared Physics and Technology</i> , 2009, 52, 335-339.	2.9	8
329	Infrared focal plane arrays based on dots in a well and strained layer superlattices. <i>Proceedings of SPIE</i> , 2009, , .	0.8	2
330	Quantum dot infrared photodetector enhanced by surface plasma wave excitation. <i>Optics Express</i> , 2009, 17, 23160.	3.4	114
331	A multispectral and polarization-selective surface-plasmon resonant midinfrared detector. <i>Applied Physics Letters</i> , 2009, 95, .	3.3	165
332	Investigation of multi-stack quantum dots-in-double-well infrared detectors. <i>Proceedings of SPIE</i> , 2009, , .	0.8	1
333	MW/LW photoresponse in dual-band n-B-n InAs/GaSb superlattice. , 2009, , .		0
334	Demonstration of Bias-Controlled Algorithmic Tuning of Quantum Dots in a Well (DWELL) MidIR Detectors. <i>IEEE Journal of Quantum Electronics</i> , 2009, 45, 674-683.	1.9	28
335	Recent progress on the quantum-dot avalanche photodiode (QDAP). , 2009, , .		0
336	Multispectral infrared detection using plasmon-assisted cavities. , 2009, , .		0
337	On the Temperature Dependence of the Mid-Infrared Cutoff Energy in an InAs/GaSb Type-II Superlattice Photodetector. <i>Journal of the Korean Physical Society</i> , 2009, 54, 280-283.	0.7	10
338	Multi-Spectral Surface-Plasmon Resonant Infrared Detectors. , 2009, , .		0
339	Low-Noise Mid-Wavelength Infrared Avalanche Photodiodes. <i>Journal of Electronic Materials</i> , 2008, 37, 1764-1769.	2.2	12
340	High Operating Temperature InAs Quantum Dot Infrared Photodetector via Selective Capping Techniques. , 2008, , .		3
341	Quantum Dots-in-a-Well Focal Plane Arrays. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2008, 14, 1150-1161.	2.9	26
342	Mid-IR focal plane array based on type-II InAs/GaSb strain layer superlattice detector with nBn design. <i>Applied Physics Letters</i> , 2008, 92, .	3.3	78

#	ARTICLE	IF	CITATIONS
343	Low-strain InAs ^x InGaAs ^{1-x} GaAs quantum dots-in-a-well infrared photodetector. Journal of Vacuum Science & Technology B, 2008, 26, 1136.	1.3	46
344	Modeling of electrical characteristics of midwave type II InAs ^x GaSb strain layer superlattice diodes. Journal of Applied Physics, 2008, 104, .	2.5	60
345	Assessment of quantum dot infrared photodetectors for high temperature operation. Journal of Applied Physics, 2008, 104, 034314.	2.5	47
346	Reduction in dark current using resonant tunneling barriers in quantum dots-in-a-well long wavelength infrared photodetector. Applied Physics Letters, 2008, 93, 131115.	3.3	31
347	Ultrafast carrier dynamics in an InAs/InGaAs quantum dots-in-a-well heterostructure. Optics Express, 2008, 16, 1165.	3.4	19
348	Dopant Migration-Induced Interface Dipole Effect in n-Doped GaAs/AlGaAs Terahertz Detectors. IEEE Electron Device Letters, 2008, 29, 1090-1093.	3.9	4
349	Canonical Correlation Feature Selection for Sensors With Overlapping Bands: Theory and Application. IEEE Transactions on Geoscience and Remote Sensing, 2008, 46, 3346-3358.	6.3	34
350	Mid Infrared Focal Plane Arrays with Nanoscale Quantum Dots and Superlattices. , 2008, , .		1
351	A New Approach for Spatio-Spectral Feature Selection for Sensors with Noisy and Overlapping Spectral Bands. , 2008, , .		2
352	Single Carrier Initiated Low Excess Noise Mid-Wavelength Infrared Avalanche Photodiode using InAs-GaSb Strained Layer Superlattice. Materials Research Society Symposia Proceedings, 2008, 1076, 1.	0.1	3
353	nBn based infrared detectors using type-II InAs/(In,Ga)Sb superlattices. Proceedings of SPIE, 2008, , .	0.8	7
354	Infrared photodiodes based on Type-II strained layer superlattices. , 2008, , .		0
355	Multicolor quantum dots-in-a-well focal plane arrays. Proceedings of SPIE, 2008, , .	0.8	4
356	Multiple stack quantum dot infrared photodetectors. Proceedings of SPIE, 2008, , .	0.8	4
357	Hole initiated mid wave infrared InAs/GaSb strained layer superlattice avalanche photodiode. , 2008, , .		0
358	Low strain quantum dots in a double well infrared detector. , 2008, , .		3
359	N-type ohmic contact on type-II InAs/GaSb strained layer superlattices. Electronics Letters, 2008, 44, 881.	1.0	2
360	Quantitative mobility spectrum analysis of carriers in GaSb/InAs/GaSb superlattice. Journal of Vacuum Science & Technology B, 2008, 26, 1081.	1.3	8

#	ARTICLE	IF	CITATIONS
361	Lateral diffusion of minority carriers in nBn based type-II InAs/GaSb strained layer superlattice detectors. Applied Physics Letters, 2008, 93, 123507.	3.3	22
362	nBn detectors based on InAs ⁺ GaSb type-II strain layer superlattice. Journal of Vacuum Science & Technology B, 2008, 26, 1145-1148.	1.3	34
363	Characterization of carriers in GaSb ⁺ InAs superlattice grown on conductive GaSb substrate. Applied Physics Letters, 2008, 92, 012121.	3.3	16
364	Reduction in dark current using resonant tunneling barrier in dots-in-a-well long wavelength infrared photodetectors. , 2008, , .		0
365	Extraction of radiative and nonradiative rates in Sb based midwave infrared lasers using a novel approach. Review of Scientific Instruments, 2008, 79, 033904.	1.3	0
366	Precision radiometry using a tunable InAs/InGaAs quantum dot in a well infrared focal plane array. Proceedings of SPIE, 2008, , .	0.8	0
367	Series connected photovoltaic array performance under non-uniform illumination. , 2008, , .		0
368	Monolithically Integrated III-Sb Superluminescent Light Emitting Diodes on Si (100) Substrates. , 2007, , .		0
369	Single and Multi Emitter Terahertz Detectors Using n-Type GaAs/AlGaAs Heterostructures. , 2007, , .		2
370	Monolithically integrated III-Sb CW super-luminal light emitting diodes on non-miscut Si (100) substrates. Electronics Letters, 2007, 43, 244.	1.0	6
371	Suppressed Surface Leakage Current Using nBn Infrared Detector Based on Type II InAs/GaSb Strain Layer Superlattices. Conference Proceedings - Lasers and Electro-Optics Society Annual Meeting-LEOS, 2007, , .	0.0	0
372	Plasmon assisted photonic crystal quantum dot sensors. , 2007, 6713, 149.		14
373	Type II InAs ⁺ GaSb strain layer superlattice detectors with p-on-n polarity. Applied Physics Letters, 2007, 91, 133512.	3.3	46
374	Ultrafast Carrier Dynamics in an InAs/InGaAs Quantum-Dots-in-a-Well Photodetector. , 2007, , .		0
375	Ultralow noise midwave infrared InAs ⁺ GaSb strain layer superlattice avalanche photodiode. Applied Physics Letters, 2007, 91, 241111.	3.3	37
376	Single bump, two-color quantum dot camera. Applied Physics Letters, 2007, 91, 081120.	3.3	42
377	Demonstration of a Two Color 320 Å— 256 Quantum Dots-in-a-Well Focal Plane Array. , 2007, , .		0
378	Demonstration of a two-color 320 x 256 quantum dots-in-a-well focal plane array. , 2007, , .		2

#	ARTICLE	IF	CITATIONS
379	Demonstration of 640x512 pixels long-wavelength infrared (LWIR) quantum dot infrared photodetector (QDIP) focal plane array. , 2007, , .		0
380	Type-II InAs/GaSb strain layer superlattice detectors for higher operating temperatures. , 2007, , .		3
381	Next Generation Infrared Sensors: Enhanced Pixel Functionality Using Nanoscale Physics. Conference Proceedings - Lasers and Electro-Optics Society Annual Meeting-LEOS, 2007, , .	0.0	0
382	n-Type GaAs/AlGaAs heterostructure detector with a 32 THz threshold frequency. Optics Letters, 2007, 32, 1335.	3.3	19
383	640x512 Pixels Long-Wavelength Infrared (LWIR) Quantum-Dot Infrared Photodetector (QDIP) Imaging Focal Plane Array. IEEE Journal of Quantum Electronics, 2007, 43, 230-237.	1.9	87
384	Quantum Dot Based Infrared Focal Plane Arrays. Proceedings of the IEEE, 2007, 95, 1838-1852.	21.3	57
385	Resonant cavity enhanced InAs ^x In _{0.15} Ga _{0.85} As dots-in-a-well quantum dot infrared photodetector. Journal of Vacuum Science & Technology B, 2007, 25, 1186.	1.3	41
386	Single quantum dot spectroscopy using a fiber taper waveguide near-field optic. Applied Physics Letters, 2007, 91, 091102.	3.3	25
387	n B n structure based on InAs ^x GaSb type-II strained layer superlattices. Applied Physics Letters, 2007, 91, .	3.3	217
388	Demonstration of a two color 320 Å– 256 Quantum Dots-in-a well focal plane array. , 2007, , .		0
389	Transient photoconductivity measurements of carrier lifetimes in an InAs ^x In _{0.15} Ga _{0.85} As dots-in-a-well detector. Applied Physics Letters, 2007, 90, 103519.	3.3	24
390	Type II Strain Layer Superlattices (SLS's) grown on GaAs Substrates. Conference Proceedings - Lasers and Electro-Optics Society Annual Meeting-LEOS, 2007, , .	0.0	0
391	Characteristics of Photonic Crystal Cavity Based Infrared Photodetectors. Conference Proceedings - Lasers and Electro-Optics Society Annual Meeting-LEOS, 2007, , .	0.0	1
392	Midwavelength Infrared Avalanche Photodiode Using InAs ^x GaSb Strain Layer Superlattice. IEEE Photonics Technology Letters, 2007, 19, 1843-1845.	2.5	20
393	Bias dependent dual band response from InAs ^x Ga(In)Sb type II strain layer superlattice detectors. Applied Physics Letters, 2007, 91, .	3.3	72
394	Demonstration of 640Å–512 pixels long-wavelength infrared (LWIR) quantum dot infrared photodetector (QDIP) imaging focal plane array. Infrared Physics and Technology, 2007, 50, 149-155.	2.9	34
395	Spin split-off transition based IR detectors operating at high temperatures. Infrared Physics and Technology, 2007, 50, 279-283.	2.9	2
396	Si doped GaAs/AlGaAs terahertz detector and phonon effect on the responsivity. Infrared Physics and Technology, 2007, 50, 194-198.	2.9	3

#	ARTICLE	IF	CITATIONS
397	Second Harmonic Generation from a Nanopatterned Isotropic Nonlinear Material. Nano Letters, 2006, 6, 1027-1030.	9.1	140
398	InAs/GaSb Superlattice Detectors Operating at Room Temperature. IEEE Journal of Selected Topics in Quantum Electronics, 2006, 12, 1269-1274.	2.9	31
399	Midwave infrared type-II InAs ^x GaSb superlattice detectors with mixed interfaces. Journal of Applied Physics, 2006, 100, 014510.	2.5	53
400	Light coupling through a plasmonic antenna integrated on an InAs/GaAs quantum dot infrared photodetector. , 2006, , .		1
401	Room-Temperature Optically Pumped (Al)GaSb Vertical-Cavity Surface-Emitting Laser Monolithically Grown on an Si(1 0 0) Substrate. IEEE Journal of Selected Topics in Quantum Electronics, 2006, 12, 1636-1641.	2.9	41
402	Analysis of a combined tip-tilt and deformable mirror. Optics Letters, 2006, 31, 679.	3.3	12
403	Cavity Q, mode volume, and lasing threshold in small diameter AlGaAs microdisks with embedded quantum dots. Optics Express, 2006, 14, 1094.	3.4	151
404	Statistical adaptive sensing by detectors with spectrally overlapping bands. Applied Optics, 2006, 45, 7224.	2.1	22
405	640x512 pixels long-wavelength infrared (LWIR) quantum dot infrared photodetector (QDIP) imaging focal plane array. , 2006, , .		4
406	Room temperature operation of InAs/GaSb SLS infrared photovoltaic detectors with cut-off wavelength ~5 μ m. , 2006, , .		3
407	Quantum wells to quantum dots: 640x512 pixels Long-Wavelength Infrared (LWIR) Quantum Dot Infrared Photodetector (QDIP) imaging focal plane array. , 2006, , .		1
408	Templated Growth of Semiconductor Nanostructures through Block Copolymer Lithography. Microscopy and Microanalysis, 2006, 12, 604-605.	0.4	0
409	Long-wavelength infrared (LWIR) quantum-dot infrared photodetector (QDIP) focal plane array. , 2006, , .		26
410	Two-color focal plane arrays based on self assembled quantum dots in a well heterostructure. Physica Status Solidi C: Current Topics in Solid State Physics, 2006, 3, 439-443.	0.8	20
411	Spectral element modeling of semiconductor heterostructures. Mathematical and Computer Modelling, 2006, 43, 582-591.	2.0	5
412	Structural and Optical Characterization of InAs/GaSb nanoscale superlattices for mid-infrared detection. , 2006, , .		0
413	Quantum dot photonic crystal detectors. , 2006, , .		1
414	Influence of Si doping on the performance of quantum dots-in-well photodetectors. Journal of Vacuum Science & Technology B, 2006, 24, 1553.	1.3	28

#	ARTICLE	IF	CITATIONS
415	Electrochemical sulphur passivation of InAs/GaSb strain layer superlattice detectors. Electronics Letters, 2006, 42, 1248.	1.0	39
416	Low dark current InAs/GaSb type-II superlattice infrared photodetectors with resonant tunnelling filters. Journal Physics D: Applied Physics, 2006, 39, 4997-5001.	2.8	9
417	Room-temperature optically-pumped GaSb quantum well based VCSEL monolithically grown on Si (100) substrate. Electronics Letters, 2006, 42, 350.	1.0	32
418	Nanoscale quantum dot infrared sensors with photonic crystal cavity. Applied Physics Letters, 2006, 88, 151104.	3.3	92
419	Investigation of ultrasmall volume microdisk cavities with embedded quantum dots. , 2006, , .		0
420	Effects of Si doping on normal incidence InAs \cdot In _{0.15} Ga _{0.85} As dots-in-well quantum dot infrared photodetectors. Journal of Applied Physics, 2006, 99, 083105.	2.5	15
421	Demonstration of a Novel Mid Infrared Device: The Quantum-Dot Avalanche Photodiode (QDAP). , 2006, , .		0
422	High operating temperature split-off band infrared detectors. Applied Physics Letters, 2006, 89, 131118.	3.3	28
423	Nano-patterned isotropic nonlinear material for second harmonic generation without phase matching. , 2006, , .		0
424	InAs/InGaAs quantum dots-in-a-well photodetectors. , 2005, , .		3
425	Merging wavefront corrective elements for adaptive optics applications: experimental results. , 2005, 6018, 362.		0
426	Two-color infrared focal plane array based on InAs/InGaAs/GaAs quantum dots in a well detectors design. , 2005, , .		0
427	Quantum dots-in-a-well infrared photodetectors. Infrared Physics and Technology, 2005, 47, 153-163.	2.9	57
428	Terahertz absorption in AlGaAs films and detection using heterojunctions. Infrared Physics and Technology, 2005, 47, 188-194.	2.9	9
429	Effect of Doped Substrate on GaAs ϵ -AlGaAs Interfacial Workfunction IR Detector Response Through Cavity Effect. IEEE Transactions on Electron Devices, 2005, 52, 413-418.	3.0	0
430	Investigation of Surface Passivation in InAs/GaSb Strained-Layer-Superlattices Using Picosecond Excitation Correlation Measurement and Variable-Area Diode Array Surface Recombination Velocity Measurement. Materials Research Society Symposia Proceedings, 2005, 891, 1.	0.1	1
431	Quantum-dot based avalanche photodiodes for mid-infrared sensing. , 2005, , .		1
432	Optical loss and lasing characteristics of high-quality-factor AlGaAs microdisk resonators with embedded quantum dots. Applied Physics Letters, 2005, 86, 151106.	3.3	77

#	ARTICLE	IF	CITATIONS
433	Photoluminescence measurements of quantum-dot-containing semiconductor microdisk resonators using optical fiber taper waveguides. <i>Physical Review B</i> , 2005, 72, .	3.2	30
434	Fiber-coupled, high-Q AlGaAs microdisk cavities for chip-based cavity QED. , 2005, , .		0
435	Optical characterizations of heavily doped p-type $\text{Al}_x\text{Ga}_{1-x}\text{As}$ and GaAs epitaxial films at terahertz frequencies. <i>Journal of Applied Physics</i> , 2005, 97, 093529.	2.5	31
436	Quantum dot infrared sensors with photonic crystal cavity. , 2005, , .		3
437	Theoretical investigation of quantum-dot avalanche photodiodes for mid-infrared applications. <i>IEEE Journal of Quantum Electronics</i> , 2005, 41, 1468-1473.	1.9	28
438	Room-temperature optically-pumped InGaSb quantum well lasers monolithically grown on Si(100) substrate. <i>Electronics Letters</i> , 2005, 41, 531.	1.0	22
439	Quantum dots-in-a-well infrared photodetectors. <i>Journal Physics D: Applied Physics</i> , 2005, 38, 2142-2150.	2.8	200
440	Effect of well width on three-color quantum dots-in-a-well infrared detectors. <i>IEEE Photonics Technology Letters</i> , 2005, 17, 1064-1066.	2.5	46
441	Demonstration of a 320\AA – 256 two-color focal plane array using InAs/InGaAs quantum dots in well detectors. <i>Applied Physics Letters</i> , 2005, 86, 193501.	3.3	131
442	Activation energies for Te and Be in metamorphically grown AlSb and $\text{In}_x\text{Al}_{1-x}\text{Sb}$ layers. <i>Applied Physics Letters</i> , 2005, 87, 092105.	3.3	7
443	Fiber-coupled, high-Q AlGaAs microdisks with embedded quantum dots. , 2005, , .		0
444	Real-time implementation of matched filtering algorithms using adaptive focal-plane array technology. , 2004, , .		8
445	Normal-incidence InAs/In _{0.15} Ga _{0.85} As quantum dots-in-a-well detector operating in the long-wave infrared atmospheric window ($8\hat{\mu}\text{m}$). <i>Journal of Applied Physics</i> , 2004, 96, 1036-1039.	2.5	64
446	Free carrier absorption in Be-doped epitaxial AlGaAs thin films. <i>Applied Physics Letters</i> , 2004, 85, 5236-5238.	3.3	17
447	Study of structural and optical properties of quantum dots-in-a-well heterostructures. <i>Journal of Vacuum Science & Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena</i> , 2004, 22, 1512.	1.6	3
448	Drag coupling between a thin Al film and a two-dimensional electron gas near the superconducting transition. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2004, 22, 341-344.	2.7	3
449	Theoretical modeling and experimental characterization of InAs $\hat{\cdot}$ InGaAs quantum dots in a well detector. <i>Journal of Applied Physics</i> , 2004, 96, 3782-3786.	2.5	77
450	Spectrally adaptive infrared photodetectors with bias-tunable quantum dots. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2004, 21, 7.	2.1	66

#	ARTICLE	IF	CITATIONS
451	Quantum dot detectors for mid-infrared sensing: bias-controlled spectral tuning and matched filtering. , 2004, , .		8
452	Quantum dot intersublevel light emitters. , 2004, , .		0
453	Three-color quantum dots in a well infrared photodetector. , 2004, , .		0
454	Structural and optical characterization of rapid thermally annealed InAs/In _{0.15} Ga _{0.85} As dots-in-well structure. Journal of Crystal Growth, 2003, 247, 269-274.	1.5	3
455	Normal incidence InAs/InGaAs dots-in-well detectors with current blocking AlGaAs layer. Journal of Crystal Growth, 2003, 251, 787-793.	1.5	8
456	High responsivity, LWIR dots-in-a-well quantum dot infrared photodetectors. Infrared Physics and Technology, 2003, 44, 517-526.	2.9	16
457	Three-color (λ ₁ =3.8μm, λ ₂ =4.85μm, and λ ₃ =23.2μm) InAs/InGaAs quantum-dots-in-a-well detector. Applied Physics Letters, 2003, 83, 2745-2747.	3.3	110
458	Absorption, carrier lifetime, and gain in InAs-GaAs quantum-dot infrared photodetectors. IEEE Journal of Quantum Electronics, 2003, 39, 459-467.	1.9	145
459	Two color InAs/InGaAs dots-in-a-well detector with background-limited performance at 91 K. Applied Physics Letters, 2003, 82, 2574-2576.	3.3	71
460	Growth of room-temperature arsenic free infrared photovoltaic detectors on GaSb substrate using metamorphic InAlSb digital alloy buffer layers. Applied Physics Letters, 2003, 82, 1658-1660.	3.3	12
461	Charge transformer to enhance noise performance of single-electron transistor amplifiers in high-capacitance applications. Applied Physics Letters, 2002, 80, 142-144.	3.3	1
462	A molecular phylogeny of ichthyophiid caecilians (Amphibia: Gymnophiona: Ichthyophiidae): out of India or out of South East Asia?. Proceedings of the Royal Society B: Biological Sciences, 2002, 269, 1563-1569.	2.6	94
463	An electrically injected InAs/GaAs quantum-dot photonic crystal microcavity light-emitting diode. Applied Physics Letters, 2002, 81, 3876-3878.	3.3	30
464	QUANTUM DOT INFRARED DETECTORS AND SOURCES. International Journal of High Speed Electronics and Systems, 2002, 12, 969-994.	0.7	24
465	Low-bias, high-temperature performance of a normal-incidence InAs/GaAs vertical quantum-dot infrared photodetector with a current-blocking barrier. Journal of Vacuum Science & Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena, 2002, 20, 1185.	1.6	39
466	Quantum dot infrared photodetectors. , 2002, , .		2
467	Radiometric characterization of normal-incidence InAs/In _{0.15} Ga _{0.85} As quantum-dot detectors. , 2002, 4823, 75.		0
468	Transient effects in InAs/GaAs quantum-dot detectors under low-temperature and low-background conditions. , 2002, 4823, 104.		0

#	ARTICLE	IF	CITATIONS
469	High-responsivity, normal-incidence long-wave infrared ($\lambda = 7.2 \mu\text{m}$) InAs/In _{0.15} Ga _{0.85} As dots-in-a-well detector. Applied Physics Letters, 2002, 81, 1369-1371.	3.3	145
470	Characterization of rapid-thermal-annealed InAs/In _{0.15} Ga _{0.85} As dots-in-well heterostructure using double crystal x-ray diffraction and photoluminescence. Applied Physics Letters, 2002, 80, 3898-3900.	3.3	37
471	Hot dot detectors. IEEE Circuits and Devices: the Magazine of Electronic and Photonic Systems, 2002, 18, 14-24.	0.4	15
472	Quantum-well-based phonon detectors; performance analysis. Physica B: Condensed Matter, 2002, 316-317, 362-365.	2.7	1
473	High-detectivity, normal-incidence, mid-infrared ($\lambda = 4.4 \mu\text{m}$) InAs/GaAs quantum-dot detector operating at 150 K. Applied Physics Letters, 2001, 79, 421-423.	3.3	114
474	Intersubband gain and stimulated emission in long-wavelength ($\lambda = 13 \mu\text{m}$) intersubband In(Ga)As-GaAs quantum-dot electroluminescent devices. IEEE Journal of Quantum Electronics, 2001, 37, 1066-1074.	1.9	20
475	Normal-incidence, high-temperature, mid-infrared, InAs-GaAs vertical quantum-dot infrared photodetector. IEEE Journal of Quantum Electronics, 2001, 37, 1412-1419.	1.9	167
476	Quantum Dot Long-Wavelength Detectors. Materials Research Society Symposia Proceedings, 2001, 692, 1.	0.1	0
477	Reply: Room-temperature long-wavelength ($\lambda = 13.3 \mu\text{m}$) unipolar quantum dot intersubband laser. Electronics Letters, 2001, 37, 97.	1.0	1
478	Long-wavelength In(Ga)As/GaAs quantum dot electroluminescent devices. , 2001, 4283, 190.		0
479	Carrier dynamics in self-organized quantum dots and their application to long-wavelength sources and detectors. Journal of Crystal Growth, 2001, 227-228, 27-35.	1.5	25
480	Optoelectronic Device Applications of Self-Organized In(Ga,Al)As/Ga(Al)As Quantum Dots. Materials Research Society Symposia Proceedings, 2000, 618, 195.	0.1	0
481	Quantum dot carrier dynamics and far-infrared devices. , 2000, 4078, 84.		3
482	Growth of high density self-organized (In,Ga)As quantum dots with ultranarrow photoluminescence linewidths using buried In(Ga,Al)As stressor dots. Journal of Vacuum Science & Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena, 2000, 18, 1502.	1.6	20
483	Room-temperature long-wavelength ($\lambda = 13.3 \mu\text{m}$) unipolar quantum dot intersubband laser. Electronics Letters, 2000, 36, 1550.	1.0	20
484	Room-temperature far-infrared emission from a self-organized InGaAs/GaAs quantum-dot laser. Applied Physics Letters, 2000, 76, 3355-3357.	3.3	32
485	High-speed modulation and switching characteristics of In(Ga)As-Al(Ga)As self-organized quantum-dot lasers. IEEE Journal of Selected Topics in Quantum Electronics, 2000, 6, 426-438.	2.9	86
486	Growth and electroluminescent properties of self-organized In _{0.4} Ga _{0.6} As/GaAs quantum dots grown on silicon. Journal of Vacuum Science & Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena, 1999, 17, 1116.	1.6	3

#	ARTICLE	IF	CITATIONS
487	Photoluminescence linewidth of self-organized In _{0.4} Ga _{0.6} As/GaAs quantum dots grown on InGaAlAs stressor dots. Journal of Applied Physics, 1999, 86, 4691-4693.	2.5	8
488	Bistability and self-pulsation in quantum-dot lasers with intracavity quantum-dot saturable absorbers. Applied Physics Letters, 1999, 74, 1654-1656.	3.3	36
489	Structural and luminescence characteristics of cycled submonolayer InAs/GaAs quantum dots with room-temperature emission at 1.3 μ m. Journal of Applied Physics, 1999, 86, 6135-6138.	2.5	42
490	Self-organized In _{0.4} Ga _{0.6} As quantum-dot lasers grown on Si substrates. Applied Physics Letters, 1999, 74, 1355-1357.	3.3	79
491	Bias-controlled wavelength switching in coupled-cavity In _{0.4} Ga _{0.6} As/GaAs self-organized quantum dot lasers. Applied Physics Letters, 1999, 74, 783-785.	3.3	31
492	Growth and properties of self-organized In _{0.4} /Ga _{0.6} /As-GaAs quantum dot light emitting diodes on silicon substrates. , 0, , .		0
493	A room temperature unipolar quantum dot intersubband long wavelength (13.3 μ m) laser. , 0, , .		0
494	Quantum dots and photonic microcavities: properties and optoelectronic device applications. , 0, , .		0
495	High-temperature operation of mid-infrared ($\lambda = 4.5 \mu$ m) vertical and lateral InAs/GaAs/AlGaAs quantum dot infrared photodetectors. , 0, , .		0
496	Performance effects of two nitrogen incorporation techniques on TaN/HfO ₂ and poly/HfO ₂ MOSCAP and MOSFET devices. , 0, , .		0
497	Normal incidence, long-wave infrared InAs/In _{0.15} /Ga _{0.85} /As dots-in-well detectors grown by molecular beam epitaxy. , 0, , .		0
498	Bias-dependent tunable response of normal incidence long wave infrared quantum dot detectors. , 0, , .		4
499	Normal incidence long-wave infrared InAs/In _{0.15} /Ga _{0.85} /As DWELL detectors operating at 8.2 μ m. , 0, , .		0
500	Three-color InAs/InGaAs quantum dots-in-a-well infrared photodetectors. , 0, , .		0
501	Control of operating wavelength and linewidth in LWIR InAs/InGaAs dots-in-a-well detectors. , 0, , .		0
502	High-quality-factor AlGaAs optical microcavities for atomic Cs and semiconductor quantum dot cavity QED experiments. , 0, , .		0
503	Fiber-coupled, high-Q AlGaAs microdisk cavities for chip-based cavity QED. , 0, , .		0
504	Mid infrared quantum dots in a well infrared photodetectors. , 0, , .		0

#	ARTICLE	IF	CITATIONS
505	Structural and Optical Characterization of InAs/GaSb nanoscale superlattices for mid-infrared detection. , 0, , .		0
506	Infrared Focal Plane Arrays Based on Quantum Dots and Strain Layer Superlattices. , 0, , .		0
507	Algorithmic Tunability of Quantum-Dot Infrared Detectors. , 0, , .		2
508	Design and Development of Two-Dimensional Strained Layer Superlattice (SLS) Detector Arrays for IR Applications. , 0, , .		6
509	Type-II Superlattices: Status and Trends. , 0, , .		0