
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4258894/publications.pdf Version: 2024-02-01



LALIME DONS

#	Article	IF	CITATIONS
1	Two-way shape memory effect in Ni49Fe18Ga27Co6 ferromagnetic shape memory single crystals. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2021, 805, 140543.	2.6	8
2	Strain glass state in Ni-rich Ni-Ti-Zr shape memory alloys. Acta Materialia, 2021, 218, 117232.	3.8	21
3	Effects of training on the thermomechanical behavior of NiTiHf and NiTiZr high temperature shape memory alloys. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2020, 794, 139857.	2.6	33
4	Burst-like reverse martensitic transformation during heating, cooling and under isothermal conditions in stabilized Ni-Ti-Nb. Scripta Materialia, 2020, 180, 23-28.	2.6	8
5	Two way shape memory effect in NiTiHf high temperature shape memory alloy tubes. Acta Materialia, 2019, 163, 1-13.	3.8	47
6	Structure of the Fe-Mn-Si alloys submitted to γ†↔†ε thermocycling. Materials Characterization, 2018, 141, 223-228.	1.9	11
7	H-Phase Precipitation and Martensitic Transformation in Ni-rich Ni–Ti–Hf and Ni–Ti-Zr High-Temperature Shape Memory Alloys. Shape Memory and Superelasticity, 2018, 4, 85-92.	1.1	32
8	Stability of a Ni-rich Ni-Ti-Zr high temperature shape memory alloy upon low temperature aging and thermal cycling. Scripta Materialia, 2016, 124, 47-50.	2.6	37
9	Effects of Ni content on the shape memory properties and microstructure of Ni-rich NiTi-20Hf alloys. Smart Materials and Structures, 2016, 25, 095029.	1.8	32
10	Relationship between crystallographic compatibility and thermal hysteresis in Ni-rich NiTiHf and NiTiZr high temperature shape memory alloys. Acta Materialia, 2016, 121, 374-383.	3.8	89
11	Role of nano-precipitation on the microstructure and shape memory characteristics of a new Ni50.3Ti34.7Zr15 shape memory alloy. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2016, 655, 193-203.	2.6	39
12	Atomic order and martensitic transformation entropy change in Ni–Co–Mn–In metamagnetic shape memory alloys. Scripta Materialia, 2016, 110, 61-64.	2.6	24
13	Effect of Thermal Treatments on Ni–Mn–Ga and Ni-Rich Ni–Ti–Hf/Zr High-Temperature Shape Memory Alloys. Shape Memory and Superelasticity, 2015, 1, 418-428.	1.1	13
14	Solidification process and effect of thermal treatments on Ni–Co–Mn–Sn metamagnetic shape memory alloys. Acta Materialia, 2015, 93, 164-174.	3.8	34
15	Structure and anelasticity of Fe3Ga and Fe3(Ga,Al) type alloys. Journal of Alloys and Compounds, 2015, 644, 959-967.	2.8	27
16	Microstructural characterization and shape memory characteristics of the Ni50.3Ti34.7Hf15 shape memory alloy. Acta Materialia, 2015, 83, 48-60.	3.8	115
17	Effect of oriented γ′ precipitates on shape memory effect and superelasticity in Co–Ni–Ga single crystals. Acta Materialia, 2014, 68, 127-139.	3.8	58
18	Microstructural characterization and superelastic response of a Ni50.3Ti29.7Zr20 high-temperature shape memory alloy. Scripta Materialia, 2014, 81, 12-15.	2.6	54

#	Article	IF	CITATIONS
19	TEM study of structural and microstructural characteristics of a precipitate phase in Ni-rich Ni–Ti–Hf and Ni–Ti–Zr shape memory alloys. Acta Materialia, 2013, 61, 6191-6206.	3.8	169
20	Effect of precipitation on the microstructure and the shape memory response of the Ni50.3Ti29.7Zr20 high temperature shape memory alloy. Scripta Materialia, 2013, 69, 354-357.	2.6	74
21	Influence of γ′ nanometric particles on martensitic transformation and twinning structure of L10 martensite in Co–Ni–Ga ferromagnetic shape memory single crystals. Intermetallics, 2013, 35, 60-66.	1.8	27
22	EFFECT OF AGING ON THE MARTENSITIC TRANSFORMATION CHARACTERISTICS OF A <font>Ni</font> -RICH <font>NiTiHf</font> HIGH TEMPERATURE SHAPE MEMORY ALLOY. Functional Materials Letters, 2012, 05, 1250038.	0.7	69
23	Effect of thermal cycling on martensitic γ↔ε-transformation in alloy Fe – 22% Mn – 3% Si. Metal Science and Heat Treatment, 2012, 54, 267-270.	0.2	1
24	Orientation dependence of superelasticity in ferromagnetic single crystals Co49Ni21Ga30. Physics of Metals and Metallography, 2010, 110, 78-90.	0.3	9
25	Vibrational and magnetic contributions to the entropy change associated with the martensitic transformation of Ni–Fe–Ga ferromagnetic shape memory alloys. Journal of Physics Condensed Matter, 2010, 22, 416001.	0.7	23
26	Thermal and microstructural evolution under ageing of several high-temperature Ni–Mn–Ga alloys. Intermetallics, 2010, 18, 977-983.	1.8	34
27	Entropy change and effect of magnetic field on martensitic transformation in a metamagnetic Ni–Co–Mn–In shape memory alloy. Applied Physics Letters, 2009, 94, .	1.5	123
28	EFFECT OF AGING UNDER COMPRESSIVE STRESS ALONG [100] IN Co–Ni–Ga SINGLE CRYSTALS. Functional Materials Letters, 2009, 02, 83-86.	0.7	14
29	Effect of orientation on the high-temperature superelasticity in Co49Ni21Ga30 single crystals. Technical Physics Letters, 2009, 35, 186-189.	0.2	10
30	Effect of precipitates on the stress–strain behavior under compression in polycrystalline Ni–Fe–Ga alloys. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2008, 481-482, 101-104.	2.6	20
31	Thermal stability and ordering effects in Ni–Fe–Ga ferromagnetic shape memory alloys. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2008, 481-482, 262-265.	2.6	14
32	Ferromagnetic shape memory alloys: Alternatives to Ni–Mn–Ga. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2008, 481-482, 57-65.	2.6	119
33	Martensitic transformation in Ni–Fe–Ga alloys. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2008, 478, 125-129.	2.6	26
34	Thermal stability of high-temperature Ni–Mn–Ga alloys. Scripta Materialia, 2008, 58, 259-262.	2.6	38
35	Thermal characteristics of Ni–Fe–Ga–Mn and Ni–Fe–Ga–Co ferromagnetic shape memory alloys. Intermetallics, 2008, 16, 751-757.	1.8	30
36	Magnetic-field-induced strain assisted by tensile stress in L10 martensite of a Ni–Fe–Ga–Co alloy. Applied Physics Letters, 2008, 93, 152503.	1.5	12

#	Article	IF	CITATIONS
37	Effect of L2 <sub>1</sub> Ordering on the Martensitic and Intermartensitic Transformations in a Ni-Mn-Ga Shape Memory Alloy. Solid State Phenomena, 2007, 130, 127-134.	0.3	0
38	Effect of atomic ordering on the phase transformations in Ni–Mn–Ga shape memory alloys. Acta Materialia, 2007, 55, 1649-1655.	3.8	50
39	Shape memory thin round wires produced by the in rotating water melt-spinning technique. Acta Materialia, 2006, 54, 1877-1885.	3.8	20
40	Effect of off-stoichiometry on the mobility of point-like defects and damping in binary Cu–Al martensites. Acta Materialia, 2006, 54, 2075-2085.	3.8	10
41	Low-temperature behaviour of Ni–Fe–Ga shape-memory alloys. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2006, 438-440, 923-926.	2.6	9
42	Effect of ageing in Ni–Fe–Ga ferromagnetic shape memory alloys. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2006, 438-440, 919-922.	2.6	14
43	Thermodynamic reversibility and irreversibility of the reverse transformation in stabilized Cu–Zn–Al martensite. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2006, 438-440, 768-772.	2.6	3
44	Structure of the layered martensitic phases of Ni–Mn–Ga alloys. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2006, 438-440, 931-934.	2.6	34
45	Experimental and theoretical study of mechanical stabilization of martensite in Cu–Al–Ni single crystals. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2006, 438-440, 730-733.	2.6	10
46	Mechanical stabilisation and anomalous behaviour of the stress–strain loops in Cu–Al–Ni single crystals. Scripta Materialia, 2006, 54, 459-463.	2.6	9
47	Effect of ageing on the martensitic transformation of Ni–Fe–Ga alloys. Scripta Materialia, 2006, 54, 1105-1109.	2.6	53
48	Effect of atomic order on the martensitic transformation of Ni–Fe–Ga alloys. Scripta Materialia, 2006, 54, 1985-1989.	2.6	79
49	Stress-induced Martensitic Transformation and Superelasticity of Alloys: Experiment and Theory. Materials Transactions, 2005, 46, 790-797.	0.4	11
50	Statistical Description of Mechanical Stabilization of Cu–Al–Ni Martensite. Materials Transactions, 2005, 46, 983-989.	0.4	5
51	Some features of Ni–Fe–Ga shape memory alloys under compression. Journal of Magnetism and Magnetic Materials, 2005, 290-291, 816-819.	1.0	24
52	Intermartensitic phase transformations in Ni–Mn–Ga studied under magnetic field. Journal of Magnetism and Magnetic Materials, 2005, 290-291, 871-873.	1.0	25
53	Low-temperature-induced intermartensitic phase transformations in Ni–Mn–Ga single crystal. Journal of Magnetism and Magnetic Materials, 2005, 290-291, 811-815.	1.0	13
54	Low temperature-induced intermartensitic phase transformations in Ni–Mn–Ga single crystal. Acta Materialia, 2005, 53, 111-120.	3.8	106

#	Article	IF	CITATIONS
55	Stress–temperature phase diagram of a ferromagnetic Ni–Mn–Ca shape memory alloy. Acta Materialia, 2005, 53, 5071-5077.	3.8	65
56	Long-period martensitic structures of Ni-Mn-Ga alloys studied by high-resolution transmission electron microscopy. Journal of Applied Physics, 2005, 97, 083516.	1.1	84
57	Transformation behaviour and martensite stabilization in the ferromagnetic Co–Ni–Ga Heusler alloy. Scripta Materialia, 2004, 50, 225-229.	2.6	92
58	Stress–temperature relationship in Cu–Al–Ni single crystals in compression mode. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2004, 378, 222-226.	2.6	25
59	Athermal stabilization of Cu–Al–Be β1′ martensite due to plastic deformation and heat treatment. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2004, 373, 328-338.	2.6	26
60	Shape memory properties of Ni-Ti based melt-spun ribbons. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2004, 35, 761-770.	1.1	50
61	Internal friction behaviour of Ni–Mn–Ga. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2004, 370, 481-484.	2.6	56
62	Stabilization and hyperstabilization of Cu–Al–Be β1′ martensite by thermal treatment and plastic deformation. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2004, 378, 283-288.	2.6	20
63	Thin films of ferromagnetic shape memory alloys processed by laser beam ablation. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2004, 378, 443-447.	2.6	13
64	Stress–strain behaviour of Ni–Mn–Ga alloys: experiment and modelling. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2004, 378, 349-352.	2.6	23
65	Pinning-induced stabilization of martensite. Acta Materialia, 2004, 52, 3075-3081.	3.8	36
66	Pinning-induced stabilization of martensite. Acta Materialia, 2004, 52, 3083-3096.	3.8	54
67	Chemical and mechanical stabilization of martensite. Acta Materialia, 2004, 52, 4547-4559.	3.8	48
68	Martensitic transformation in a ferromagnetic Co–Ni–Ga single crystal. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2004, 378, 357-360.	2.6	30
69	Stress-Temperature Relationship in Compression Mode in Cu-Al-Ni Shape Memory Alloys. Materials Transactions, 2004, 45, 1679-1683.	0.4	12
70	Crystallization in Partially Amorphous Ni <sub>50</sub> Ti <sub>32</sub> Hf <sub>18</sub> Melt Spun Ribbon. Materials Transactions, 2004, 45, 1811-1818.	0.4	8
71	HREM study of different martensitic phases in Ni–Mn–Ga alloys. Materials Chemistry and Physics, 2003, 81, 457-459.	2.0	34
72	Thermomechanical cycling in Cu–Al–Ni-based melt-spun shape-memory ribbons. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2003, 354, 207-211.	2.6	50

JAUME PONS

#	Article	IF	CITATIONS
73	Superelasticity in high-temperature Ni–Mn–Ga alloys. Journal of Applied Physics, 2003, 93, 2394-2399.	1.1	140
74	Generation of aligned γ precipitates in Cu-Zn-Al single crystals. European Physical Journal Special Topics, 2003, 112, 533-536.	0.2	0
75	Compressive stresses and stabilisation in Cu-Al-Ni single crystals. European Physical Journal Special Topics, 2003, 112, 541-544.	0.2	1
76	Stress-strain – Temperature behaviour for martensitic transformation in Ni-Mn-Ga single crystal compressed along <001> and <110> axes. European Physical Journal Special Topics, 2003, 112, 939-942.	0.2	6
77	Shape memory properties of Cu-based thin wires obtained by the "in rotating water spinning― technique. European Physical Journal Special Topics, 2003, 112, 567-570.	0.2	0
78	Two-step martensitic transformation in Ni-Mn-Ga alloys. European Physical Journal Special Topics, 2003, 112, 903-906.	0.2	9
79	Magnetic field induced strains caused by different martensites in Ni-Mn-Ga alloys. European Physical Journal Special Topics, 2003, 112, 951-954.	0.2	5
80	Time-dependent phenomena during martensite ageing of Cu-Al-Be shape memory alloy. European Physical Journal Special Topics, 2003, 112, 557-560.	0.2	2
81	Thermal martensite stabilization in Ni-Ti based alloys. European Physical Journal Special Topics, 2003, 112, 647-650.	0.2	2
82	New Aspects of Structural and Magnetic Behaviour of Martensites in Ni-Mn-Ga Alloys. Materials Transactions, 2002, 43, 856-860.	0.4	45
83	Two-stage reverse transformation in hyperstabilized β1′ martensite. Scripta Materialia, 2002, 46, 817-822.	2.6	27
84	The enthalpy change of the hcp→fcc martensitic transformation in Fe–Mn alloys: composition dependence and effects of thermal cycling. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2002, 335, 137-146.	2.6	19
85	Premartensitic phenomena and other phase transformations in Ni–Mn–Ga alloys studied by dynamical mechanical analysis and electron diffraction. Acta Materialia, 2002, 50, 53-60.	3.8	192
86	Microstructure and martensite transformation in aged Ti-25Ni-25Cu shape memory melt spun ribbons. Journal of Materials Science, 2002, 37, 5319-5325.	1.7	53
87	Nanoscale inhomogeneities in melt-spun Ni-Al. European Physical Journal Special Topics, 2001, 11, Pr8-439-Pr8-444.	0.2	1
88	Thermo-mechanical behaviour of a Ni-Ti-Cu melt spun alloy. European Physical Journal Special Topics, 2001, 11, Pr8-351-Pr8-356.	0.2	6
89	Stabilisation of martensite by applying compressive stress in Cu-Al-Ni single crystals. Acta Materialia, 2001, 49, 4221-4230.	3.8	71
90	Crystal structure of martensitic phases in Ni–Mn–Ga shape memory alloys. Acta Materialia, 2000, 48, 3027-3038.	3.8	601

JAUME PONS

#	Article	IF	CITATIONS
91	Nanoscale inhomogeneities in melt-spun Ni–Al. Acta Materialia, 2000, 48, 3833-3845.	3.8	32
92	Observation and analysis of scaling behavior in surface martensite-austenite relief during the reverse martensitic transformation in Cu-Al-Ni single crystal by using 2D Fourier processing method11In the present case, as the samples were polished in martensite, the shape of the martensite plates is revealed by the back surface relief formed during the reverse transformation to the austenite phase Scripta Materialia, 2000, 43, 765-769.	2.6	4
93	Phase Transformations in Rapidly Quenched Ni–Mn–Ga Alloys. Journal of Materials Research, 2000, 15, 1496-1504.	1.2	81
94	Characterization of a hot-rolled Cuî—,Alî—,Niî—,Ti shape memory alloy. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 1999, 273-275, 625-629.	2.6	15
95	Transformation and ageing behaviour of melt-spun Ni–Mn–Ga shape memory alloys. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 1999, 273-275, 315-319.	2.6	55
96	Two way shape memory effect in Cu–Al–Ni single crystals. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 1999, 273-275, 605-609.	2.6	4
97	Thermomechanical cycling and two-way memory effect induced in Cu–Zn–Al. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 1999, 273-275, 610-615.	2.6	10
98	Physical properties of Fe-Co-Ni-Ti alloy in the vicinity of martensitic transformation. Scripta Materialia, 1999, 40, 341-345.	2.6	12
99	Martensite stabilisation in Ni50Ti32.2Hf17.7. Scripta Materialia, 1999, 41, 867-872.	2.6	36
100	Sequence of martensitic transformations in Ni-Mn-Ga alloys. Physical Review B, 1998, 57, 2659-2662.	1.1	215
101	Solid-state mechanical alloying of plastic crystals. Journal of Materials Research, 1997, 12, 3254-3259.	1.2	10
102	Thermal cycling effects in high temperature Cu–Al–Ni–Mn–B shape memory alloys. Journal of Materials Research, 1997, 12, 2288-2297.	1.2	12
103	Effects of Thermal Ageing in β-Phase in Cu-Al-Ni Single Crystals. European Physical Journal Special Topics, 1997, 07, C5-323-C5-328.	0.2	10
104	Some Aspects of Structural Behaviour of Ni-Mn-Ga Alloys. European Physical Journal Special Topics, 1997, 07, C5-137-C5-141.	0.2	7
105	Stabilization and Two Way Shape Memory Effect in Cu-Al-Mn Alloys Transforming at Elevated Temperatures. European Physical Journal Special Topics, 1997, 07, C5-287-C5-292.	0.2	0
106	Lattice instability of Ni2MnGa. Physics of the Solid State, 1997, 39, 485-487.	0.2	0
107	Effect of thermal cycling on the stabilization of martensite in step-quenched Cu-Zn-Ai alloys. Scripta Materialia, 1997, 37, 1783-1788.	2.6	6
108	Internal friction associated with the structural phase transformations in Ni-Mn-Ga alloys. Acta Materialia, 1997, 45, 999-1004.	3.8	77

#	Article	IF	CITATIONS
109	Accommodation of Î <sup>3</sup> -phase precipitates in Cuî—,Znî—,Al shape memory alloys studied by high resolution electron microscopy. Acta Materialia, 1997, 45, 2109-2120.	3.8	15
110	Acoustic phonon mode condensation in Ni2MnGa compound. Solid State Communications, 1997, 101, 7-9.	0.9	22
111	Thermomechanical Testing Machine Conceived for the Study of Shape Memory Alloys. Application to the Training and Testing of the Two-Way Memory Effect. European Physical Journal Special Topics, 1997, 07, C5-655-C5-660.	0.2	3
112	Effect of γ precipitates on the stabilization of martensite in Cuî—,Znî—,Al alloys. Materials Research Bulletin, 1996, 31, 709-715.	2.7	9
113	Preparation of molecular alloys by the ball-milling technique. Journal of Materials Research, 1996, 11, 1069-1071.	1.2	12
114	Pre-martensitic state in Ni - Mn - Ga alloys. Journal of Physics Condensed Matter, 1996, 8, 6457-6463.	0.7	76
115	A Premartensitic Anomaly in Ni <sub>2</sub> MnGa Alloys Studied by Dynamic Mechanical Analysis. European Physical Journal Special Topics, 1996, 06, C8-381-C8-384.	0.2	2
116	Internal Friction and Young Modulus Behaviour of Hot-Rolled Cu-Al-Ni-Ti Shape Memory Alloys. European Physical Journal Special Topics, 1996, 06, C8-413-C8-416.	0.2	4
117	Study of Dislocations Generated by Thermal Cycling in Ni-Ti-Co Shape Memory Alloys. European Physical Journal Special Topics, 1995, 05, C2-293-C2-298.	0.2	0
118	Characteristics of the Two-Way Memory Effect Induced by Thermomechanical Cycling in Cu-Zn-Al Single Crystals. European Physical Journal Special Topics, 1995, 05, C8-871-C8-876.	0.2	5
119	Influence of Grain Size and Ordering on the Two Way Shape Memory Effect in CuAlMn Alloys. European Physical Journal Special Topics, 1995, 05, C8-955-C8-960.	0.2	0
120	γ Precipitates in Cu-Zn-Al Alloys Studied by High Resolution Electron Microscopy. European Physical Journal Special Topics, 1995, 05, C2-245-C2-250.	0.2	0
121	[MATH] precipitates in [MATH] Cu-based shape memory alloys : influence on the martensitic transformation and the thermal and pseudoelastic cycling. European Physical Journal Special Topics, 1994, 04, C3-151-C3-156.	0.2	0
122	Martensitic transformation cycling in a β Cuî—,Znî—,Al alloy containing γ-precipitates. Acta Metallurgica Et Materialia, 1993, 41, 2547-2555.	1.9	22
123	Pseudoelastic Cycling and Two-Way Shape Memory Effect in β Cu–Zn–Al Alloys with γ-Precipitates. Materials Transactions, JIM, 1993, 34, 888-894.	0.9	26
124	Phenomenological Modelling of the Hysteresis Loop in Thermoelastic Martensitic Transformations. Materials Transactions, JIM, 1992, 33, 650-658.	0.9	18
125	Effect of γ precipitates on the martensitic transformation in Cuî—,Alî—,Mn alloys. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 1992, 158, 119-128.	2.6	28
126	Crosstalk tolerant latch circuit. IEE Proceedings, Part G: Circuits, Devices and Systems, 1992, 139, 5.	0.2	2

#	Article	IF	CITATIONS
127	RESPONSE OF Cu-AL-Mn ALLOYS TO AGEING IN $\hat{I}^2$ PHASE. European Physical Journal Special Topics, 1991, 01, C4-229-C4-234.	0.2	1
128	SIMPLE MODEL OF HYSTERESIS IN THERMOELASTIC MARTENSITIC TRANSFORMATIONS. European Physical Journal Special Topics, 1991, 01, C4-41-C4-46.	0.2	0
129	EFFECT OF THERMAL CYCLING ON THE MARTENSITIC TRANSFORMATION OF βCu-Zn-Al CONTAINING γ PRECIPITATES. European Physical Journal Special Topics, 1991, 01, C4-217-C4-222.	0.2	0
130	SOME ASPECTS OF THE TWO WAY SHAPE MEMORY EFFECT INDUCED BY PSEUDOELASTIC CYCLING IN Cu-Zn-Al ALLOYS. European Physical Journal Special Topics, 1991, 01, C4-451-C4-456.	0.2	0
131	Determination of heavy metals and radioactive elements in purifier sludge. Journal of Environmental Science and Health Part A: Environmental Science and Engineering, 1990, 25, 855-868.	0.1	1
132	Electron microscopy study of dislocations associated with thermal cycling in a Cuî—,Znî—,Al shape memory alloy. Acta Metallurgica Et Materialia, 1990, 38, 2733-2740.	1.9	52
133	Calorimetric study of martensitic transformation thermal cycling in a βî—,Cuî—,Znî—,Al alloy with γ-precipitates. Materials Letters, 1990, 9, 542-546.	1.3	13
134	Intermartensitic Transformations in Ni-Mn-Ga Alloys: A General View. Advanced Materials Research, 0, 52, 47-55.	0.3	9