

Fanlei Hu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4259311/publications.pdf>

Version: 2024-02-01

39
papers

1,291
citations

279798

23
h-index

377865

34
g-index

47
all docs

47
docs citations

47
times ranked

2137
citing authors

#	ARTICLE	IF	CITATIONS
1	Diminished natural killer T-like cells correlates with aggravated primary Sjögren's syndrome. <i>Clinical Rheumatology</i> , 2022, 41, 1163-1168.	2.2	5
2	SR-A neutralizing antibody: potential drug candidate for ameliorating osteoclastogenesis in rheumatoid arthritis. <i>Clinical and Experimental Immunology</i> , 2022, 207, 297-306.	2.6	2
3	Intestinal butyrate-metabolizing species contribute to autoantibody production and bone erosion in rheumatoid arthritis. <i>Science Advances</i> , 2022, 8, eabm1511.	10.3	62
4	Serum Antigenome Profiling Reveals Diagnostic Models for Rheumatoid Arthritis. <i>Frontiers in Immunology</i> , 2022, 13, 884462.	4.8	0
5	Scavenger receptor A in immunity and autoimmune diseases: Compelling evidence for targeted therapy. <i>Expert Opinion on Therapeutic Targets</i> , 2022, 26, 461-477.	3.4	1
6	Role of IL-24 in NK cell activation and its clinical implication in systemic lupus erythematosus. <i>Clinical Rheumatology</i> , 2021, 40, 2707-2715.	2.2	5
7	Dickkopf-1 perpetuated synovial fibroblast activation and synovial angiogenesis in rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2021, 40, 4279-4288.	2.2	13
8	Double-negative (DN) B cells: an under-recognized effector memory B cell subset in autoimmunity. <i>Clinical and Experimental Immunology</i> , 2021, 205, 119-127.	2.6	42
9	Impaired granzyme B-producing regulatory B cells in systemic lupus erythematosus. <i>Molecular Immunology</i> , 2021, 140, 217-224.	2.2	3
10	Casein Kinase II exacerbates rheumatoid arthritis via promoting Th1 and Th17 cell inflammatory responses. <i>Expert Opinion on Therapeutic Targets</i> , 2021, 25, 1017-1024.	3.4	8
11	Endoplasmic reticulum stress perpetuated toll-like receptor signalling-mediated inflammation in rheumatoid arthritis via X-box-binding protein-1. <i>Clinical and Experimental Rheumatology</i> , 2021, 39, 859-867.	0.8	0
12	CD14 ⁺ CD16 ⁺ monocytes are the main precursors of osteoclasts in rheumatoid arthritis via expressing Tyro3TK. <i>Arthritis Research and Therapy</i> , 2020, 22, 221.	3.5	28
13	LAG3 (CD223) and autoimmunity: Emerging evidence. <i>Journal of Autoimmunity</i> , 2020, 112, 102504.	6.5	28
14	CD70-mediated CD27 expression downregulation contributed to the regulatory B10 cell impairment in rheumatoid arthritis. <i>Molecular Immunology</i> , 2020, 119, 92-100.	2.2	8
15	Scavenger receptor-A is a biomarker and effector of rheumatoid arthritis: A large-scale multicenter study. <i>Nature Communications</i> , 2020, 11, 1911.	12.8	34
16	Secreted Protein Acidic and Rich in Cysteine Mediated Biomimetic Delivery of Methotrexate by Albumin-Based Nanomedicines for Rheumatoid Arthritis Therapy. <i>ACS Nano</i> , 2019, 13, 5036-5048.	14.6	122
17	Sequencing of the MHC region defines HLA-DQA1 as the major genetic risk for seropositive rheumatoid arthritis in Han Chinese population. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 773-780.	0.9	27
18	Pulse corticosteroids in treatment of rheumatic disease concomitant with cytomegalovirus infection. <i>International Journal of Rheumatic Diseases</i> , 2019, 22, 583-591.	1.9	3

#	ARTICLE	IF	CITATIONS
19	Plasma exchange successfully treated macrophage activation syndrome in rheumatoid factorâ€positive polyarticular juvenile idiopathic arthritis with coâ€existing pneumonia. <i>International Journal of Rheumatic Diseases</i> , 2018, 21, 1142-1145.	1.9	3
20	Impaired CD27+IgD+ B Cells With Altered Gene Signature in Rheumatoid Arthritis. <i>Frontiers in Immunology</i> , 2018, 9, 626.	4.8	34
21	Pathogenic conversion of regulatory B10 cells into osteoclast-priming cells in rheumatoid arthritis. <i>Journal of Autoimmunity</i> , 2017, 76, 53-62.	6.5	28
22	SHIP-1 Deficiency in AID+ B Cells Leads to the Impaired Function of B10 Cells with Spontaneous Autoimmunity. <i>Journal of Immunology</i> , 2017, 199, 3063-3073.	0.8	11
23	Impairment of Granzyme B-Producing Regulatory B Cells Correlates with Exacerbated Rheumatoid Arthritis. <i>Frontiers in Immunology</i> , 2017, 8, 768.	4.8	37
24	DCUN1D3 activates SCFSKP2 ubiquitin E3 ligase activity and cell cycle progression under UV damage. <i>Oncotarget</i> , 2016, 7, 58483-58491.	1.8	4
25	CD16+ Monocyte Subset Was Enriched and Functionally Exacerbated in Driving T-Cell Activation and B-Cell Response in Systemic Lupus Erythematosus. <i>Frontiers in Immunology</i> , 2016, 7, 512.	4.8	60
26	Hypoxiaâ€inducible factorâ€1± perpetuates synovial fibroblast interactions with T cells and B cells in rheumatoid arthritis. <i>European Journal of Immunology</i> , 2016, 46, 742-751.	2.9	66
27	Myeloid-derived suppressor cells have a proinflammatory role in the pathogenesis of autoimmune arthritis. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 278-285.	0.9	128
28	Epithelial cells are a source of natural IgM that contribute to innate immune responses. <i>International Journal of Biochemistry and Cell Biology</i> , 2016, 73, 19-29.	2.8	16
29	Impact of the leucocyte immunoglobulin-like receptor A3 (<i>LILRA3</i>) on susceptibility and subphenotypes of systemic lupus erythematosus and SjÃ¶gren's syndrome. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 2070-2075.	0.9	30
30	IGK with conserved IGKV/IGKJ repertoire is expressed in acute myeloid leukemia and promotes leukemic cell migration. <i>Oncotarget</i> , 2015, 6, 39062-39072.	1.8	26
31	The Expression and Clinical Significance of Different Forms of Mer Receptor Tyrosine Kinase in Systemic Lupus Erythematosus. <i>Journal of Immunology Research</i> , 2014, 2014, 1-12.	2.2	29
32	Hypoxia and hypoxia-inducible factor-1± provoke toll-like receptor signalling-induced inflammation in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 928-936.	0.9	104
33	The Inhibitory Effect of IFN-Î³ on Protease HTRA1 Expression in Rheumatoid Arthritis. <i>Journal of Immunology</i> , 2014, 193, 130-138.	0.8	33
34	Toll-Like Receptors Expressed by Synovial Fibroblasts Perpetuate Th1 and Th17 Cell Responses in Rheumatoid Arthritis. <i>PLoS ONE</i> , 2014, 9, e100266.	2.5	58
35	Hypoxia-Inducible Factor-1± and Interleukin 33 Form a Regulatory Circuit to Perpetuate the Inflammation in Rheumatoid Arthritis. <i>PLoS ONE</i> , 2013, 8, e72650.	2.5	48
36	Absence of scavenger receptor A promotes dendritic cellâ€mediated crossâ€presentation of cellâ€associated antigen and antitumor immune response. <i>Immunology and Cell Biology</i> , 2012, 90, 101-108.	2.3	37

#	ARTICLE	IF	CITATIONS
37	Suppression of antigen-specific CD4+ T cell activation by SRA/CD204 through reducing the immunostimulatory capability of antigen-presenting cell. <i>Journal of Molecular Medicine</i> , 2012, 90, 413-426.	3.9	26
38	Spontaneous Production of Immunoglobulin M in Human Epithelial Cancer Cells. <i>PLoS ONE</i> , 2012, 7, e51423.	2.5	33
39	ER stress and its regulator X-box binding protein-1 enhance poly(I:C)-induced innate immune response in dendritic cells. <i>European Journal of Immunology</i> , 2011, 41, 1086-1097.	2.9	87