

Seung-Ho Hur

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4260700/publications.pdf>

Version: 2024-02-01

171
papers

5,509
citations

126708

33
h-index

91712

69
g-index

171
all docs

171
docs citations

171
times ranked

5067
citing authors

#	ARTICLE	IF	CITATIONS
1	Six-Month Versus 12-Month Dual Antiplatelet Therapy After Implantation of Drug-Eluting Stents. <i>Circulation</i> , 2012, 125, 505-513.	1.6	555
2	Duration of Dual Antiplatelet Therapy after Implantation of Drug-Eluting Stents. <i>New England Journal of Medicine</i> , 2010, 362, 1374-1382.	13.9	486
3	Effect of Intravascular Ultrasound-Guided vs Angiography-Guided Everolimus-Eluting Stent Implantation. <i>JAMA - Journal of the American Medical Association</i> , 2015, 314, 2155.	3.8	418
4	Optimal Duration of Dual Antiplatelet Therapy After Drug-Eluting Stent Implantation. <i>Circulation</i> , 2014, 129, 304-312.	1.6	263
5	6-month versus 12-month or longer dual antiplatelet therapy after percutaneous coronary intervention in patients with acute coronary syndrome (SMART-DATE): a randomised, open-label, non-inferiority trial. <i>Lancet, The</i> , 2018, 391, 1274-1284.	6.3	261
6	Aspirin versus clopidogrel for chronic maintenance monotherapy after percutaneous coronary intervention (HOST-EXAM): an investigator-initiated, prospective, randomised, open-label, multicentre trial. <i>Lancet, The</i> , 2021, 397, 2487-2496.	6.3	162
7	Optimal Intravascular Ultrasound Criteria and Their Accuracy for Defining the Functional Significance of Intermediate Coronary Stenoses of Different Locations. <i>JACC: Cardiovascular Interventions</i> , 2011, 4, 803-811.	1.1	153
8	Anatomic and Functional Evaluation of Bifurcation Lesions Undergoing Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Interventions</i> , 2010, 3, 113-119.	1.4	149
9	Comparison of Zotarolimus-Eluting Stents With Sirolimus- and Paclitaxel-Eluting Stents for Coronary Revascularization. <i>Journal of the American College of Cardiology</i> , 2010, 56, 1187-1195.	1.2	143
10	Everolimus-Eluting Versus Sirolimus-Eluting Stents in Patients Undergoing Percutaneous Coronary Intervention. <i>Journal of the American College of Cardiology</i> , 2011, 58, 1844-1854.	1.2	137
11	Physiological and Clinical Assessment of Resting Physiological Indexes. <i>Circulation</i> , 2019, 139, 889-900.	1.6	90
12	7-Hexanoyltaxolol-Eluting Stent for Prevention of Neointimal Growth. <i>Circulation</i> , 2002, 106, 1788-1793.	1.6	89
13	OCT-Defined Morphological Characteristics of Coronary Artery Spasm Sites in Vasospastic Angina. <i>JACC: Cardiovascular Imaging</i> , 2015, 8, 1059-1067.	2.3	88
14	Unguided de-escalation from ticagrelor to clopidogrel in stabilised patients with acute myocardial infarction undergoing percutaneous coronary intervention (TALOS-AMI): an investigator-initiated, open-label, multicentre, non-inferiority, randomised trial. <i>Lancet, The</i> , 2021, 398, 1305-1316.	6.3	87
15	Outcomes of Percutaneous Coronary Intervention in Intermediate Coronary Artery Disease. <i>JACC: Cardiovascular Interventions</i> , 2010, 3, 812-817.	1.1	84
16	Comparison of vascular response to zotarolimus-eluting stent versus sirolimus-eluting stent: Intravascular ultrasound results from ENDEAVOR III. <i>American Heart Journal</i> , 2008, 155, 108-113.	1.2	81
17	A Randomized Comparison of Platinum Chromium-Based Everolimus-Eluting Stents Versus Cobalt Chromium-Based Zotarolimus-Eluting Stents in All-Comers Receiving Percutaneous Coronary Intervention. <i>Journal of the American College of Cardiology</i> , 2014, 63, 2805-2816.	1.2	80
18	Relation of Fractional Flow Reserve After Drug-Eluting Stent Implantation to One-Year Outcomes. <i>American Journal of Cardiology</i> , 2011, 107, 1763-1767.	0.7	78

#	ARTICLE	IF	CITATIONS
19	Everolimus-Eluting Stent Implantation for Unprotected Left Main Coronary Artery Stenosis. JACC: Cardiovascular Interventions, 2012, 5, 708-717.	1.1	75
20	Physiologic Characteristics and Clinical Outcomes of Patients With Discordance Between FFR and iFR. JACC: Cardiovascular Interventions, 2019, 12, 2018-2031.	1.1	56
21	Comparison of Early Strut Coverage Between Zotarolimus- and Everolimus-Eluting Stents Using Optical Coherence Tomography. American Journal of Cardiology, 2013, 111, 1-5.	0.7	54
22	Relationship between Chemerin Levels and Cardiometabolic Parameters and Degree of Coronary Stenosis in Korean Patients with Coronary Artery Disease. Diabetes and Metabolism Journal, 2011, 35, 248.	1.8	49
23	Impact of intravascular ultrasound-guided percutaneous coronary intervention on long-term clinical outcomes in a real world population. Catheterization and Cardiovascular Interventions, 2013, 81, 407-416.	0.7	49
24	Randomized Comparison of Cilostazol vs Clopidogrel After Drug-Eluting Stenting in Diabetic Patients Cilostazol for Diabetic Patients in Drug-Eluting Stent (CIDES) Trial. Circulation Journal, 2008, 72, 35-39.	0.7	46
25	Fractional Flow Reserve Versus Angiography in Left Circumflex Ostial Intervention After Left Main Crossover Stenting. Korean Circulation Journal, 2011, 41, 304.	0.7	44
26	Comparison of neointimal coverage between zotarolimus-eluting stent and everolimus-eluting stent using Optical Coherence Tomography (COVER OCT). American Heart Journal, 2012, 163, 601-607.	1.2	44
27	Gender Differences in Clinical Features and In-hospital Outcomes in ST-segment Elevation Acute Myocardial Infarction: From the Korean Acute Myocardial Infarction Registry (KAMIR) Study. Clinical Cardiology, 2010, 33, E1-6.	0.7	38
28	Early Strut Coverage in Patients Receiving Drug-Eluting Stents and its Implications for Dual Antiplatelet Therapy. JACC: Cardiovascular Imaging, 2018, 11, 1810-1819.	2.3	38
29	5-Year Outcomes According to FFR of Left Circumflex Coronary Artery After Left Main Crossover Stenting. JACC: Cardiovascular Interventions, 2019, 12, 847-855.	1.1	38
30	Clinical Outcome of Lesions With Discordant Results Among Different Invasive Physiologic Indices Resting Distal Coronary to Aortic Pressure Ratio, Resting Full-Cycle Ratio, Diastolic Pressure Ratio, Instantaneous Wave-Free Ratio, and Fractional Flow Reserve. Circulation Journal, 2019, 83, 2210-2221.	0.7	37
31	Incidence and clinical significance of myocardial bridging with ECG-gated 16-row MDCT coronary angiography. International Journal of Cardiovascular Imaging, 2008, 24, 445-452.	0.7	36
32	Tissue Doppler Imaging as a Prognostic Marker for Cardiovascular Events in Heart Failure with Preserved Ejection Fraction and Atrial Fibrillation. Journal of the American Society of Echocardiography, 2010, 23, 755-761.	1.2	36
33	Incidence and predictors of silent embolic cerebral infarction following diagnostic coronary angiography. International Journal of Cardiology, 2011, 148, 179-182.	0.8	35
34	Optimization of Stent Deployment by Intravascular Ultrasound. Korean Journal of Internal Medicine, 2012, 27, 30.	0.7	35
35	Impact of Home-Based Exercise Training with Wireless Monitoring on Patients with Acute Coronary Syndrome Undergoing Percutaneous Coronary Intervention. Journal of Korean Medical Science, 2013, 28, 564.	1.1	33
36	The Practice Pattern of Percutaneous Coronary Intervention in Korea: Based on Year 2014 Cohort of Korean Percutaneous Coronary Intervention (K-PCI) Registry. Korean Circulation Journal, 2017, 47, 320.	0.7	33

#	ARTICLE	IF	CITATIONS
37	Usefulness of Tissue Doppler Imagingâ€”Myocardial Performance Index in the Evaluation of Diastolic Dysfunction and Heart Failure With Preserved Ejection Fraction. <i>Clinical Cardiology</i> , 2011, 34, 494-499.	0.7	31
38	The Current Status of Percutaneous Coronary Intervention in Korea: Based on Year 2014 Cohort of Korean Percutaneous Coronary Intervention (K-PCI) Registry. <i>Korean Circulation Journal</i> , 2017, 47, 328.	0.7	31
39	NOAC Adherence of Patients with Atrial Fibrillation in the Real World: Dosing Frequency Matters?. <i>Thrombosis and Haemostasis</i> , 2020, 120, 306-313.	1.8	31
40	Analysis of proteome and transcriptome of tumor necrosis factor γ stimulated vascular smooth muscle cells with or without alpha lipoic acid. <i>Proteomics</i> , 2004, 4, 3383-3393.	1.3	30
41	The Correlation of Left Atrial Volume Index to the Level of Nâ€”terminal Proâ€”BNP in Heart Failure with a Preserved Ejection Fraction. <i>Echocardiography</i> , 2008, 25, 961-967.	0.3	30
42	Culprit-Lesion-Only Versus Multivessel Revascularization Using Drug-Eluting Stents in Patients With ST-Segment Elevation Myocardial Infarction: A Korean Acute Myocardial Infarction Registry-Based Analysis. <i>Korean Circulation Journal</i> , 2011, 41, 718.	0.7	30
43	Usefulness of Coronary Pressure Measurement for Functional Evaluation of Drug-Eluting Stent Restenosis. <i>American Journal of Cardiology</i> , 2011, 107, 1783-1786.	0.7	30
44	Prognostic Effects of Treatment Strategies for Left Main Versus Non-Left Main Bifurcation Percutaneous Coronary Intervention With Current-Generation Drug-Eluting Stent. <i>Circulation: Cardiovascular Interventions</i> , 2020, 13, e008543.	1.4	30
45	The Current Status of Percutaneous Coronary Intervention in Korea: Based on Year 2014 & 2016 Cohort of Korean Percutaneous Coronary Intervention (K-PCI) Registry. <i>Korean Circulation Journal</i> , 2019, 49, 1136.	0.7	29
46	High post-clopidogrel platelet reactivity assessed by a point-of-care assay predicts long-term clinical outcomes in patients with ST-segment elevation myocardial infarction who underwent primary coronary stenting. <i>International Journal of Cardiology</i> , 2013, 167, 1877-1881.	0.8	28
47	Different Impact of Diabetes Mellitus on In-Hospital and 1-Year Mortality in Patients with Acute Myocardial Infarction Who Underwent Successful Percutaneous Coronary Intervention: Results from the Korean Acute Myocardial Infarction Registry. <i>Korean Journal of Internal Medicine</i> , 2012, 27, 180.	0.7	27
48	Impact of the Metabolic Syndrome on the Clinical Outcome of Patients with Acute ST-Elevation Myocardial Infarction. <i>Journal of Korean Medical Science</i> , 2010, 25, 1456.	1.1	26
49	Intravascular modalityâ€”guided versus angiographyâ€”guided percutaneous coronary intervention in acute myocardial infarction. <i>Catheterization and Cardiovascular Interventions</i> , 2020, 95, 696-703.	0.7	25
50	Clinical Effects of Hypertension on the Mortality of Patients with Acute Myocardial Infarction. <i>Journal of Korean Medical Science</i> , 2009, 24, 800.	1.1	23
51	Paclitaxel- Versus Sirolimus-Eluting Stents for Treatment of ST-Segment Elevation Myocardial Infarction. <i>JACC: Cardiovascular Interventions</i> , 2010, 3, 498-506.	1.1	23
52	Efficacy and Safety of Adding Omega-3 Fatty Acids in Statin-treated Patients with Residual Hypertriglyceridemia: ROMANTIC (Rosuvastatin-OMAcor iN residual hyperTriglyCeridemia), a Randomized, Double-blind, and Placebo-controlled Trial. <i>Clinical Therapeutics</i> , 2018, 40, 83-94.	1.1	23
53	Two-dimensional strain or strain rate findings in mild to moderate diastolic dysfunction with preserved ejection fraction. <i>Heart and Vessels</i> , 2011, 26, 39-45.	0.5	22
54	Usefulness of Frequency Domain Optical Coherence Tomography Compared with Intravascular Ultrasound as a Guidance for Percutaneous Coronary Intervention. <i>Journal of Interventional Cardiology</i> , 2016, 29, 216-224.	0.5	22

#	ARTICLE	IF	CITATIONS
55	Prognostic Implications of the NT-ProBNP Level and Left Atrial Size in Non-Ischemic Dilated Cardiomyopathy. <i>Circulation Journal</i> , 2008, 72, 1658-1665.	0.7	21
56	Combination of Uric Acid and NT-ProBNP: A More Useful Prognostic Marker for Short-Term Clinical Outcomes in Patients with Acute Heart Failure. <i>Korean Journal of Internal Medicine</i> , 2010, 25, 253.	0.7	21
57	Trends in Oral Anticoagulation Therapy Among Korean Patients With Atrial Fibrillation: The KORean Atrial Fibrillation Investigation. <i>Korean Circulation Journal</i> , 2012, 42, 113.	0.7	21
58	Optimization of Percutaneous Coronary Intervention Using Optical Coherence Tomography. <i>Korean Circulation Journal</i> , 2019, 49, 771.	0.7	21
59	Relationship between early diastolic strain rate imaging and left ventricular geometric patterns in hypertensive patients. <i>Heart and Vessels</i> , 2008, 23, 271-278.	0.5	20
60	Distal protection device protects microvascular integrity during primary percutaneous intervention in acute myocardial infarction: A prospective, randomized, multicenter trial. <i>International Journal of Cardiology</i> , 2008, 123, 162-168.	0.8	20
61	Late-acquired incomplete stent apposition: morphologic characterization. <i>Cardiovascular Revascularization Medicine</i> , 2009, 10, 236-246.	0.3	20
62	Uric Acid as Prognostic Marker in Advanced Nonischemic Dilated Cardiomyopathy: Comparison With N-Terminal Pro B-type Natriuretic Peptide Level. <i>Congestive Heart Failure</i> , 2010, 16, 153-158.	2.0	20
63	Comparison of 2-year mortality according to obesity in stabilized patients with type 2 diabetes mellitus after acute myocardial infarction: results from the DIAMOND prospective cohort registry. <i>Cardiovascular Diabetology</i> , 2015, 14, 141.	2.7	19
64	Long-Term Clinical Outcomes of Nonhyperemic Pressure Ratios: Resting Full-Cycle Ratio, Diastolic Pressure Ratio, and Instantaneous Wave-Free Ratio. <i>Journal of the American Heart Association</i> , 2020, 9, e016818.	1.6	19
65	Decreased Glomerular Filtration Rate is an Independent Predictor of In-Hospital Mortality in Patients With ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>Korean Circulation Journal</i> , 2011, 41, 184.	0.7	18
66	Association of promoter region single nucleotide polymorphisms at positions 819C/T and 592C/A of interleukin 10 gene with ischemic heart disease. <i>Inflammation Research</i> , 2012, 61, 899-905.	1.6	18
67	Sex Differences in Neointimal Hyperplasia Following Endeavor Zotarolimus-Eluting Stent Implantation. <i>American Journal of Cardiology</i> , 2011, 108, 912-917.	0.7	17
68	Efficacy of postdeployment balloon dilatation for current generation stents as assessed by intravascular ultrasound. <i>American Journal of Cardiology</i> , 2001, 88, 1114-1119.	0.7	16
69	Cilostazol inhibits high glucose- and angiotensin II-induced type 1 plasminogen activator inhibitor expression in artery wall and neointimal region after vascular injury. <i>Atherosclerosis</i> , 2009, 207, 391-398.	0.4	16
70	Characteristics of Function-Anatomy Mismatch in Patients with Coronary Artery Disease. <i>Korean Circulation Journal</i> , 2014, 44, 394.	0.7	16
71	Discrepancy between frequency domain optical coherence tomography and intravascular ultrasound in human coronary arteries and in a phantom in vitro coronary model. <i>International Journal of Cardiology</i> , 2016, 221, 860-866.	0.8	16
72	A randomized clinical trial comparing long-term clopidogrel vs aspirin monotherapy beyond dual antiplatelet therapy after drug-eluting coronary stent implantation: Design and rationale of the Harmonizing Optimal Strategy for Treatment of coronary artery stenosis-Extended Antiplatelet Monotherapy (HOST-EXAM) trial. <i>American Heart Journal</i> , 2017, 185, 17-25.	1.2	16

#	ARTICLE	IF	CITATIONS
73	Clinical Outcomes and Therapeutic Strategy in Patients With Acute Myocardial Infarction According to Renal Function Data From the Korean Acute Myocardial Infarction Registry. <i>Circulation Journal</i> , 2008, 72, 1410-1418.	0.7	15
74	Comparison of 5-Year Clinical Outcomes Between Sirolimus-Versus Paclitaxel-Eluting Stent. <i>Circulation: Cardiovascular Interventions</i> , 2012, 5, 174-184.	1.4	14
75	Predictors for Side Branch Failure During Provisional Strategy of Coronary Intervention for Bifurcation Lesions (from the Korean Bifurcation Registry). <i>American Journal of Cardiology</i> , 2016, 118, 797-803.	0.7	14
76	Influence of Anatomical and Clinical Characteristics on Long-Term Prognosis of FFR-Guided Deferred Coronary Lesions. <i>JACC: Cardiovascular Interventions</i> , 2020, 13, 1907-1916.	1.1	14
77	Intracardiac multichamber thrombi in a patient with combined protein C and protein S deficiencies. <i>International Journal of Cardiology</i> , 2005, 100, 505-506.	0.8	13
78	Determination of Safe Contrast Media Dosage to Estimated Glomerular Filtration Rate Ratios to Avoid Contrast-Induced Nephropathy After Elective Percutaneous Coronary Intervention. <i>Korean Circulation Journal</i> , 2011, 41, 265.	0.7	12
79	Clopidogrel versus Aspirin after Dual Antiplatelet Therapy in Acute Myocardial Infarction Patients Undergoing Drug-Eluting Stenting. <i>Korean Circulation Journal</i> , 2020, 50, 120.	0.7	12
80	Long-term outcomes of simple crossover stenting from the left main to the left anterior descending coronary artery. <i>Korean Journal of Internal Medicine</i> , 2014, 29, 597.	0.7	12
81	Association of cardio-ankle vascular index with diastolic heart function in hypertensive patients. <i>Clinical and Experimental Hypertension</i> , 2014, 36, 200-205.	0.5	11
82	Detection of Clopidogrel Hyporesponsiveness Using a Point-of-Care Assay and the Impact of Additional Cilostazol Administration after Coronary Stent Implantation in Diabetic Patients. <i>Korean Journal of Internal Medicine</i> , 2011, 26, 145.	0.7	11
83	Comparison of Ezetimibe/Simvastatin 10/20 mg Versus Atorvastatin 20 mg in Achieving a Target Low Density Lipoprotein-Cholesterol Goal for Patients With Very High Risk. <i>Korean Circulation Journal</i> , 2011, 41, 149.	0.7	10
84	The impact of catheter ablation of atrial fibrillation on the left atrial volume and function: study using three-dimensional echocardiography. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2020, 57, 87-95.	0.6	10
85	Ten-Year Trends in Coronary Bifurcation Percutaneous Coronary Intervention: Prognostic Effects of Patient and Lesion Characteristics, Devices, and Techniques. <i>Journal of the American Heart Association</i> , 2021, 10, e021632.	1.6	10
86	Dyslipidemia and Rate of Under-Target Low-Density Lipoprotein-Cholesterol in Patients with Coronary Artery Disease in Korea. <i>Journal of Lipid and Atherosclerosis</i> , 2019, 8, 242.	1.1	10
87	Two-Year Clinical Outcomes After Large Coronary Stent (4.0 mm) Placement: Comparison of Bare-Metal Stent Versus Drug-Eluting Stent. <i>Clinical Cardiology</i> , 2010, 33, 620-625.	0.7	9
88	The impact of a dose of the angiotensin receptor blocker valsartan on post-myocardial infarction ventricular remodelling. <i>ESC Heart Failure</i> , 2018, 5, 354-363.	1.4	9
89	Effect of Valsartan on N-Terminal Pro-Brain Natriuretic Peptide in Patient With Stable Chronic Heart Failure: Comparison With Enalapril. <i>Korean Circulation Journal</i> , 2011, 41, 61.	0.7	8
90	Long-Term Safety and Efficacy of Pitavastatin in Patients With Acute Myocardial Infarction (from the Tj ETQq0 0 0 rgBT /Overlock 10 Tf	0.7	8

#	ARTICLE	IF	CITATIONS
91	Prognostic Value of Tricuspid Annular Tissue Doppler Velocity in Heart Failure with Atrial Fibrillation. <i>Journal of the American Society of Echocardiography</i> , 2012, 25, 436-443.	1.2	8
92	Association between Doppler Flow of Atrial Fibrillatory Contraction and Recurrence of Atrial Fibrillation after Electrical Cardioversion. <i>Journal of the American Society of Echocardiography</i> , 2014, 27, 1107-1112.	1.2	8
93	Evaluation of the impact of statin therapy on the obesity paradox in patients with acute myocardial infarction. <i>Medicine (United States)</i> , 2017, 96, e7180.	0.4	8
94	Early Follow-Up Optical Coherence Tomographic Findings of Significant Drug-Eluting Stent Malapposition. <i>Circulation: Cardiovascular Interventions</i> , 2018, 11, e007192.	1.4	8
95	Comparison of optical coherence tomographyâ€“guided versus intravascular ultrasoundâ€“guided percutaneous coronary intervention: Rationale and design of a randomized, controlled OCTIVUS trial. <i>American Heart Journal</i> , 2020, 228, 72-80.	1.2	8
96	The Implication of Cardiac Injury Score on In-hospital Mortality of Coronavirus Disease 2019. <i>Journal of Korean Medical Science</i> , 2020, 35, e349.	1.1	8
97	Zotarolimus-eluting stent-induced hypersensitivity pneumonitis. <i>Korean Journal of Internal Medicine</i> , 2013, 28, 108.	0.7	8
98	The benefits of the earlier use of sacubitril/valsartan in de novo heart failure with reduced ejection fraction patients. <i>ESC Heart Failure</i> , 2022, 9, 2435-2444.	1.4	8
99	Potentials of Cystatin C and Uric Acid for Predicting Prognosis of Heart Failure. <i>Congestive Heart Failure</i> , 2013, 19, 123-129.	2.0	7
100	Left Ventricular Twist and Ventricularâ€“Arterial Coupling in Hypertensive Patients. <i>Echocardiography</i> , 2014, 31, 1274-1282.	0.3	7
101	A comparison of tissue prolapse with optical coherence tomography and intravascular ultrasound after drug-eluting stent implantation. <i>International Journal of Cardiovascular Imaging</i> , 2015, 31, 21-29.	0.7	7
102	5-Year Outcome of Simple Crossover Stenting in Coronary Bifurcation Lesions Compared With Side Branch Opening. <i>JACC Asia</i> , 2021, 1, 53-64.	0.5	7
103	Ablation of persistent atrial fibrillation based on high density voltage mapping and complex fractionated atrial electrograms. <i>Medicine (United States)</i> , 2021, 100, e26702.	0.4	7
104	Pragmatic trial comparing routine versus no routine functional testing in high-risk patients who underwent percutaneous coronary intervention: Rationale and design of POST-PCI trial. <i>American Heart Journal</i> , 2020, 224, 156-165.	1.2	7
105	Spontaneous coronary artery dissection diagnosed by intravascular ultrasound and followed up by cardiac computed tomography. <i>Korean Journal of Internal Medicine</i> , 2013, 28, 370.	0.7	7
106	Effectiveness and Safety of Zotarolimus-Eluting Stent (Resoluteâ„¢, Integrity) in Patients with Diffuse Long Coronary Artery Disease. <i>Korean Circulation Journal</i> , 2019, 49, 709.	0.7	7
107	Estrategia Ã³ptima para el tratamiento de lesiones en bifurcaci3n del tronco coronario izquierdo. <i>Revista Espanola De Cardiologia</i> , 2020, 74, 691-691.	0.6	7
108	Impact of High-Normal Blood Pressure Measured in Emergency Room on Adverse Cardiac Events in Acute Myocardial Infarction. <i>Korean Circulation Journal</i> , 2012, 42, 304.	0.7	6

#	ARTICLE	IF	CITATIONS
109	A Prospective, Randomized Comparison of Promus Everolimus-Eluting and TAXUS Liberte Paclitaxel-Eluting Stent Systems in Patients with Coronary Artery Disease Eligible for Percutaneous Coronary Intervention: The PROMISE Study. <i>Journal of Korean Medical Science</i> , 2013, 28, 1609.	1.1	6
110	Fever after primary percutaneous coronary intervention in ST-segment elevation myocardial infarction is associated with adverse outcomes. <i>International Journal of Cardiology</i> , 2014, 170, 376-380.	0.8	6
111	Long-Term Patient-Related and Lesion-Related Outcomes After Real-World Fractional Flow Reserve Use. <i>Journal of Invasive Cardiology</i> , 2015, 27, 410-5.	0.4	6
112	Therapeutic Strategy for In-Stent Restenosis Based on the Restenosis Pattern After Drug-Eluting Stent Implantation. <i>Korean Circulation Journal</i> , 2009, 39, 408.	0.7	5
113	Long-Term Clinical Outcomes according to Initial Management and Thrombolysis In Myocardial Infarction Risk Score in Patients with Acute Non-ST-Segment Elevation Myocardial Infarction. <i>Yonsei Medical Journal</i> , 2010, 51, 58.	0.9	5
114	Two-year Clinical Outcomes of Patients with Long Segments Drug-Eluting Stents: Comparison of Sirolimus-Eluting Stent with Paclitaxel-Eluting Stent. <i>Journal of Korean Medical Science</i> , 2011, 26, 1299.	1.1	5
115	Comparing Two-Stent Strategies for Bifurcation Coronary Lesions: Which Vessel Should be Stented First, the Main Vessel or the Side Branch?. <i>Journal of Korean Medical Science</i> , 2011, 26, 1031.	1.1	5
116	Practical Application of Coronary Imaging Devices in Cardiovascular Intervention. <i>Korean Circulation Journal</i> , 2015, 45, 87.	0.7	5
117	Comparison of Outcomes After Percutaneous Coronary Intervention for Chronic Total Occlusion Using Everolimus- Versus Sirolimus- Versus Paclitaxel-Eluting Stents (from the Korean National) <i>Tj ETQq1 1 0.784304 rgBT /@verlock</i>		
118	Impact of low high-density lipoprotein-cholesterol level on 2-year clinical outcomes after acute myocardial infarction in patients with diabetes mellitus. <i>Lipids in Health and Disease</i> , 2016, 15, 197.	1.2	5
119	Clinical impact of diabetes mellitus on 2-year clinical outcomes following PCI with second-generation drug-eluting stents; Landmark analysis findings from patient registry: Pooled analysis of the Korean multicenter drug-eluting stent registry. <i>PLoS ONE</i> , 2020, 15, e0234362.	1.1	5
120	Comparative effect of angiotensin converting enzyme inhibitor versus angiotensin ii type i receptor blocker in acute myocardial infarction with non-obstructive coronary arteries; from the Korea Acute Myocardial Infarction Registry " National Institute of Health. <i>Cardiology Journal</i> , 2021, 28, 738-745.	0.5	5
121	An electrical storm with more than 3000 shocks in a patient with an implantable cardioverter-defibrillator: Is jet-lag a trigger?. <i>International Journal of Cardiology</i> , 2005, 104, 235-237.	0.8	4
122	Spontaneous chordae rupture of tricuspid valve in patient with chronic renal failure"†. <i>European Journal of Echocardiography</i> , 2006, 9, 58-9.	2.3	4
123	Long-Term Clinical Outcomes After Angiographically Defined Very Late Stent Thrombosis of Drug-Eluting Stent. <i>Clinical Cardiology</i> , 2009, 32, 526-529.	0.7	4
124	Relationship Between Obesity and N-Terminal Brain Natriuretic Peptide Level as a Prognostic Value After Acute Myocardial Infarction. <i>Korean Circulation Journal</i> , 2010, 40, 558.	0.7	4
125	Randomized trial comparing the efficacy between different types of paclitaxel-eluting stents: The comparison of Efficacy between COroflex PLEASE ANd Taxus stent (ECO-PLEASANT) randomized controlled trial. <i>American Heart Journal</i> , 2013, 165, 733-743.	1.2	4
126	Two-Year Safety and Efficacy of Biodegradable Polymer Drug-Eluting Stent Versus Second-Generation Durable Polymer Drug-Eluting Stent in Patients With Acute Myocardial Infarction: Data from the Korea Acute Myocardial Infarction Registry (<scp>KAMIR</scp>). <i>Clinical Cardiology</i> , 2016, 39, 276-284.	0.7	4

#	ARTICLE	IF	CITATIONS
127	Comparison of Drug-Eluting Stents in Acute Myocardial Infarction Patients with Chronic Kidney Disease. Korean Journal of Internal Medicine, 2012, 27, 397.	0.7	4
128	Long Term Clinical Outcomes in Patients with Moderate Aortic Stenosis. Heart Surgery Forum, 2020, 23, E358-E365.	0.2	4
129	Two-year intravascular ultrasound observations in diabetic patients treated with single and double dose sirolimus-eluting stents: results of the double dose diabetes (3D) study. Journal of Invasive Cardiology, 2008, 20, 411-6.	0.4	4
130	Acute coronary artery occlusion following intravascular ultrasound examination. International Journal of Cardiology, 2006, 108, 422-423.	0.8	3
131	Two-Year Outcomes of the Sirolimus-Eluting Stent According to Unprotected Left Main Lesion. Clinical Cardiology, 2009, 32, 332-336.	0.7	3
132	Clinical and Angiographic Outcomes of Drug-Eluting Stents in Patients With Large Vessel and Single Coronary Artery Lesion. Clinical Cardiology, 2010, 33, 340-344.	0.7	3
133	Clinical Benefit of Low Molecular Weight Heparin for ST-segment Elevation Myocardial Infarction Patients Undergoing Primary Percutaneous Coronary Intervention with Glycoprotein IIb/IIIa Inhibitor. Journal of Korean Medical Science, 2010, 25, 1601.	1.1	3
134	The impact of dose of the angiotensin-receptor blocker valsartan on the post-myocardial infarction ventricular remodeling: study protocol for a randomized controlled trial. Trials, 2011, 12, 247.	0.7	3
135	The Efficacy of the Cystatin C Based Glomerular Filtration Rate in the Estimation of Safe Contrast Media Volume. Korean Circulation Journal, 2013, 43, 622.	0.7	3
136	Long-term outcomes of intravascular ultrasound-guided implantation of bare metal stents versus drug-eluting stents in primary percutaneous coronary intervention. Korean Journal of Internal Medicine, 2014, 29, 66.	0.7	3
137	Loeffler's Endocarditis due to Idiopathic Hypereosinophilic Syndrome. Journal of Cardiovascular Imaging, 2008, 16, 136.	0.8	3
138	Clinical Results of Drug-Coated Balloon Treatment in a Large-Scale Multicenter Korean Registry Study. Korean Circulation Journal, 2022, 52, .	0.7	3
139	Serial Intravascular Ultrasonic Study of Outcomes of Coronary Culprit Lesions With Plaque Rupture Following Bare Metal Stent Implantation in Patients With Angina Pectoris. American Journal of Cardiology, 2007, 99, 1394-1398.	0.7	2
140	A Case of Stent Strut Fracture of a Paclitaxel-Eluting Stent at the Time of Stent Implantation in a Complex Coronary Lesion. Korean Circulation Journal, 2008, 38, 387.	0.7	2
141	Comparison of Long-Term Outcomes Following Sirolimus-Eluting Stent vs Paclitaxel-Eluting Stent Implantation in Patients with Long Calcified Coronary Lesions. Clinical Cardiology, 2009, 32, 633-638.	0.7	2
142	Pulmonary emboli originating from infective endocarditis of the mitral valve migrating through an atrial septal defect. International Journal of Cardiology, 2009, 133, e3-e5.	0.8	2
143	A Multicenter, Eight-Week Treatment, Single-Step Titration, Open-Label Study Assessing the Percentage of Korean Dyslipidemic Patients Achieving LDL Cholesterol Target with Atorvastatin Starting Doses of 10mg, 20mg and 40mg. Cardiovascular Drugs and Therapy, 2010, 24, 181-188.	1.3	2
144	A Case of In-Stent Neointimal Plaque Rupture 10 Years After Bare Metal Stent Implantation: Intravascular Ultrasound and Optical Coherence Tomographic Findings. Korean Circulation Journal, 2011, 41, 671.	0.7	2

#	ARTICLE	IF	CITATIONS
145	Clinical Outcomes in Patients with Deferred Coronary Lesions according to Disease Severity Assessed by Fractional Flow Reserve. <i>Journal of Korean Medical Science</i> , 2016, 31, 1929.	1.1	2
146	Long-Term Comparison of Platinum Chromium Everolimus-Eluting Stent vs. Cobalt Chromium Zotarolimus-Eluting Stent—3-Year Outcomes From the HOST—ASSURE Randomized Clinical Trial. <i>Circulation Journal</i> , 2019, 83, 1489-1497.	0.7	2
147	A case report of a recurrent early and late Bioresorbable vascular scaffold thrombosis: serial angiography and optical coherence tomography findings. <i>BMC Cardiovascular Disorders</i> , 2020, 20, 146.	0.7	2
148	Six-Month versus Twelve-Month Dual Antiplatelet Therapy after Implantation of Drug-Eluting Stents. <i>Circulation</i> , 2011, , 1.	1.6	2
149	Efficacy and safety of antiplatelet-combination therapy after drug-eluting stent implantation. <i>Korean Journal of Internal Medicine</i> , 2014, 29, 210.	0.7	2
150	Early efficacy and safety of statin therapy in Korean patients with hypercholesterolemia: Daegu and Gyeongbuk Statin Registry. <i>Korean Journal of Internal Medicine</i> , 2020, 35, 342-350.	0.7	2
151	Comparison of Sirolimus and Paclitaxel-Eluting Stents for Complex Coronary Lesions: An Intravascular Ultrasound Study. <i>Korean Journal of Internal Medicine</i> , 2009, 24, 323.	0.7	2
152	Intensity of Statin Treatment in Korean Patients with Acute Myocardial Infarction and Very Low LDL Cholesterol. <i>Journal of Lipid and Atherosclerosis</i> , 2019, 8, 208.	1.1	2
153	Osstem Cardiotec Centum Stent Versus Xience Alpine Stent for De Novo Coronary Artery Lesion: A Multicenter, Randomized, Parallel-Designed, Single Blind Test. <i>Korean Circulation Journal</i> , 2022, 52, 354.	0.7	2
154	Free floating thrombus exiting the left ventricle. <i>European Heart Journal Cardiovascular Imaging</i> , 2008, 9, 417-418.	0.5	1
155	Efficacies of the new Paclitaxel-eluting Coroflex Please, Stent in percutaneous coronary intervention; comparison of efficacy between Coroflex Please, and Taxus, (ECO-PLEASANT) trial: study rationale and design. <i>Trials</i> , 2009, 10, 98.	0.7	1
156	Extensive Late-Acquired Incomplete Stent Apposition After Sirolimus-Eluting Stent Implantation. <i>Korean Circulation Journal</i> , 2010, 40, 50.	0.7	1
157	A Case of Intra- and Extra-Mural Hematomas During Recanalization for Chronic Total Occlusion. <i>Korean Circulation Journal</i> , 2010, 40, 596.	0.7	1
158	The Impact of Moderate to Severe Renal Insufficiency on Patients With Acute Myocardial Infarction. <i>Korean Circulation Journal</i> , 2011, 41, 308.	0.7	1
159	Comparison of Current and Novel ECG-Independent Algorithms for Resting Pressure Derived Physiologic Indices. <i>IEEE Access</i> , 2019, 7, 144313-144323.	2.6	1
160	Blood Pressure at 6 Months After Acute Myocardial Infarction and Outcomes at 2 Years: The Perils Associated With Excessively Low Blood Pressures. <i>Canadian Journal of Cardiology</i> , 2020, 36, 1641-1648.	0.8	1
161	High density mapping guided partial antral ablation for a pulmonary vein isolation. <i>Scientific Reports</i> , 2021, 11, 16563.	1.6	1
162	Clinical outcomes between different stent designs with the same polymer and drug: comparison between the Taxus Express and Taxus Liberte stents. <i>Korean Journal of Internal Medicine</i> , 2013, 28, 72.	0.7	1

#	ARTICLE	IF	CITATIONS
163	Clinical Impact of Lesion Complexity on 2-Year Outcomes After Zotarolimus-Eluting Stents Implantation. JACC Asia, 2021, , .	0.5	1
164	Late-acquired incomplete stent apposition after everolimus-eluting stent versus sirolimus-eluting stent implantation in patients with non-ST-segment elevation myocardial infarction and ST-segment elevation myocardial infarction. EuroIntervention, 2016, 12, e979-e986.	1.4	1
165	Optical Coherence Tomography: Defined Plaque Erosion after Removal of a Coronary Guidewire. Korean Circulation Journal, 2019, 49, 879.	0.7	1
166	Spontaneous Closure of Ventricular Septal Defect Complicated with Acute Myocardial Infarction. Echocardiography, 2008, 25, 781-783.	0.3	0
167	Response to Letter Regarding Article, "Optimal Duration of Dual Antiplatelet Therapy After Drug-Eluting Stent Implantation: A Randomized, Controlled Trial" Circulation, 2014, 130, e161-2.	1.6	0
168	IVUS: Post-Evaluation After Stenting. , 2018, , 63-73.		0
169	Optimal strategy for side branch treatment in patients with left main coronary bifurcation lesions. Revista Espanola De Cardiologia (English Ed), 2021, 74, 691-699.	0.4	0
170	Quantification of Large Pericardial Effusion by Two-Dimensional Echocardiography. Journal of the Korean Society of Echocardiography, 1995, 3, 196.	0.0	0
171	Coil Embolization for Supra-annular Rupture during Transcatheter Aortic Valve Replacement under Extracorporeal Membrane Oxygenation Support. Korean Circulation Journal, 2021, 52, .	0.7	0