

Seung-Ho Hur

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4260700/publications.pdf>

Version: 2024-02-01

171
papers

5,509
citations

126708

33
h-index

91712

69
g-index

171
all docs

171
docs citations

171
times ranked

5067
citing authors

#	ARTICLE	IF	CITATIONS
1	Osstem Cardiotec Centum Stent Versus Xience Alpine Stent for De Novo Coronary Artery Lesion: A Multicenter, Randomized, Parallel-Designed, Single Blind Test. Korean Circulation Journal, 2022, 52, 354.	0.7	2
2	Clinical Results of Drug-Coated Balloon Treatment in a Large-Scale Multicenter Korean Registry Study. Korean Circulation Journal, 2022, 52, .	0.7	3
3	The benefits of the earlier use of sacubitril/valsartan in de novo heart failure with reduced ejection fraction patients. ESC Heart Failure, 2022, 9, 2435-2444.	1.4	8
4	Optimal strategy for side branch treatment in patients with left main coronary bifurcation lesions. Revista Espanola De Cardiologia (English Ed), 2021, 74, 691-699.	0.4	0
5	Aspirin versus clopidogrel for chronic maintenance monotherapy after percutaneous coronary intervention (HOST-EXAM): an investigator-initiated, prospective, randomised, open-label, multicentre trial. Lancet, The, 2021, 397, 2487-2496.	6.3	162
6	5-Year Outcome of Simple Crossover Stenting in Coronary Bifurcation Lesions Compared With Side Branch Opening. JACC Asia, 2021, 1, 53-64.	0.5	7
7	Ablation of persistent atrial fibrillation based on high density voltage mapping and complex fractionated atrial electrograms. Medicine (United States), 2021, 100, e26702.	0.4	7
8	High density mapping guided partial antral ablation for a pulmonary vein isolation. Scientific Reports, 2021, 11, 16563.	1.6	1
9	Comparative effect of angiotensin converting enzyme inhibitor versus angiotensin ii type i receptor blocker in acute myocardial infarction with non-obstructive coronary arteries; from the Korea Acute Myocardial Infarction Registry " National Institute of Health. Cardiology Journal, 2021, 28, 738-745.	0.5	5
10	Ten-Year Trends in Coronary Bifurcation Percutaneous Coronary Intervention: Prognostic Effects of Patient and Lesion Characteristics, Devices, and Techniques. Journal of the American Heart Association, 2021, 10, e021632.	1.6	10
11	Unguided de-escalation from ticagrelor to clopidogrel in stabilised patients with acute myocardial infarction undergoing percutaneous coronary intervention (TALOS-AMI): an investigator-initiated, open-label, multicentre, non-inferiority, randomised trial. Lancet, The, 2021, 398, 1305-1316.	6.3	87
12	Clinical Impact of Lesion Complexity on 2-Year Outcomes After Zotarolimus-Eluting Stents Implantation. JACC Asia, 2021, , .	0.5	1
13	Coil Embolization for Supra-annular Rupture during Transcatheter Aortic Valve Replacement under Extracorporeal Membrane Oxygenation Support. Korean Circulation Journal, 2021, 52, .	0.7	0
14	Intravascular modality-guided versus angiography-guided percutaneous coronary intervention in acute myocardial infarction. Catheterization and Cardiovascular Interventions, 2020, 95, 696-703.	0.7	25
15	NOAC Adherence of Patients with Atrial Fibrillation in the Real World: Dosing Frequency Matters?. Thrombosis and Haemostasis, 2020, 120, 306-313.	1.8	31
16	The impact of catheter ablation of atrial fibrillation on the left atrial volume and function: study using three-dimensional echocardiography. Journal of Interventional Cardiac Electrophysiology, 2020, 57, 87-95.	0.6	10
17	Long-Term Clinical Outcomes of Nonhyperemic Pressure Ratios: Resting Full-Cycle Ratio, Diastolic Pressure Ratio, and Instantaneous Wave-Free Ratio. Journal of the American Heart Association, 2020, 9, e016818.	1.6	19
18	Influence of Anatomical and Clinical Characteristics on Long-Term Prognosis of FFR-Guided Deferred Coronary Lesions. JACC: Cardiovascular Interventions, 2020, 13, 1907-1916.	1.1	14

#	ARTICLE	IF	CITATIONS
19	Comparison of optical coherence tomographyâ€‘guided versus intravascular ultrasoundâ€‘guided percutaneous coronary intervention: Rationale and design of a randomized, controlled OCTIVUS trial. <i>American Heart Journal</i> , 2020, 228, 72-80.	1.2	8
20	Clinical impact of diabetes mellitus on 2-year clinical outcomes following PCI with second-generation drug-eluting stents; Landmark analysis findings from patient registry: Pooled analysis of the Korean multicenter drug-eluting stent registry. <i>PLoS ONE</i> , 2020, 15, e0234362.	1.1	5
21	A case report of a recurrent early and late Bioresorbable vascular scaffold thrombosis: serial angiography and optical coherence tomography findings. <i>BMC Cardiovascular Disorders</i> , 2020, 20, 146.	0.7	2
22	Prognostic Effects of Treatment Strategies for Left Main Versus Non-Left Main Bifurcation Percutaneous Coronary Intervention With Current-Generation Drug-Eluting Stent. <i>Circulation: Cardiovascular Interventions</i> , 2020, 13, e008543.	1.4	30
23	Clopidogrel versus Aspirin after Dual Antiplatelet Therapy in Acute Myocardial Infarction Patients Undergoing Drug-Eluting Stenting. <i>Korean Circulation Journal</i> , 2020, 50, 120.	0.7	12
24	Blood Pressure at 6 Months After Acute Myocardial Infarction and Outcomes at 2 Years: The Perils Associated With Excessively Low Blood Pressures. <i>Canadian Journal of Cardiology</i> , 2020, 36, 1641-1648.	0.8	1
25	Pragmatic trial comparing routine versus no routine functional testing in high-risk patients who underwent percutaneous coronary intervention: Rationale and design of POST-PCI trial. <i>American Heart Journal</i> , 2020, 224, 156-165.	1.2	7
26	The Implication of Cardiac Injury Score on In-hospital Mortality of Coronavirus Disease 2019. <i>Journal of Korean Medical Science</i> , 2020, 35, e349.	1.1	8
27	Early efficacy and safety of statin therapy in Korean patients with hypercholesterolemia: Daegu and Gyeongbuk Statin Registry. <i>Korean Journal of Internal Medicine</i> , 2020, 35, 342-350.	0.7	2
28	Long Term Clinical Outcomes in Patients with Moderate Aortic Stenosis. <i>Heart Surgery Forum</i> , 2020, 23, E358-E365.	0.2	4
29	Estrategia Ã³ptima para el tratamiento de lesiones en bifurcaci3n del tronco coronario izquierdo. <i>Revista Espanola De Cardiologia</i> , 2020, 74, 691-691.	0.6	7
30	Clinical Outcome of Lesions With Discordant Results Among Different Invasive Physiologic Indicesâ€‘ Resting Distal Coronary to Aortic Pressure Ratio, Resting Full-Cycle Ratio, Diastolic Pressure Ratio, Instantaneous Wave-Free Ratio, and Fractional Flow Reserve â€‘. <i>Circulation Journal</i> , 2019, 83, 2210-2221.	0.7	37
31	Physiologic Characteristics and Clinical Outcomes of Patients With Discordance Between FFR and iFR. <i>JACC: Cardiovascular Interventions</i> , 2019, 12, 2018-2031.	1.1	56
32	Comparison of Current and Novel ECG-Independent Algorithms for Resting Pressure Derived Physiologic Indices. <i>IEEE Access</i> , 2019, 7, 144313-144323.	2.6	1
33	Long-Term Comparison of Platinum Chromium Everolimus-Eluting Stent vs. Cobalt Chromium Zotarolimus-Eluting Stentâ€‘ 3-Year Outcomes From the HOSTâ€‘ASSURE Randomized Clinical Trial â€‘. <i>Circulation Journal</i> , 2019, 83, 1489-1497.	0.7	2
34	5-Year Outcomes According to FFR of Left Circumflex Coronary Artery After Left Main Crossover Stenting. <i>JACC: Cardiovascular Interventions</i> , 2019, 12, 847-855.	1.1	38
35	The Current Status of Percutaneous Coronary Intervention in Korea: Based on Year 2014 & 2016 Cohort of Korean Percutaneous Coronary Intervention (K-PCI) Registry. <i>Korean Circulation Journal</i> , 2019, 49, 1136.	0.7	29
36	Physiological and Clinical Assessment of Resting Physiological Indexes. <i>Circulation</i> , 2019, 139, 889-900.	1.6	90

#	ARTICLE	IF	CITATIONS
37	Dyslipidemia and Rate of Under-Target Low-Density Lipoprotein-Cholesterol in Patients with Coronary Artery Disease in Korea. <i>Journal of Lipid and Atherosclerosis</i> , 2019, 8, 242.	1.1	10
38	Effectiveness and Safety of Zotarolimus-Eluting Stent (Resolute [®] , ϕ Integrity) in Patients with Diffuse Long Coronary Artery Disease. <i>Korean Circulation Journal</i> , 2019, 49, 709.	0.7	7
39	Optimization of Percutaneous Coronary Intervention Using Optical Coherence Tomography. <i>Korean Circulation Journal</i> , 2019, 49, 771.	0.7	21
40	Optical Coherence Tomography: Defined Plaque Erosion after Removal of a Coronary Guidewire. <i>Korean Circulation Journal</i> , 2019, 49, 879.	0.7	1
41	Intensity of Statin Treatment in Korean Patients with Acute Myocardial Infarction and Very Low LDL Cholesterol. <i>Journal of Lipid and Atherosclerosis</i> , 2019, 8, 208.	1.1	2
42	Early Strut Coverage in Patients Receiving Drug-Eluting Stents and its Implications for Dual Antiplatelet Therapy. <i>JACC: Cardiovascular Imaging</i> , 2018, 11, 1810-1819.	2.3	38
43	The impact of a dose of the angiotensin receptor blocker valsartan on post ∞ myocardial infarction ventricular remodelling. <i>ESC Heart Failure</i> , 2018, 5, 354-363.	1.4	9
44	6-month versus 12-month or longer dual antiplatelet therapy after percutaneous coronary intervention in patients with acute coronary syndrome (SMART-DATE): a randomised, open-label, non-inferiority trial. <i>Lancet, The</i> , 2018, 391, 1274-1284.	6.3	261
45	IVUS: Post-Evaluation After Stenting. , 2018, , 63-73.		0
46	Efficacy and Safety of Adding Omega-3 Fatty Acids in Statin-treated Patients with Residual Hypertriglyceridemia: ROMANTIC (Rosuvastatin-OMAcor iN residual hyperTrlglyCeridemia), a Randomized, Double-blind, and Placebo-controlled Trial. <i>Clinical Therapeutics</i> , 2018, 40, 83-94.	1.1	23
47	Early Follow-Up Optical Coherence Tomographic Findings of Significant Drug-Eluting Stent Malapposition. <i>Circulation: Cardiovascular Interventions</i> , 2018, 11, e007192.	1.4	8
48	A randomized clinical trial comparing long-term clopidogrel vs aspirin monotherapy beyond dual antiplatelet therapy after drug-eluting coronary stent implantation: Design and rationale of the Harmonizing Optimal Strategy for Treatment of coronary artery stenosis-Extended Antiplatelet Monotherapy (HOST-EXAM) trial. <i>American Heart Journal</i> , 2017, 185, 17-25.	1.2	16
49	Evaluation of the impact of statin therapy on the obesity paradox in patients with acute myocardial infarction. <i>Medicine (United States)</i> , 2017, 96, e7180.	0.4	8
50	The Current Status of Percutaneous Coronary Intervention in Korea: Based on Year 2014 Cohort of Korean Percutaneous Coronary Intervention (K-PCI) Registry. <i>Korean Circulation Journal</i> , 2017, 47, 328.	0.7	31
51	The Practice Pattern of Percutaneous Coronary Intervention in Korea: Based on Year 2014 Cohort of Korean Percutaneous Coronary Intervention (K-PCI) Registry. <i>Korean Circulation Journal</i> , 2017, 47, 320.	0.7	33
52	Clinical Outcomes in Patients with Deferred Coronary Lesions according to Disease Severity Assessed by Fractional Flow Reserve. <i>Journal of Korean Medical Science</i> , 2016, 31, 1929.	1.1	2
53	Usefulness of Frequency Domain Optical Coherence Tomography Compared with Intravascular Ultrasound as a Guidance for Percutaneous Coronary Intervention. <i>Journal of Interventional Cardiology</i> , 2016, 29, 216-224.	0.5	22
54	Discrepancy between frequency domain optical coherence tomography and intravascular ultrasound in human coronary arteries and in a phantom in vitro coronary model. <i>International Journal of Cardiology</i> , 2016, 221, 860-866.	0.8	16

#	ARTICLE	IF	CITATIONS
55	Two-Year Safety and Efficacy of Biodegradable Polymer Drug-Eluting Stent Versus Second-Generation Durable Polymer Drug-Eluting Stent in Patients With Acute Myocardial Infarction: Data from the Korea Acute Myocardial Infarction Registry (<sc>KAMIR</sc>). <i>Clinical Cardiology</i> , 2016, 39, 276-284.	0.7	4
56	Impact of low high-density lipoprotein-cholesterol level on 2-year clinical outcomes after acute myocardial infarction in patients with diabetes mellitus. <i>Lipids in Health and Disease</i> , 2016, 15, 197.	1.2	5
57	Predictors for Side Branch Failure During Provisional Strategy of Coronary Intervention for Bifurcation Lesions (from the Korean Bifurcation Registry). <i>American Journal of Cardiology</i> , 2016, 118, 797-803.	0.7	14
58	Late-acquired incomplete stent apposition after everolimus-eluting stent versus sirolimus-eluting stent implantation in patients with non-ST-segment elevation myocardial infarction and ST-segment elevation myocardial infarction. <i>EuroIntervention</i> , 2016, 12, e979-e986.	1.4	1
59	Comparison of 2-year mortality according to obesity in stabilized patients with type 2 diabetes mellitus after acute myocardial infarction: results from the DIAMOND prospective cohort registry. <i>Cardiovascular Diabetology</i> , 2015, 14, 141.	2.7	19
60	Practical Application of Coronary Imaging Devices in Cardiovascular Intervention. <i>Korean Circulation Journal</i> , 2015, 45, 87.	0.7	5
61	Comparison of Outcomes After Percutaneous Coronary Intervention for Chronic Total Occlusion Using Everolimus- Versus Sirolimus- Versus Paclitaxel-Eluting Stents (from the Korean National) <i>Tj ETQq1 1 0.7843d4 rgBT /@verlock 10</i>		
62	A comparison of tissue prolapse with optical coherence tomography and intravascular ultrasound after drug-eluting stent implantation. <i>International Journal of Cardiovascular Imaging</i> , 2015, 31, 21-29.	0.7	7
63	OCT-Defined Morphological Characteristics of Coronary Artery Spasm Sites in Vasospastic Angina. <i>JACC: Cardiovascular Imaging</i> , 2015, 8, 1059-1067.	2.3	88
64	Effect of Intravascular Ultrasound-Guided vs Angiography-Guided Everolimus-Eluting Stent Implantation. <i>JAMA - Journal of the American Medical Association</i> , 2015, 314, 2155.	3.8	418
65	Long-Term Patient-Related and Lesion-Related Outcomes After Real-World Fractional Flow Reserve Use. <i>Journal of Invasive Cardiology</i> , 2015, 27, 410-5.	0.4	6
66	Characteristics of Function-Anatomy Mismatch in Patients with Coronary Artery Disease. <i>Korean Circulation Journal</i> , 2014, 44, 394.	0.7	16
67	Response to Letter Regarding Article, "Optimal Duration of Dual Antiplatelet Therapy After Drug-Eluting Stent Implantation: A Randomized, Controlled Trial". <i>Circulation</i> , 2014, 130, e161-2.	1.6	0
68	Left Ventricular Twist and Ventricular Arterial Coupling in Hypertensive Patients. <i>Echocardiography</i> , 2014, 31, 1274-1282.	0.3	7
69	A Randomized Comparison of Platinum Chromium-Based Everolimus-Eluting Stents Versus Cobalt Chromium-Based Zotarolimus-Eluting Stents in All-Corers Receiving Percutaneous Coronary Intervention. <i>Journal of the American College of Cardiology</i> , 2014, 63, 2805-2816.	1.2	80
70	Fever after primary percutaneous coronary intervention in ST-segment elevation myocardial infarction is associated with adverse outcomes. <i>International Journal of Cardiology</i> , 2014, 170, 376-380.	0.8	6
71	Optimal Duration of Dual Antiplatelet Therapy After Drug-Eluting Stent Implantation. <i>Circulation</i> , 2014, 129, 304-312.	1.6	263
72	Association of cardio-ankle vascular index with diastolic heart function in hypertensive patients. <i>Clinical and Experimental Hypertension</i> , 2014, 36, 200-205.	0.5	11

#	ARTICLE	IF	CITATIONS
73	Association between Doppler Flow of Atrial Fibrillatory Contraction and Recurrence of Atrial Fibrillation after Electrical Cardioversion. <i>Journal of the American Society of Echocardiography</i> , 2014, 27, 1107-1112.	1.2	8
74	Long-term outcomes of intravascular ultrasound-guided implantation of bare metal stents versus drug-eluting stents in primary percutaneous coronary intervention. <i>Korean Journal of Internal Medicine</i> , 2014, 29, 66.	0.7	3
75	Efficacy and safety of antiplatelet-combination therapy after drug-eluting stent implantation. <i>Korean Journal of Internal Medicine</i> , 2014, 29, 210.	0.7	2
76	Long-term outcomes of simple crossover stenting from the left main to the left anterior descending coronary artery. <i>Korean Journal of Internal Medicine</i> , 2014, 29, 597.	0.7	12
77	Impact of intravascular ultrasound-guided percutaneous coronary intervention on long-term clinical outcomes in a real world population. <i>Catheterization and Cardiovascular Interventions</i> , 2013, 81, 407-416.	0.7	49
78	High post-clopidogrel platelet reactivity assessed by a point-of-care assay predicts long-term clinical outcomes in patients with ST-segment elevation myocardial infarction who underwent primary coronary stenting. <i>International Journal of Cardiology</i> , 2013, 167, 1877-1881.	0.8	28
79	Randomized trial comparing the efficacy between different types of paclitaxel-eluting stents: The comparison of Efficacy between COroflex PLEASE ANd Taxus stent (ECO-PLEASANT) randomized controlled trial. <i>American Heart Journal</i> , 2013, 165, 733-743.	1.2	4
80	Comparison of Early Strut Coverage Between Zotarolimus- and Everolimus-Eluting Stents Using Optical Coherence Tomography. <i>American Journal of Cardiology</i> , 2013, 111, 1-5.	0.7	54
81	Potentials of Cystatin C and Uric Acid for Predicting Prognosis of Heart Failure. <i>Congestive Heart Failure</i> , 2013, 19, 123-129.	2.0	7
82	Impact of Home-Based Exercise Training with Wireless Monitoring on Patients with Acute Coronary Syndrome Undergoing Percutaneous Coronary Intervention. <i>Journal of Korean Medical Science</i> , 2013, 28, 564.	1.1	33
83	The Efficacy of the Cystatin C Based Glomerular Filtration Rate in the Estimation of Safe Contrast Media Volume. <i>Korean Circulation Journal</i> , 2013, 43, 622.	0.7	3
84	A Prospective, Randomized Comparison of Promus Everolimus-Eluting and TAXUS Liberte Paclitaxel-Eluting Stent Systems in Patients with Coronary Artery Disease Eligible for Percutaneous Coronary Intervention: The PROMISE Study. <i>Journal of Korean Medical Science</i> , 2013, 28, 1609.	1.1	6
85	Zotarolimus-eluting stent-induced hypersensitivity pneumonitis. <i>Korean Journal of Internal Medicine</i> , 2013, 28, 108.	0.7	8
86	Clinical outcomes between different stent designs with the same polymer and drug: comparison between the Taxus Express and Taxus Liberte stents. <i>Korean Journal of Internal Medicine</i> , 2013, 28, 72.	0.7	1
87	Spontaneous coronary artery dissection diagnosed by intravascular ultrasound and followed up by cardiac computed tomography. <i>Korean Journal of Internal Medicine</i> , 2013, 28, 370.	0.7	7
88	Comparison of 5-Year Clinical Outcomes Between Sirolimus-Versus Paclitaxel-Eluting Stent. <i>Circulation: Cardiovascular Interventions</i> , 2012, 5, 174-184.	1.4	14
89	Six-Month Versus 12-Month Dual Antiplatelet Therapy After Implantation of Drug-Eluting Stents. <i>Circulation</i> , 2012, 125, 505-513.	1.6	555
90	Prognostic Value of Tricuspid Annular Tissue Doppler Velocity in Heart Failure with Atrial Fibrillation. <i>Journal of the American Society of Echocardiography</i> , 2012, 25, 436-443.	1.2	8

#	ARTICLE	IF	CITATIONS
91	Comparison of neointimal coverage between zotarolimus-eluting stent and everolimus-eluting stent using Optical Coherence Tomography (COVER OCT). <i>American Heart Journal</i> , 2012, 163, 601-607.	1.2	44
92	Everolimus-Eluting Stent Implantation for Unprotected Left Main Coronary Artery Stenosis. <i>JACC: Cardiovascular Interventions</i> , 2012, 5, 708-717.	1.1	75
93	Trends in Oral Anticoagulation Therapy Among Korean Patients With Atrial Fibrillation: The Korean Atrial Fibrillation Investigation. <i>Korean Circulation Journal</i> , 2012, 42, 113.	0.7	21
94	Impact of High-Normal Blood Pressure Measured in Emergency Room on Adverse Cardiac Events in Acute Myocardial Infarction. <i>Korean Circulation Journal</i> , 2012, 42, 304.	0.7	6
95	Association of promoter region single nucleotide polymorphisms at positions $\sim 819C/T$ and $\sim 592C/A$ of interleukin 10 gene with ischemic heart disease. <i>Inflammation Research</i> , 2012, 61, 899-905.	1.6	18
96	Optimization of Stent Deployment by Intravascular Ultrasound. <i>Korean Journal of Internal Medicine</i> , 2012, 27, 30.	0.7	35
97	Different Impact of Diabetes Mellitus on In-Hospital and 1-Year Mortality in Patients with Acute Myocardial Infarction Who Underwent Successful Percutaneous Coronary Intervention: Results from the Korean Acute Myocardial Infarction Registry. <i>Korean Journal of Internal Medicine</i> , 2012, 27, 180.	0.7	27
98	Comparison of Drug-Eluting Stents in Acute Myocardial Infarction Patients with Chronic Kidney Disease. <i>Korean Journal of Internal Medicine</i> , 2012, 27, 397.	0.7	4
99	Everolimus-Eluting Versus Sirolimus-Eluting Stents in Patients Undergoing Percutaneous Coronary Intervention. <i>Journal of the American College of Cardiology</i> , 2011, 58, 1844-1854.	1.2	137
100	Incidence and predictors of silent embolic cerebral infarction following diagnostic coronary angiography. <i>International Journal of Cardiology</i> , 2011, 148, 179-182.	0.8	35
101	Decreased Glomerular Filtration Rate is an Independent Predictor of In-Hospital Mortality in Patients With ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>Korean Circulation Journal</i> , 2011, 41, 184.	0.7	18
102	Two-year Clinical Outcomes of Patients with Long Segments Drug-Eluting Stents: Comparison of Sirolimus-Eluting Stent with Paclitaxel-Eluting Stent. <i>Journal of Korean Medical Science</i> , 2011, 26, 1299.	1.1	5
103	Relationship between Chemerin Levels and Cardiometabolic Parameters and Degree of Coronary Stenosis in Korean Patients with Coronary Artery Disease. <i>Diabetes and Metabolism Journal</i> , 2011, 35, 248.	1.8	49
104	Culprit-Lesion-Only Versus Multivessel Revascularization Using Drug-Eluting Stents in Patients With ST-Segment Elevation Myocardial Infarction: A Korean Acute Myocardial Infarction Registry-Based Analysis. <i>Korean Circulation Journal</i> , 2011, 41, 718.	0.7	30
105	Fractional Flow Reserve Versus Angiography in Left Circumflex Ostial Intervention After Left Main Crossover Stenting. <i>Korean Circulation Journal</i> , 2011, 41, 304.	0.7	44
106	A Case of In-Stent Neointimal Plaque Rupture 10 Years After Bare Metal Stent Implantation: Intravascular Ultrasound and Optical Coherence Tomographic Findings. <i>Korean Circulation Journal</i> , 2011, 41, 671.	0.7	2
107	Effect of Valsartan on N-Terminal Pro-Brain Natriuretic Peptide in Patient With Stable Chronic Heart Failure: Comparison With Enalapril. <i>Korean Circulation Journal</i> , 2011, 41, 61.	0.7	8
108	The Impact of Moderate to Severe Renal Insufficiency on Patients With Acute Myocardial Infarction. <i>Korean Circulation Journal</i> , 2011, 41, 308.	0.7	1

#	ARTICLE	IF	CITATIONS
109	Comparing Two-Stent Strategies for Bifurcation Coronary Lesions: Which Vessel Should be Stented First, the Main Vessel or the Side Branch?. <i>Journal of Korean Medical Science</i> , 2011, 26, 1031.	1.1	5
110	Determination of Safe Contrast Media Dosage to Estimated Glomerular Filtration Rate Ratios to Avoid Contrast-Induced Nephropathy After Elective Percutaneous Coronary Intervention. <i>Korean Circulation Journal</i> , 2011, 41, 265.	0.7	12
111	Comparison of Ezetimibe/Simvastatin 10/20 mg Versus Atorvastatin 20 mg in Achieving a Target Low Density Lipoprotein-Cholesterol Goal for Patients With Very High Risk. <i>Korean Circulation Journal</i> , 2011, 41, 149.	0.7	10
112	Usefulness of Coronary Pressure Measurement for Functional Evaluation of Drug-Eluting Stent Restenosis. <i>American Journal of Cardiology</i> , 2011, 107, 1783-1786.	0.7	30
113	Relation of Fractional Flow Reserve After Drug-Eluting Stent Implantation to One-Year Outcomes. <i>American Journal of Cardiology</i> , 2011, 107, 1763-1767.	0.7	78
114	Sex Differences in Neointimal Hyperplasia Following Endeavor Zotarolimus-Eluting Stent Implantation. <i>American Journal of Cardiology</i> , 2011, 108, 912-917.	0.7	17
115	Long-Term Safety and Efficacy of Pitavastatin in Patients With Acute Myocardial Infarction (from the Tj ETQq1 1 0.784314 rgBT /Overlo	0.7	8
116	Usefulness of Tissue Doppler Imagingâ€œMyocardial Performance Index in the Evaluation of Diastolic Dysfunction and Heart Failure With Preserved Ejection Fraction. <i>Clinical Cardiology</i> , 2011, 34, 494-499.	0.7	31
117	Two-dimensional strain or strain rate findings in mild to moderate diastolic dysfunction with preserved ejection fraction. <i>Heart and Vessels</i> , 2011, 26, 39-45.	0.5	22
118	The impact of dose of the angiotensin-receptor blocker valsartan on the post-myocardial infarction ventricular remodeling: study protocol for a randomized controlled trial. <i>Trials</i> , 2011, 12, 247.	0.7	3
119	Optimal Intravascular Ultrasound Criteria and Their Accuracy for Defining the Functional Significance of Intermediate Coronary Stenoses of Different Locations. <i>JACC: Cardiovascular Interventions</i> , 2011, 4, 803-811.	1.1	153
120	Six-Month versus Twelve-Month Dual Antiplatelet Therapy after Implantation of Drug-Eluting Stents. <i>Circulation</i> , 2011, , 1.	1.6	2
121	Detection of Clopidogrel Hyporesponsiveness Using a Point-of-Care Assay and the Impact of Additional Cilostazol Administration after Coronary Stent Implantation in Diabetic Patients. <i>Korean Journal of Internal Medicine</i> , 2011, 26, 145.	0.7	11
122	Relationship Between Obesity and N-Terminal Brain Natriuretic Peptide Level as a Prognostic Value After Acute Myocardial Infarction. <i>Korean Circulation Journal</i> , 2010, 40, 558.	0.7	4
123	Gender Differences in Clinical Features and Inâ€œhospital Outcomes in STâ€œsegment Elevation Acute Myocardial Infarction: From the Korean Acute Myocardial Infarction Registry (KAMIR) Study. <i>Clinical Cardiology</i> , 2010, 33, E1-6.	0.7	38
124	Clinical and Angiographic Outcomes of Drugâ€œEluting Stents in Patients With Large Vessel and Single Coronary Artery Lesion. <i>Clinical Cardiology</i> , 2010, 33, 340-344.	0.7	3
125	Twoâ€œYear Clinical Outcomes After Large Coronary Stent (4.0 mm) Placement: Comparison of Bareâ€œMetal Stent Versus Drugâ€œEluting Stent. <i>Clinical Cardiology</i> , 2010, 33, 620-625.	0.7	9
126	Paclitaxel- Versus Sirolimus-Eluting Stents for Treatment of ST-Segment Elevation Myocardial Infarction. <i>JACC: Cardiovascular Interventions</i> , 2010, 3, 498-506.	1.1	23

#	ARTICLE	IF	CITATIONS
127	Outcomes of Percutaneous Coronary Intervention in Intermediate Coronary Artery Disease. <i>JACC: Cardiovascular Interventions</i> , 2010, 3, 812-817.	1.1	84
128	A Multicenter, Eight-Week Treatment, Single-Step Titration, Open-Label Study Assessing the Percentage of Korean Dyslipidemic Patients Achieving LDL Cholesterol Target with Atorvastatin Starting Doses of 10Åmg, 20Åmg and 40Åmg. <i>Cardiovascular Drugs and Therapy</i> , 2010, 24, 181-188.	1.3	2
129	Uric Acid as Prognostic Marker in Advanced Nonischemic Dilated Cardiomyopathy: Comparison With Nâ€¢Terminal Pro Bâ€¢Type Natriuretic Peptide Level. <i>Congestive Heart Failure</i> , 2010, 16, 153-158.	2.0	20
130	Combination of Uric Acid and NT-ProBNP: A More Useful Prognostic Marker for Short-Term Clinical Outcomes in Patients with Acute Heart Failure. <i>Korean Journal of Internal Medicine</i> , 2010, 25, 253.	0.7	21
131	Extensive Late-Acquired Incomplete Stent Apposition After Sirolimus-Eluting Stent Implantation. <i>Korean Circulation Journal</i> , 2010, 40, 50.	0.7	1
132	Clinical Benefit of Low Molecular Weight Heparin for ST-segment Elevation Myocardial Infarction Patients Undergoing Primary Percutaneous Coronary Intervention with Glycoprotein IIb/IIIa Inhibitor. <i>Journal of Korean Medical Science</i> , 2010, 25, 1601.	1.1	3
133	A Case of Intra- and Extra-Mural Hematomas During Recanalization for Chronic Total Occlusion. <i>Korean Circulation Journal</i> , 2010, 40, 596.	0.7	1
134	Long-Term Clinical Outcomes according to Initial Management and Thrombolysis In Myocardial Infarction Risk Score in Patients with Acute Non-ST-Segment Elevation Myocardial Infarction. <i>Yonsei Medical Journal</i> , 2010, 51, 58.	0.9	5
135	Impact of the Metabolic Syndrome on the Clinical Outcome of Patients with Acute ST-Elevation Myocardial Infarction. <i>Journal of Korean Medical Science</i> , 2010, 25, 1456.	1.1	26
136	Anatomic and Functional Evaluation of Bifurcation Lesions Undergoing Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Interventions</i> , 2010, 3, 113-119.	1.4	149
137	Duration of Dual Antiplatelet Therapy after Implantation of Drug-Eluting Stents. <i>New England Journal of Medicine</i> , 2010, 362, 1374-1382.	13.9	486
138	Tissue Doppler Imaging as a Prognostic Marker for Cardiovascular Events in Heart Failure with Preserved Ejection Fraction and Atrial Fibrillation. <i>Journal of the American Society of Echocardiography</i> , 2010, 23, 755-761.	1.2	36
139	Comparison of Zotarolimus-Eluting Stents With Sirolimus- and Paclitaxel-Eluting Stents for Coronary Revascularization. <i>Journal of the American College of Cardiology</i> , 2010, 56, 1187-1195.	1.2	143
140	Therapeutic Strategy for In-Stent Restenosis Based on the Restenosis Pattern After Drug-Eluting Stent Implantation. <i>Korean Circulation Journal</i> , 2009, 39, 408.	0.7	5
141	Clinical Effects of Hypertension on the Mortality of Patients with Acute Myocardial Infarction. <i>Journal of Korean Medical Science</i> , 2009, 24, 800.	1.1	23
142	Late-acquired incomplete stent apposition: morphologic characterization. <i>Cardiovascular Revascularization Medicine</i> , 2009, 10, 236-246.	0.3	20
143	Efficacies of the new Paclitaxel-eluting Coroflex Pleaseâ„¢ Stent in percutaneous coronary intervention; comparison of efficacy between Coroflex Pleaseâ„¢,â„¢ and Taxusâ„¢,â„¢ (ECO-PLEASANT) trial: study rationale and design. <i>Trials</i> , 2009, 10, 98.	0.7	1
144	Twoâ€¢Year Outcomes of the Sirolimusâ€¢Eluting Stent According to Unprotected Left Main Lesion. <i>Clinical Cardiology</i> , 2009, 32, 332-336.	0.7	3

#	ARTICLE	IF	CITATIONS
145	Comparison of Long-term Outcomes Following Sirolimus-eluting Stent vs Paclitaxel-eluting Stent Implantation in Patients with Long Calcified Coronary Lesions. <i>Clinical Cardiology</i> , 2009, 32, 633-638.	0.7	2
146	Long-term Clinical Outcomes After Angiographically Defined Very Late Stent Thrombosis of Drug-eluting Stent. <i>Clinical Cardiology</i> , 2009, 32, 526-529.	0.7	4
147	Pulmonary emboli originating from infective endocarditis of the mitral valve migrating through an atrial septal defect. <i>International Journal of Cardiology</i> , 2009, 133, e3-e5.	0.8	2
148	Cilostazol inhibits high glucose- and angiotensin II-induced type 1 plasminogen activator inhibitor expression in artery wall and neointimal region after vascular injury. <i>Atherosclerosis</i> , 2009, 207, 391-398.	0.4	16
149	Comparison of Sirolimus and Paclitaxel-Eluting Stents for Complex Coronary Lesions: An Intravascular Ultrasound Study. <i>Korean Journal of Internal Medicine</i> , 2009, 24, 323.	0.7	2
150	Incidence and clinical significance of myocardial bridging with ECG-gated 16-row MDCT coronary angiography. <i>International Journal of Cardiovascular Imaging</i> , 2008, 24, 445-452.	0.7	36
151	Relationship between early diastolic strain rate imaging and left ventricular geometric patterns in hypertensive patients. <i>Heart and Vessels</i> , 2008, 23, 271-278.	0.5	20
152	Spontaneous Closure of Ventricular Septal Defect Complicated with Acute Myocardial Infarction. <i>Echocardiography</i> , 2008, 25, 781-783.	0.3	0
153	The Correlation of Left Atrial Volume Index to the Level of N-terminal Pro-BNP in Heart Failure with a Preserved Ejection Fraction. <i>Echocardiography</i> , 2008, 25, 961-967.	0.3	30
154	Distal protection device protects microvascular integrity during primary percutaneous intervention in acute myocardial infarction: A prospective, randomized, multicenter trial. <i>International Journal of Cardiology</i> , 2008, 123, 162-168.	0.8	20
155	Comparison of vascular response to zotarolimus-eluting stent versus sirolimus-eluting stent: Intravascular ultrasound results from ENDEAVOR III. <i>American Heart Journal</i> , 2008, 155, 108-113.	1.2	81
156	Free floating thrombus exiting the left ventricle. <i>European Heart Journal Cardiovascular Imaging</i> , 2008, 9, 417-418.	0.5	1
157	Randomized Comparison of Cilostazol vs Clopidogrel After Drug-Eluting Stenting in Diabetic Patients Cilostazol for Diabetic Patients in Drug-Eluting Stent (CIDES) Trial. <i>Circulation Journal</i> , 2008, 72, 35-39.	0.7	46
158	Prognostic Implications of the NT-ProBNP Level and Left Atrial Size in Non-Ischemic Dilated Cardiomyopathy. <i>Circulation Journal</i> , 2008, 72, 1658-1665.	0.7	21
159	Clinical Outcomes and Therapeutic Strategy in Patients With Acute Myocardial Infarction According to Renal Function Data From the Korean Acute Myocardial Infarction Registry. <i>Circulation Journal</i> , 2008, 72, 1410-1418.	0.7	15
160	A Case of Stent Strut Fracture of a Paclitaxel-Eluting Stent at the Time of Stent Implantation in a Complex Coronary Lesion. <i>Korean Circulation Journal</i> , 2008, 38, 387.	0.7	2
161	Loeffler's Endocarditis due to Idiopathic Hypereosinophilic Syndrome. <i>Journal of Cardiovascular Imaging</i> , 2008, 16, 136.	0.8	3
162	Two-year intravascular ultrasound observations in diabetic patients treated with single and double dose sirolimus-eluting stents: results of the double dose diabetes (3D) study. <i>Journal of Invasive Cardiology</i> , 2008, 20, 411-6.	0.4	4

#	ARTICLE	IF	CITATIONS
163	Serial Intravascular Ultrasonic Study of Outcomes of Coronary Culprit Lesions With Plaque Rupture Following Bare Metal Stent Implantation in Patients With Angina Pectoris. <i>American Journal of Cardiology</i> , 2007, 99, 1394-1398.	0.7	2
164	Acute coronary artery occlusion following intravascular ultrasound examination. <i>International Journal of Cardiology</i> , 2006, 108, 422-423.	0.8	3
165	Spontaneous chordae rupture of tricuspid valve in patient with chronic renal failure. <i>European Journal of Echocardiography</i> , 2006, 9, 58-9.	2.3	4
166	Intracardiac multichamber thrombi in a patient with combined protein C and protein S deficiencies. <i>International Journal of Cardiology</i> , 2005, 100, 505-506.	0.8	13
167	An electrical storm with more than 3000 shocks in a patient with an implantable cardioverter-defibrillator: Is jet-lag a trigger?. <i>International Journal of Cardiology</i> , 2005, 104, 235-237.	0.8	4
168	Analysis of proteome and transcriptome of tumor necrosis factor γ stimulated vascular smooth muscle cells with or without alpha lipoic acid. <i>Proteomics</i> , 2004, 4, 3383-3393.	1.3	30
169	7-Hexanoyleluting Stent for Prevention of Neointimal Growth. <i>Circulation</i> , 2002, 106, 1788-1793.	1.6	89
170	Efficacy of postdeployment balloon dilatation for current generation stents as assessed by intravascular ultrasound. <i>American Journal of Cardiology</i> , 2001, 88, 1114-1119.	0.7	16
171	Quantification of Large Pericardial Effusion by Two-Dimensional Echocardiography. <i>Journal of the Korean Society of Echocardiography</i> , 1995, 3, 196.	0.0	0