RafaÅ, SuwiÅ,,ski

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4260986/publications.pdf

Version: 2024-02-01

74 papers 1,909 citations

331259 21 h-index 264894 42 g-index

74 all docs

74 docs citations

74 times ranked 2632 citing authors

| # | Article | IF | Citations |
|----|--|--------------------|-------------------|
| 1 | Development of immunity-related adverse events correlates with baseline clinical factors, survival and response to anti-PD-1 treatment in patients with inoperable or metastatic melanoma. Journal of Dermatological Treatment, 2022, 33, 2168-2174. | 1.1 | 5 |
| 2 | Long-Term Outcomes of Targeted Therapy after First-Line Immunotherapy in BRAF-Mutated Advanced Cutaneous Melanoma Patients—Real-World Evidence. Journal of Clinical Medicine, 2022, 11, 2239. | 1.0 | 6 |
| 3 | Systemic treatment in patients with malignant pleural mesothelioma – real life experience. BMC Cancer, 2022, 22, 432. | 1.1 | 2 |
| 4 | Long Term Results and Prognostic Biomarkers for Anti-PD1 Immunotherapy Used after BRAFi/MEKi Combination in Advanced Cutaneous Melanoma Patients. Cancers, 2022, 14, 2123. | 1.7 | 2 |
| 5 | Sequential treatment with targeted and immune checkpoint inhibitor therapies in patients with BRAF positive metastatic melanoma: Real-world data Journal of Clinical Oncology, 2022, 40, e21539-e21539. | 0.8 | 1 |
| 6 | Is the BRAF mutation still an unfavorable risk factor in patients with metastatic melanoma in the era of modern therapies?. Journal of Clinical Oncology, 2022, 40, e21544-e21544. | 0.8 | 0 |
| 7 | Tumor regression grading after preoperative hyperfractionated radiotherapy/chemoradiotherapy for locally advanced rectal cancers: interim analysis of phase III clinical study. Neoplasma, 2021, 68, 631-637. | 0.7 | 1 |
| 8 | First-line treatment of advanced/metastatic melanoma with anti-PD-1 antibodies: multicenter experience in Poland. Immunotherapy, 2021, 13, 297-307. | 1.0 | 6 |
| 9 | Prophylactic cranial irradiation in SCLC. Translational Lung Cancer Research, 2021, 10, 2071-2078. | 1.3 | 7 |
| 10 | Polymorphisms in EGFR Gene Predict Clinical Outcome in Unresectable Non-Small Cell Lung Cancer Treated with Radiotherapy and Platinum-Based Chemoradiotherapy. International Journal of Molecular Sciences, 2021, 22, 5605. | 1.8 | 9 |
| 11 | Chemotherapy and radiotherapy in locally advanced head and neck cancer: an individual patient data network meta-analysis. Lancet Oncology, The, 2021, 22, 727-736. | 5.1 | 45 |
| 12 | Combination of immunotherapy and radiotherapy in the treatment of brain metastases from non-small cell lung cancer. Journal of Thoracic Disease, 2021, 13, 3315-3322. | 0.6 | 11 |
| 13 | Comparison of the efficacy and toxicity of anti-PD-1 monoclonal antibodies (nivolumab versus) Tj ETQq1 1 0.784 2021, 39, e21514-e21514. | l314 rgBT / 0.8 | /Overlock 10 2 |
| 14 | NGS Analysis of Liquid Biopsy (LB) and Formalin-Fixed Paraffin-Embedded (FFPE) Melanoma Samples Using Oncomineâ,,¢ Pan-Cancer Cell-Free Assay. Genes, 2021, 12, 1080. | 1.0 | 4 |
| 15 | Anti-programmed cell death-1 therapy in octogenarian and nonagenarian advanced/metastatic melanoma patients. Melanoma Research, 2021, 31, 49-57. | 0.6 | 4 |
| 16 | A nomogram model based on peripheral blood lymphocyte subsets to assess the prognosis of non-small cell lung cancer patients treated with immune checkpoint inhibitors. Translational Lung Cancer Research, 2021, 10, 4511-4525. | 1.3 | 6 |
| 17 | Mathematical model predicts response to chemotherapy in advanced non-resectable non-small cell lung cancer patients treated with platinum-based doublet. PLoS Computational Biology, 2020, 16, e1008234. | 1.5 | 12 |
| 18 | BRAF and MEK inhibitors rechallenge as effective treatment for patients with metastatic melanoma. Melanoma Research, 2020, 30, 465-471. | 0.6 | 14 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Efficacy of ipilimumab after anti-PD-1 therapy in sequential treatment of metastatic melanoma patients - Real world evidence. Advances in Medical Sciences, 2020, 65, 316-323. | 0.9 | 12 |
| 20 | Overweight is associated with better prognosis in metastatic colorectal cancer patients treated with bevacizumab plus FOLFOX chemotherapy. Wspolczesna Onkologia, 2020, 24, 34-41. | 0.7 | 4 |
| 21 | Significance of HPV16 Viral Load Testing in Anal Cancer. Pathology and Oncology Research, 2020, 26, 2191-2199. | 0.9 | 7 |
| 22 | Correlation of immunity-related adverse events with survival and response to anti-PD-1 treatment in patients with metastatic melanoma Journal of Clinical Oncology, 2020, 38, e15164-e15164. | 0.8 | 0 |
| 23 | Randomised clinical trial on 7-days-a-week postoperative radiotherapy vs. concurrent postoperative radio-chemotherapy in locally advanced cancer of the oral cavity/oropharynx. British Journal of Radiology, 2020, 93, 20200288. | 1.0 | 0 |
| 24 | Towards Personalized Radio-Chemotherapy – Learning from Clinical Data vs. Model Optimization. Lecture Notes in Computer Science, 2020, , 371-379. | 1.0 | 0 |
| 25 | Long-course preoperative chemoradiation versus 5 \tilde{A} — 5 Gy and consolidation chemotherapy for clinical T4 and fixed clinical T3 rectal cancer: long-term results of the randomized Polish II study. Annals of Oncology, 2019, 30, 1298-1303. | 0.6 | 163 |
| 26 | Blood serum proteins as biomarkers for prediction of survival, locoregional control and distant metastasis rate in radiotherapy and radio-chemotherapy for non-small cell lung cancer. BMC Cancer, 2019, 19, 427. | 1.1 | 21 |
| 27 | Immune checkpoint inhibitors therapy in older patients (≥ 70 years) with metastatic melanoma: a multicentre study. Postepy Dermatologii I Alergologii, 2019, 36, 566-571. | 0.4 | 13 |
| 28 | Detection of circulating HPV16 DNA as a biomarker in the blood of patients with human papillomavirusâ€positive oropharyngeal squamous cell carcinoma. Head and Neck, 2019, 41, 632-641. | 0.9 | 19 |
| 29 | Prediction of lung cancer patients' response to combined chemo-radiotherapy using a personalized hybrid model. Mathematica Applicanda, 2019, 47, . | 0.2 | 1 |
| 30 | High baseline neutrophil-to-lymphocyte ratio predicts worse outcome in patients with metastatic BRAF-positive melanoma treated with BRAF and MEK inhibitors. Melanoma Research, 2018, 28, 435-441. | 0.6 | 9 |
| 31 | Radiobiological rationale for Stereotactic Hypofractionated Radiosurgery (SHRS) Part I. LQED2 or BED formalism. Nowotwory, 2018, 68, 8-14. | 0.1 | 2 |
| 32 | Radiobiological rationale for stereotactic hypofractionated radiosurgery Part II. Normal tissue tolerance â€" dose constraints. Nowotwory, 2018, 68, 79-86. | 0.1 | 0 |
| 33 | Pre-operative hyperfractionated concurrent radiochemotherapy for locally advanced rectal cancers: a phase II clinical study. British Journal of Radiology, 2017, 90, 20160731. | 1.0 | 4 |
| 34 | Role of radiotherapy fractionation in head and neck cancers (MARCH): an updated meta-analysis. Lancet Oncology, The, 2017, 18, 1221-1237. | 5.1 | 226 |
| 35 | Cell-cycle gene expression analysis using real time PCR in locally advanced squamous-cell head and neck cancer. Advances in Medical Sciences, 2016, 61, 293-299. | 0.9 | 3 |
| 36 | Alpha/beta ($\langle i \rangle \hat{1} \pm \hat{1}^2 \langle i \rangle$) ratio for prostate cancer derived from external beam radiotherapy and brachytherapy boost. British Journal of Radiology, 2016, 89, 20150957. | 1.0 | 12 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 37 | Randomized clinical trial on 7-days-a-week post-operative radiotherapy <i>vs</i> concurrent post-operative radiochemotherapy in locally advanced cancer of the oral cavity/oropharynx: a report on acute normal tissue reactions. British Journal of Radiology, 2016, 89, 20150805. | 1.0 | 2 |
| 38 | The <scp><i>VEGFR2</i></scp> , <scp><i>COXâ€2</i></scp> and <scp><i>MMPâ€2</i></scp> polymorphisms are associated with clinical outcome of patients with inoperable nonâ€small cell lung cancer. International Journal of Cancer, 2015, 137, 2332-2342. | 2.3 | 22 |
| 39 | The SIPA1 -313A>G polymorphism is associated with prognosis in inoperable non-small cell lung cancer. Tumor Biology, 2015, 36, 1273-1278. | 0.8 | 7 |
| 40 | The effectiveness and side effects of conformal external beam radiotherapy combined with high-dose-rate brachytherapy boost compared to conformal external beam radiotherapy alone in patients with prostate cancer. Radiation Oncology, 2015, 10, 60. | 1.2 | 6 |
| 41 | Truncating mutations of PPM1D are found in blood DNA samples of lung cancer patients. British Journal of Cancer, 2015, 112, 1114-1120. | 2.9 | 46 |
| 42 | Does Routine Clinical Practice Reproduce the Outcome of Large Prospective Trials? The Analysis of Institutional Database on Patients with Limited-Disease Small-Cell Lung Cancer. Cancer Investigation, 2014, 32, 1-7. | 0.6 | 6 |
| 43 | Early closure of phase II prospective study on acute and late tolerance of hypofractionated radiotherapy in low-risk prostate cancer patients. Reports of Practical Oncology and Radiotherapy, 2014, 19, 337-342. | 0.3 | 6 |
| 44 | Radiation-Free Weekend Rescued! Continuous Accelerated Irradiation of 7-Days per Week Is Equal to Accelerated Fractionation With Concomitant Boost of 7 Fractions in 5-Days per Week: Report on Phase 3 Clinical Trial in Head-and-Neck Cancer Patients. International Journal of Radiation Oncology Biology Physics, 2013, 85, 741-746. | 0.4 | 11 |
| 45 | Comparison of peptide cancer signatures identified by mass spectrometry in serum of patients with head and neck, lung and colorectal cancers: Association with tumor progression. International Journal of Oncology, 2012, 40, 148-56. | 1.4 | 12 |
| 46 | PTEN as a Prognostic and Predictive Marker in Postoperative Radiotherapy for Squamous Cell Cancer of the Head and Neck. PLoS ONE, 2012, 7, e33396. | 1.1 | 49 |
| 47 | Impact of educational differences as measure of socioeconomic status on survival for breast cancer patients. Wspolczesna Onkologia, 2012, 4, 345-349. | 0.7 | 3 |
| 48 | Influence of DNA repair gene polymorphisms on prognosis in inoperable nonâ€small cell lung cancer patients treated with radiotherapy and platinumâ€based chemotherapy. International Journal of Cancer, 2012, 131, E1100-8. | 2.3 | 31 |
| 49 | Gene Expression from Bronchoscopy Obtained Tumour Samples as a Predictor of Outcome in Advanced Inoperable Lung Cancer. PLoS ONE, 2012, 7, e41379. | 1.1 | 9 |
| 50 | Impact of HPV infection on the clinical outcome of p-CAIR trial in head and neck cancer. European Archives of Oto-Rhino-Laryngology, 2011, 268, 721-726. | 0.8 | 25 |
| 51 | Predicting the Effect of Accelerated Fractionation in Postoperative Radiotherapy for Head and Neck Cancer Based on Molecular Marker Profiles: Data From a Randomized Clinical Trial. International Journal of Radiation Oncology Biology Physics, 2010, 77, 438-446. | 0.4 | 19 |
| 52 | The evaluation of 3DRT and IMRT techniques in postoperative radiotherapy for thyroid medullary carcinoma. Reports of Practical Oncology and Radiotherapy, 2008, 13, 126-129. | 0.3 | 1 |
| 53 | Clinical outcome of three fractionation schedules of preoperative radiotherapy for rectal cancer. Reports of Practical Oncology and Radiotherapy, 2008, 13, 135-143. | 0.3 | 0 |
| 54 | Randomized clinical trial on 7-days-a-week postoperative radiotherapy for high-risk squamous cell head and neck cancer. Radiotherapy and Oncology, 2008, 87, 155-163. | 0.3 | 31 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | The tolerance and efficacy of preoperative chemoradiotherapy followed by gastrectomy in operable gastric cancer, a phase II study. Radiotherapy and Oncology, 2007, 82, 132-136. | 0.3 | 44 |
| 56 | Time Factor in Radiotherapy and Chemotherapy for Limited Disease Small-Cell Lung Cancer. Cancer Investigation, 2007, 25, 163-171. | 0.6 | 2 |
| 57 | Moderately Low Alpha/Beta Ratio for Rectal Cancer May Best Explain the Outcome of Three Fractionation Schedules ofÂPreoperative Radiotherapy. International Journal of Radiation Oncology Biology Physics, 2007, 69, 793-799. | 0.4 | 38 |
| 58 | The Prognostic Value of Hemoglobin Concentration in Postoperative Radiotherapy of 835 Patients With Laryngeal Cancer. International Journal of Radiation Oncology Biology Physics, 2007, 69, 1018-1023. | 0.4 | 11 |
| 59 | A pilot study of accelerated preoperative hyperfractionated pelvic irradiation with or without low-dose preoperative prophylactic liver irradiation in patients with locally advanced rectal cancer. Radiotherapy and Oncology, 2006, 80, 27-32. | 0.3 | 11 |
| 60 | Continuous accelerated 7-days-a-week radiotherapy for head-and-neck cancer: Long-term results of Phase III clinical trial. International Journal of Radiation Oncology Biology Physics, 2006, 66, 706-713. | 0.4 | 66 |
| 61 | Prediction of mesorectal nodal metastases after chemoradiation for rectal cancer: results of a randomised trial. Implication for subsequent local excision. Radiotherapy and Oncology, 2005, 76, 234-240. | 0.3 | 92 |
| 62 | Randomized clinical trial on continuous 7-days-a-week postoperative radiotherapy for high-risk squamous cell head-and-neck cancer: A report on acute normal tissue reactions. Radiotherapy and Oncology, 2005, 77, 58-64. | 0.3 | 15 |
| 63 | Continuing Maciejewski's debate on radiotherapy for locally advanced prostate cancer: I have even more dilemmas. Reports of Practical Oncology and Radiotherapy, 2004, 9, 81-88. | 0.3 | 0 |
| 64 | The erythropoietin-receptor pathway modulates survival of cancer cells. Oncogene, 2004, 23, 8987-8991. | 2.6 | 50 |
| 65 | Clinical radiobiology of stage T2-T3 bladder cancer. International Journal of Radiation Oncology Biology Physics, 2004, 60, 60-70. | 0.4 | 54 |
| 66 | Time factor in postoperative radiotherapy: A multivariate locoregional control analysis in 868 patients. International Journal of Radiation Oncology Biology Physics, 2003, 56, 399-412. | 0.4 | 166 |
| 67 | How fast is repopulation of tumor cells during the treatment gap?. International Journal of Radiation Oncology Biology Physics, 2002, 54, 229-236. | 0.4 | 101 |
| 68 | Estimation for paired binomial data with application to radiation therapy. Statistics in Medicine, 2001, 20, 3375-3390. | 0.8 | 1 |
| 69 | Tumor Volume and Growth Kinetics in Hypothalamic-Chiasmatic Pediatric Low Grade Gliomas. Pediatric Neurosurgery, 1999, 30, 312-319. | 0.4 | 22 |
| 70 | The effect of heterogeneity in tumor cell kinetics on radiation dose-response. An exploratory investigation of a plateau effect. Radiotherapy and Oncology, 1999, 50, 57-66. | 0.3 | 17 |
| 71 | Dose–Response Relationship for Prophylactic Cranial Irradiation in Small Cell Lung Cancer. International Journal of Radiation Oncology Biology Physics, 1998, 40, 797-806. | 0.4 | 68 |
| 72 | Rapid growth of microscopic rectal cancer as a determinant of response to preoperative radiation therapy. International Journal of Radiation Oncology Biology Physics, 1998, 42, 943-951. | 0.4 | 56 |

| # | Article | lF | CITATIONS |
|----|--|-----|-----------|
| 73 | Radiation dose response for subclinical metastases. Seminars in Radiation Oncology, 1998, 8, 224-228. | 1.0 | 53 |
| 74 | Randomized clinical trial on accelerated 7 days per week fractionation in radiotherapy for head and neck cancer. Preliminary report on acute toxicity. Radiotherapy and Oncology, 1996, 40, 137-145. | 0.3 | 123 |