

Lijuan Jiao

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4261058/lijuan-jiao-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

120
papers

3,275
citations

35
h-index

51
g-index

132
ext. papers

3,926
ext. citations

5.3
avg. IF

5.42
L-index

#	Paper	IF	Citations
120	Influence of Fluorine Substitution on the Photovoltaic Performance of Wide Band Gap Polymer Donors for Polymer Solar Cells.. <i>ACS Applied Materials & Interfaces</i> , 2022 ,	9.5	3
119	Efficiently emissive, strongly solvatochromic and lipid droplet-specific, fluorescent probes for mapping polarity in vitro. <i>Dyes and Pigments</i> , 2022 , 197, 109838	4.6	1
118	Synthesis, Reactivity, and Properties of a Class of π -Extended BODIPY Derivatives. <i>Journal of Organic Chemistry</i> , 2021 , 86, 17110-17118	4.2	4
117	Palladium(II)-Catalyzed Dehydrogenative Strategy for Direct and Regioselective Oligomerization of BODIPY Dyes. <i>Organic Letters</i> , 2021 , 23, 7986-7991	6.2	0
116	Orthogonally aligned cyclic BODIPY arrays with long-lived triplet excited states as efficient heavy-atom-free photosensitizers. <i>Chemical Science</i> , 2021 , 12, 14944-14951	9.4	5
115	Sterically Protected and Conformation-Restricted BOBHY Dyes with Bright Near-Infrared Fluorescence: NO-type Expanded BOPHY Dyes Derived from Boronic Acids. <i>Organic Letters</i> , 2021 , 23, 4796-4801	6.2	4
114	Highly selective, colorimetric probes for cyanide ion based on π -FormylBODIPY dyes by an unprecedented nucleophilic addition reaction. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2021 , 247, 119102	4.4	7
113	Ultralong nanowires self-assembled from a [b]-bisphenanthrene-fused azadipyromethene. <i>Chinese Chemical Letters</i> , 2021 , 32, 1249-1252	8.1	3
112	Bright near-infrared π -tetraphenyletheneBODIPY nanoprobe with high aggregated state emission quantum yields in aqueous system for lipid droplet-specific imaging. <i>Materials Chemistry Frontiers</i> , 2021 , 5, 3664-3672	7.8	5
111	FeCl ₃ -promoted regioselective synthesis of BODIPY dimers through oxidative aromatic homocoupling reactions. <i>Chemical Communications</i> , 2021 , 57, 9886-9889	5.8	0
110	Direct C-H alkoxylation of BODIPY dyes via cation radical accelerated oxidative nucleophilic hydrogen substitution: a new route to building blocks for functionalized BODIPYs. <i>Chemical Communications</i> , 2021 , 57, 1647-1650	5.8	5
109	NIR-absorbing superoxide radical and hyperthermia photogenerator via twisted donor-acceptor-donor molecular rotation for hypoxic tumor eradication. <i>Science China Materials</i> , 2021 , 64, 3101	7.1	2
108	Strategic Construction of Sulfur-Bridged BODIPY Dimers and Oligomers as Heavy-Atom-Free Photosensitizers. <i>Organic Letters</i> , 2021 , 23, 7220-7225	6.2	4
107	A Family of Highly Fluorescent and Membrane-Permeable Bis(BF) Acyl-Pyridinylhydrazine Dyes with Strong Solid-State Emission and Large Stokes Shifts: The BOAPH Fluorophores. <i>Journal of Organic Chemistry</i> , 2021 , 86, 11492-11501	4.2	2
106	One-Pot Access to Ethylene-Bridged BODIPY Dimers and Trimers through Single-Electron Transfer Chemistry. <i>Journal of Organic Chemistry</i> , 2021 , 86, 15761-15767	4.2	2
105	Thiophene-Fused BODIPY Dimers and Tetramers from Oxidative Aromatic Couplings as Near-Infrared Dyes. <i>Organic Letters</i> , 2021 , 23, 7661-7665	6.2	2
104	A novel family of non-symmetric benzothieno[7,6-b]-fused BODIPYs: Synthesis, structures, photophysical properties and lipid droplet-specific imaging in vitro. <i>Dyes and Pigments</i> , 2021 , 196, 109748	4.6	1

103	Mitochondria-targeted porphyrin-based photosensitizers containing triphenylphosphonium cations showing efficient in vitro photodynamic therapy effects 2021 , 385-394		
102	Unusual spectroscopic and photophysical properties of solvatochromic BODIPY analogues of Prodan. <i>Dyes and Pigments</i> , 2020 , 182, 108510	4.6	4
101	Aromatic [b]-fused BODIPY dyes as promising near-infrared dyes. <i>Organic and Biomolecular Chemistry</i> , 2020 , 18, 4135-4156	3.9	46
100	Visible Light Excitation of BODIPYs Enables Dehydrogenative Enamination at Their β -Positions with Aliphatic Amines. <i>Journal of Organic Chemistry</i> , 2020 , 85, 8360-8370	4.2	9
99	Highly photostable ketopyrrolyl-BODIPYs with red aggregation-induced emission characteristics for ultrafast wash-free mitochondria-targeted bioimaging. <i>Dyes and Pigments</i> , 2020 , 176, 108209	4.6	8
98	A Family of BODIPY-like Highly Fluorescent and Unsymmetrical Bis(BF) Pyrrolyl-Acylhydrazone Chromophores: BOAPY. <i>Organic Letters</i> , 2020 , 22, 4588-4592	6.2	12
97	The main strategies for tuning BODIPY fluorophores into photosensitizers. <i>Journal of Porphyrins and Phthalocyanines</i> , 2020 , 24, 603-635	1.8	25
96	Synthesis and Semiconducting Characteristics of the BF Complexes of Bisbenzothiophene-Fused Azadipyrromethenes. <i>Organic Letters</i> , 2020 , 22, 185-189	6.2	12
95	Conjugated BODIPY Oligomers with Controllable Near-Infrared Absorptions as Promising Phototheranostic Agents through Excited-State Intramolecular Rotations. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 47208-47219	9.5	9
94	Conformationally Restricted β -Directly Linked BisBODIPYs as Highly Fluorescent Near-Infrared Absorbing Dyes. <i>Organic Letters</i> , 2020 , 22, 9239-9243	6.2	5
93	Direct sulfonylation of BODIPY dyes with sodium sulfinates through oxidative radical hydrogen substitution at the β -position. <i>Chemical Communications</i> , 2020 , 56, 15577-15580	5.8	9
92	Synthesis, characterization, and tunable semiconducting properties of aza-BODIPY derived polycyclic aromatic dyes. <i>Science China Chemistry</i> , 2020 , 63, 1240-1245	7.9	10
91	Near-IR absorbing J-aggregates of a phenanthrene-fused BODIPY as a highly efficient photothermal nanoagent. <i>Chemical Communications</i> , 2020 , 56, 14709-14712	5.8	18
90	Strategic Construction of Ethene-Bridged BODIPY Arrays with Absorption Bands Reaching the Near-Infrared II Region. <i>Organic Letters</i> , 2020 , 22, 7513-7517	6.2	18
89	A Photochemical Dehydrogenative Strategy for Direct and Regioselective Dimerization of BODIPY Dyes. <i>Organic Letters</i> , 2020 , 22, 7694-7698	6.2	20
88	Novel expanded porphyrinoids with multiple-inner-ring-fusion and/or tunable aromaticity. <i>Chinese Chemical Letters</i> , 2019 , 30, 1895-1902	8.1	10
87	Synthesis of BODIPY dyes through postfunctionalization of the boron dipyrromethene core. <i>Coordination Chemistry Reviews</i> , 2019 , 399, 213024	23.2	118
86	Transition-metal-free regioselective cross-coupling of BODIPYs with thiols. <i>Chemical Communications</i> , 2019 , 55, 1639-1642	5.8	26

85	Visible-Light Excitation of BODIPYs Enables Self-Promoted Radical Arylation at Their 3,5-Positions with Diazonium Salts. <i>Organic Letters</i> , 2019 , 21, 5121-5125	6.2	25
84	A novel family of AIE-active meso-2-ketopyrrolyl BODIPYs: bright solid-state red fluorescence, morphological properties and application as viscosimeters in live cells. <i>Materials Chemistry Frontiers</i> , 2019 , 3, 1823-1832	7.8	23
83	Highly regioselective Formylation and Acylation of BODIPY dyes via tandem cross-dehydrogenative coupling with in situ deprotection. <i>Organic and Biomolecular Chemistry</i> , 2019 , 17, 5121-5128	3.9	5
82	Pure E/Z isomers of N-methylpyrrole-benzohydrazide-based BF ₂ complexes: remarkable aggregation-, crystallization-induced emission switching properties and application in sensing intracellular pH microenvironment. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 4533-4542	7.1	13
81	Development of BODIPY dyes with versatile functional groups at 3,5-positions from diacyl peroxides via Cu(ii)-catalyzed radical alkylation. <i>Chemical Communications</i> , 2019 , 55, 4691-4694	5.8	13
80	AlkenylBODIPY Dyes: Regioselective Synthesis via Oxidative C-H Olefination, Photophysical Properties, and Bioimaging Studies. <i>Journal of Organic Chemistry</i> , 2019 , 84, 5078-5090	4.2	12
79	AIE-active difluoroboronated acylhydrozone dyes (BOAHY) emitting across the entire visible region and their photo-switching properties. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 3269-3277	7.1	22
78	Toward the most versatile fluorophore: Direct functionalization of BODIPY dyes via regioselective C-H bond activation. <i>Chinese Chemical Letters</i> , 2019 , 30, 1825-1833	8.1	39
77	Phenanthro[1,10]-Fused BODIPYs through Tandem Suzuki and Oxidative Aromatic Couplings: Synthesis and Photophysical Properties. <i>Journal of Organic Chemistry</i> , 2019 , 84, 9693-9704	4.2	16
76	Mitochondria-targeted porphyrin-based photosensitizers containing triphenylphosphonium cations showing efficient in vitro photodynamic therapy effects. <i>Journal of Porphyrins and Phthalocyanines</i> , 2019 , 23, 1505-1514	1.8	5
75	Functionalized BODIPYs as Fluorescent Molecular Rotors for Viscosity Detection. <i>Frontiers in Chemistry</i> , 2019 , 7, 825	5	27
74	Direct Regioselective Styrylation of BODIPY Dyes via Palladium(II)-Catalyzed C-H Functionalization. <i>Advanced Synthesis and Catalysis</i> , 2019 , 361, 769-777	5.6	9
73	Synthesis and Spectroscopy of Benzylamine-Substituted BODIPYs for Bioimaging. <i>European Journal of Organic Chemistry</i> , 2018 , 2018, 2561-2571	3.2	9
72	Synthesis, Crystal Structure, and the Deep Near-Infrared Absorption/Emission of Bright AzaBODIPY-Based Organic Fluorophores. <i>Organic Letters</i> , 2018 , 20, 2620-2623	6.2	42
71	Polybrominated BOPHY Dyes: Synthesis, Reactivity, and Properties. <i>Journal of Organic Chemistry</i> , 2018 , 83, 1134-1145	4.2	21
70	A Family of Highly Fluorescent and Unsymmetric Bis(BF) Chromophore Containing Both Pyrrole and N-Heteroarene Derivatives: BOPPY. <i>Organic Letters</i> , 2018 , 20, 4462-4466	6.2	22
69	Copper-catalyzed Benzoylation of BODIPYs via radical-triggered oxidative cross-coupling of two C-H bonds. <i>Chemical Communications</i> , 2018 , 54, 9059-9062	5.8	23
68	Synthesis structural and spectroscopic properties of quinoxaline-bridged bisBODIPYs. <i>Journal of Porphyrins and Phthalocyanines</i> , 2018 , 22, 899-907	1.8	

67	High Singlet Oxygen Yield Photosensitizer Based Polypeptide Nanoparticles for Low-Power Near-Infrared Light Imaging-Guided Photodynamic Therapy. <i>Bioconjugate Chemistry</i> , 2018 , 29, 3441-3451	6.3	19
66	Synthesis, structure and photophysical properties of dibenzofuran-fused boron dipyrromethenes. <i>Journal of Porphyrins and Phthalocyanines</i> , 2018 , 22, 837-846	1.8	3
65	One-pot synthesis and properties of well-defined butadiynylene-BODIPY oligomers. <i>Chemical Communications</i> , 2017 , 53, 5318-5321	5.8	25
64	Synthetically simple, click-generated quinoline-based Fe sensors. <i>Methods and Applications in Fluorescence</i> , 2017 , 5, 024015	3.1	2
63	Synthesis, Properties, and Semiconducting Characteristics of BF Complexes of [b]Bisphenanthrene-Fused Azadipyrromethenes. <i>Organic Letters</i> , 2017 , 19, 2893-2896	6.2	40
62	Synthesis, Structure, and Properties of [b]Vinyl Ketone/Ester Functionalized AzaBODIPYs from FormylazaBODIPYs. <i>ACS Omega</i> , 2017 , 2, 2568-2576	3.9	7
61	Sterically Protected NO-Type Benzopyrromethene Boron Complexes from Boronic Acids with Intense Red/Near-Infrared Fluorescence. <i>Organic Letters</i> , 2017 , 19, 2026-2029	6.2	36
60	BuNI/tBuOOH catalyzed, [b]regioselective cross-dehydrogenative coupling of BODIPY with allylic alkenes and ethers. <i>Chemical Communications</i> , 2017 , 53, 581-584	5.8	32
59	[a]-Phenanthrene-Fused BF Azadipyrromethene (AzaBODIPY) Dyes as Bright Near-Infrared Fluorophores. <i>Journal of Organic Chemistry</i> , 2017 , 82, 10341-10349	4.2	30
58	Synthesis, Structure, and Properties of Near-Infrared [b]Phenanthrene-Fused BF Azadipyrromethenes. <i>Chemistry - an Asian Journal</i> , 2017 , 12, 2486-2493	4.5	19
57	Direct Synthesis of Dipyrrolyldipyrins from SA _r Reaction on 1,9-Dihalodipyrins with Pyrroles and Their NIR Fluorescence "Turn-On" Response to Zn. <i>Organic Letters</i> , 2017 , 19, 6244-6247	6.2	9
56	A highly selective visible light excitable boron dipyrromethene probe for cysteine over homocysteine and glutathione based on a Michael addition reaction. <i>Sensors and Actuators B: Chemical</i> , 2017 , 253, 1079-1086	8.5	18
55	PyrrolylBODIPYs: Syntheses, Properties, and Application as Environment-Sensitive Fluorescence Probes. <i>ACS Omega</i> , 2017 , 2, 3551-3561	3.9	8
54	Syntheses and Photophysical Properties of meso-Phenylene ridged Boron Dipyrromethene Monomers, Dimers and Trimer. <i>Chinese Journal of Chemistry</i> , 2016 , 34, 989-996	4.9	11
53	Aromatic Ring Fused BOPHYs as Stable Red Fluorescent Dyes. <i>Journal of Organic Chemistry</i> , 2016 , 81, 11316-11323	4.2	37
52	Metal-Free and Versatile Synthetic Routes to Natural and Synthetic Prodiginines from Boron Dipyrin. <i>Organic Letters</i> , 2016 , 18, 5696-5699	6.2	16
51	Synthesis, structure and properties of thiophene-fused BODIPYs and azaBODIPYs as near-infrared agents. <i>New Journal of Chemistry</i> , 2016 , 40, 5966-5975	3.6	20
50	Synthesis, structure and photophysical properties of near-infrared 3,5-diarylbenzoBODIPY fluorophores. <i>RSC Advances</i> , 2016 , 6, 52180-52188	3.7	10

49	Regioselective and Stepwise Syntheses of Functionalized BODIPY Dyes through Palladium-Catalyzed Cross-Coupling Reactions and Direct C-H Arylations. <i>Journal of Organic Chemistry</i> , 2016 , 81, 6281-91	4.2	41
48	Metal-Free Direct Selective Arylation of Boron Dipyrromethenes via Base-Mediated C-H Functionalization. <i>Organic Letters</i> , 2016 , 18, 736-9	6.2	41
47	Highly selective colorimetric and fluorescent BODIPY dyes for sensing of cysteine and/or homocysteine. <i>New Journal of Chemistry</i> , 2016 , 40, 1387-1395	3.6	23
46	Red to Near-Infrared Isoindole BODIPY Fluorophores: Synthesis, Crystal Structures, and Spectroscopic and Electrochemical Properties. <i>Journal of Organic Chemistry</i> , 2016 , 81, 3761-70	4.2	37
45	Visible light excitable 3-formylBODIPYs for selective fluorescent and colorimetric sensing of cysteine. <i>Journal of Porphyrins and Phthalocyanines</i> , 2016 , 20, 444-455	1.8	5
44	Synthesis and photophysical properties of meso-aryloxy linked BODIPY monomers, dimers, and trimer. <i>Journal of Porphyrins and Phthalocyanines</i> , 2016 , 20, 475-489	1.8	4
43	Synthesis of 2,2'-Bipyrroles and Pyrrolyldipyrromethenes 2016 , 107-164		1
42	Dipyrrolylquinoxaline difluoroborates with intense red solid-state fluorescence. <i>Dalton Transactions</i> , 2015 , 44, 13897-905	4.3	11
41	Synthesis and Photophysics of BF ₂ -Rigidified Partially Closed Chain Bromotetrapyrroles: Near Infrared Emitters and Photosensitizers. <i>Chemistry - an Asian Journal</i> , 2015 , 10, 1327-34	4.5	19
40	Fusion and planarization of bisBODIPY: a new family of photostable near infrared dyes. <i>Chemical Communications</i> , 2015 , 51, 16852-5	5.8	46
39	Unusual spectroscopic and photophysical properties of meso-tert-butylBODIPY in comparison to related alkylated BODIPY dyes. <i>RSC Advances</i> , 2015 , 5, 89375-89388	3.7	41
38	Conformation-Restricted Partially and Fully Fused BODIPY Dimers as Highly Stable Near-Infrared Fluorescent Dyes. <i>Organic Letters</i> , 2015 , 17, 5360-3	6.2	53
37	Highly Regioselective Chlorination of the BODIPY Chromophore with Copper(II) Chloride. <i>Organic Letters</i> , 2015 , 17, 4632-5	6.2	70
36	Red fluorescent monobenzo-BODIPY dyes: Solvent effects on spectra and efficient fluorescence quenching by quinones and phenols. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2015 , 297, 39-44	4.7	7
35	Tandem Regioselective Substitution and Palladium-Catalyzed Ring Fusion Reaction for Core-Expanded Boron Dipyrromethenes with Red-Shifted Absorption and Intense Fluorescence. <i>Chemistry - an Asian Journal</i> , 2015 , 10, 1979-86	4.5	27
34	Chlorin e 13:15-Anhydride: A Key Intermediate in Conjugation Reactions of Chlorin e. <i>European Journal of Organic Chemistry</i> , 2015 , 2015, 3661-3665	3.2	15
33	Diversity-oriented facile access to highly fluorescent membrane-permeable benz[c,d]indole N-heteroarene BF ₂ dyes. <i>Organic Letters</i> , 2015 , 17, 278-81	6.2	52
32	Straightforward synthesis of oligopyrroles through a regioselective S(N)Ar reaction of pyrroles and halogenated boron dipyrins. <i>Organic Letters</i> , 2014 , 16, 1952-5	6.2	58

31	Conformationally restricted aza-dipyrrromethene boron difluorides (aza-BODIPYs) with high fluorescent quantum yields. <i>Chemistry - an Asian Journal</i> , 2014 , 9, 805-10	4.5	28
30	Accessing near-infrared-absorbing BF ₂ -azadipyrrromethenes via a push-pull effect. <i>Journal of Organic Chemistry</i> , 2014 , 79, 1830-5	4.2	63
29	Thiophene-fused BF ₂ -azadipyrrromethenes as near-infrared dyes. <i>Organic Letters</i> , 2014 , 16, 748-51	6.2	64
28	Facile synthesis of highly fluorescent BF ₂ complexes bearing isoindolin-1-one ligand. <i>Dalton Transactions</i> , 2014 , 43, 7121-7	4.3	30
27	Syntheses and photophysical properties of BF ₂ complexes of curcumin analogues. <i>Organic and Biomolecular Chemistry</i> , 2014 , 12, 1618-26	3.9	55
26	Highly fluorescent BF ₂ complexes of hydrazine-Schiff base linked bispyrrole. <i>Organic Letters</i> , 2014 , 16, 3048-51	6.2	90
25	Synthesis of pyrrolyldipyrinato BF ₂ complexes by oxidative nucleophilic substitution of boron dipyrromethene with pyrrole. <i>Organic and Biomolecular Chemistry</i> , 2012 , 10, 2139-45	3.9	52
24	One-pot efficient synthesis of pyrrolylBODIPY dyes from pyrrole and acyl chloride. <i>RSC Advances</i> , 2012 , 2, 11215	3.7	36
23	Isoindole-BODIPY dyes as red to near-infrared fluorophores. <i>Chemistry - A European Journal</i> , 2012 , 18, 6437-42	4.8	71
22	A nitroolefin functionalized BODIPY chemodosimeter for biothiols driven by an unexpected conjugated addition mechanism. <i>Chemical Communications</i> , 2012 , 48, 8925-7	5.8	44
21	Straightforward Acid-Catalyzed Synthesis of Pyrrolyldipyrrromethenes. <i>Angewandte Chemie</i> , 2012 , 124, 7808-7811	3.6	2
20	Straightforward acid-catalyzed synthesis of pyrrolyldipyrrromethenes. <i>Angewandte Chemie - International Edition</i> , 2012 , 51, 7688-91	16.4	26
19	Modulating the singlet oxygen generation property of meso-directly linked BODIPY dimers. <i>Chemical Communications</i> , 2012 , 48, 5437-9	5.8	88
18	Regioselective stepwise bromination of boron dipyrromethene (BODIPY) dyes. <i>Journal of Organic Chemistry</i> , 2011 , 76, 9988-96	4.2	171
17	Solvent dependent fluorescent properties of a 1,2,3-triazole linked 8-hydroxyquinoline chemosensor: tunable detection from zinc(II) to iron(III) in the CH ₃ CN/H ₂ O system. <i>Journal of Physical Chemistry A</i> , 2011 , 115, 8234-41	2.8	104
16	Visual and Colorimetric Detection of Cyanide Anion Based on a Turn-off Daylight Fluorescent Molecule. <i>Chemistry Letters</i> , 2011 , 40, 623-625	1.7	20
15	Formylated Boron Dipyrin (BODIPY) Dyes: Regioselective Syntheses and Photophysical Properties. <i>European Journal of Organic Chemistry</i> , 2011 , 2011, 5460-5468	3.2	73
14	Palladium(0) catalyzed 2,2'-bipyrrrole syntheses. <i>Journal of Porphyrins and Phthalocyanines</i> , 2011 , 15, 433-440	1.8	8

13	Syntheses and characterization of a series of oxacalix[4]arene-linked cofacial bisporphyrins. <i>Journal of Porphyrins and Phthalocyanines</i> , 2010 , 14, 523-530	1.8	5
12	Synthesis and functionalization of asymmetrical benzo-fused BODIPY dyes. <i>Journal of Organic Chemistry</i> , 2010 , 75, 6035-8	4.2	95
11	Long wavelength red fluorescent dyes from 3,5-diiodo-BODIPYs. <i>Organic and Biomolecular Chemistry</i> , 2010 , 8, 2517-9	3.9	75
10	"Click" tetradentate ligands. <i>Dalton Transactions</i> , 2010 , 39, 2660-6	4.3	52
9	Triazolyl-linked 8-Hydroxyquinoline Dimer as a Selective Turn-on Fluorosensor for Cd ²⁺ . <i>Chemistry Letters</i> , 2010 , 39, 803-805	1.7	6
8	Spectrofluorometric studies on the interaction between oxacalix[6]arene-locked trizinc(II)porphyrins and crystal violet. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2009 , 73, 353-7	4.4	8
7	Beta-formyl-BODIPYs from the Vilsmeier-Haack reaction. <i>Journal of Organic Chemistry</i> , 2009 , 74, 7525-8	4.2	138
6	A selective fluorescent sensor for imaging Cu ²⁺ in living cells. <i>New Journal of Chemistry</i> , 2009 , 33, 1888	3.6	78
5	Syntheses and properties of functionalized oxacalix[4]arene porphyrins. <i>Tetrahedron</i> , 2007 , 63, 4011-4017	4.4	23
4	Improved synthesis of functionalized 2,2'-bipyrrroles. <i>Journal of Organic Chemistry</i> , 2007 , 72, 8119-22	4.2	35
3	Benzoporphyrins via an olefin ring-closure metathesis methodology. <i>Chemical Communications</i> , 2006 , 3900-2	5.8	33
2	π-Linked cofacial bis-porphyrins. <i>Tetrahedron Letters</i> , 2006 , 47, 501-504	2	23
1	A convenient preparation of xanthene dyes. <i>Journal of Organic Chemistry</i> , 2005 , 70, 6907-12	4.2	48