

Jonathan Cebon

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4262522/publications.pdf>

Version: 2024-02-01

158
papers

17,738
citations

30047

54
h-index

14197

128
g-index

162
all docs

162
docs citations

162
times ranked

25380
citing authors

#	ARTICLE	IF	CITATIONS
1	Chemotherapy after immune checkpoint inhibitor failure in metastatic melanoma: a retrospective multicentre analysis. <i>European Journal of Cancer</i> , 2022, 162, 22-33.	1.3	28
2	Migratory cues controlling B α lymphocyte trafficking in human lymph nodes. <i>Immunology and Cell Biology</i> , 2021, 99, 49-64.	1.0	15
3	Combination immunotherapy with ipilimumab and nivolumab in patients with advanced adrenocortical carcinoma: a subgroup analysis of CA209-538. <i>Oncimmunology</i> , 2021, 10, 1908771.	2.1	21
4	Ropporin-1 and 1B Are Widely Expressed in Human Melanoma and Evoke Strong Humoral Immune Responses. <i>Cancers</i> , 2021, 13, 1805.	1.7	2
5	Evaluation of TMB as a predictive biomarker in patients with solid cancers treated with anti-PD-1/CTLA-4 combination immunotherapy. <i>Cancer Cell</i> , 2021, 39, 592-593.	7.7	41
6	A novel BH3-mimetic, AZD0466, targeting BCL-XL and BCL-2 is effective in pre-clinical models of malignant pleural mesothelioma. <i>Cell Death Discovery</i> , 2021, 7, 122.	2.0	23
7	PDCD1 Polymorphisms May Predict Response to Anti-PD-1 Blockade in Patients With Metastatic Melanoma. <i>Frontiers in Immunology</i> , 2021, 12, 672521.	2.2	13
8	Blockade of the co-inhibitory molecule PD-1 unleashes ILC2-dependent antitumor immunity in melanoma. <i>Nature Immunology</i> , 2021, 22, 851-864.	7.0	97
9	Standard-Dose Pembrolizumab Plus Alternate-Dose Ipilimumab in Advanced Melanoma: KEYNOTE-029 Cohort 1C, a Phase 2 Randomized Study of Two Dosing Schedules. <i>Clinical Cancer Research</i> , 2021, 27, 5280-5288.	3.2	21
10	Combination immunotherapy with nivolumab and ipilimumab in patients with rare gynecological malignancies: results of the CA209-538 clinical trial. , 2021, 9, e003156.		6
11	A Distinct Pretreatment Immune Gene Signature in Lentigo Maligna Is Associated with Imiquimod Response. <i>Journal of Investigative Dermatology</i> , 2020, 140, 869-877.e16.	0.3	15
12	Butyrophilin 2A1 is essential for phosphoantigen reactivity by $\hat{3}$ T cells. <i>Science</i> , 2020, 367, .	6.0	275
13	Evaluation of Combination Nivolumab and Ipilimumab Immunotherapy in Patients With Advanced Biliary Tract Cancers. <i>JAMA Oncology</i> , 2020, 6, 1405.	3.4	157
14	Spliced Peptides and Cytokine-Driven Changes in the Immunopeptidome of Melanoma. <i>Cancer Immunology Research</i> , 2020, 8, 1322-1334.	1.6	45
15	Sex differences in oncogenic mutational processes. <i>Nature Communications</i> , 2020, 11, 4330.	5.8	60
16	Histological diagnosis of immune checkpoint inhibitor induced acute renal injury in patients with metastatic melanoma: a retrospective case series report. <i>BMC Nephrology</i> , 2020, 21, 391.	0.8	20
17	BCL-XL is an actionable target for treatment of malignant pleural mesothelioma. <i>Cell Death Discovery</i> , 2020, 6, 114.	2.0	13
18	Immunotherapy of Ipilimumab and Nivolumab in Patients with Advanced Neuroendocrine Tumors: A Subgroup Analysis of the CA209-538 Clinical Trial for Rare Cancers. <i>Clinical Cancer Research</i> , 2020, 26, 4454-4459.	3.2	110

#	ARTICLE	IF	CITATIONS
19	Results of a randomized, double-blind phase II clinical trial of NY-ESO-1 vaccine with ISCOMATRIX adjuvant versus ISCOMATRIX alone in participants with high-risk resected melanoma. , 2020, 8, e000410.		21
20	Long-term Follow-up of Standard-Dose Pembrolizumab Plus Reduced-Dose Ipilimumab in Patients with Advanced Melanoma: KEYNOTE-029 Part 1B. Clinical Cancer Research, 2020, 26, 5086-5091.	3.2	27
21	Distinctive Subpopulations of Stromal Cells Are Present in Human Lymph Nodes Infiltrated with Melanoma. Cancer Immunology Research, 2020, 8, 990-1003.	1.6	10
22	Tracking extracellular vesicle phenotypic changes enables treatment monitoring in melanoma. Science Advances, 2020, 6, eaax3223.	4.7	97
23	Melanoma Vaccines. , 2020, , 1243-1265.		0
24	A pilot study of intrahepatic yttrium ⁹⁰ microsphere radioembolization in combination with intravenous cisplatin for uveal melanoma liver-only metastases. Cancer Reports, 2019, 2, e1183.	0.6	7
25	Anti-programmed cell death protein 1 (anti-PD1) immunotherapy induced autoimmune polyendocrine syndrome type II (APS-2): a case report and review of the literature. , 2019, 7, 241.		19
26	BCL-XL and MCL-1 are the key BCL-2 family proteins in melanoma cell survival. Cell Death and Disease, 2019, 10, 342.	2.7	125
27	Genomic Analysis of Circulating Tumor DNA Using a Melanoma-Specific UltraSEEK Oncogene Panel. Journal of Molecular Diagnostics, 2019, 21, 418-426.	1.2	18
28	Effectiveness of dabrafenib in the treatment of patients with BRAF V600 ^E mutated metastatic melanoma in a Named Patient Program. Melanoma Research, 2019, 29, 527-532.	0.6	6
29	Real-world efficacy and toxicity of combined nivolumab and ipilimumab in patients with metastatic melanoma. Asia-Pacific Journal of Clinical Oncology, 2019, 15, 26-30.	0.7	18
30	Association of good oncological response to therapy with the development of rheumatic immune-related adverse events following PD-1 inhibitor therapy. International Journal of Rheumatic Diseases, 2019, 22, 297-302.	0.9	44
31	Melanoma Vaccines. , 2019, , 1-23.		0
32	Delayed Autoimmune Toxicity Occurring Several Months After Cessation of Anti-PD-1 Therapy. Oncologist, 2018, 23, 849-851.	1.9	46
33	Characterising the phenotypic evolution of circulating tumour cells during treatment. Nature Communications, 2018, 9, 1482.	5.8	86
34	Divergent T-cell receptor recognition modes of a HLA-I restricted extended tumour-associated peptide. Nature Communications, 2018, 9, 1026.	5.8	61
35	Long-Term Outcomes in Patients With BRAF V600 ^E Mutant Metastatic Melanoma Who Received Dabrafenib Combined With Trametinib. Journal of Clinical Oncology, 2018, 36, 667-673.	0.8	196
36	Rheumatic immune-related adverse events secondary to anti-programmed death-1 antibodies and preliminary analysis on the impact of corticosteroids on anti-tumour response: A case series. European Journal of Cancer, 2018, 105, 88-102.	1.3	53

#	ARTICLE	IF	CITATIONS
37	Perspective: cancer vaccines in the era of immune checkpoint blockade. <i>Mammalian Genome</i> , 2018, 29, 703-713.	1.0	20
38	Isolation and characterization of NY-ESO-1-specific T cell receptors restricted on various MHC molecules. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E10702-E10711.	3.3	50
39	Neutrophil to lymphocyte ratio is an independent predictor of outcome for patients undergoing definitive resection for stage IV melanoma. <i>Journal of Surgical Oncology</i> , 2018, 118, 915-921.	0.8	16
40	Autoantibodies May Predict Immune-Related Toxicity: Results from a Phase I Study of Intralesional <i>Bacillus Calmette-Guérin</i> followed by Ipilimumab in Patients with Advanced Metastatic Melanoma. <i>Frontiers in Immunology</i> , 2018, 9, 411.	2.2	49
41	A pilot study of peripheral blood BDCA-1 (CD1c) positive dendritic cells pulsed with NY-ESO-1 ISCOMATRIX [®] adjuvant. <i>Immunotherapy</i> , 2017, 9, 249-259.	1.0	13
42	Whole-genome landscapes of major melanoma subtypes. <i>Nature</i> , 2017, 545, 175-180.	13.7	1,068
43	Efficacy of anti-PD-1 therapy in patients with melanoma brain metastases. <i>British Journal of Cancer</i> , 2017, 116, 1558-1563.	2.9	91
44	Phase II Study of First-Line Trebananib Plus Sorafenib in Patients with Advanced Hepatocellular Carcinoma. <i>Oncologist</i> , 2017, 22, 780-e65.	1.9	18
45	Reply to "Comment on "Efficacy and toxicity of treatment with the anti-CTLA-4 antibody ipilimumab in patients with metastatic melanoma after prior anti-PD-1 therapy". <i>British Journal of Cancer</i> , 2017, 116, e15-e15.	2.9	1
46	Intercellular Resistance to BRAF Inhibition Can Be Mediated by Extracellular Vesicle-Associated PDGFR β . <i>Neoplasia</i> , 2017, 19, 932-940.	2.3	50
47	Patient-reported outcomes in KEYNOTE-006, a randomised study of pembrolizumab versus ipilimumab in patients with advanced melanoma. <i>European Journal of Cancer</i> , 2017, 86, 115-124.	1.3	76
48	Overall Survival with Combined Nivolumab and Ipilimumab in Advanced Melanoma. <i>New England Journal of Medicine</i> , 2017, 377, 1345-1356.	13.9	3,589
49	Oncolytic Virotherapy Promotes Intratumoral T Cell Infiltration and Improves Anti-PD-1 Immunotherapy. <i>Cell</i> , 2017, 170, 1109-1119.e10.	13.5	1,124
50	CMTM6 maintains the expression of PD-L1 and regulates anti-tumour immunity. <i>Nature</i> , 2017, 549, 101-105.	13.7	624
51	PLX8394, a new generation BRAF inhibitor, selectively inhibits BRAF in colonic adenocarcinoma cells and prevents paradoxical MAPK pathway activation. <i>Molecular Cancer</i> , 2017, 16, 112.	7.9	44
52	Pooled Analysis Safety Profile of Nivolumab and Ipilimumab Combination Therapy in Patients With Advanced Melanoma. <i>Journal of Clinical Oncology</i> , 2017, 35, 3815-3822.	0.8	244
53	Optimizing combination dabrafenib and trametinib therapy in BRAF mutation-positive advanced melanoma patients: Guidelines from Australian melanoma medical oncologists. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2016, 12, 5-12.	0.7	22
54	Iterative sorting reveals CD133+ and CD133- melanoma cells as phenotypically distinct populations. <i>BMC Cancer</i> , 2016, 16, 726.	1.1	15

#	ARTICLE	IF	CITATIONS
55	Transketolase-like 1 ectopic expression is associated with DNA hypomethylation and induces the Warburg effect in melanoma cells. <i>BMC Cancer</i> , 2016, 16, 134.	1.1	27
56	Systems analysis identifies miR-29b regulation of invasiveness in melanoma. <i>Molecular Cancer</i> , 2016, 15, 72.	7.9	21
57	Capture and On-chip analysis of Melanoma Cells Using Tunable Surface Shear forces. <i>Scientific Reports</i> , 2016, 6, 19709.	1.6	8
58	Mismatch in epitope specificities between IFN γ 3 inflamed and uninfamed conditions leads to escape from T lymphocyte killing in melanoma. , 2016, 4, 10.		35
59	Overall Survival and Durable Responses in Patients With <i>BRAF</i> V600E Mutant Metastatic Melanoma Receiving Dabrafenib Combined With Trametinib. <i>Journal of Clinical Oncology</i> , 2016, 34, 871-878.	0.8	266
60	Mycoplasma Infection Alters Cancer Stem Cell Properties in Vitro. <i>Stem Cell Reviews and Reports</i> , 2016, 12, 156-161.	5.6	13
61	First-in-Man Dose-Escalation Study of the Selective BRAF Inhibitor RG7256 in Patients with BRAF V600-Mutated Advanced Solid Tumors. <i>Targeted Oncology</i> , 2016, 11, 149-156.	1.7	1
62	Tumour procurement, DNA extraction, coverage analysis and optimisation of mutation-detection algorithms for human melanoma genomes. <i>Pathology</i> , 2015, 47, 683-693.	0.3	9
63	The role of circulating microRNA in hepatocellular carcinoma. <i>Frontiers in Bioscience - Landmark</i> , 2015, 20, 78-104.	3.0	15
64	Phosphoproteomic Analysis of Cell-Based Resistance to BRAF Inhibitor Therapy in Melanoma. <i>Frontiers in Oncology</i> , 2015, 5, 95.	1.3	26
65	Embryonic Chicken Transplantation is a Promising Model for Studying the Invasive Behavior of Melanoma Cells. <i>Frontiers in Oncology</i> , 2015, 5, 36.	1.3	8
66	Monitoring response to therapy in melanoma by quantifying circulating tumour DNA with droplet digital PCR for BRAF and NRAS mutations. <i>Scientific Reports</i> , 2015, 5, 11198.	1.6	150
67	Cellular Mechanisms Underlying Complete Hematological Response of Chronic Myeloid Leukemia to BRAF and MEK1/2 Inhibition in a Patient with Concomitant Metastatic Melanoma. <i>Clinical Cancer Research</i> , 2015, 21, 5222-5234.	3.2	4
68	Low-dose cyclophosphamide enhances antigen-specific CD4+ T cell responses to NY-ESO-1/ISCOMATRIX α , β vaccine in patients with advanced melanoma. <i>Cancer Immunology, Immunotherapy</i> , 2015, 64, 507-518.	2.0	31
69	Whole exome sequencing identifies a recurrent <i>RQCD1</i> P131L mutation in cutaneous melanoma. <i>Oncotarget</i> , 2015, 6, 1115-1127.	0.8	40
70	Pregnancy associated plasma protein-A links pregnancy and melanoma progression by promoting cellular migration and invasion. <i>Oncotarget</i> , 2015, 6, 15953-15965.	0.8	34
71	Optimal Effector Functions in Human Natural Killer Cells Rely upon Autocrine Bone Morphogenetic Protein Signaling. <i>Cancer Research</i> , 2014, 74, 5019-5031.	0.4	22
72	Effects of Epithelial to Mesenchymal Transition on T Cell Targeting of Melanoma Cells. <i>Frontiers in Oncology</i> , 2014, 4, 367.	1.3	29

#	ARTICLE	IF	CITATIONS
73	Immune consequences of kinase inhibitors in development, undergoing clinical trials and in current use in melanoma treatment. <i>Expert Review of Clinical Immunology</i> , 2014, 10, 1107-1123.	1.3	2
74	Sphingosine-1-phosphate lyase is expressed by CD68 ⁺ cells on the parenchymal side of marginal reticular cells in human lymph nodes. <i>European Journal of Immunology</i> , 2014, 44, 2425-2436.	1.6	17
75	Evolving role of tumor antigens for future melanoma therapies. <i>Future Oncology</i> , 2014, 10, 1457-1468.	1.1	15
76	Clinical and pathological associations of the activating <i>RAC1</i> P29S mutation in primary cutaneous melanoma. <i>Pigment Cell and Melanoma Research</i> , 2014, 27, 1117-1125.	1.5	51
77	Development of a novel, quantitative protein microarray platform for the multiplexed serological analysis of autoantibodies to cancer-testis antigens. <i>International Journal of Cancer</i> , 2014, 135, 1842-1851.	2.3	20
78	Combined BRAF (Dabrafenib) and MEK Inhibition (Trametinib) in Patients With <i>BRAF</i> ^{V600} -Mutant Melanoma Experiencing Progression With Single-Agent BRAF Inhibitor. <i>Journal of Clinical Oncology</i> , 2014, 32, 3697-3704.	0.8	173
79	FOXP3 over-expression inhibits melanoma tumorigenesis via effects on proliferation and apoptosis. <i>Oncotarget</i> , 2014, 5, 264-276.	0.8	38
80	Thrombospondin 1 promotes an aggressive phenotype through epithelial-to-mesenchymal transition in human melanoma. <i>Oncotarget</i> , 2014, 5, 5782-5797.	0.8	109
81	Inhibitor of apoptosis protein (IAP) antagonists demonstrate divergent immunomodulatory properties in human immune subsets with implications for combination therapy. <i>Cancer Immunology, Immunotherapy</i> , 2013, 62, 321-335.	2.0	31
82	BRAF Inhibitor-Driven Tumor Proliferation in a <i>KRAS</i> -Mutated Colon Carcinoma Is Not Overcome by MEK1/2 Inhibition. <i>Journal of Clinical Oncology</i> , 2013, 31, e448-e451.	0.8	51
83	Intratatumoral genetic heterogeneity in metastatic melanoma is accompanied by variation in malignant behaviors. <i>BMC Medical Genomics</i> , 2013, 6, 40.	0.7	28
84	The Ludwig Institute for Cancer Research Melbourne Melanoma Cell Line Panel. <i>Pigment Cell and Melanoma Research</i> , 2013, 26, 597-600.	1.5	49
85	Fine-mapping naturally occurring NY-ESO-1 antibody epitopes in melanoma patients' sera using short overlapping peptides and full-length recombinant protein. <i>Molecular Immunology</i> , 2013, 54, 465-471.	1.0	9
86	<i>Fcγ3</i> ligand expands <i>CD4⁺FoxP3⁺</i> regulatory <i>T</i> cells in human subjects. <i>European Journal of Immunology</i> , 2013, 43, 533-539.	1.6	47
87	Restoring p53 Function in Human Melanoma Cells by Inhibiting MDM2 and Cyclin B1/CDK1-Phosphorylated Nuclear iASPP. <i>Cancer Cell</i> , 2013, 23, 618-633.	7.7	136
88	Tumor-Specific T-cell Help Is Associated with Improved Survival in Melanoma. <i>Clinical Cancer Research</i> , 2013, 19, 4021-4023.	3.2	13
89	A comprehensive promoter landscape identifies a novel promoter for CD133 in restricted tissues, cancers, and stem cells. <i>Frontiers in Genetics</i> , 2013, 4, 209.	1.1	10
90	Combined BRAF and MEK Inhibition in Melanoma with BRAF V600 Mutations. <i>New England Journal of Medicine</i> , 2012, 367, 1694-1703.	13.9	2,445

#	ARTICLE	IF	CITATIONS
91	<i>FOXP3</i> is not mutated in human melanoma. <i>Pigment Cell and Melanoma Research</i> , 2012, 25, 398-400.	1.5	5
92	A Novel HLA-B18 Restricted CD8+ T Cell Epitope Is Efficiently Cross-Presented by Dendritic Cells from Soluble Tumor Antigen. <i>PLoS ONE</i> , 2012, 7, e44707.	1.1	7
93	Stem Cell Media Culture of Melanoma Results in the Induction of a Nonrepresentative Neural Expression Profile. <i>Stem Cells</i> , 2012, 30, 336-343.	1.4	14
94	A novel method for detecting antigen-specific human regulatory T cells. <i>Journal of Immunological Methods</i> , 2012, 377, 56-61.	0.6	5
95	A Cancer Vaccine Induces Expansion of NY-ESO-1-Specific Regulatory T Cells in Patients with Advanced Melanoma. <i>PLoS ONE</i> , 2012, 7, e48424.	1.1	52
96	Melanoma vaccines: developments over the past 10 years. <i>Expert Review of Vaccines</i> , 2011, 10, 853-873.	2.0	27
97	Immunoediting and persistence of antigen-specific immunity in patients who have previously been vaccinated with NY-ESO-1 protein formulated in ISCOMATRIX [®] . <i>Cancer Immunology, Immunotherapy</i> , 2011, 60, 1625-1637.	2.0	41
98	The Ets Transcription Factor <i>ELF5</i> Functions as a Tumor Suppressor in the Kidney. <i>Twin Research and Human Genetics</i> , 2011, 14, 316-322.	0.3	16
99	Processing and cross-presentation of individual HLA-A, -B, or -C epitopes from NY-ESO-1 or an HLA-A epitope for Melan-A differ according to the mode of antigen delivery. <i>Blood</i> , 2010, 116, 218-225.	0.6	31
100	Cancer vaccines: Where are we going?. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2010, 6, S9-15.	0.7	7
101	Frequent MAGE Mutations in Human Melanoma. <i>PLoS ONE</i> , 2010, 5, e12773.	1.1	22
102	Influenza A Infection Enhances Cross-Priming of CD8+T Cells to Cell-Associated Antigens in a TLR7- and Type I IFN-Dependent Fashion. <i>Journal of Immunology</i> , 2010, 185, 6013-6022.	0.4	34
103	Evaluation of cellular immune responses in cancer vaccine recipients: lessons from NY-ESO-1. <i>Expert Review of Vaccines</i> , 2010, 9, 617-629.	2.0	20
104	Cancer stem cells in urologic cancers. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2010, 28, 585-590.	0.8	7
105	ISCOMATRIX Adjuvant Induces Efficient Cross-Presentation of Tumor Antigen by Dendritic Cells via Rapid Cytosolic Antigen Delivery and Processing via Tripeptidyl Peptidase II. <i>Journal of Immunology</i> , 2009, 182, 1253-1259.	0.4	91
106	Melan-A-specific Cytotoxic T Cells Are Associated with Tumor Regression and Autoimmunity Following Treatment with Anti-CTLA-4. <i>Clinical Cancer Research</i> , 2009, 15, 2507-2513.	3.2	96
107	CT-X antigen expression in human breast cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 13493-13498.	3.3	92
108	Clinical and Biological Efficacy of Recombinant Human Interleukin-21 in Patients with Stage IV Malignant Melanoma without Prior Treatment: A Phase IIa Trial. <i>Clinical Cancer Research</i> , 2009, 15, 2123-2129.	3.2	127

#	ARTICLE	IF	CITATIONS
109	Regulatory T-Cell-Mediated Attenuation of T-Cell Responses to the NY-ESO-1 ISCOMATRIX Vaccine in Patients with Advanced Malignant Melanoma. <i>Clinical Cancer Research</i> , 2009, 15, 2166-2173.	3.2	119
110	A Long, Naturally Presented Immunodominant Epitope from NY-ESO-1 Tumor Antigen: Implications for Cancer Vaccine Design. <i>Cancer Research</i> , 2009, 69, 1046-1054.	0.4	48
111	Cancer/testis antigens can be immunological targets in clonogenic CD133+ melanoma cells. <i>Cancer Immunology, Immunotherapy</i> , 2009, 58, 1635-1646.	2.0	63
112	Targeted agents for the systemic treatment of advanced hepatocellular carcinoma. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2009, 5, 76-86.	0.7	2
113	Distinctive localization of antigen-presenting cells in human lymph nodes. <i>Blood</i> , 2009, 113, 1257-1267.	0.6	76
114	Activin-A attenuates several human natural killer cell functions. <i>Blood</i> , 2009, 113, 3218-3225.	0.6	61
115	Assessment of health-related quality of life and patient benefit as outcome measures for clinical trials in hepatocellular carcinoma. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2008, 4, 55-67.	0.7	3
116	Cancer exploiting complement: a clue or an exception?. <i>Nature Immunology</i> , 2008, 9, 1205-1206.	7.0	22
117	The Regulatory T Cell-Associated Transcription Factor FoxP3 Is Expressed by Tumor Cells. <i>Cancer Research</i> , 2008, 68, 3001-3009.	0.4	161
118	P2Y receptor signaling regulates phenotype and IFN- γ secretion of human plasmacytoid dendritic cells. <i>Blood</i> , 2008, 111, 3062-3069.	0.6	48
119	Activin-A: a novel dendritic cell-derived cytokine that potently attenuates CD40 ligand-specific cytokine and chemokine production. <i>Blood</i> , 2008, 111, 2733-2743.	0.6	98
120	An Open-Label, Two-Arm, Phase I Trial of Recombinant Human Interleukin-21 in Patients with Metastatic Melanoma. <i>Clinical Cancer Research</i> , 2007, 13, 3630-3636.	3.2	149
121	Immunotherapy of advanced or metastatic melanoma. <i>Clinical Advances in Hematology and Oncology</i> , 2007, 5, 994-1006.	0.3	11
122	Directed evolution for improved secretion of cancer-testis antigen NY-ESO-1 from yeast. <i>Protein Expression and Purification</i> , 2006, 48, 232-242.	0.6	33
123	Blood Dendritic Cells Generated With Flt3 Ligand and CD40 Ligand Prime CD8+ T Cells Efficiently in Cancer Patients. <i>Journal of Immunotherapy</i> , 2006, 29, 499-511.	1.2	62
124	Directions in the immune targeting of cancer: Lessons learned from the cancer-testis Ag NY-ESO-1. <i>Immunology and Cell Biology</i> , 2006, 84, 303-317.	1.0	96
125	A phase 1 and pharmacokinetic study of gemcitabine and oxaliplatin in patients with solid tumors. <i>Cancer Chemotherapy and Pharmacology</i> , 2006, 58, 157-164.	1.1	7
126	Tumor Antigen Expression in Melanoma Varies According to Antigen and Stage. <i>Clinical Cancer Research</i> , 2006, 12, 764-771.	3.2	212

#	ARTICLE	IF	CITATIONS
127	Striking Immunodominance Hierarchy of Naturally Occurring CD8+ and CD4+ T Cell Responses to Tumor Antigen NY-ESO-1. <i>Journal of Immunology</i> , 2006, 176, 5908-5917.	0.4	37
128	Extracellular nucleotide signaling by P2 receptors inhibits IL-12 and enhances IL-23 expression in human dendritic cells: a novel role for the cAMP pathway. <i>Blood</i> , 2005, 105, 1582-1589.	0.6	198
129	Tumor antigen processing and presentation depend critically on dendritic cell type and the mode of antigen delivery. <i>Blood</i> , 2005, 105, 2465-2472.	0.6	175
130	Immunological effects of chimeric anti-GD3 monoclonal antibody KM871 in patients with metastatic melanoma. <i>Cancer Immunity</i> , 2005, 5, 3.	3.2	10
131	Characterization of antigen-specific CD8+ T lymphocyte responses in skin and peripheral blood following intradermal peptide vaccination. <i>Cancer Immunity</i> , 2005, 5, 5.	3.2	22
132	Immunohistochemical and Molecular Analysis of Human Melanomas for Expression of the Human Cancer-Testis Antigens NY-ESO-1 and LAGE-1. <i>Clinical Cancer Research</i> , 2004, 10, 8396-8404.	3.2	55
133	Immunodominant CD4+ responses identified in a patient vaccinated with full-length NY-ESO-1 formulated with ISCOMATRIX adjuvant. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 9363-9368.	3.3	82
134	NY-ESO-1 Protein Formulated in ISCOMATRIX Adjuvant Is a Potent Anticancer Vaccine Inducing Both Humoral and CD8+ T-Cell-Mediated Immunity and Protection against NY-ESO-1+ Tumors. <i>Clinical Cancer Research</i> , 2004, 10, 2879-2890.	3.2	84
135	A robust human T-cell culture method suitable for monitoring CD8+ and CD4+ T-cell responses from cancer clinical trial samples. <i>Journal of Immunological Methods</i> , 2004, 291, 51-62.	0.6	29
136	Role of adenosine receptors in regulating chemotaxis and cytokine production of plasmacytoid dendritic cells. <i>Blood</i> , 2004, 103, 1391-1397.	0.6	164
137	Dendritic cell development. , 2004, , 103-112.		0
138	The impact of imiquimod, a Toll-like receptor-7 ligand (TLR7L), on the immunogenicity of melanoma peptide vaccination with adjuvant Flt3 ligand. <i>Cancer Immunity</i> , 2004, 4, 9.	3.2	58
139	Rational approaches to human cancer immunotherapy. <i>Journal of Leukocyte Biology</i> , 2003, 73, 3-29.	1.5	109
140	ATP gradients inhibit the migratory capacity of specific human dendritic cell types: implications for P2Y11 receptor signaling. <i>Blood</i> , 2003, 102, 613-620.	0.6	118
141	Functional comparison of DCs generated in vivo with Flt3 ligand or in vitro from blood monocytes: differential regulation of function by specific classes of physiologic stimuli. <i>Blood</i> , 2003, 102, 1753-1763.	0.6	103
142	Large Scale Identification of Human Hepatocellular Carcinoma-Associated Antigens by Autoantibodies. <i>Journal of Immunology</i> , 2002, 169, 1102-1109.	0.4	176
143	IFN α enhances CD40 ligand-mediated activation of immature monocyte-derived dendritic cells. <i>International Immunology</i> , 2002, 14, 367-380.	1.8	117
144	CD8+ T cell responses against a dominant cryptic HLA-A2 epitope after NY-ESO-1 peptide immunization of cancer patients. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 11813-11818.	3.3	83

#	ARTICLE	IF	CITATIONS
145	Functionally distinct dendritic cell (DC) populations induced by physiologic stimuli: prostaglandin E2 regulates the migratory capacity of specific DC subsets. <i>Blood</i> , 2002, 100, 1362-1372.	0.6	338
146	IL-1 β Enhances CD40 Ligand-Mediated Cytokine Secretion by Human Dendritic Cells (DC): A Mechanism for T Cell-Independent DC Activation. <i>Journal of Immunology</i> , 2002, 168, 713-722.	0.4	108
147	Exogenous Peptides Presented by Transporter Associated with Antigen Processing (TAP)-Deficient and TAP-Competent Cells: Intracellular Loading and Kinetics of Presentation. <i>Journal of Immunology</i> , 2001, 167, 2529-2537.	0.4	52
148	Plasma granulocyte colony-stimulating factor and granulocyte-macrophage colony-stimulating factor levels in critical illness including sepsis and septic shock: Relation to disease severity, multiple organ dysfunction, and mortality. <i>Critical Care Medicine</i> , 2000, 28, 2344-2354.	0.4	44
149	Enhancement of Platelet Recovery After Myelosuppressive Chemotherapy by Recombinant Human Megakaryocyte Growth and Development Factor in Patients With Advanced Cancer. <i>Journal of Clinical Oncology</i> , 2000, 18, 2852-2861.	0.8	59
150	Pharmacokinetic Analysis of Pegylated Megakaryocyte Growth and Development Factor in Humans. <i>Growth Factors</i> , 2000, 18, 215-226.	0.5	8
151	Multicycle High-Dose Chemotherapy and Filgrastim-Mobilized Peripheral-Blood Progenitor Cells in Women With High-Risk Stage II or III Breast Cancer: Five-Year Follow-Up. <i>Journal of Clinical Oncology</i> , 1999, 17, 82-82.	0.8	21
152	Spontaneous T cell responses to melanoma differentiation antigens from melanoma patients and healthy subjects. <i>Cancer Immunology, Immunotherapy</i> , 1998, 47, 191-197.	2.0	7
153	Immunotherapy of melanoma: Targeting defined antigens. <i>Australasian Journal of Dermatology</i> , 1997, 38, S66-S72.	0.4	9
154	Clinical promise of tumour immunology. <i>Lancet, The</i> , 1997, 349, S19-S22.	6.3	34
155	Thrombopoietic effects of pegylated recombinant human megakaryocyte growth and development factor (PEG-rHuMGDF) in patients with advanced cancer. <i>Lancet, The</i> , 1996, 348, 1279-1281.	6.3	216
156	Endogenous haemopoietic growth factors in neutropenia and infection. <i>British Journal of Haematology</i> , 1994, 86, 265-274.	1.2	164
157	The dissociation of GM-CSF efficacy from toxicity according to route of administration: a pharmacodynamic study. <i>British Journal of Haematology</i> , 1992, 80, 144-150.	1.2	27
158	Identifying and targeting determinants of melanoma cellular invasion. <i>Oncotarget</i> , 0, 7, 41186-41202.	0.8	35