

# Raphaëlle Richieri

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4263771/publications.pdf>

Version: 2024-02-01

70  
papers

1,679  
citations

279701

23  
h-index

315616

38  
g-index

79  
all docs

79  
docs citations

79  
times ranked

2654  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Ketamine administration in depressive disorders: a systematic review and meta-analysis. <i>Psychopharmacology</i> , 2014, 231, 3663-3676.   | 1.5 | 278       |
| 2  | Chronic Peripheral Inflammation is Associated With Cognitive Impairment in Schizophrenia: Results From the Multicentric FACE-SZ Dataset. <i>Schizophrenia Bulletin</i> , 2016, 42, 1290-1302.   | 2.3 | 82        |
| 3  | Quality of life among caregivers of individuals with affective disorders. <i>Journal of Affective Disorders</i> , 2012, 136, 660-665.   | 2.0 | 70        |
| 4  | Predictive value of brain perfusion SPECT for rTMS response in pharmacoresistant depression. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2011, 38, 1715-1722.   | 3.3 | 63        |
| 5  | A structural equation modelling approach to explore the determinants of quality of life in schizophrenia. <i>Schizophrenia Research</i> , 2016, 171, 27-34.   | 1.1 | 61        |
| 6  | Quality of life among caregivers of patients with schizophrenia: a cross-cultural comparison of Chilean and French families. <i>BMC Family Practice</i> , 2012, 13, 42.   | 2.9 | 57        |
| 7  | Parieto-temporal alpha EEG band power at baseline as a predictor of antidepressant treatment response with repetitive Transcranial Magnetic Stimulation: A preliminary study. <i>Journal of Affective Disorders</i> , 2012, 137, 156-160. | 2.0 | 56        |
| 8  | Deep brain stimulation for refractory obsessive-compulsive disorder (OCD): emerging or established therapy?. <i>Molecular Psychiatry</i> , 2021, 26, 60-65.   | 4.1 | 54        |
| 9  | Maintenance transcranial magnetic stimulation reduces depression relapse: A propensity-adjusted analysis. <i>Journal of Affective Disorders</i> , 2013, 151, 129-135.   | 2.0 | 53        |
| 10 | Association of metabolic syndrome and inflammation with neurocognition in patients with schizophrenia. <i>Psychiatry Research</i> , 2013, 210, 381-386.   | 1.7 | 46        |
| 11 | Schizophrenia with preserved insight is associated with increased perfusion of the precuneus. <i>Journal of Psychiatry and Neuroscience</i> , 2012, 37, 297-304.  | 1.4 | 45        |
| 12 | Validation study of the Medication Adherence Rating Scale. Results from the FACE-SZ national dataset. <i>Schizophrenia Research</i> , 2017, 182, 84-89.   | 1.1 | 41        |
| 13 | Neurocognition, Insight and Medication Nonadherence in Schizophrenia: A Structural Equation Modeling Approach. <i>PLoS ONE</i> , 2012, 7, e47655.   | 1.1 | 36        |
| 14 | Innovative mechanisms of action for pharmaceutical cognitive enhancement: A systematic review. <i>Psychiatry Research</i> , 2015, 229, 12-20.   | 1.7 | 36        |
| 15 | Sensory gating in adult with attention-deficit/hyperactivity disorder: Event-evoked potential and perceptual experience reports comparisons with schizophrenia. <i>Biological Psychology</i> , 2015, 107, 16-23.                          | 1.1 | 32        |
| 16 | Determination of Adherence Profiles in Schizophrenia Using Self-Reported Adherence. <i>Journal of Clinical Psychiatry</i> , 2016, 77, e1130-e1136.  | 1.1 | 31        |
| 17 | Perceptual abnormalities related to sensory gating deficit are core symptoms in adults with ADHD. <i>Psychiatry Research</i> , 2015, 230, 357-363.  | 1.7 | 29        |
| 18 | Sensory Gating Capacity and Attentional Function in Adults With ADHD: A Preliminary Neurophysiological and Neuropsychological Study. <i>Journal of Attention Disorders</i> , 2019, 23, 1199-1209.   | 1.5 | 27        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Do schizophrenia patients with low P50-suppression report more perceptual anomalies with the sensory gating inventory?. <i>Schizophrenia Research</i> , 2014, 157, 157-162.  | 1.1 | 26        |
| 20 | Functional involvement of superior temporal sulcus in quality of life of patients with schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2012, 202, 155-160.  | 0.9 | 25        |
| 21 | Changes in dorsolateral prefrontal connectivity after rTMS in treatment-resistant depression: a brain perfusion SPECT study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 1051-1055.  | 3.3 | 25        |
| 22 | Elevated C-reactive protein is associated with sensory gating deficit in schizophrenia. <i>Schizophrenia Research</i> , 2015, 165, 94-96.  | 1.1 | 24        |
| 23 | Results of Gamma Knife anterior capsulotomy for refractory obsessive-compulsive disorder: results in a series of 10 consecutive patients. <i>Journal of Neurosurgery</i> , 2019, 131, 376-383.   | 0.9 | 24        |
| 24 | Improvement of health-related quality of life in depression after transcranial magnetic stimulation in a naturalistic trial is associated with decreased perfusion in precuneus. <i>Health and Quality of Life Outcomes</i> , 2012, 10, 87.                                    | 1.0 | 23        |
| 25 | Neurophysiological correlates of metabolic syndrome and cognitive impairment in schizophrenia: A structural equation modeling approach. <i>Psychoneuroendocrinology</i> , 2014, 50, 95-105.  | 1.3 | 22        |
| 26 | Equivalent brain SPECT perfusion changes underlying therapeutic efficiency in pharmacoresistant depression using either high-frequency left or low-frequency right prefrontal rTMS. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012, 39, 364-370. | 2.5 | 21        |
| 27 | Validation of a functional remission threshold for the Functional Remission of General Schizophrenia (FROGS) scale. <i>Comprehensive Psychiatry</i> , 2013, 54, 1016-1022.   | 1.5 | 21        |
| 28 | &lt;p&gt;Deep brain stimulation in the treatment of obsessive-compulsive disorder: current perspectives&lt;/p&gt;. <i>Neuropsychiatric Disease and Treatment</i> , 2019, Volume 15, 1259-1272.   | 1.0 | 21        |
| 29 | Prevalence of Metabolic Syndrome and Associated Factors in a Cohort of Individuals With Treatment-Resistant Depression. <i>Journal of Clinical Psychiatry</i> , 2019, 80, .  | 1.1 | 21        |
| 30 | Neural substrate of quality of life in patients with schizophrenia: a magnetisation transfer imaging study. <i>Scientific Reports</i> , 2015, 5, 17650.  | 1.6 | 17        |
| 31 | Childhood maltreatment and clinical severity of treatmentâ€™resistant depression in a French cohort of outpatients (FACEâ€™DR): Oneâ€™year followâ€™up. <i>Depression and Anxiety</i> , 2020, 37, 365-374.   | 2.0 | 16        |
| 32 | Mediation Analyses of Insight, Quality of Life, Depression, and Suicidality. <i>Journal of Clinical Psychiatry</i> , 2018, 79, .   | 1.1 | 16        |
| 33 | Positive clinical effects of gamma knife capsulotomy in a patient with deep brain stimulation-refractory Tourette Syndrome and Obsessive Compulsive Disorder. <i>Clinical Neurology and Neurosurgery</i> , 2018, 170, 34-37.   | 0.6 | 15        |
| 34 | Effects of Clozapine on Perceptual Abnormalities and Sensory Gating. <i>Journal of Clinical Psychopharmacology</i> , 2015, 35, 184-187.  | 0.7 | 13        |
| 35 | Does sensory gating have a protective effect against hallucinatory behavior in schizophrenia?. <i>Clinical Neurophysiology</i> , 2016, 127, 1746-1748.   | 0.7 | 13        |
| 36 | Are Cardiovascular Risk Factors Associated with Verbal Learning and Memory Impairment in Patients with Schizophrenia? A Cross-Sectional Study. <i>Cardiovascular Psychiatry and Neurology</i> , 2012, 2012, 1-8.   | 0.8 | 11        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Quality of life and other outcome measures in caregivers of patients with schizophrenia. Expert Review of Pharmacoeconomics and Outcomes Research, 2013, 13, 641-649.   | 0.7 | 11        |
| 38 | Validation of the French sensory gating inventory: A confirmatory factor analysis. Psychiatry Research, 2014, 220, 1106-1112.   | 1.7 | 11        |
| 39 | Determinants of brain SPECT perfusion and connectivity in treatment-resistant depression. Psychiatry Research - Neuroimaging, 2015, 231, 134-140.   | 0.9 | 11        |
| 40 | Childhood Trauma increases suicidal behaviour in a treatment-resistant depression population: a FACE-DR report. Journal of Psychiatric Research, 2021, 135, 20-27.  | 1.5 | 11        |
| 41 | Multiple Realities and Hybrid Objects: A Creative Approach of Schizophrenic Delusion. Frontiers in Psychology, 2018, 9, 107.  | 1.1 | 10        |
| 42 | Treatment-Resistant Depression in a Real-World Setting: First Interim Analysis of Characteristics, Healthcare Resource Use, and Utility Values of the FondaMental Cohort. Brain Sciences, 2020, 10, 962.  | 1.1 | 9         |
| 43 | Unmasking Partial Seizure after Deep Brain Stimulation for Treatment-Resistant Depression: A Case Report. Brain Stimulation, 2016, 9, 636-638.  | 0.7 | 8         |
| 44 | Fiabilité des références diagnostiques du Recueil d'Informations Médicales en Psychiatrie. Sante Publique, 2012, Vol. 23, 31-38.  | 0.0 | 8         |
| 45 | Predict the outcome of depression after rTMS using neuroimaging: Issue of response or non-response?. Brain Stimulation, 2013, 6, 95-96.   | 0.7 | 7         |
| 46 | Advanced Paternal Age is associated with earlier schizophrenia onset in offspring. Results from the national multicentric FACE-SZ cohort. Psychiatry Research, 2017, 254, 218-223.  | 1.7 | 7         |
| 47 | Predictive value of dorso-lateral prefrontal connectivity for rTMS response in treatment-resistant depression: A brain perfusion SPECT study. Brain Stimulation, 2018, 11, 1093-1097.   | 0.7 | 7         |
| 48 | Brain SPECT perfusion and PET metabolism as discordant biomarkers in major depressive disorder. EJNMMI Research, 2020, 10, 121.   | 1.1 | 7         |
| 49 | Recommendations of the treatment-resistant depression expert center network for promoting tobacco smoking cessation based on the results from the real-world FACE-TRD national cohort. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2022, 114, 110479. | 2.5 | 7         |
| 50 | Resistant bipolar depressive disorder: case analysis of adjunctive transcranial magnetic stimulation efficiency in medical comorbid conditions. Bipolar Disorders, 2014, 16, 211-213.   | 1.1 | 6         |
| 51 | Association of metabolic syndrome with sensory gating deficits in patients with chronic schizophrenia. Psychoneuroendocrinology, 2015, 57, 125-133.   | 1.3 | 6         |
| 52 | Toward a transdiagnostic tool to evaluate depressive symptoms across mental disorders: Validation of the Calgary depression rating scale in patients with major depressive disorder. Psychiatry Research, 2018, 268, 68-71.   | 1.7 | 6         |
| 53 | Brain PET metabolic substrate of TMS response in pharmaco-resistant depression. Brain Stimulation, 2020, 13, 683-685.   | 0.7 | 6         |
| 54 | Peripheral inflammation is associated with brain SPECT perfusion changes in schizophrenia. European Journal of Nuclear Medicine and Molecular Imaging, 2022, 49, 905-912.   | 3.3 | 6         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Functional brain substrate of quality of life in patients with schizophrenia: A brain SPECT multidimensional analysis. <i>Psychiatry Research - Neuroimaging</i> , 2016, 249, 67-75.   | 0.9 | 5         |
| 56 | Double cone coil rTMS efficacy for treatment-resistant depression: A prospective randomized controlled trial. <i>Brain Stimulation</i> , 2020, 13, 256-258.  | 0.7 | 5         |
| 57 | Perceptually or conceptually driven recognition: On the specificities of the memory deficit in schizophrenia. <i>Psychiatry Research</i> , 2015, 225, 493-500.   | 1.7 | 4         |
| 58 | A Case of Recovery After Delayed Intracranial Hemorrhage After Deep Brain Stimulation for Treatment-Resistant Depression. <i>Biological Psychiatry</i> , 2018, 83, e11-e13.  | 0.7 | 4         |
| 59 | Psychiatric disability as mediator of the neurocognition-functioning link in schizophrenia spectrum disorders: SEM analysis using the Evaluation of Cognitive Processes Involved in Disability in Schizophrenia (ECPDS) scale. <i>Schizophrenia Research</i> , 2018, 201, 196-203. | 1.1 | 4         |
| 60 | Relationship between childhood physical abuse and clinical severity of treatment-resistant depression in a geriatric population. <i>PLoS ONE</i> , 2021, 16, e0250148.   | 1.1 | 4         |
| 61 | Screening for cognitive deficits with the Evaluation of Cognitive Processes Involved in Disability in Schizophrenia scale. <i>Clinical Rehabilitation</i> , 2019, 33, 113-119.   | 1.0 | 3         |
| 62 | The Validity of the SQoL-18 in Patients with Bipolar and Depressive Disorders: A Psychometric Study from the PREMIUM Project. <i>Journal of Clinical Medicine</i> , 2022, 11, 743.   | 1.0 | 3         |
| 63 | Neuroleptic malignant syndrome following reintroduction of an antipsychotic after overdose. <i>BMJ Case Reports</i> , 2018, 2018, bcr-2017-223922.   | 0.2 | 2         |
| 64 | Precision-medicine findings from the FACE-SZ cohort to develop motivation-enhancing programs in real-world schizophrenia. <i>World Journal of Biological Psychiatry</i> , 2022, 23, 703-714.   | 1.3 | 2         |
| 65 | Defining functioning levels in patients with schizophrenia: A combination of a novel clustering method and brain SPECT analysis. <i>Psychiatry Research - Neuroimaging</i> , 2017, 270, 32-38.   | 0.9 | 1         |
| 66 | Single-Photon Emission Computed Tomography Findings in a Patient With Fahr Disease Associated With a Schizophrenia-Like Psychosis. <i>Journal of Clinical Psychiatry</i> , 2013, 74, e431-e432.  | 1.1 | 1         |
| 67 | Brain PET imaging in psychiatric disorders. , 2021, , .  |     | 1         |
| 68 | Left Temporopolar Impairment in a Case of Posttraumatic Hypersomnia. <i>Journal of Head Trauma Rehabilitation</i> , 2013, 28, 473-475.   | 1.0 | 0         |
| 69 | Successful Electroconvulsive Therapy for a Patient With McArdle Disease. <i>Journal of ECT</i> , 2017, 33, e36-e37.  | 0.3 | 0         |
| 70 | Vagal Nerve Stimulation (VNS): A practical option to discontinue rTMS in treatment-resistant depression?. <i>Neurology Psychiatry and Brain Research</i> , 2019, 31, 29-31.  | 2.0 | 0         |