Hiroyuki Kuwae

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4263972/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Effects of Oxygen Partial Pressure on Wood-Based Activated Carbon Treated with Vacuum Ultraviolet Light. Coatings, 2021, 11, 411.	2.6	0
2	Liquid/solution-based microfluidic quantum dots light-emitting diodes for high-colour-purity light emission. Scientific Reports, 2020, 10, 14528.	3.3	15
3	Low-Temperature Quasi-Direct Copper–Copper Bonding with a Thin Platinum Intermediate Layer Prepared by Atomic Layer Deposition. Transactions of the Japan Institute of Electronics Packaging, 2020, 13, E19-014-1-E19-014-9.	0.4	3
4	Biological reaction control using topography regulation of nanostructured titanium. Scientific Reports, 2020, 10, 2438.	3.3	8
5	RGB all Liquid-Based Microfluidic Quantum Dots Light-Emitting Diodes Using Deep-Blue Liquid Organic Semiconductor Backlight. , 2020, , .		1
6	Low-Residual-Stress Amorphous Film for LiTaO ₃ /Quartz or LiNbO ₃ /Quartz Bonding toward 5G Surface Acoustic Wave Devices. Transactions of the Japan Institute of Electronics Packaging, 2020, 13, E19-009-1-E19-009-7.	0.4	1
7	Cu-Cu Quasi-Direct Bonding with Atomically Thin-Au and Pt Intermediate Layer Using Atomic Layer Deposition. , 2019, , .		2
8	Water-Electrokinetic Power Generation Device using Flexible Woody Carbon Film. , 2019, , .		1
9	High-Color-Purity Microfluidic Quantum Dots Light-Emitting Diodes Using the Electroluminescence of the Liquid Organic Semiconductor Backlight. , 2019, , .		4
10	New Era of Device Science. , 2019, , .		2
11	Highly flexible transparent electrodes based on mesh-patterned rigid indium tin oxide. Scientific Reports, 2018, 8, 2825.	3.3	72
12	High-aspect-ratio Sub-2-μm Vias Using Thermal Imprint with Build-up Resin. , 2018, , .		3
13	Joule heat-induced breakdown of organic thin-film devices under pulse operation. Journal of Applied Physics, 2017, 121, .	2.5	14
14	Sub-50-nm structure patterning by combining nanoimprint lithography and anisotropic wet etching without considering original mold resolution. Microelectronic Engineering, 2017, 169, 39-42.	2.4	13
15	A study on low temperature SAM modified POM direct bonding affected by VUV/O <inf>3</inf> irradiation. , 2017, , .		1
16	Cu-Cu direct bonding by introducing Au intermediate layer. , 2017, , .		0
17	Highly bendable transparent electrode using mesh patterned indium tin oxide for flexible electronic devices. , 2017, , .		0
18	Recent Advances in Research and Development of Microfluidic Organic Light-Emitting Devices. Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi], 2017, 30, 467-474.	0.3	8

#	Article	IF	CITATIONS
19	Fabrication of Hole-Patterned Self-Standing Curved Film Using Large-area Spherical Soft UV Imprint Lithography. Transactions of the Japan Institute of Electronics Packaging, 2017, 10, E17-002-1-E17-002-6.	0.4	1
20	Flexible organic light emitting diode ribbons using three liquid organic semiconductors. , 2016, , .		1
21	Suppression of external quantum efficiency roll-off of nanopatterned organic-light emitting diodes at high current densities. Journal of Applied Physics, 2015, 118, 155501.	2.5	27