
## Michael D Mcclean

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4264350/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Interaction between Tobacco and Alcohol Use and the Risk of Head and Neck Cancer: Pooled Analysis in the International Head and Neck Cancer Epidemiology Consortium. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 541-550.	1.1	908
2	Clinicopathological Evaluation of Chronic Traumatic Encephalopathy in Players of American Football. JAMA - Journal of the American Medical Association, 2017, 318, 360.	3.8	771
3	Alternate and New Brominated Flame Retardants Detected in U.S. House Dust. Environmental Science & Technology, 2008, 42, 6910-6916.	4.6	471
4	Cumulative Head Impact Exposure Predicts Later-Life Depression, Apathy, Executive Dysfunction, and Cognitive Impairment in Former High School and College Football Players. Journal of Neurotrauma, 2017, 34, 328-340.	1.7	425
5	Human Exposure to PBDEs:Â Associations of PBDE Body Burdens with Food Consumption and House Dust Concentrations. Environmental Science & Technology, 2007, 41, 1584-1589.	4.6	409
6	Sexual behaviours and the risk of head and neck cancers: a pooled analysis in the International Head and Neck Cancer Epidemiology (INHANCE) consortium. International Journal of Epidemiology, 2010, 39, 166-181.	0.9	322
7	Global DNA Methylation Level in Whole Blood as a Biomarker in Head and Neck Squamous Cell Carcinoma. Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 108-114.	1.1	269
8	Lack of Association of Alcohol and Tobacco with HPV16-Associated Head and Neck Cancer. Journal of the National Cancer Institute, 2007, 99, 1801-1810.	3.0	223
9	Age of first exposure to football and later-life cognitive impairment in former NFL players. Neurology, 2015, 84, 1114-1120.	1.5	218
10	Critical factors in assessing exposure to PBDEs via house dust. Environment International, 2008, 34, 1085-1091.	4.8	216
11	Cessation of alcohol drinking, tobacco smoking and the reversal of head and neck cancer risk. International Journal of Epidemiology, 2010, 39, 182-196.	0.9	210
12	Measurement of Polybrominated Diphenyl Ethers on Hand Wipes: Estimating Exposure from Hand-to-Mouth Contact. Environmental Science & Technology, 2008, 42, 3329-3334.	4.6	208
13	Personal Exposure to Polybrominated Diphenyl Ethers (PBDEs) in Residential Indoor Air. Environmental Science & Technology, 2007, 41, 4574-4579.	4.6	200
14	Identifying Transfer Mechanisms and Sources of Decabromodiphenyl Ether (BDE 209) in Indoor Environments Using Environmental Forensic Microscopy. Environmental Science & Technology, 2009, 43, 3067-3072.	4.6	198
15	A let-7 microRNA-binding site polymorphism in the KRAS 3' UTR is associated with reduced survival in oral cancers. Carcinogenesis, 2009, 30, 1003-1007.	1.3	185
16	Exposure to PBDEs in the Office Environment: Evaluating the Relationships Between Dust, Handwipes, and Serum. Environmental Health Perspectives, 2011, 119, 1247-1252.	2.8	180
17	An Unrecognized Source of PCB Contamination in Schools and Other Buildings. Environmental Health Perspectives, 2004, 112, 1051-1053.	2.8	173
18	Excretion Profiles and Half-Lives of Ten Urinary Polycyclic Aromatic Hydrocarbon Metabolites after Dietary Exposure. Chemical Research in Toxicology, 2012, 25, 1452-1461.	1.7	168

#	Article	IF	CITATIONS
19	Linking PBDEs in House Dust to Consumer Products using X-ray Fluorescence. Environmental Science & Technology, 2008, 42, 4222-4228.	4.6	161
20	A Genome-Wide Association Study of Upper Aerodigestive Tract Cancers Conducted within the INHANCE Consortium. PLoS Genetics, 2011, 7, e1001333.	1.5	158
21	Age at First Exposure to Football Is Associated with Altered Corpus Callosum White Matter Microstructure in Former Professional Football Players. Journal of Neurotrauma, 2015, 32, 1768-1776.	1.7	150
22	Predictors of tris(1,3-dichloro-2-propyl) phosphate metabolite in the urine of office workers. Environment International, 2013, 55, 56-61.	4.8	146
23	MicroRNA expression in head and neck cancer associates with alcohol consumption and survival. Carcinogenesis, 2009, 30, 2059-2063.	1.3	141
24	Duration of American Football Play and Chronic Traumatic Encephalopathy. Annals of Neurology, 2020, 87, 116-131.	2.8	136
25	Risk factors for head and neck cancer in young adults: a pooled analysis in the INHANCE consortium. International Journal of Epidemiology, 2015, 44, 169-185.	0.9	128
26	Polyfluorinated compounds in dust from homes, offices, and vehicles as predictors of concentrations in office workers' serum. Environment International, 2013, 60, 128-136.	4.8	123
27	Mature MicroRNA Sequence Polymorphism in <i>MIR196A2</i> Is Associated with Risk and Prognosis of Head and Neck Cancer. Clinical Cancer Research, 2010, 16, 3713-3720.	3.2	122
28	Biomarkers of HPV in Head and Neck Squamous Cell Carcinoma. Cancer Research, 2012, 72, 5004-5013.	0.4	122
29	Diet Contributes Significantly to the Body Burden of PBDEs in the General U.S. Population. Environmental Health Perspectives, 2009, 117, 1520-1525.	2.8	116
30	Diet and the risk of head and neck cancer: a pooled analysis in the INHANCE consortium. Cancer Causes and Control, 2012, 23, 69-88.	0.8	116
31	Estimating and explaining the effect of education and income on head and neck cancer risk: INHANCE consortium pooled analysis of 31 caseâ€control studies from 27 countries. International Journal of Cancer, 2015, 136, 1125-1139.	2.3	112
32	Epigenetic inactivation of theSFRP genes is associated with drinking, smoking and HPV in head and neck squamous cell carcinoma. International Journal of Cancer, 2006, 119, 1761-1766.	2.3	111
33	Human papillomavirus 16 and head and neck squamous cell carcinoma. International Journal of Cancer, 2007, 120, 2386-2392.	2.3	107
34	Associations between urinary diphenyl phosphate and thyroid function. Environment International, 2017, 101, 158-164.	4.8	106
35	Age of first exposure to tackle football and chronic traumatic encephalopathy. Annals of Neurology, 2018, 83, 886-901.	2.8	106
36	Changes in kidney function among Nicaraguan sugarcane workers. International Journal of Occupational and Environmental Health, 2015, 21, 241-250.	1.2	103

#	Article	IF	CITATIONS
37	Epigenetic profiling reveals etiologically distinct patterns of DNA methylation in head and neck squamous cell carcinoma. Carcinogenesis, 2009, 30, 416-422.	1.3	99
38	Polyfluorinated Compounds in Serum Linked to Indoor Air in Office Environments. Environmental Science & Technology, 2012, 46, 1209-1215.	4.6	99
39	Highâ€risk HPV types and head and neck cancer. International Journal of Cancer, 2014, 135, 1653-1661.	2.3	97
40	Biomarkers of Kidney Injury Among Nicaraguan SugarcaneÂWorkers. American Journal of Kidney Diseases, 2016, 67, 209-217.	2.1	97
41	Prenatal exposure to per- and polyfluoroalkyl substances and maternal and neonatal thyroid function in the Project Viva Cohort: A mixtures approach. Environment International, 2020, 139, 105728.	4.8	94
42	The Central American Epidemic of CKD. Clinical Journal of the American Society of Nephrology: CJASN, 2013, 8, 504-511.	2.2	91
43	Predictors of Tetrabromobisphenol-A (TBBP-A) and Hexabromocyclododecanes (HBCD) in Milk from Boston Mothers. Environmental Science & Technology, 2012, 46, 12146-12153.	4.6	84
44	Investigating a Novel Flame Retardant Known as V6: Measurements in Baby Products, House Dust, and Car Dust. Environmental Science & Technology, 2013, 47, 4449-4454.	4.6	83
45	The ADH1C Polymorphism Modifies the Risk of Squamous Cell Carcinoma of the Head and Neck Associated with Alcohol and Tobacco Use. Cancer Epidemiology Biomarkers and Prevention, 2005, 14, 476-482.	1.1	81
46	An epidemic of chronic kidney disease in Central America: an overview. Journal of Epidemiology and Community Health, 2013, 67, 1-3.	2.0	79
47	Smokeless Tobacco Use and the Risk of Head and Neck Cancer: Pooled Analysis of US Studies in the INHANCE Consortium. American Journal of Epidemiology, 2016, 184, 703-716.	1.6	78
48	Global Hypomethylation Identifies Loci Targeted for Hypermethylation in Head and Neck Cancer. Clinical Cancer Research, 2011, 17, 3579-3589.	3.2	75
49	Coffee and Tea Intake and Risk of Head and Neck Cancer: Pooled Analysis in the International Head and Neck Cancer Epidemiology Consortium. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 1723-1736.	1.1	74
50	Polybrominated Diphenyl Ether Exposure and Thyroid Function Tests in North American Adults. Environmental Health Perspectives, 2016, 124, 420-425.	2.8	72
51	Associations between PBDEs in office air, dust, and surface wipes. Environment International, 2013, 59, 124-132.	4.8	71
52	Glutathione S-Transferase Polymorphisms and the Synergy of Alcohol and Tobacco in Oral, Pharyngeal, and Laryngeal Carcinoma. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 2196-2202.	1.1	70
53	Impact of Dust from Multiple Microenvironments and Diet on PentaBDE Body Burden. Environmental Science & Technology, 2012, 46, 1192-1200.	4.6	68
54	Association of Marijuana Smoking with Oropharyngeal and Oral Tongue Cancers: Pooled Analysis from the INHANCE Consortium. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 160-171.	1.1	67

#	Article	IF	CITATIONS
55	Association of White Matter Rarefaction, Arteriolosclerosis, and Tau With Dementia in Chronic Traumatic Encephalopathy. JAMA Neurology, 2019, 76, 1298.	4.5	67
56	Rodent Thyroid, Liver, and Fetal Testis Toxicity of the Monoester Metabolite of Bis-(2-ethylhexyl) Tetrabromophthalate (TBPH), a Novel Brominated Flame Retardant Present in Indoor Dust. Environmental Health Perspectives, 2012, 120, 1711-1719.	2.8	66
57	Adult height and head and neck cancer: a pooled analysis within the INHANCE Consortium. European Journal of Epidemiology, 2014, 29, 35-48.	2.5	66
58	Alcohol drinking and head and neck cancer risk: the joint effect of intensity and duration. British Journal of Cancer, 2020, 123, 1456-1463.	2.9	65
59	Gastric Reflux Is an Independent Risk Factor for Laryngopharyngeal Carcinoma. Cancer Epidemiology Biomarkers and Prevention, 2013, 22, 1061-1068.	1.1	62
60	Acute Kidney Injury in Sugarcane Workers at Risk for Mesoamerican Nephropathy. American Journal of Kidney Diseases, 2018, 72, 475-482.	2.1	62
61	Maternal Plasma per- and Polyfluoroalkyl Substance Concentrations in Early Pregnancy and Maternal and Neonatal Thyroid Function in a Prospective Birth Cohort: Project Viva (USA). Environmental Health Perspectives, 2018, 126, 027013.	2.8	59
62	A Population-Based Case-Control Study of Marijuana Use and Head and Neck Squamous Cell Carcinoma. Cancer Prevention Research, 2009, 2, 759-768.	0.7	57
63	White matter signal abnormalities in former National Football League players. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2018, 10, 56-65.	1.2	57
64	Flame Retardant Exposure among Collegiate United States Gymnasts. Environmental Science & Technology, 2013, 47, 13848-13856.	4.6	56
65	Urine biomarkers of kidney injury among adolescents in Nicaragua, a region affected by an epidemic of chronic kidney disease of unknown aetiology. Nephrology Dialysis Transplantation, 2016, 31, 424-432.	0.4	56
66	Smokeless tobacco and risk of head and neck cancer: Evidence from a case–control study in New England. International Journal of Cancer, 2013, 132, 1911-1917.	2.3	55
67	Folate intake and the risk of oral cavity and pharyngeal cancer: A pooled analysis within the <scp>I</scp> nternational <scp>H</scp> ead and <scp>N</scp> eck <scp>C</scp> ancer <scp>E</scp> pidemiology <scp>C</scp> onsortium. International Journal of Cancer, 2015, 136, 904-914.	2.3	55
68	Meta-analysis of self-reported health symptoms in 1990–1991 Gulf War and Gulf War-era veterans. BMJ Open, 2018, 8, e016086.	0.8	54
69	Dietary folate is associated withp16INK4A methylation in head and neck squamous cell carcinoma. International Journal of Cancer, 2006, 119, 1553-1557.	2.3	53
70	Genetic variation in the vitamin C transporter, SLC23A2, modifies the risk of HPV16-associated head and neck cancer. Carcinogenesis, 2009, 30, 977-981.	1.3	53
71	Failure to detect an association between selfâ€reported traumatic brain injury and Alzheimer's disease neuropathology and dementia. Alzheimer's and Dementia, 2019, 15, 686-698.	0.4	52
72	Investigation of PAH Biomarkers in the Urine of Workers Exposed to Hot Asphalt. Annals of Occupational Hygiene, 2009, 53, 551-60.	1.9	50

#	Article	IF	CITATIONS
73	Regular dental visits are associated with earlier stage at diagnosis for oral and pharyngeal cancer. Cancer Causes and Control, 2012, 23, 1821-1829.	0.8	49
74	Periodontal disease and mouthwash use are risk factors for head and neck squamous cell carcinoma. Cancer Causes and Control, 2013, 24, 1315-1322.	0.8	48
75	Characterization of Mesoamerican Nephropathy in a Kidney Failure Hotspot in Nicaragua. American Journal of Kidney Diseases, 2016, 68, 716-725.	2.1	47
76	<scp>N</scp> atural vitamin <scp>C</scp> intake and the risk of head and neck cancer: <scp>A</scp> pooled analysis in the <scp>I</scp> nternational <scp>H</scp> ead and <scp>N</scp> eck <scp>C</scp> ancer <scp>E</scp> pidemiology <scp>C</scp> onsortium. International Journal of Cancer, 2015, 137, 448-462.	2.3	46
77	Exposure to flame retardant chemicals on commercial airplanes. Environmental Health, 2013, 12, 17.	1.7	44
78	Identification of an Epigenetic Profile Classifier That Is Associated with Survival in Head and Neck Cancer. Cancer Research, 2012, 72, 2728-2737.	0.4	42
79	Carotenoid intake and head and neck cancer: a pooled analysis in the International Head and Neck Cancer Epidemiology Consortium. European Journal of Epidemiology, 2016, 31, 369-383.	2.5	42
80	Exposure to multiple chemicals in a cohort of reproductive-aged Danish women. Environmental Research, 2017, 154, 73-85.	3.7	41
81	The Relationship Between Rural Status, Individual Characteristics, and Selfâ€Rated Health in the Behavioral Risk Factor Surveillance System. Journal of Rural Health, 2012, 28, 327-338.	1.6	40
82	Identification of Biomarkers of Exposure to FTOHs and PAPs in Humans Using a Targeted and Nontargeted Analysis Approach. Environmental Science & Technology, 2016, 50, 10216-10225.	4.6	40
83	Low frequency of cigarette smoking and the risk of head and neck cancer in the INHANCE consortium pooled analysis. International Journal of Epidemiology, 2016, 45, 835-845.	0.9	40
84	Comparing Urinary Biomarkers of Airborne and Dermal Exposure to Polycyclic Aromatic Compounds in Asphalt-Exposed Workers. Annals of Occupational Hygiene, 2009, 53, 561-71.	1.9	39
85	<i>Leptospira</i> seropositivity as a risk factor for Mesoamerican Nephropathy. International Journal of Occupational and Environmental Health, 2017, 23, 1-10.	1.2	39
86	A magnetic resonance spectroscopy investigation in symptomatic former NFL players. Brain Imaging and Behavior, 2020, 14, 1419-1429.	1.1	39
87	Genetic and Epigenetic Somatic Alterations in Head and Neck Squamous Cell Carcinomas Are Globally Coordinated but Not Locally Targeted. PLoS ONE, 2010, 5, e9651.	1.1	38
88	Biomarker variance component estimation for exposure surrogate selection and toxicokinetic inference. Toxicology Letters, 2010, 199, 247-253.	0.4	37
89	Prevalence and Risk Factors for CKD Among Brickmaking Workers in La Paz Centro, Nicaragua. American Journal of Kidney Diseases, 2019, 74, 239-247.	2.1	35
90	Predictors of Airborne Exposures to Polycyclic Aromatic Compounds and Total Organic Matter among Hot-Mix Asphalt Paving Workers and Influence of Work Conditions and Practices. Annals of Occupational Hygiene, 2012, 56, 138-147.	1.9	34

#	Article	IF	CITATIONS
91	Correlates of exposure to phenols, parabens, and triclocarban in the Study of Environment, Lifestyle and Fibroids. Journal of Exposure Science and Environmental Epidemiology, 2020, 30, 117-136.	1.8	33
92	Joint effects of intensity and duration of cigarette smoking on the risk of head and neck cancer: A bivariate spline model approach. Oral Oncology, 2019, 94, 47-57.	0.8	32
93	Smoking modifies the relationship between <i>XRCC1</i> haplotypes and HPV16â€negative head and neck squamous cell carcinoma. International Journal of Cancer, 2009, 124, 2690-2696.	2.3	31
94	Lessons learned from the INHANCE consortium: An overview of recent results on head and neck cancer. Oral Diseases, 2021, 27, 73-93.	1.5	31
95	An epidemic of chronic kidney disease in Central America: an overview. Postgraduate Medical Journal, 2013, 89, 123-125.	0.9	29
96	Dietary fiber intake and head and neck cancer risk: A pooled analysis in the International Head and Neck Cancer Epidemiology consortium. International Journal of Cancer, 2017, 141, 1811-1821.	2.3	29
97	Beryllium Exposure Control Program at the Cardiff Atomic Weapons Establishment in the United Kingdom. Journal of Occupational and Environmental Hygiene, 2001, 16, 619-630.	0.5	27
98	Vitamin or mineral supplement intake and the risk of head and neck cancer: pooled analysis in the INHANCE consortium. International Journal of Cancer, 2012, 131, 1686-1699.	2.3	27
99	Participant experiences in a breastmilk biomonitoring study: A qualitative assessment. Environmental Health, 2009, 8, 4.	1.7	25
100	Temporal Variability of Polybrominated Diphenyl Ether (PBDE) Serum Concentrations over One Year. Environmental Science & Technology, 2014, 48, 14642-14649.	4.6	25
101	Urinary biomarkers of flame retardant exposure among collegiate U.S. gymnasts. Environment International, 2016, 94, 362-368.	4.8	25
102	Immune Response to HPV16 E6 and E7 Proteins and Patient Outcomes in Head and Neck Cancer. JAMA Oncology, 2017, 3, 178.	3.4	25
103	Gene–environment interactions of novel variants associated with head and neck cancer. Head and Neck, 2012, 34, 1111-1118.	0.9	24
104	Obesity and head and neck cancer risk and survival by human papillomavirus serology. Cancer Causes and Control, 2015, 26, 111-119.	0.8	24
105	Racial differences in the relationship between tobacco, alcohol, and the risk of head and neck cancer: pooled analysis of US studies in the INHANCE Consortium. Cancer Causes and Control, 2018, 29, 619-630.	0.8	24
106	Physical and Chemical Characterization of Asphalt (Bitumen) Paving Exposures. Journal of Occupational and Environmental Hygiene, 2007, 4, 209-216.	0.4	23
107	The Effect of Traumatic Brain Injury History with Loss of Consciousness on Rate of Cognitive Decline Among Older Adults with Normal Cognition and Alzheimer's Disease Dementia. Journal of Alzheimer's Disease, 2017, 59, 251-263.	1.2	23
108	Dairy products, leanness, and head and neck squamous cell carcinoma. Head and Neck, 2008, 30, 1193-1205.	0.9	22

#	Article	IF	CITATIONS
109	Using Urinary Biomarkers of Polycyclic Aromatic Compound Exposure to Guide Exposure-Reduction Strategies Among Asphalt Paving Workers. Annals of Occupational Hygiene, 2012, 56, 1013-24.	1.9	21
110	A case-control study of paternal occupational exposures and the risk of childhood sporadic bilateral retinoblastoma. Occupational and Environmental Medicine, 2013, 70, 372-379.	1.3	21
111	Occupational dust exposure and head and neck squamous cell carcinoma risk in a populationâ€based case–control study conducted in the greater <scp>B</scp> oston area. Cancer Medicine, 2013, 2, 978-986.	1.3	21
112	Polybrominated diphenyl ether exposure and reproductive hormones in North American men. Reproductive Toxicology, 2016, 62, 46-52.	1.3	21
113	Inhalation Exposure to Jet Fuel (JP8) Among U.S. Air Force Personnel. Journal of Occupational and Environmental Hygiene, 2010, 7, 563-572.	0.4	20
114	Allergies and risk of head and neck cancer. Cancer Causes and Control, 2012, 23, 1317-1322.	0.8	20
115	Novel DNA methylation targets in oral rinse samples predict survival of patients with oral squamous cell carcinoma. Oral Oncology, 2014, 50, 1072-1080.	0.8	20
116	Duration but not Intensity of Alcohol and Tobacco Exposure Predicts p16INK4A Homozygous Deletion in Head and Neck Squamous Cell Carcinoma. Cancer Research, 2006, 66, 4512-4515.	0.4	19
117	Personal Exposure, Behavior, and Work Site Conditions as Determinants of Blood Lead Among Bridge Painters. Journal of Occupational and Environmental Hygiene, 2009, 7, 80-87.	0.4	19
118	Occupational asbestos exposure is associated with pharyngeal squamous cell carcinoma in men from the greater Boston area. Occupational and Environmental Medicine, 2013, 70, 858-863.	1.3	19
119	CpG island methylation profile in non-invasive oral rinse samples is predictive of oral and pharyngeal carcinoma. Clinical Epigenetics, 2015, 7, 125.	1.8	19
120	Risk Prediction Models for Head and Neck Cancer in the US Population From the INHANCE Consortium. American Journal of Epidemiology, 2020, 189, 330-342.	1.6	19
121	Human Papillomavirus-16 Modifies the Association between Fruit Consumption and Head and Neck Squamous Cell Carcinoma. Cancer Epidemiology Biomarkers and Prevention, 2008, 17, 3419-3426.	1.1	18
122	Urinary biomarkers of occupational jet fuel exposure among air force personnel. Journal of Exposure Science and Environmental Epidemiology, 2012, 22, 35-45.	1.8	17
123	Human papillomavirus serology and tobacco smoking in a community control group. BMC Infectious Diseases, 2015, 15, 8.	1.3	17
124	Study Design and Methods to Investigate Inhalation and Dermal Exposure to Polycyclic Aromatic Compounds and Urinary Metabolites from Asphalt Paving Workers: Research Conducted through Partnership. Polycyclic Aromatic Compounds, 2011, 31, 243-269.	1.4	16
125	Infection with Human Papilloma Virus (HPV) and risk of subsites within the oral cancer. Cancer Epidemiology, 2021, 75, 102020.	0.8	16
126	Predictors of Dermal Exposures to Polycyclic Aromatic Compounds Among Hot-Mix Asphalt Paving Workers. Annals of Occupational Hygiene, 2011, 56, 125-37.	1.9	15

#	Article	IF	CITATIONS
127	Personal Breathing Zone Exposures among Hot-Mix Asphalt Paving Workers; Preliminary Analysis for Trends and Analysis of Work Practices That Resulted in the Highest Exposure Concentrations. Journal of Occupational and Environmental Hygiene, 2013, 10, 663-673.	0.4	15
128	Urinary Polycyclic Aromatic Hydrocarbon (OH-PAH) Metabolite Concentrations and the Effect of GST Polymorphisms Among US Air Force Personnel Exposed to Jet Fuel. Journal of Occupational and Environmental Medicine, 2014, 56, 465-471.	0.9	15
129	A Sex-Specific Association between a 15q25 Variant and Upper Aerodigestive Tract Cancers. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 658-664.	1.1	14
130	Urinary Metals Concentrations and Biomarkers of Autoimmunity among Navajo and Nicaraguan Men. International Journal of Environmental Research and Public Health, 2020, 17, 5263.	1.2	14
131	Beryllium sensitization and lung function among former workers at the Nevada Test Site. American Journal of Industrial Medicine, 2008, 51, 512-523.	1.0	13
132	The Occupational JP8 Exposure Neuroepidemiology Study (OJENES): Repeated workday exposure and central nervous system functioning among US Air Force personnel. NeuroToxicology, 2011, 32, 799-808.	1.4	13
133	Characterization of Inhalation Exposure to Jet Fuel among U.S. Air Force Personnel. Annals of Occupational Hygiene, 2012, 56, 736-45.	1.9	13
134	Temperature-Dependent Emission Concentrations of Polycyclic Aromatic Hydrocarbons in Paving and Built-Up Roofing Asphalts. Annals of Occupational Hygiene, 2012, 56, 148-60.	1.9	13
135	Field data and numerical modeling: A multiple lines of evidence approach for assessing vapor intrusion exposure risks. Science of the Total Environment, 2016, 556, 291-301.	3.9	13
136	Correlates of urinary concentrations of phthalate and phthalate alternative metabolites among reproductive-aged Black women from Detroit, Michigan. Journal of Exposure Science and Environmental Epidemiology, 2021, 31, 461-475.	1.8	13
137	Relation of allium vegetables intake with head and neck cancers: Evidence from the INHANCE consortium. Molecular Nutrition and Food Research, 2015, 59, 1641-1650.	1.5	12
138	Age at start of using tobacco on the risk of head and neck cancer: Pooled analysis in the International Head and Neck Cancer Epidemiology Consortium (INHANCE). Cancer Epidemiology, 2019, 63, 101615.	0.8	12
139	Volatile Organic Compounds in Blood as Biomarkers of Exposure to JP-8 Jet Fuel Among US Air Force Personnel. Journal of Occupational and Environmental Medicine, 2016, 58, 24-29.	0.9	10
140	Correlates of plasma concentrations of brominated flame retardants in a cohort of U.S. Black women residing in the Detroit, Michigan metropolitan area. Science of the Total Environment, 2020, 714, 136777.	3.9	10
141	A case–control study of asphalt and tar exposure and lung cancer in minorities. American Journal of Industrial Medicine, 2011, 54, 811-818.	1.0	9
142	A Coding Variant in TMC8 (EVER2) Is Associated with High Risk HPV Infection and Head and Neck Cancer Risk. PLoS ONE, 2015, 10, e0123716.	1.1	9
143	Predictors of plasma polychlorinated biphenyl concentrations among reproductive-aged black women. International Journal of Hygiene and Environmental Health, 2019, 222, 1001-1010.	2.1	9
144	Risk factors for head and neck cancer in more and less developed countries: Analysis from the INHANCE consortium. Oral Diseases, 2023, 29, 1565-1578.	1.5	9

#	Article	IF	CITATIONS
145	A Prospective Ultrasound Study of Plasma Polychlorinated Biphenyl Concentrations and Incidence of Uterine Leiomyomata. Epidemiology, 2021, 32, 259-267.	1.2	7
146	Response to Comment on "Alternate and New Brominated Flame Retardants Detected in U.S. House Dust― Environmental Science & Technology, 2008, 42, 9455-9456.	4.6	6
147	Urinary concentrations of phenols, parabens, and triclocarban in relation to uterine leiomyomata incidence and growth. Fertility and Sterility, 2021, 116, 1590-1600.	0.5	6
148	Pilot Study for the Investigation of Personal Breathing Zone and Dermal Exposure Using Levels of Polycyclic Aromatic Compounds (PAC) and PAC Metabolites in the Urine of Hot-Mix Asphalt Paving Workers. Polycyclic Aromatic Compounds, 2011, 31, 173-200.	1.4	5
149	Postural Sway and Exposure to Jet Propulsion Fuel 8 Among US Air Force Personnel. Journal of Occupational and Environmental Medicine, 2013, 55, 446-453.	0.9	5
150	Exposure to Polybrominated Diphenyl Ethers in the Indoor Environment. Fire Technology, 2015, 51, 85-95.	1.5	5
151	Beryllium Exposure Control Program at the Cardiff Atomic Weapons Establishment in the United Kingdom. , 0, .		5
152	JP8 exposure and neurocognitive performance among US Air Force personnel. NeuroToxicology, 2017, 62, 170-180.	1.4	4
153	Brominated flame retardants and organochlorine pesticides and incidence of uterine leiomyomata. Environmental Epidemiology, 2021, 5, e127.	1.4	4
154	Kidney Function, Self-Reported Symptoms, and Urine Findings in Nicaraguan Sugarcane Workers. Kidney360, 2020, 1, 1042-1051.	0.9	4
155	Chrysotile fibers in tissue adjacent to laryngeal squamous cell carcinoma in cases with a history of occupational asbestos exposure. Modern Pathology, 2020, 33, 228-234.	2.9	3
156	Dietary glycaemic index, glycaemic load and head and neck cancer risk: a pooled analysis in an international consortium. British Journal of Cancer, 2020, 122, 745-748.	2.9	3
157	Firefighter occupation is associated with increased risk for laryngeal and hypopharyngeal squamous cell carcinoma among men from the Greater Boston area. Occupational and Environmental Medicine, 2020, 77, 381-385.	1.3	2
158	DNA methylationâ€derived systemic inflammation indices and their association with oropharyngeal cancer risk and survival. Head and Neck, 2022, 44, 904-913.	0.9	2