

Michael D Mcclean

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4264350/publications.pdf>

Version: 2024-02-01

158
papers

12,376
citations

23500

58
h-index

27345

106
g-index

162
all docs

162
docs citations

162
times ranked

13661
citing authors

#	ARTICLE	IF	CITATIONS
1	Risk factors for head and neck cancer in more and less developed countries: Analysis from the INHANCE consortium. <i>Oral Diseases</i> , 2023, 29, 1565-1578.	1.5	9
2	DNA methylation-derived systemic inflammation indices and their association with oropharyngeal cancer risk and survival. <i>Head and Neck</i> , 2022, 44, 904-913.	0.9	2
3	Correlates of urinary concentrations of phthalate and phthalate alternative metabolites among reproductive-aged Black women from Detroit, Michigan. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2021, 31, 461-475.	1.8	13
4	Lessons learned from the INHANCE consortium: An overview of recent results on head and neck cancer. <i>Oral Diseases</i> , 2021, 27, 73-93.	1.5	31
5	Brominated flame retardants and organochlorine pesticides and incidence of uterine leiomyomata. <i>Environmental Epidemiology</i> , 2021, 5, e127.	1.4	4
6	Urinary concentrations of phenols, parabens, and triclocarban in relation to uterine leiomyomata incidence and growth. <i>Fertility and Sterility</i> , 2021, 116, 1590-1600.	0.5	6
7	Infection with Human Papilloma Virus (HPV) and risk of subsites within the oral cancer. <i>Cancer Epidemiology</i> , 2021, 75, 102020.	0.8	16
8	A Prospective Ultrasound Study of Plasma Polychlorinated Biphenyl Concentrations and Incidence of Uterine Leiomyomata. <i>Epidemiology</i> , 2021, 32, 259-267.	1.2	7
9	Correlates of exposure to phenols, parabens, and triclocarban in the Study of Environment, Lifestyle and Fibroids. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2020, 30, 117-136.	1.8	33
10	A magnetic resonance spectroscopy investigation in symptomatic former NFL players. <i>Brain Imaging and Behavior</i> , 2020, 14, 1419-1429.	1.1	39
11	Duration of American Football Play and Chronic Traumatic Encephalopathy. <i>Annals of Neurology</i> , 2020, 87, 116-131.	2.8	136
12	Chrysotile fibers in tissue adjacent to laryngeal squamous cell carcinoma in cases with a history of occupational asbestos exposure. <i>Modern Pathology</i> , 2020, 33, 228-234.	2.9	3
13	Risk Prediction Models for Head and Neck Cancer in the US Population From the INHANCE Consortium. <i>American Journal of Epidemiology</i> , 2020, 189, 330-342.	1.6	19
14	Urinary Metals Concentrations and Biomarkers of Autoimmunity among Navajo and Nicaraguan Men. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 5263.	1.2	14
15	Alcohol drinking and head and neck cancer risk: the joint effect of intensity and duration. <i>British Journal of Cancer</i> , 2020, 123, 1456-1463.	2.9	65
16	Firefighter occupation is associated with increased risk for laryngeal and hypopharyngeal squamous cell carcinoma among men from the Greater Boston area. <i>Occupational and Environmental Medicine</i> , 2020, 77, 381-385.	1.3	2
17	Dietary glycaemic index, glycaemic load and head and neck cancer risk: a pooled analysis in an international consortium. <i>British Journal of Cancer</i> , 2020, 122, 745-748.	2.9	3
18	Correlates of plasma concentrations of brominated flame retardants in a cohort of U.S. Black women residing in the Detroit, Michigan metropolitan area. <i>Science of the Total Environment</i> , 2020, 714, 136777.	3.9	10

#	ARTICLE	IF	CITATIONS
19	Prenatal exposure to per- and polyfluoroalkyl substances and maternal and neonatal thyroid function in the Project Viva Cohort: A mixtures approach. <i>Environment International</i> , 2020, 139, 105728.	4.8	94
20	Kidney Function, Self-Reported Symptoms, and Urine Findings in Nicaraguan Sugarcane Workers. <i>Kidney360</i> , 2020, 1, 1042-1051.	0.9	4
21	Association of White Matter Rarefaction, Arteriolosclerosis, and Tau With Dementia in Chronic Traumatic Encephalopathy. <i>JAMA Neurology</i> , 2019, 76, 1298.	4.5	67
22	Age at start of using tobacco on the risk of head and neck cancer: Pooled analysis in the International Head and Neck Cancer Epidemiology Consortium (INHANCE). <i>Cancer Epidemiology</i> , 2019, 63, 101615.	0.8	12
23	Predictors of plasma polychlorinated biphenyl concentrations among reproductive-aged black women. <i>International Journal of Hygiene and Environmental Health</i> , 2019, 222, 1001-1010.	2.1	9
24	Joint effects of intensity and duration of cigarette smoking on the risk of head and neck cancer: A bivariate spline model approach. <i>Oral Oncology</i> , 2019, 94, 47-57.	0.8	32
25	Prevalence and Risk Factors for CKD Among Brickmaking Workers in La Paz Centro, Nicaragua. <i>American Journal of Kidney Diseases</i> , 2019, 74, 239-247.	2.1	35
26	Failure to detect an association between self-reported traumatic brain injury and Alzheimer's disease neuropathology and dementia. <i>Alzheimer's and Dementia</i> , 2019, 15, 686-698.	0.4	52
27	Age of first exposure to tackle football and chronic traumatic encephalopathy. <i>Annals of Neurology</i> , 2018, 83, 886-901.	2.8	106
28	Meta-analysis of self-reported health symptoms in 1990-1991 Gulf War and Gulf War-era veterans. <i>BMJ Open</i> , 2018, 8, e016086.	0.8	54
29	White matter signal abnormalities in former National Football League players. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2018, 10, 56-65.	1.2	57
30	Maternal Plasma per- and Polyfluoroalkyl Substance Concentrations in Early Pregnancy and Maternal and Neonatal Thyroid Function in a Prospective Birth Cohort: Project Viva (USA). <i>Environmental Health Perspectives</i> , 2018, 126, 027013.	2.8	59
31	Racial differences in the relationship between tobacco, alcohol, and the risk of head and neck cancer: pooled analysis of US studies in the INHANCE Consortium. <i>Cancer Causes and Control</i> , 2018, 29, 619-630.	0.8	24
32	Acute Kidney Injury in Sugarcane Workers at Risk for Mesoamerican Nephropathy. <i>American Journal of Kidney Diseases</i> , 2018, 72, 475-482.	2.1	62
33	Cumulative Head Impact Exposure Predicts Later-Life Depression, Apathy, Executive Dysfunction, and Cognitive Impairment in Former High School and College Football Players. <i>Journal of Neurotrauma</i> , 2017, 34, 328-340.	1.7	425
34	Exposure to multiple chemicals in a cohort of reproductive-aged Danish women. <i>Environmental Research</i> , 2017, 154, 73-85.	3.7	41
35	<i>Leptospira</i> seropositivity as a risk factor for Mesoamerican Nephropathy. <i>International Journal of Occupational and Environmental Health</i> , 2017, 23, 1-10.	1.2	39
36	Associations between urinary diphenyl phosphate and thyroid function. <i>Environment International</i> , 2017, 101, 158-164.	4.8	106

#	ARTICLE	IF	CITATIONS
37	Immune Response to HPV16 E6 and E7 Proteins and Patient Outcomes in Head and Neck Cancer. <i>JAMA Oncology</i> , 2017, 3, 178.	3.4	25
38	Clinicopathological Evaluation of Chronic Traumatic Encephalopathy in Players of American Football. <i>JAMA - Journal of the American Medical Association</i> , 2017, 318, 360.	3.8	771
39	Dietary fiber intake and head and neck cancer risk: A pooled analysis in the International Head and Neck Cancer Epidemiology consortium. <i>International Journal of Cancer</i> , 2017, 141, 1811-1821.	2.3	29
40	JP8 exposure and neurocognitive performance among US Air Force personnel. <i>NeuroToxicology</i> , 2017, 62, 170-180.	1.4	4
41	The Effect of Traumatic Brain Injury History with Loss of Consciousness on Rate of Cognitive Decline Among Older Adults with Normal Cognition and Alzheimer's Disease Dementia. <i>Journal of Alzheimer's Disease</i> , 2017, 59, 251-263.	1.2	23
42	Polybrominated Diphenyl Ether Exposure and Thyroid Function Tests in North American Adults. <i>Environmental Health Perspectives</i> , 2016, 124, 420-425.	2.8	72
43	Volatile Organic Compounds in Blood as Biomarkers of Exposure to JP-8 Jet Fuel Among US Air Force Personnel. <i>Journal of Occupational and Environmental Medicine</i> , 2016, 58, 24-29.	0.9	10
44	Polybrominated diphenyl ether exposure and reproductive hormones in North American men. <i>Reproductive Toxicology</i> , 2016, 62, 46-52.	1.3	21
45	Identification of Biomarkers of Exposure to FTOHs and PAPs in Humans Using a Targeted and Nontargeted Analysis Approach. <i>Environmental Science & Technology</i> , 2016, 50, 10216-10225.	4.6	40
46	Urinary biomarkers of flame retardant exposure among collegiate U.S. gymnasts. <i>Environment International</i> , 2016, 94, 362-368.	4.8	25
47	Characterization of Mesoamerican Nephropathy in a Kidney Failure Hotspot in Nicaragua. <i>American Journal of Kidney Diseases</i> , 2016, 68, 716-725.	2.1	47
48	Smokeless Tobacco Use and the Risk of Head and Neck Cancer: Pooled Analysis of US Studies in the INHANCE Consortium. <i>American Journal of Epidemiology</i> , 2016, 184, 703-716.	1.6	78
49	Carotenoid intake and head and neck cancer: a pooled analysis in the International Head and Neck Cancer Epidemiology Consortium. <i>European Journal of Epidemiology</i> , 2016, 31, 369-383.	2.5	42
50	Field data and numerical modeling: A multiple lines of evidence approach for assessing vapor intrusion exposure risks. <i>Science of the Total Environment</i> , 2016, 556, 291-301.	3.9	13
51	Biomarkers of Kidney Injury Among Nicaraguan Sugarcane Workers. <i>American Journal of Kidney Diseases</i> , 2016, 67, 209-217.	2.1	97
52	Urine biomarkers of kidney injury among adolescents in Nicaragua, a region affected by an epidemic of chronic kidney disease of unknown aetiology. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 424-432.	0.4	56
53	Low frequency of cigarette smoking and the risk of head and neck cancer in the INHANCE consortium pooled analysis. <i>International Journal of Epidemiology</i> , 2016, 45, 835-845.	0.9	40
54	Relation of allium vegetables intake with head and neck cancers: Evidence from the INHANCE consortium. <i>Molecular Nutrition and Food Research</i> , 2015, 59, 1641-1650.	1.5	12

#	ARTICLE	IF	CITATIONS
55	CpG island methylation profile in non-invasive oral rinse samples is predictive of oral and pharyngeal carcinoma. <i>Clinical Epigenetics</i> , 2015, 7, 125.	1.8	19
56	A Coding Variant in TMC8 (EVER2) Is Associated with High Risk HPV Infection and Head and Neck Cancer Risk. <i>PLoS ONE</i> , 2015, 10, e0123716.	1.1	9
57	Age of first exposure to football and later-life cognitive impairment in former NFL players. <i>Neurology</i> , 2015, 84, 1114-1120.	1.5	218
58	Estimating and explaining the effect of education and income on head and neck cancer risk: INHANCE consortium pooled analysis of 31 case-control studies from 27 countries. <i>International Journal of Cancer</i> , 2015, 136, 1125-1139.	2.3	112
59	Changes in kidney function among Nicaraguan sugarcane workers. <i>International Journal of Occupational and Environmental Health</i> , 2015, 21, 241-250.	1.2	103
60	Age at First Exposure to Football Is Associated with Altered Corpus Callosum White Matter Microstructure in Former Professional Football Players. <i>Journal of Neurotrauma</i> , 2015, 32, 1768-1776.	1.7	150
61	Natural vitamin C intake and the risk of head and neck cancer: A pooled analysis in the International Head and Neck Cancer Epidemiology Consortium. <i>International Journal of Cancer</i> , 2015, 137, 448-462.	2.3	46
62	Folate intake and the risk of oral cavity and pharyngeal cancer: A pooled analysis within the International Head and Neck Cancer Epidemiology Consortium. <i>International Journal of Cancer</i> , 2015, 136, 904-914.	2.3	55
63	Exposure to Polybrominated Diphenyl Ethers in the Indoor Environment. <i>Fire Technology</i> , 2015, 51, 85-95.	1.5	5
64	Risk factors for head and neck cancer in young adults: a pooled analysis in the INHANCE consortium. <i>International Journal of Epidemiology</i> , 2015, 44, 169-185.	0.9	128
65	Human papillomavirus serology and tobacco smoking in a community control group. <i>BMC Infectious Diseases</i> , 2015, 15, 8.	1.3	17
66	Obesity and head and neck cancer risk and survival by human papillomavirus serology. <i>Cancer Causes and Control</i> , 2015, 26, 111-119.	0.8	24
67	Temporal Variability of Polybrominated Diphenyl Ether (PBDE) Serum Concentrations over One Year. <i>Environmental Science & Technology</i> , 2014, 48, 14642-14649.	4.6	25
68	Urinary Polycyclic Aromatic Hydrocarbon (OH-PAH) Metabolite Concentrations and the Effect of GST Polymorphisms Among US Air Force Personnel Exposed to Jet Fuel. <i>Journal of Occupational and Environmental Medicine</i> , 2014, 56, 465-471.	0.9	15
69	High-risk HPV types and head and neck cancer. <i>International Journal of Cancer</i> , 2014, 135, 1653-1661.	2.3	97
70	Adult height and head and neck cancer: a pooled analysis within the INHANCE Consortium. <i>European Journal of Epidemiology</i> , 2014, 29, 35-48.	2.5	66
71	Novel DNA methylation targets in oral rinse samples predict survival of patients with oral squamous cell carcinoma. <i>Oral Oncology</i> , 2014, 50, 1072-1080.	0.8	20
72	Association of Marijuana Smoking with Oropharyngeal and Oral Tongue Cancers: Pooled Analysis from the INHANCE Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 160-171.	1.1	67

#	ARTICLE	IF	CITATIONS
73	Exposure to flame retardant chemicals on commercial airplanes. <i>Environmental Health</i> , 2013, 12, 17.	1.7	44
74	Investigating a Novel Flame Retardant Known as V6: Measurements in Baby Products, House Dust, and Car Dust. <i>Environmental Science & Technology</i> , 2013, 47, 4449-4454.	4.6	83
75	Predictors of tris(1,3-dichloro-2-propyl) phosphate metabolite in the urine of office workers. <i>Environment International</i> , 2013, 55, 56-61.	4.8	146
76	Gastric Reflux Is an Independent Risk Factor for Laryngopharyngeal Carcinoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 1061-1068.	1.1	62
77	Associations between PBDEs in office air, dust, and surface wipes. <i>Environment International</i> , 2013, 59, 124-132.	4.8	71
78	Periodontal disease and mouthwash use are risk factors for head and neck squamous cell carcinoma. <i>Cancer Causes and Control</i> , 2013, 24, 1315-1322.	0.8	48
79	Personal Breathing Zone Exposures among Hot-Mix Asphalt Paving Workers; Preliminary Analysis for Trends and Analysis of Work Practices That Resulted in the Highest Exposure Concentrations. <i>Journal of Occupational and Environmental Hygiene</i> , 2013, 10, 663-673.	0.4	15
80	Flame Retardant Exposure among Collegiate United States Gymnasts. <i>Environmental Science & Technology</i> , 2013, 47, 13848-13856.	4.6	56
81	An epidemic of chronic kidney disease in Central America: an overview. <i>Journal of Epidemiology and Community Health</i> , 2013, 67, 1-3.	2.0	79
82	An epidemic of chronic kidney disease in Central America: an overview. <i>Postgraduate Medical Journal</i> , 2013, 89, 123-125.	0.9	29
83	Polyfluorinated compounds in dust from homes, offices, and vehicles as predictors of concentrations in office workers' serum. <i>Environment International</i> , 2013, 60, 128-136.	4.8	123
84	A case-control study of paternal occupational exposures and the risk of childhood sporadic bilateral retinoblastoma. <i>Occupational and Environmental Medicine</i> , 2013, 70, 372-379.	1.3	21
85	The Central American Epidemic of CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013, 8, 504-511.	2.2	91
86	Occupational asbestos exposure is associated with pharyngeal squamous cell carcinoma in men from the greater Boston area. <i>Occupational and Environmental Medicine</i> , 2013, 70, 858-863.	1.3	19
87	Occupational dust exposure and head and neck squamous cell carcinoma risk in a population-based case-control study conducted in the greater Boston area. <i>Cancer Medicine</i> , 2013, 2, 978-986.	1.3	21
88	Smokeless tobacco and risk of head and neck cancer: Evidence from a case-control study in New England. <i>International Journal of Cancer</i> , 2013, 132, 1911-1917.	2.3	55
89	Postural Sway and Exposure to Jet Propulsion Fuel 8 Among US Air Force Personnel. <i>Journal of Occupational and Environmental Medicine</i> , 2013, 55, 446-453.	0.9	5
90	Characterization of Inhalation Exposure to Jet Fuel among U.S. Air Force Personnel. <i>Annals of Occupational Hygiene</i> , 2012, 56, 736-45.	1.9	13

#	ARTICLE	IF	CITATIONS
91	Using Urinary Biomarkers of Polycyclic Aromatic Compound Exposure to Guide Exposure-Reduction Strategies Among Asphalt Paving Workers. <i>Annals of Occupational Hygiene</i> , 2012, 56, 1013-24.	1.9	21
92	Temperature-Dependent Emission Concentrations of Polycyclic Aromatic Hydrocarbons in Paving and Built-Up Roofing Asphalts. <i>Annals of Occupational Hygiene</i> , 2012, 56, 148-60.	1.9	13
93	Predictors of Airborne Exposures to Polycyclic Aromatic Compounds and Total Organic Matter among Hot-Mix Asphalt Paving Workers and Influence of Work Conditions and Practices. <i>Annals of Occupational Hygiene</i> , 2012, 56, 138-147.	1.9	34
94	Urinary biomarkers of occupational jet fuel exposure among air force personnel. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2012, 22, 35-45.	1.8	17
95	Biomarkers of HPV in Head and Neck Squamous Cell Carcinoma. <i>Cancer Research</i> , 2012, 72, 5004-5013.	0.4	122
96	Regular dental visits are associated with earlier stage at diagnosis for oral and pharyngeal cancer. <i>Cancer Causes and Control</i> , 2012, 23, 1821-1829.	0.8	49
97	Predictors of Tetrabromobisphenol-A (TBBP-A) and Hexabromocyclododecanes (HBCD) in Milk from Boston Mothers. <i>Environmental Science & Technology</i> , 2012, 46, 12146-12153.	4.6	84
98	Identification of an Epigenetic Profile Classifier That Is Associated with Survival in Head and Neck Cancer. <i>Cancer Research</i> , 2012, 72, 2728-2737.	0.4	42
99	Excretion Profiles and Half-Lives of Ten Urinary Polycyclic Aromatic Hydrocarbon Metabolites after Dietary Exposure. <i>Chemical Research in Toxicology</i> , 2012, 25, 1452-1461.	1.7	168
100	Impact of Dust from Multiple Microenvironments and Diet on PentaBDE Body Burden. <i>Environmental Science & Technology</i> , 2012, 46, 1192-1200.	4.6	68
101	Rodent Thyroid, Liver, and Fetal Testis Toxicity of the Monoester Metabolite of Bis-(2-ethylhexyl) Tetrabromophthalate (TBPH), a Novel Brominated Flame Retardant Present in Indoor Dust. <i>Environmental Health Perspectives</i> , 2012, 120, 1711-1719.	2.8	66
102	Polyfluorinated Compounds in Serum Linked to Indoor Air in Office Environments. <i>Environmental Science & Technology</i> , 2012, 46, 1209-1215.	4.6	99
103	Gene-environment interactions of novel variants associated with head and neck cancer. <i>Head and Neck</i> , 2012, 34, 1111-1118.	0.9	24
104	Vitamin or mineral supplement intake and the risk of head and neck cancer: pooled analysis in the INHANCE consortium. <i>International Journal of Cancer</i> , 2012, 131, 1686-1699.	2.3	27
105	Allergies and risk of head and neck cancer. <i>Cancer Causes and Control</i> , 2012, 23, 1317-1322.	0.8	20
106	The Relationship Between Rural Status, Individual Characteristics, and Self-Reported Health in the Behavioral Risk Factor Surveillance System. <i>Journal of Rural Health</i> , 2012, 28, 327-338.	1.6	40
107	Diet and the risk of head and neck cancer: a pooled analysis in the INHANCE consortium. <i>Cancer Causes and Control</i> , 2012, 23, 69-88.	0.8	116
108	Pilot Study for the Investigation of Personal Breathing Zone and Dermal Exposure Using Levels of Polycyclic Aromatic Compounds (PAC) and PAC Metabolites in the Urine of Hot-Mix Asphalt Paving Workers. <i>Polycyclic Aromatic Compounds</i> , 2011, 31, 173-200.	1.4	5

#	ARTICLE	IF	CITATIONS
109	Predictors of Dermal Exposures to Polycyclic Aromatic Compounds Among Hot-Mix Asphalt Paving Workers. <i>Annals of Occupational Hygiene</i> , 2011, 56, 125-37.	1.9	15
110	Exposure to PBDEs in the Office Environment: Evaluating the Relationships Between Dust, Handwipes, and Serum. <i>Environmental Health Perspectives</i> , 2011, 119, 1247-1252.	2.8	180
111	The Occupational JP8 Exposure Neuroepidemiology Study (OJENES): Repeated workday exposure and central nervous system functioning among US Air Force personnel. <i>NeuroToxicology</i> , 2011, 32, 799-808.	1.4	13
112	A Genome-Wide Association Study of Upper Aerodigestive Tract Cancers Conducted within the INHANCE Consortium. <i>PLoS Genetics</i> , 2011, 7, e1001333.	1.5	158
113	A case-control study of asphalt and tar exposure and lung cancer in minorities. <i>American Journal of Industrial Medicine</i> , 2011, 54, 811-818.	1.0	9
114	A Sex-Specific Association between a 15q25 Variant and Upper Aerodigestive Tract Cancers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 658-664.	1.1	14
115	Global Hypomethylation Identifies Loci Targeted for Hypermethylation in Head and Neck Cancer. <i>Clinical Cancer Research</i> , 2011, 17, 3579-3589.	3.2	75
116	Study Design and Methods to Investigate Inhalation and Dermal Exposure to Polycyclic Aromatic Compounds and Urinary Metabolites from Asphalt Paving Workers: Research Conducted through Partnership. <i>Polycyclic Aromatic Compounds</i> , 2011, 31, 243-269.	1.4	16
117	Sexual behaviours and the risk of head and neck cancers: a pooled analysis in the International Head and Neck Cancer Epidemiology (INHANCE) consortium. <i>International Journal of Epidemiology</i> , 2010, 39, 166-181.	0.9	322
118	Cessation of alcohol drinking, tobacco smoking and the reversal of head and neck cancer risk. <i>International Journal of Epidemiology</i> , 2010, 39, 182-196.	0.9	210
119	Mature MicroRNA Sequence Polymorphism in <i>MIR196A2</i> Is Associated with Risk and Prognosis of Head and Neck Cancer. <i>Clinical Cancer Research</i> , 2010, 16, 3713-3720.	3.2	122
120	Inhalation Exposure to Jet Fuel (JP8) Among U.S. Air Force Personnel. <i>Journal of Occupational and Environmental Hygiene</i> , 2010, 7, 563-572.	0.4	20
121	Biomarker variance component estimation for exposure surrogate selection and toxicokinetic inference. <i>Toxicology Letters</i> , 2010, 199, 247-253.	0.4	37
122	Coffee and Tea Intake and Risk of Head and Neck Cancer: Pooled Analysis in the International Head and Neck Cancer Epidemiology Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 1723-1736.	1.1	74
123	Genetic and Epigenetic Somatic Alterations in Head and Neck Squamous Cell Carcinomas Are Globally Coordinated but Not Locally Targeted. <i>PLoS ONE</i> , 2010, 5, e9651.	1.1	38
124	A let-7 microRNA-binding site polymorphism in the KRAS 3' UTR is associated with reduced survival in oral cancers. <i>Carcinogenesis</i> , 2009, 30, 1003-1007.	1.3	185
125	Genetic variation in the vitamin C transporter, SLC23A2, modifies the risk of HPV16-associated head and neck cancer. <i>Carcinogenesis</i> , 2009, 30, 977-981.	1.3	53
126	Personal Exposure, Behavior, and Work Site Conditions as Determinants of Blood Lead Among Bridge Painters. <i>Journal of Occupational and Environmental Hygiene</i> , 2009, 7, 80-87.	0.4	19

#	ARTICLE	IF	CITATIONS
127	Diet Contributes Significantly to the Body Burden of PBDEs in the General U.S. Population. <i>Environmental Health Perspectives</i> , 2009, 117, 1520-1525.	2.8	116
128	Investigation of PAH Biomarkers in the Urine of Workers Exposed to Hot Asphalt. <i>Annals of Occupational Hygiene</i> , 2009, 53, 551-60.	1.9	50
129	Comparing Urinary Biomarkers of Airborne and Dermal Exposure to Polycyclic Aromatic Compounds in Asphalt-Exposed Workers. <i>Annals of Occupational Hygiene</i> , 2009, 53, 561-71.	1.9	39
130	Epigenetic profiling reveals etiologically distinct patterns of DNA methylation in head and neck squamous cell carcinoma. <i>Carcinogenesis</i> , 2009, 30, 416-422.	1.3	99
131	Smoking modifies the relationship between <i>XRCC1</i> haplotypes and HPV16-negative head and neck squamous cell carcinoma. <i>International Journal of Cancer</i> , 2009, 124, 2690-2696.	2.3	31
132	A Population-Based Case-Control Study of Marijuana Use and Head and Neck Squamous Cell Carcinoma. <i>Cancer Prevention Research</i> , 2009, 2, 759-768.	0.7	57
133	Identifying Transfer Mechanisms and Sources of Decabromodiphenyl Ether (BDE 209) in Indoor Environments Using Environmental Forensic Microscopy. <i>Environmental Science & Technology</i> , 2009, 43, 3067-3072.	4.6	198
134	Participant experiences in a breastmilk biomonitoring study: A qualitative assessment. <i>Environmental Health</i> , 2009, 8, 4.	1.7	25
135	Interaction between Tobacco and Alcohol Use and the Risk of Head and Neck Cancer: Pooled Analysis in the International Head and Neck Cancer Epidemiology Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 541-550.	1.1	908
136	MicroRNA expression in head and neck cancer associates with alcohol consumption and survival. <i>Carcinogenesis</i> , 2009, 30, 2059-2063.	1.3	141
137	Dairy products, leanness, and head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2008, 30, 1193-1205.	0.9	22
138	Beryllium sensitization and lung function among former workers at the Nevada Test Site. <i>American Journal of Industrial Medicine</i> , 2008, 51, 512-523.	1.0	13
139	Measurement of Polybrominated Diphenyl Ethers on Hand Wipes: Estimating Exposure from Hand-to-Mouth Contact. <i>Environmental Science & Technology</i> , 2008, 42, 3329-3334.	4.6	208
140	Alternate and New Brominated Flame Retardants Detected in U.S. House Dust. <i>Environmental Science & Technology</i> , 2008, 42, 6910-6916.	4.6	471
141	Critical factors in assessing exposure to PBDEs via house dust. <i>Environment International</i> , 2008, 34, 1085-1091.	4.8	216
142	Response to Comment on "Alternate and New Brominated Flame Retardants Detected in U.S. House Dust". <i>Environmental Science & Technology</i> , 2008, 42, 9455-9456.	4.6	6
143	Linking PBDEs in House Dust to Consumer Products using X-ray Fluorescence. <i>Environmental Science & Technology</i> , 2008, 42, 4222-4228.	4.6	161
144	Human Papillomavirus-16 Modifies the Association between Fruit Consumption and Head and Neck Squamous Cell Carcinoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 3419-3426.	1.1	18

#	ARTICLE	IF	CITATIONS
145	Lack of Association of Alcohol and Tobacco with HPV16-Associated Head and Neck Cancer. Journal of the National Cancer Institute, 2007, 99, 1801-1810.	3.0	223
146	Physical and Chemical Characterization of Asphalt (Bitumen) Paving Exposures. Journal of Occupational and Environmental Hygiene, 2007, 4, 209-216.	0.4	23
147	Human Exposure to PBDEs: Associations of PBDE Body Burdens with Food Consumption and House Dust Concentrations. Environmental Science & Technology, 2007, 41, 1584-1589.	4.6	409
148	Global DNA Methylation Level in Whole Blood as a Biomarker in Head and Neck Squamous Cell Carcinoma. Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 108-114.	1.1	269
149	Personal Exposure to Polybrominated Diphenyl Ethers (PBDEs) in Residential Indoor Air. Environmental Science & Technology, 2007, 41, 4574-4579.	4.6	200
150	Human papillomavirus 16 and head and neck squamous cell carcinoma. International Journal of Cancer, 2007, 120, 2386-2392.	2.3	107
151	Dietary folate is associated with p16INK4A methylation in head and neck squamous cell carcinoma. International Journal of Cancer, 2006, 119, 1553-1557.	2.3	53
152	Epigenetic inactivation of the SFRP genes is associated with drinking, smoking and HPV in head and neck squamous cell carcinoma. International Journal of Cancer, 2006, 119, 1761-1766.	2.3	111
153	Duration but not Intensity of Alcohol and Tobacco Exposure Predicts p16INK4A Homozygous Deletion in Head and Neck Squamous Cell Carcinoma. Cancer Research, 2006, 66, 4512-4515.	0.4	19
154	Glutathione S-Transferase Polymorphisms and the Synergy of Alcohol and Tobacco in Oral, Pharyngeal, and Laryngeal Carcinoma. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 2196-2202.	1.1	70
155	The ADH1C Polymorphism Modifies the Risk of Squamous Cell Carcinoma of the Head and Neck Associated with Alcohol and Tobacco Use. Cancer Epidemiology Biomarkers and Prevention, 2005, 14, 476-482.	1.1	81
156	An Unrecognized Source of PCB Contamination in Schools and Other Buildings. Environmental Health Perspectives, 2004, 112, 1051-1053.	2.8	173
157	Beryllium Exposure Control Program at the Cardiff Atomic Weapons Establishment in the United Kingdom. Journal of Occupational and Environmental Hygiene, 2001, 16, 619-630.	0.5	27
158	Beryllium Exposure Control Program at the Cardiff Atomic Weapons Establishment in the United Kingdom. , 0, .		5