

Valria O Pagnano

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4266420/valeria-o-pagnano-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

28
papers

244
citations

9
h-index

14
g-index

29
ext. papers

309
ext. citations

2.5
avg, IF

2.61
L-index

#	Paper	IF	Citations
28	Effect of oxidation heat treatment with airborne-particle abrasion on the shear bond strength of ceramic to base metal alloys. <i>Journal of Prosthetic Dentistry</i> , 2021 , 126, 804.e1-804.e9	4	1
27	Expression of virulence factors by <i>Pseudomonas aeruginosa</i> biofilm after bacteriophage infection. <i>Microbial Pathogenesis</i> , 2021 , 154, 104834	3.8	4
26	Antimicrobial activity of effervescent denture tablets on multispecies biofilms. <i>Gerodontology</i> , 2021 , 38, 87-94	2.8	5
25	Complete denture hygiene solutions: antibiofilm activity and effects on physical and mechanical properties of acrylic resin. <i>Journal of Applied Oral Science</i> , 2021 , 29, e20200948	3.3	1
24	In Vitro Antimicrobial Activity of Effervescent Denture Tablets on the Components of Removable Partial Dentures. <i>International Journal of Prosthodontics</i> , 2020 , 33, 315-320	1.9	2
23	Effect of Cleanser Solutions on the Retention Force of O-ring Attachment: An in Vitro Study. <i>Brazilian Dental Journal</i> , 2020 , 31, 657-663	1.9	1
22	Oral rehabilitation in a patient with Jeune syndrome presenting with multiple teeth agenesis. <i>Special Care in Dentistry</i> , 2020 , 40, 493-497	1.7	0
21	Effect of Denture Cleansers on Cobalt-Chromium Alloy Surface: A Simulated Period of 5 YearseUse. <i>Journal of Prosthodontics</i> , 2020 , 29, 142-150	3.9	3
20	Effect of Alkaline Peroxides on the Surface of Cobalt Chrome Alloy: An In Vitro Study. <i>Journal of Prosthodontics</i> , 2019 , 28, e337-e341	3.9	3
19	Effect of casting atmosphere on the marginal deficiency and misfit of Ni-Cr alloys with and without beryllium. <i>Journal of Prosthetic Dentistry</i> , 2017 , 118, 83-88	4	5
18	Antimicrobial action and long-term effect of overnight denture cleansers. <i>American Journal of Dentistry</i> , 2017 , 30, 101-108	1.3	6
17	Alkaline Peroxides Versus Sodium Hypochlorite for Removing Denture Biofilm: a Crossover Randomized Trial. <i>Brazilian Dental Journal</i> , 2016 , 27, 700-704	1.9	8
16	Antimicrobial efficacy of complete denture cleansers. <i>American Journal of Dentistry</i> , 2016 , 29, 149-53	1.3	9
15	Effect of cleanser solutions on the color of acrylic resins associated with titanium and nickel-chromium alloys. <i>Brazilian Oral Research</i> , 2014 , 28,	2.6	7
14	Complete denture biofilm after brushing with specific denture paste, neutral soap and artificial saliva. <i>Brazilian Dental Journal</i> , 2013 , 24, 47-52	1.9	16
13	Effect of investment type and mold temperature on casting accuracy and titanium-ceramic bond. <i>Brazilian Dental Journal</i> , 2013 , 24, 40-6	1.9	3
12	Tensile and flexural strength of commercially pure titanium submitted to laser and tungsten inert gas welds. <i>Brazilian Dental Journal</i> , 2013 , 24, 630-4	1.9	6

11	Effect of denture cleansers on metal ion release and surface roughness of denture base materials. <i>Brazilian Dental Journal</i> , 2012 , 23, 387-93	1.9	14
10	Effect of different cleansers on the weight and ion release of removable partial denture: an in vitro study. <i>Journal of Applied Oral Science</i> , 2011 , 19, 483-7	3.3	23
9	Evaluation of anodic behavior of commercially pure titanium in tungsten inert gas and laser welds. <i>Journal of Prosthodontics</i> , 2011 , 20, 628-31	3.9	8
8	Effect of different cleansers on the surface of removable partial denture. <i>Brazilian Dental Journal</i> , 2011 , 22, 392-7	1.9	39
7	Comparative study of intermaxillary relationships of manual and swallowing methods. <i>Brazilian Dental Journal</i> , 2009 , 20, 78-83	1.9	8
6	Effect of casting atmosphere on the shear bond strength of a ceramic to Ni-Cr and Ni-Cr-Be alloys. <i>Brazilian Dental Journal</i> , 2009 , 20, 138-42	1.9	7
5	Correlation between metal-ceramic bond strength and coefficient of linear thermal expansion difference. <i>Journal of Applied Oral Science</i> , 2009 , 17, 122-8	3.3	19
4	The castability of pure titanium compared with Ni-Cr and Ni-Cr-Be alloys. <i>Journal of Prosthetic Dentistry</i> , 2007 , 98, 445-54	4	14
3	Influence of investment type and sprue number on the casting accuracy of titanium crown margins. <i>Journal of Prosthetic Dentistry</i> , 2006 , 95, 42-9	4	17
2	Effect of casting temperature and atmosphere on castability of Ni-Cr alloys: a comparative study with direct flame casting method. <i>Materials Research</i> , 2006 , 9, 237-241	1.5	4
1	Device for recording the path of insertion for removable partial dentures. <i>Journal of Prosthetic Dentistry</i> , 2000 , 84, 136-8	4	11