

ValÃ©ria O Pagnano

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4266420/publications.pdf>

Version: 2024-02-01

29
papers

393
citations

840119

11
h-index

839053

18
g-index

29
all docs

29
docs citations

29
times ranked

395
citing authors

#	ARTICLE	IF	CITATIONS
1	Antimicrobial activity of effervescent denture tablets on multispecies biofilms. <i>Gerodontology</i> , 2021, 38, 87-94.	0.8	14
2	Complete denture hygiene solutions: antibiofilm activity and effects on physical and mechanical properties of acrylic resin. <i>Journal of Applied Oral Science</i> , 2021, 29, e20200948.	0.7	9
3	Expression of virulence factors by <i>Pseudomonas aeruginosa</i> biofilm after bacteriophage infection. <i>Microbial Pathogenesis</i> , 2021, 154, 104834.	1.3	10
4	Simplified Acid Treatment Technique in Cobalt-Chromium Alloys: Effect on Metal-Ceramic Bond Strength. <i>Materials Research</i> , 2021, 24, .	0.6	0
5	Effect of oxidation heat treatment with airborne-particle abrasion on the shear bond strength of ceramic to base metal alloys. <i>Journal of Prosthetic Dentistry</i> , 2021, 126, 804.e1-804.e9.	1.1	3
6	Effect of Denture Cleansers on Cobalt-Chromium Alloy Surface: A Simulated Period of 5 Years™ Use. <i>Journal of Prosthodontics</i> , 2020, 29, 142-150.	1.7	10
7	Oral rehabilitation in a patient with Jeune syndrome presenting with multiple teeth agenesis. <i>Special Care in Dentistry</i> , 2020, 40, 493-497.	0.4	1
8	In Vitro Antimicrobial Activity of Effervescent Denture Tablets on the Components of Removable Partial Dentures. <i>International Journal of Prosthodontics</i> , 2020, 33, 315-320.	0.7	10
9	Effect of Cleanser Solutions on the Retention Force of O-ring Attachment: An in Vitro Study. <i>Brazilian Dental Journal</i> , 2020, 31, 657-663.	0.5	4
10	Effect of Alkaline Peroxides on the Surface of Cobalt Chrome Alloy: An In Vitro Study. <i>Journal of Prosthodontics</i> , 2019, 28, e337-e341.	1.7	13
11	Effect of casting atmosphere on the marginal deficiency and misfit of Ni-Cr alloys with and without beryllium. <i>Journal of Prosthetic Dentistry</i> , 2017, 118, 83-88.	1.1	8
12	Antimicrobial action and long-term effect of overnight denture cleansers. <i>American Journal of Dentistry</i> , 2017, 30, 101-108.	0.1	10
13	Alkaline Peroxides Versus Sodium Hypochlorite for Removing Denture Biofilm: a Crossover Randomized Trial. <i>Brazilian Dental Journal</i> , 2016, 27, 700-704.	0.5	11
14	Antimicrobial efficacy of complete denture cleansers. <i>American Journal of Dentistry</i> , 2016, 29, 149-53.	0.1	10
15	Effect of cleanser solutions on the color of acrylic resins associated with titanium and nickel-chromium alloys. <i>Brazilian Oral Research</i> , 2014, 28, 1-7.	0.6	11
16	Complete denture biofilm after brushing with specific denture paste, neutral soap and artificial saliva. <i>Brazilian Dental Journal</i> , 2013, 24, 47-52.	0.5	22
17	Effect of investment type and mold temperature on casting accuracy and titanium-ceramic bond. <i>Brazilian Dental Journal</i> , 2013, 24, 40-46.	0.5	4
18	Tensile and Flexural Strength of Commercially Pure Titanium Submitted to Laser and Tungsten Inert Gas Welds. <i>Brazilian Dental Journal</i> , 2013, 24, 630-634.	0.5	12

#	ARTICLE	IF	CITATIONS
19	Effect of denture cleansers on metal ion release and surface roughness of denture base materials. Brazilian Dental Journal, 2012, 23, 387-393.	0.5	25
20	Effect of different cleansers on the weight and ion release of removable partial denture: an in vitro study. Journal of Applied Oral Science, 2011, 19, 483-487.	0.7	32
21	Evaluation of Anodic Behavior of Commercially Pure Titanium in Tungsten Inert Gas and Laser Welds. Journal of Prosthodontics, 2011, 20, 628-631.	1.7	10
22	Effect of different cleansers on the surface of removable partial denture. Brazilian Dental Journal, 2011, 22, 392-397.	0.5	62
23	Comparative study of intermaxillary relationships of manual and swallowing methods. Brazilian Dental Journal, 2009, 20, 78-83.	0.5	12
24	Effect of casting atmosphere on the shear bond strength of a ceramic to Ni-Cr and Ni-Cr-Be alloys. Brazilian Dental Journal, 2009, 20, 138-142.	0.5	9
25	Correlation between metal-ceramic bond strength and coefficient of linear thermal expansion difference. Journal of Applied Oral Science, 2009, 17, 122-128.	0.7	24
26	The castability of pure titanium compared with Ni-Cr and Ni-Cr-Be alloys. Journal of Prosthetic Dentistry, 2007, 98, 445-454.	1.1	18
27	Effect of casting temperature and atmosphere on castability of Ni-Cr alloys: a comparative study with direct flame casting method. Materials Research, 2006, 9, 237-241.	0.6	4
28	Influence of investment type and sprue number on the casting accuracy of titanium crown margins. Journal of Prosthetic Dentistry, 2006, 95, 42-49.	1.1	22
29	Device for recording the path of insertion for removable partial dentures. Journal of Prosthetic Dentistry, 2000, 84, 136-138.	1.1	13