Francesco Lops

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4266970/publications.pdf

Version: 2024-02-01

20 papers 335 citations

840776 11 h-index 18 g-index

22 all docs 22 docs citations

22 times ranked 513 citing authors

#	Article	IF	CITATIONS
1	Effects of plant biostimulants on fruit set, growth, yield and fruit quality attributes of †Orange rubis®' apricot (Prunus armeniaca L.) cultivar in two consecutive years. Scientia Horticulturae, 2018, 239, 26-34.	3.6	55
2	Phaeoacremonium species associated with olive wilt and decline in southern Italy. European Journal of Plant Pathology, 2015, 141, 717-729.	1.7	50
3	Characterization of Botryosphaeriaceae Species as Causal Agents of Trunk Diseases on Grapevines. Plant Disease, 2015, 99, 1678-1688.	1.4	32
4	Fungi associated with root rot and collapse of melon in Italy. EPPO Bulletin, 2008, 38, 147-154.	0.8	24
5	<i>Phaeoacremonium italicum</i> sp. nov., associated with esca of grapevine in southern Italy. Mycologia, 2014, 106, 1119-1126.	1.9	23
6	Charcoal Canker of Pear, Plum, and Quince Trees Caused by <i>Biscogniauxia rosacearum</i> sp. nov. in Southern Italy. Plant Disease, 2016, 100, 1813-1822.	1.4	19
7	Fungal bioremediation of olive mill wastewater: using a multi-step approach to model inhibition or stimulation. Journal of the Science of Food and Agriculture, 2017, 97, 461-468.	3.5	16
8	Studies on the spread of the olive scab pathogen, Spilocaea oleagina. EPPO Bulletin, 1993, 23, 385-387.	0.8	15
9	Streptomyces albidoflavus Strain CARA17 as a Biocontrol Agent against Fungal Soil-Borne Pathogens of Fennel Plants. Plants, 2022, 11, 1420.	3.5	15
10	Possible dissemination of Spilocaea oleagina conidia by insects (Ectopsocus briggsi). EPPO Bulletin, 1993, 23, 389-391.	0.8	13
11	First Report of Stem Wilt and Root Rot of <i>Schlumbergera truncata</i> Caused by <i>Fusarium oxysporum</i> f. sp. <iopuntiarum< i=""> in Southern Italy. Plant Disease, 2013, 97, 846-846.</iopuntiarum<>	1.4	13
12	Effects of irrigation with treated agro-industrial wastewater on soil chemical characteristics and fungal populations during processing tomato crop cycle. Journal of Soil Science and Plant Nutrition, 2015, , 0-0.	3.4	12
13	Effects of different methods to control the parasitic weed Phelipanche ramosa (L.) Pomel in processing tomato crops. Italian Journal of Agronomy, 2016, 11, 39-46.	1.0	12
14	Effect of Olive-Mill Wastewater Application, Organo-Mineral Fertilization, and Transplanting Date on the Control of Phelipanche ramosa in Open-Field Processing Tomato Crops. Agronomy, 2018, 8, 92.	3.0	7
15	HPLC-HRMS Global Metabolomics Approach for the Diagnosis of "Olive Quick Decline Syndrome― Markers in Olive Trees Leaves. Metabolites, 2021, 11, 40.	2.9	7
16	First Report of <i>Phaeoacremonium oleae</i> and <i>P. viticola</i> Associated with Olive Trunk Diseases in Italy. Plant Disease, 2022, 106, 331.	1.4	4
17	First Report of Wilt Caused by <i>Verticillium dahliae</i> on Cosmos (<i>Cosmos bipinnatus</i>) in Italy. Plant Disease, 2009, 93, 846-846.	1.4	2
18	EFFECTIVENESS OF MULCHING PLASTIC FILM TO CONTROL CORKY ROT AND SOME VIRUSES OF TOMATO. Acta Horticulturae, 2011, , 113-115.	0.2	1

#	Article	IF	CITATIONS
19	A STUDY ON THE SUSCEPTIBILITY TO EUTYPA ARMENIACAE OF VARIOUS COMBINATIONS OF APRICOT CULTIVARS AND ROOTSTOCKS. Acta Horticulturae, 2004, , 399-402.	0.2	1
20	First Report of <i>Phaeoacremonium amygdalinum</i> Associated with Almond Dieback and Wood Disease in Italy. Plant Disease, 2021, 105, 4166.	1.4	0