

# Matthew G Teeter

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/4268369/matthew-g-teeter-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

116  
papers

1,091  
citations

18  
h-index

25  
g-index

122  
ext. papers

1,311  
ext. citations

3.1  
avg, IF

4.64  
L-index

#	Paper	IF	Citations
116	Effect of Taper Design on Trunnionosis in Metal on Polyethylene Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , <b>2015</b> , 30, 1269-72	4.4	81
115	Taperosis: Does head length affect fretting and corrosion in total hip arthroplasty?. <i>Bone and Joint Journal</i> , <b>2015</b> , 97-B, 911-6	5.6	51
114	Trunnionosis: Does Head Size Affect Fretting and Corrosion in Total Hip Arthroplasty?. <i>Journal of Arthroplasty</i> , <b>2016</b> , 31, 2332-6	4.4	48
113	Tribocorrosion: Ceramic and Oxidized Zirconium vs Cobalt-Chromium Heads in Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , <b>2016</b> , 31, 2064-71	4.4	42
112	In vitro quantification of wear in tibial inserts using microcomputed tomography. <i>Clinical Orthopaedics and Related Research</i> , <b>2011</b> , 469, 107-12	2.2	38
111	Three-dimensional surface deviation maps for analysis of retrieved polyethylene acetabular liners using micro-computed tomography. <i>Journal of Arthroplasty</i> , <b>2010</b> , 25, 330-2	4.4	29
110	Damage of an Oxinium femoral head and polyethylene liner following Total hip replacement. <i>Journal of Bone and Joint Surgery: British Volume</i> , <b>2011</b> , 93, 409-13		28
109	Correlation of corrosion and biomechanics in the retrieval of a single modular neck total hip arthroplasty design: modular neck total hip arthroplasty system. <i>Journal of Arthroplasty</i> , <b>2015</b> , 30, 135-40	4.4	24
108	Retrieval analysis of posterior stabilized polyethylene tibial inserts and its clinical relevance. <i>Journal of Arthroplasty</i> , <b>2014</b> , 29, 365-8	4.4	24
107	The relationship between constitutional alignment and varus osteoarthritis of the knee. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , <b>2017</b> , 25, 2873-2879	5.5	23
106	Contact Kinematic Differences Between Gap Balanced vs Measured Resection Techniques for Single Radius Posterior-Stabilized Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , <b>2017</b> , 32, 1834-1838	4.4	23
105	Evaluation of a laparoscopic technique for collection of serial full-thickness small intestinal biopsy specimens in standing sedated horses. <i>American Journal of Veterinary Research</i> , <b>2008</b> , 69, 431-9	1.1	23
104	Highly crosslinked polyethylene improves wear but not surface damage in retrieved acetabular liners. <i>Clinical Orthopaedics and Related Research</i> , <b>2015</b> , 473, 463-8	2.2	22
103	Varus tibial alignment is associated with greater tibial baseplate migration at 10 years following total knee arthroplasty. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , <b>2018</b> , 26, 1610-1617	5.5	20
102	Thirteen-year wear rate comparison of highly crosslinked and conventional polyethylene in total hip arthroplasty: long-term follow-up of a prospective randomized controlled trial. <i>Canadian Journal of Surgery</i> , <b>2017</b> , 60, 212-216	2	19
101	The Impact of Coronal Plane Alignment on Polyethylene Wear and Damage in Total Knee Arthroplasty: A Retrieval Study. <i>Journal of Arthroplasty</i> , <b>2017</b> , 32, 2012-2016	4.4	18
100	Do Changes in Patellofemoral Joint Offset Lead to Adverse Outcomes in Total Knee Arthroplasty With Patellar Resurfacing? A Radiographic Review. <i>Journal of Arthroplasty</i> , <b>2017</b> , 32, 783-787.e1	4.4	18

99	Determination of reference geometry for polyethylene tibial insert wear analysis. <i>Journal of Arthroplasty</i> , <b>2011</b> , 26, 497-503	4.4	18
98	Mechanical wear and oxidative degradation analysis of retrieved ultra high molecular weight polyethylene acetabular cups. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , <b>2018</b> , 79, 314-323	4.1	17
97	In Vivo Wear Performance of Cobalt-Chromium Versus Oxidized Zirconium Femoral Total Knee Replacements. <i>Journal of Arthroplasty</i> , <b>2016</b> , 31, 137-41	4.4	16
96	Effect of Acetabular Position on Polyethylene Liner Wear Measured Using Simultaneous Biplanar Acquisition. <i>Journal of Arthroplasty</i> , <b>2017</b> , 32, 1670-1674	4.4	16
95	The 2012 Mark Coventry award: a retrieval analysis of high flexion versus posterior-stabilized tibial inserts. <i>Clinical Orthopaedics and Related Research</i> , <b>2013</b> , 471, 56-63	2.2	16
94	Tribocorrosion in shoulder arthroplasty humeral component retrievals. <i>Journal of Shoulder and Elbow Surgery</i> , <b>2016</b> , 25, 311-5	4.3	15
93	How do CAD models compare with reverse engineered manufactured components for use in wear analysis?. <i>Clinical Orthopaedics and Related Research</i> , <b>2012</b> , 470, 1847-54	2.2	15
92	Metal-on-Metal Compared With Metal-on-Polyethylene: The Effect on Trunnion Corrosion in Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , <b>2017</b> , 32, 2574-2579	4.4	15
91	Metrology test object for dimensional verification in additive manufacturing of metals for biomedical applications. <i>Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine</i> , <b>2015</b> , 229, 20-7	1.7	14
90	Current Total Knee Designs: Does Baseplate Roughness or Locking Mechanism Design Affect Polyethylene Backside Wear?. <i>Clinical Orthopaedics and Related Research</i> , <b>2017</b> , 475, 2970-2980	2.2	13
89	Wear and creep behavior of total knee implants undergoing wear testing. <i>Journal of Arthroplasty</i> , <b>2015</b> , 30, 130-4	4.4	13
88	Proposal and Validation of a Knee Measurement System for Patients With Osteoarthritis. <i>IEEE Transactions on Biomedical Engineering</i> , <b>2019</b> , 66, 319-326	5	13
87	Migration of a cemented fixed-bearing, polished titanium tibial baseplate (Genesis II) at ten years : a radiostereometric analysis. <i>Bone and Joint Journal</i> , <b>2016</b> , 98-B, 616-21	5.6	13
86	Change in Acetabular Cup Orientation From Supine to Standing Position and Its Effect on Wear of Highly Crosslinked Polyethylene. <i>Journal of Arthroplasty</i> , <b>2018</b> , 33, 263-267	4.4	12
85	Technique to quantify subsurface cracks in retrieved polyethylene components using micro-CT. <i>Journal of Long-Term Effects of Medical Implants</i> , <b>2010</b> , 20, 27-34	0.2	12
84	Comparison of Contact Kinematics in Posterior-Stabilized and Cruciate-Retaining Total Knee Arthroplasty at Long-Term Follow-Up. <i>Journal of Arthroplasty</i> , <b>2020</b> , 35, 272-277	4.4	12
83	Comparison of Tibial Insert Polyethylene Damage in Rotating Hinge and Highly Constrained Total Knee Arthroplasty: A Retrieval Analysis. <i>Journal of Arthroplasty</i> , <b>2016</b> , 31, 290-4	4.4	11
82	Machine Learning Groups Patients by Early Functional Improvement Likelihood Based on Wearable Sensor Instrumented Preoperative Timed-Up-and-Go Tests. <i>Journal of Arthroplasty</i> , <b>2019</b> , 34, 2267-2271	4.4	11

81	Radiostereometric analysis using clinical radiographic views: Validation measuring total hip replacement wear. <i>Journal of Orthopaedic Research</i> , <b>2016</b> , 34, 1521-8	3.8	11
80	The Effect of Subluxation of Articulating Antibiotic Spacers on Bone Defects and Degree of Constraint in Revision Knee Arthroplasty. <i>Journal of Arthroplasty</i> , <b>2016</b> , 31, 199-203	4.4	11
79	Highly crosslinked polyethylene wear rates and acetabular component orientation: a minimum ten-year follow-up. <i>Bone and Joint Journal</i> , <b>2018</b> , 100-B, 891-897	5.6	10
78	Manufacturing, oxidation, mechanical properties and clinical performance of highly cross-linked polyethylene in total hip arthroplasty. <i>HIP International</i> , <b>2018</b> , 28, 573-583	1.7	10
77	Surface extraction can provide a reference for micro-CT analysis of retrieved total knee implants. <i>Knee</i> , <b>2014</b> , 21, 801-5	2.6	10
76	Manufacturing lot affects polyethylene tibial insert volume, thickness, and surface geometry. <i>Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine</i> , <b>2013</b> , 227, 884-9	1.7	9
75	Comparison of micro-computed tomography and laser scanning for reverse engineering orthopaedic component geometries. <i>Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine</i> , <b>2012</b> , 226, 263-7	1.7	9
74	Repeatability of measuring knee flexion angles with wearable inertial sensors. <i>Knee</i> , <b>2019</b> , 26, 97-105	2.6	9
73	Factors Affecting Wear of Constrained Polyethylene Tibial Inserts in Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , <b>2016</b> , 31, 1340-1345	4.4	8
72	Outcome following subluxation of mobile articulating spacers in two-stage revision total knee arthroplasty. <i>Archives of Orthopaedic and Trauma Surgery</i> , <b>2017</b> , 137, 375-380	3.6	7
71	Comparison of articular and backside polyethylene wear in mobile bearing unicompartmental knee replacement. <i>Knee</i> , <b>2017</b> , 24, 429-433	2.6	7
70	Effect of Medial Soft Tissue Releases During Posterior-Stabilized Total Knee Arthroplasty on Contact Kinematics and Patient-Reported Outcomes. <i>Journal of Arthroplasty</i> , <b>2019</b> , 34, 1110-1115	4.4	7
69	The Impact of Wear and Lift-Off on Coronal Plane Alignment in TKA and Implications to Future Constrained Revision: A Retrieval Study. <i>Journal of Arthroplasty</i> , <b>2015</b> , 30, 2017-20	4.4	7
68	Contact Kinematics Correlates to Tibial Component Migration Following Single Radius Posterior Stabilized Knee Replacement. <i>Journal of Arthroplasty</i> , <b>2018</b> , 33, 740-745	4.4	7
67	Effect of Acetabular Component Positioning on Functional Outcomes in Primary Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , <b>2017</b> , 32, 843-848	4.4	7
66	Quantification of in vivo implant wear in total knee replacement from dynamic single plane radiography. <i>Physics in Medicine and Biology</i> , <b>2013</b> , 58, 2751-67	3.8	7
65	Finite element analysis of wall stress in the equine pulmonary artery. <i>Equine Veterinary Journal</i> , <b>2010</b> , 42, 68-72	2.4	7
64	Measurements of surface and subsurface damage in retrieved polyethylene tibial inserts of a contemporary design. <i>Journal of Long-Term Effects of Medical Implants</i> , <b>2012</b> , 22, 21-31	0.2	7

63	Catastrophic femoral head trunnion dissociation: a case series with surface wear analysis. <i>HIP International</i> , <b>2019</b> , 29, NP1-NP5	1.7	6
62	Radiostereometric analysis of early anatomical changes following medial opening wedge high tibial osteotomy. <i>Knee</i> , <b>2015</b> , 22, 41-6	2.6	6
61	Evidence that in vivo wear damage alters kinematics and contact stresses in a total knee replacement. <i>Journal of Long-Term Effects of Medical Implants</i> , <b>2010</b> , 20, 43-8	0.2	6
60	Correlation between hip osteoarthritis and the level of physical activity as measured by wearable technology and patient-reported questionnaires. <i>Journal of Orthopaedics</i> , <b>2020</b> , 20, 236-239	1.6	6
59	Predictive accuracy of RSA migration thresholds for cemented total hip arthroplasty stem designs. <i>HIP International</i> , <b>2018</b> , 28, 363-368	1.7	6
58	Marker-based technique for visualizing radiolucent implant components in radiographic imaging. <i>Journal of Orthopaedic Research</i> , <b>2017</b> , 35, 2017-2022	3.8	5
57	Contribution of Surface Polishing and Sterilization Method to Backside Wear in Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , <b>2015</b> , 30, 2320-2	4.4	5
56	Highly cross-linked vs conventional polyethylene: no differences in rim notching from micromotion on retrieved acetabular liners. <i>Journal of Arthroplasty</i> , <b>2012</b> , 27, 1616-1621.e1	4.4	5
55	Accuracy of the modified Hardinge approach in acetabular positioning. <i>Canadian Journal of Surgery</i> , <b>2016</b> , 59, 247-53	2	5
54	. <i>IEEE Sensors Journal</i> , <b>2020</b> , 20, 14975-14983	4	5
53	Radiostereometric Analysis Permits In Vivo Measurement of Very Small Levels of Wear in TKA. <i>Clinical Orthopaedics and Related Research</i> , <b>2019</b> , 477, 80-90	2.2	5
52	Machine Learning Predicts the Fall Risk of Total Hip Arthroplasty Patients Based on Wearable Sensor Instrumented Performance Tests. <i>Journal of Arthroplasty</i> , <b>2021</b> , 36, 573-578	4.4	5
51	The effect of femoral stem collar on implant migration and clinical outcomes following direct anterior approach total hip arthroplasty. <i>Bone and Joint Journal</i> , <b>2020</b> , 102-B, 1654-1661	5.6	4
50	Validation of radiostereometric analysis in six degrees of freedom for use with reverse total shoulder arthroplasty. <i>Journal of Biomechanics</i> , <b>2018</b> , 68, 126-131	2.9	4
49	Does the Additional Articulation in Retrieved Bipolar Hemiarthroplasty Implants Decrease Trunnionosis Compared to Total Hip Arthroplasty?. <i>Journal of Arthroplasty</i> , <b>2018</b> , 33, 268-272	4.4	4
48	Early failure of a polyethylene acetabular liner cemented into a metal cup. <i>Journal of Arthroplasty</i> , <b>2012</b> , 27, 820.e5-8	4.4	4
47	Regional measurements of surface deviation volume in worn polyethylene joint replacement components. <i>Journal of Long-Term Effects of Medical Implants</i> , <b>2010</b> , 20, 49-56	0.2	4
46	Inter and intra-system size variability of reverse shoulder arthroplasty polyethylene inserts. <i>International Journal of Shoulder Surgery</i> , <b>2016</b> , 10, 10-4		4

45	Machine learning and wearable sensors at preoperative assessments: Functional recovery prediction to set realistic expectations for knee replacements. <i>Medical Engineering and Physics</i> , <b>2021</b> , 89, 14-21	2.4	4
44	wear measurement in a modern total knee arthroplasty with model-based radiostereometric analysis. <i>Bone and Joint Journal</i> , <b>2019</b> , 101-B, 1348-1355	5.6	4
43	In vivo volumetric and linear wear measurement of reverse shoulder arthroplasty at minimum 5-year follow-up. <i>Journal of Shoulder and Elbow Surgery</i> , <b>2020</b> , 29, 1695-1702	4.3	4
42	Effect of gap balancing and measured resection techniques on implant migration and contact kinematics of a cementless total knee arthroplasty. <i>Knee</i> , <b>2021</b> , 31, 86-96	2.6	4
41	Do revision total hip augments provide appropriate modularity?. <i>Canadian Journal of Surgery</i> , <b>2015</b> , 58, 54-7	2	3
40	Image-based design and 3D-metal printing of a rat hip implant for use in a clinically representative model of joint replacement. <i>Journal of Orthopaedic Research</i> , <b>2020</b> , 38, 1627-1636	3.8	3
39	Backside Wear Is Not Dependent on the Acetabular Socket Design in Crosslinked Polyethylene Liners. <i>Clinical Orthopaedics and Related Research</i> , <b>2016</b> , 474, 374-82	2.2	3
38	Differences in Trochlear Surface Damage and Wear Between Three Different Total Knee Arthroplasty Designs. <i>Journal of Arthroplasty</i> , <b>2017</b> , 32, 3763-3770	4.4	3
37	Fracture of Two Moderately Cross-Linked Polyethylene Tibial Inserts in a TKR Patient. <i>Case Reports in Orthopedics</i> , <b>2014</b> , 2014, 491384	0.4	3
36	Highly cross-linked polyethylene acetabular liners retrieved four to five years after revision surgery: a report of two cases. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , <b>2010</b> , 3, 464-9 <sup>4.1</sup>		3
35	Femoral head material loss at the head-neck junction in total hip arthroplasty: the effect of head size, stem material and stem offset. <i>HIP International</i> , <b>2019</b> , 29, 647-651	1.7	3
34	Does Posterior Condylar Offset Affect Clinical Results following Total Knee Arthroplasty?. <i>Journal of Knee Surgery</i> , <b>2018</b> , 31, 754-760	2.4	3
33	The impact of residual varus alignment following total knee arthroplasty on patient outcome scores in a constitutional varus population. <i>Knee</i> , <b>2018</b> , 25, 1278-1282	2.6	3
32	Investigation of imaging magnification in radiostereometric analysis. <i>Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine</i> , <b>2017</b> , 231, 92-95	1.7	2
31	Inducible displacement of cemented tibial components ten years after total knee arthroplasty. <i>Bone and Joint Journal</i> , <b>2018</b> , 100-B, 170-175	5.6	2
30	The effect of altering head length on corrosion using a material loss method. <i>HIP International</i> , <b>2019</b> , 29, 368-372	1.7	2
29	Nondestructive microimaging during preclinical pin-on-plate testing of novel materials for arthroplasty. <i>Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine</i> , <b>2014</b> , 228, 159-64	1.7	2
28	Measurement of joint kinematics using a conventional clinical single-perspective flat-panel radiography system. <i>Medical Physics</i> , <b>2012</b> , 39, 6090-103	4.4	2

27	Prevalence and Outcomes of Unexpected Positive Intraoperative Cultures in Presumed Aseptic Revision Hip Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , <b>2021</b> , 103, 1392-1401	5.6	2
26	Damage Assessment of Retrieved Birmingham Monoblock Cups: Is Conversion to Dual-Mobility Head a Viable Revision Option?. <i>Journal of Arthroplasty</i> , <b>2018</b> , 33, 1242-1246	4.4	2
25	Wear performance of cobalt chromium, ceramic, and oxidized zirconium on highly crosslinked polyethylene at mid-term follow-up. <i>Journal of Orthopaedics</i> , <b>2018</b> , 15, 620-623	1.6	2
24	Validation of In Vivo Linear and Volumetric Wear Measurement for Reverse Total Shoulder Arthroplasty Using Model-Based Radiostereometric Analysis. <i>Journal of Orthopaedic Research</i> , <b>2019</b> , 37, 1620-1627	3.8	1
23	Correlation of tibial bone defect shape with patient demographics following total knee revision. <i>Journal of Orthopaedics</i> , <b>2018</b> , 15, 490-494	1.6	1
22	Radiostereometric analysis using clinical radiographic views: Validation with model-based radiostereometric analysis for the knee. <i>Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine</i> , <b>2018</b> , 232, 759-767	1.7	1
21	Radiostereometric analysis using clinical radiographic views: Development of a universal calibration object. <i>Journal of Biomechanics</i> , <b>2018</b> , 73, 238-242	2.9	1
20	Minimum ten-year follow-up of a randomized trial comparing acetabular component fixation of two porous in-growth surfaces using radiostereometric analysis. <i>Bone &amp; Joint Open</i> , <b>2020</b> , 1, 653-662	2.8	1
19	Migration and Inducible Displacement of the Bicruciate-Stabilized Total Knee Arthroplasty: A Randomized Controlled Trial of Gap Balancing and Measured Resection Techniques. <i>Journal of Arthroplasty</i> , <b>2021</b> ,	4.4	1
18	In vivo reverse total shoulder arthroplasty contact mechanics. <i>Journal of Shoulder and Elbow Surgery</i> , <b>2021</b> , 30, 421-429	4.3	1
17	Surface integrity of polyethylene liners following trunnionosis of a dual modular neck total hip implant. <i>HIP International</i> , <b>2018</b> , 28, 629-635	1.7	1
16	Contact kinematics of patient-specific instrumentation versus conventional instrumentation for total knee arthroplasty. <i>Knee</i> , <b>2020</b> , 27, 1501-1509	2.6	0
15	Fully hydroxyapatite-coated collared femoral stems in direct anterior versus direct lateral hip arthroplasty. <i>Canadian Journal of Surgery</i> , <b>2021</b> , 64, E205-E210	2	0
14	Embedded sensing package for temporary bone cement spacers in infected total knee arthroplasty. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , <b>2021</b> , 115, 104301	4.1	0
13	Monitoring daily shoulder activity before and after reverse total shoulder arthroplasty using inertial measurement units. <i>Journal of Shoulder and Elbow Surgery</i> , <b>2021</b> , 30, 1078-1087	4.3	0
12	The Impact of Free Radical Stabilization Techniques on in vivo Mechanical Changes in Highly Cross-Linked Polyethylene Acetabular Liners. <i>Orthopedic Research and Reviews</i> , <b>2021</b> , 13, 113-122	2.1	0
11	Deciphering the low abundance microbiota of presumed aseptic hip and knee implants. <i>PLoS ONE</i> , <b>2021</b> , 16, e0257471	3.7	0
10	The Impact of a Gap Balancing or Measured Resection Surgical Technique on Posterior Condylar Offset and Patient-Reported Outcome Measures. <i>Arthroplasty Today</i> , <b>2021</b> , 11, 64-67	2	0

9	Comparison of long-term kinematics and wear of total knee arthroplasty implant designs. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , <b>2021</b> , 124, 104845	4.1	○
8	Evaluation of the Effect of Gait Aids, Such as Canes, Crutches, and Walkers, on the Accuracy of Step Counters in Healthy Individuals. <i>Orthopedic Research and Reviews</i> , <b>2021</b> , 13, 1-8	2.1	○
7	Patient and Implant Performance of Satisfied and Dissatisfied Total Knee Arthroplasty Patients.. <i>Journal of Arthroplasty</i> , <b>2022</b> , 37, S98-S104	4.4	○
6	CORR Insights□ : Polyethylene Wear Increases in Liners Articulating With Scratched Oxidized Zirconium Femoral Heads. <i>Clinical Orthopaedics and Related Research</i> , <b>2018</b> , 476, 193-195	2.2	
5	Evaluation of the effect of custom burr holes on a surgeon's sense of screw fixation in revision porous metal cups. <i>Journal of Orthopaedics</i> , <b>2016</b> , 13, 443-447	1.6	
4	Pulmonary artery calcification in racehorses may be related to transient and repeated increases in arterial pressure during exercise. <i>Bioscience Hypotheses</i> , <b>2009</b> , 2, 417-421		
3	The Effects of Resection Technique on Implant Migration in Single Radius Posterior-Stabilized Total Knee Replacement. <i>Journal of Knee Surgery</i> , <b>2020</b> , 33, 78-83	2.4	
2	Additively manufactured implant components for imaging validation studies. <i>Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine</i> , <b>2018</b> , 232, 690-698	1.7	
1	Does surgical approach affect patient outcomes of total knee arthroplasty?. <i>Canadian Journal of Surgery</i> , <b>2021</b> , 64, E521-E526	2	