Eric Defrancq

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4268515/eric-defrancq-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

144 papers

3,489 citations

35 h-index 50 g-index

167 ext. papers

3,773 ext. citations

5.5 avg, IF

5.11 L-index

#	Paper	IF	Citations
144	Assessment of presumed small-molecule ligands of telomeric i-DNA by biolayer interferometry (BLI) Chemical Communications, 2022 ,	5.8	1
143	Constrained G4 structures unveil topology specificity of known and new G4 binding proteins. <i>Scientific Reports</i> , 2021 , 11, 13469	4.9	7
142	Negative SPR Signals during Low Molecular Weight Analyte Recognition. <i>Analytical Chemistry</i> , 2021 , 93, 4134-4140	7.8	5
141	Recent progress in the design of G-quadruplexBased electrochemical aptasensors. <i>Current Opinion in Electrochemistry</i> , 2021 , 30, 100812	7.2	1
140	Post-synthetic transamination at position N4 of cytosine in oligonucleotides assembled with routinely used phosphoramidites. <i>Organic and Biomolecular Chemistry</i> , 2020 , 18, 9632-9638	3.9	
139	Flexible Ru Schiff Base Complexes: G-Quadruplex DNA Binding and Photo-Induced Cancer Cell Death. <i>Chemistry - A European Journal</i> , 2020 , 26, 13849-13860	4.8	7
138	Surface plasmon resonance study of the interaction of N-methyl mesoporphyrin IX with G-quadruplex DNA. <i>Physical Chemistry Chemical Physics</i> , 2020 , 22, 4158-4164	3.6	6
137	Redox-Active Bis-Cyclometalated Iridium(III) Complex as a DNA Photo-Cleaving Agent. <i>Inorganic Chemistry</i> , 2020 , 59, 2426-2433	5.1	6
136	Direct Detection of Low-Molecular-Weight Compounds in 2D and 3D Aptasensors by Biolayer Interferometry. <i>ACS Sensors</i> , 2020 , 5, 2326-2330	9.2	11
135	Access to a stabilized i-motif DNA structure through four successive ligation reactions on a cyclopeptide scaffold. <i>Organic and Biomolecular Chemistry</i> , 2020 , 18, 6394-6406	3.9	2
134	Photodetection of DNA mismatches by dissymmetric Ru(II) acridine based complexes. <i>Inorganic Chemistry Frontiers</i> , 2019 , 6, 2260-2270	6.8	3
133	Influence of Aptamer Surface Coverage on Small Target Recognition: A SPR and QCM-D Comparative Study. <i>Journal of Physical Chemistry C</i> , 2019 , 123, 13561-13568	3.8	14
132	Targeting G-Rich DNA Structures with Photoreactive Bis-Cyclometallated Iridium(III) Complexes. <i>Chemistry - A European Journal</i> , 2019 , 25, 12730-12739	4.8	14
131	Scaffold stabilization of a G-triplex and study of its interactions with G-quadruplex targeting ligands. <i>Organic and Biomolecular Chemistry</i> , 2019 , 17, 8726-8736	3.9	9
130	Synthesis and photophysical studies of a multivalent photoreactive Ru-calix[4]arene complex bearing RGD-containing cyclopentapeptides. <i>Beilstein Journal of Organic Chemistry</i> , 2018 , 14, 1758-176	8 ^{2.5}	4
129	Impact of Conformational Transitions on SPR SignalsTheoretical Treatment and Application in Small Analytes/Aptamer Recognition. <i>Journal of Physical Chemistry C</i> , 2018 , 122, 21521-21530	3.8	7
128	Efficient Buchwald-Hartwig-Migita Cross-Coupling for DNA Thioglycoconjugation. <i>Chemistry - A European Journal</i> , 2018 , 24, 1795-1800	4.8	33

(2015-2018)

127	Towards the Development of Photo-Reactive Ruthenium(II) Complexes Targeting Telomeric G-Quadruplex DNA. <i>Chemistry - A European Journal</i> , 2018 , 24, 19216-19227	4.8	23
126	Influence of the SPR Experimental Conditions on the G-Quadruplex DNA Recognition by Porphyrin Derivatives. <i>Langmuir</i> , 2018 , 34, 13057-13064	4	7
125	Template-Mediated Stabilization of a DNA G-Quadruplex formed in the HIV-1 Promoter and Comparative Binding Studies. <i>Chemistry - A European Journal</i> , 2017 , 23, 5602-5613	4.8	15
124	An oxime-based glycocluster microarray. Organic and Biomolecular Chemistry, 2017, 15, 5135-5139	3.9	5
123	New Ruthenium-Based Probes for Selective G-Quadruplex Targeting. <i>Chemistry - A European Journal</i> , 2017 , 23, 11872-11880	4.8	26
122	Palladium-Mediated Labeling of Nucleic Acids. <i>ChemBioChem</i> , 2017 , 18, 426-431	3.8	27
121	The pK value of the proximal water molecule trans to a high-valent Mn[double bond, length as m-dash]O porphyrin: towards the control of reactivity by pH. <i>Dalton Transactions</i> , 2017 , 46, 12088-1209	4.3	1
120	Prefolded Synthetic G-Quartets Display Enhanced Bioinspired Properties. <i>Chemistry - A European Journal</i> , 2016 , 22, 1760-7	4.8	3
119	Highly Sensitive Bisphenol-A Electrochemical Aptasensor Based on Poly(Pyrrole-Nitrilotriacetic Acid)-Aptamer Film. <i>Analytical Chemistry</i> , 2016 , 88, 7268-73	7.8	33
118	Highly DNA-Photoreactive Ruthenium 1,4,5,8-Tetraazaphenanthrene Complex Conjugated to the TAT Peptide: Efficient Vectorization inside HeLa Cells without Phototoxicity The Importance of Cellular Distribution. <i>European Journal of Inorganic Chemistry</i> , 2016 , 2016, 2902-2911	2.3	11
117	Templated Formation of Discrete RNA and DNA:RNA Hybrid G-Quadruplexes and Their Interactions with Targeting Ligands. <i>Chemistry - A European Journal</i> , 2016 , 22, 3139-47	4.8	16
116	Binding of metalloporphyrins to G-quadruplex DNA: The role of the central metal. <i>Inorganica Chimica Acta</i> , 2016 , 452, 98-103	2.7	13
115	Efficient Inhibition of Telomerase by Nickel-Salophen Complexes. <i>ChemMedChem</i> , 2016 , 11, 1133-6	3.7	15
114	A label-free photoelectrochemical cocaine aptasensor based on an electropolymerized ruthenium-intercalator complex. <i>Electrochimica Acta</i> , 2016 , 219, 82-87	6.7	8
113	Sensor Based on Aptamer Folding to Detect Low-Molecular Weight Analytes. <i>Analytical Chemistry</i> , 2015 , 87, 7566-74	7.8	35
112	Construction of anti-parallel G-quadruplexes through sequential templated click. <i>Chemical Communications</i> , 2015 , 51, 4850-3	5.8	15
111	The nickel(II) complex of guanidinium phenyl porphyrin, a specific G-quadruplex ligand, targets telomeres and leads to POT1 mislocalization in culture cells. <i>Journal of Biological Inorganic Chemistry</i> , 2015 , 20, 729-38	3.7	22
110	Assessment of the Full Compatibility of Copper(I)-Catalyzed Alkyne-Azide Cycloaddition and Oxime Click Reactions for bis-Labelling of Oligonucleotides. <i>ChemistryOpen</i> , 2015 , 4, 169-73	2.3	2

109	Parameters influencing the photo-induced electron transfer from tryptophan-containing peptides to a Ru(II) complex: a systematic study. <i>Faraday Discussions</i> , 2015 , 185, 267-84	3.6	4
108	Macrocyclic host-dye reporter for sensitive sandwich-type fluorescent aptamer sensor. <i>Analytical Chemistry</i> , 2015 , 87, 3139-43	7.8	25
107	Cobalt(III)porphyrin to target G-quadruplex DNA. Dalton Transactions, 2015, 44, 3701-7	4.3	27
106	Surface-immobilized DNAzyme-type biocatalysis. <i>Nanoscale</i> , 2014 , 6, 2693-701	7.7	11
105	Interaction of polycationic Ni(II)-salophen complexes with G-quadruplex DNA. <i>Inorganic Chemistry</i> , 2014 , 53, 12519-31	5.1	37
104	Label-free photoelectrochemical detection of double-stranded HIV DNA by means of a metallointercalator-functionalized electrogenerated polymer. <i>Chemistry - A European Journal</i> , 2014 , 20, 15555-60	4.8	15
103	Specificity of Light-Induced Covalent Adduct Formation between Rull Oligonucleotide Conjugates and Target Sequences for Gene Silencing Applications. <i>European Journal of Inorganic Chemistry</i> , 2014 , 2014, 3016-3022	2.3	9
102	Light-Triggered Green Fluorescent Protein Silencing in Human Keratinocytes in Culture Using Antisense Oligonucleotides Coupled to a Photoreactive Ruthenium(II) Complex. <i>ChemPlusChem</i> , 2014 , 79, 1597-1604	2.8	6
101	Synthesis and characterization of oligonucleotide conjugates bearing electroactive labels. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013 , 23, 955-8	2.9	6
100	What Are the Parameters Controlling Inter- vs. Intra-Strand DNA Photodamage with Ru-TAP Oligonucleotides?. <i>European Journal of Inorganic Chemistry</i> , 2013 , 2013, 208-216	2.3	4
99	Glycoclusters on oligonucleotide and PNA scaffolds: synthesis and applications. <i>Chemical Society Reviews</i> , 2013 , 42, 4557-73	58.5	55
98	Characterization of a modified gold platform for the development of a label-free anti-thrombin aptasensor. <i>Biosensors and Bioelectronics</i> , 2013 , 41, 424-9	11.8	29
97	Use of T-2 toxin-immobilized amine-activated beads as an efficient affinity purification matrix for the isolation of specific IgY. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2013 , 923-924, 98-101	3.2	8
96	Closer to nature: an ATP-driven bioinspired catalytic oxidation process. <i>Chemical Communications</i> , 2013 , 49, 1500-2	5.8	11
95	Electrogenerated trisbipyridyl Ru(II)-/nitrilotriacetic-polypyrene copolymer for the easy fabrication of label-free photoelectrochemical immunosensor and aptasensor: application to the determination of thrombin and anti-cholera toxin antibody. <i>Biosensors and Bioelectronics</i> , 2013 , 42, 556	11.8 5 -62	50
94	Ruthenium oligonucleotides, targeting HPV16 E6 oncogene, inhibit the growth of cervical cancer cells under illumination by a mechanism involving p53. <i>Gene Therapy</i> , 2013 , 20, 435-43	4	29
93	Label-free impedimetric thrombin sensor based on poly(pyrrole-nitrilotriacetic acid)-aptamer film. <i>Biosensors and Bioelectronics</i> , 2013 , 41, 90-5	11.8	67
92	Oligonucleotide Functionalization of Hollow Triangular Gold Silver Alloy Nanoboxes. <i>Journal of Physical Chemistry C</i> , 2013 , 117, 669-676	3.8	6

(2010-2013)

91	Optical Properties andIn VitroBiological Studies of Oligonucleotide-Modified Quantum Dots. Journal of Nanomaterials, 2013 , 2013, 1-10	3.2	3
90	Evaluation of a new biocompatible poly(N-(morpholino ethyl methacrylate)-based copolymer for the delivery of ruthenium oligonucleotides, targeting HPV16 E6 oncogene. <i>Journal of Biomedical Nanotechnology</i> , 2013 , 9, 1432-40	4	12
89	Photocrosslinking between peptide-peptide or peptide-oligonucleotide by Ru(II)-TAP complexes. <i>Chemistry - A European Journal</i> , 2012 , 18, 355-64	4.8	17
88	Oligonucleotide Conjugates: Rationale, Synthesis, and Applications 2012 , 85-120		3
87	Click-click chemistry on a peptidic scaffold for easy access to tetrameric DNA structures. <i>Chemical Communications</i> , 2012 , 48, 5992-4	5.8	12
86	Preparation of azido containing oligonucleotides through diazo transfer reaction. <i>Current Protocols in Nucleic Acid Chemistry</i> , 2012 , Chapter 4, Unit4.50	0.5	1
85	Phosphorylating reagent-free synthesis of 5'-phosphate oligonucleotides by controlled oxidative degradation of their 5'-end. <i>Organic Letters</i> , 2012 , 14, 2030-3	6.2	5
84	Oligonucleotide-Carbohydrate Conjugates 2012 , 145-163		
83	Versatile introduction of azido moiety into oligonucleotides through diazo transfer reaction. <i>Organic Letters</i> , 2011 , 13, 5672-5	6.2	27
82	Plasmon-induced CD response of oligonucleotide-conjugated metal nanoparticles. <i>Chemical Communications</i> , 2011 , 47, 7383-5	5.8	74
81	Improvement of porphyrins for G-quadruplex DNA targeting. <i>Biochimie</i> , 2011 , 93, 1310-7	4.6	70
80	Methods for investigating G-quadruplex DNA/ligand interactions. <i>Chemical Society Reviews</i> , 2011 , 40, 5293-307	58.5	180
79	The use of a peptidic scaffold for the formation of stable guanine tetrads: control of a H-bonded pattern in water. <i>Chemistry - A European Journal</i> , 2011 , 17, 5791-5	4.8	28
78	Controlled density patterning of tolylterpyridine-tagged oligonucleotides. <i>Langmuir</i> , 2011 , 27, 8595-9	4	10
77	Label-free femtomolar detection of target DNA by impedimetric DNA sensor based on poly(pyrrole-nitrilotriacetic acid) film. <i>Analytical Chemistry</i> , 2010 , 82, 1066-72	7.8	81
76	Photoinduced electron transfer from tryptophan to Ru(II)TAP complexes: the primary process for photo-cross-linking with oligopeptides. <i>Inorganic Chemistry</i> , 2010 , 49, 10867-74	5.1	15
75	Recent developments in oligonucleotide conjugation. Chemical Society Reviews, 2010, 39, 2054-70	58.5	189
74	Photo-reactive Ru(II)-oligonucleotide conjugates: influence of an intercalating ligand on the interand intra-strand photo-ligation processes. <i>Dalton Transactions</i> , 2010 , 39, 9672-83	4.3	31

73	Molecular engineering of biomolecules for nanobio-sciences. <i>International Journal of Nanotechnology</i> , 2010 , 7, 738	1.5	5
72	Oligonucleotide sequential bis-conjugation via click-oxime and click-Huisgen procedures. <i>Journal of Organic Chemistry</i> , 2010 , 75, 3927-30	4.2	37
71	A rigid dinuclear ruthenium(II) complex as an efficient photoactive agent for bridging two guanine bases of a duplex or quadruplex oligonucleotide. <i>Chemistry - A European Journal</i> , 2010 , 16, 3951-61	4.8	40
70	Template-assembled synthetic G-quadruplex (TASQ): a useful system for investigating the interactions of ligands with constrained quadruplex topologies. <i>Chemistry - A European Journal</i> , 2010 , 16, 6106-14	4.8	51
69	Metal-complex/DNA conjugates: a versatile building block for DNA nanoarrays. <i>Chemistry - A European Journal</i> , 2010 , 16, 12780-7	4.8	23
68	A Photoreactive Ruthenium(II) Complex Tethered to a Guanine-Containing Oligonucleotide: A Biomolecular Tool that Behaves as a Beppuku Molecule[] <i>Angewandte Chemie</i> , 2009 , 121, 1142-1145	3.6	8
67	Oligonucleotide Duplexes with Tethered Photoreactive Ruthenium(II) Complexes: Influence of the Ligands and Their Linker on the Photoinduced Electron Transfer and Crosslinking Processes of the Two Strands. <i>European Journal of Inorganic Chemistry</i> , 2009 , 2009, 524-532	2.3	20
66	A photoreactive ruthenium(II) complex tethered to a guanine-containing oligonucleotide: a biomolecular tool that behaves as a "seppuku molecule". <i>Angewandte Chemie - International Edition</i> , 2009 , 48, 1122-5	16.4	53
65	Efficient conjugation of oligonucleotides through aromatic oxime formation. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009 , 19, 6534-7	2.9	
64	Oxidizing Ru(II) complexes as irreversible and specific photo-cross-linking agents of oligonucleotide duplexes. <i>Inorganic Chemistry</i> , 2009 , 48, 10988-94	5.1	26
63	Design and synthesis of novel hybrid metal complex-DNA conjugates: key building blocks for multimetallic linear DNA nanoarrays. <i>Organic and Biomolecular Chemistry</i> , 2009 , 7, 2729-37	3.9	21
62	Surface patterning of (bio)molecules onto the inner wall of fused-silica capillary tubes. <i>Lab on A Chip</i> , 2008 , 8, 2161-3	7.2	20
61	Chemical Strategies for Oligonucleotide-Conjugates Synthesis. Current Organic Chemistry, 2008, 12, 263	3-290	47
60	Ru(II) complexes and light: molecular tools for biomolecules. <i>Journal of Physical Organic Chemistry</i> , 2008 , 21, 670-681	2.1	63
59	RAFT Nano-constructs: surfing to biological applications. <i>Journal of Peptide Science</i> , 2008 , 14, 224-40	2.1	49
58	A novel conformationally constrained parallel g quadruplex. <i>ChemBioChem</i> , 2008 , 9, 2588-91	3.8	42
57	Use of gamma-aminopropyl-coated glass surface for the patterning of oligonucleotides through oxime bond formation. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008 , 18, 2540-3	2.9	13
56	Efficient surface patterning of oligonucleotides inside a glass capillary through oxime bond formation. <i>Bioconjugate Chemistry</i> , 2007 , 18, 671-6	6.3	39

(2004-2007)

55	New solid support for the synthesis of 3'-oligonucleotide conjugates through glyoxylic oxime bond formation. <i>Organic Letters</i> , 2007 , 9, 219-22	6.2	16	
54	Photo-cross-linking between polymers derivatized with photoreactive ruthenium-1,4,5,8-tetraazaphenanthrene complexes and guanine-containing oligonucleotides. <i>Biomacromolecules</i> , 2007 , 8, 3503-10	6.9	9	
53	The oxime bond formation as an efficient tool for the conjugation of ruthenium complexes to oligonucleotides and peptides. <i>Tetrahedron</i> , 2007 , 63, 11299-11306	2.4	27	
52	Aldehydic oligonucleotide: a key intermediate for the preparation of oligonucleotide conjugates through oxime bond formation. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2007 , 26, 883-7	1.4	3	
51	A novel heterobifunctional linker for facile access to bioconjugates. <i>Organic and Biomolecular Chemistry</i> , 2006 , 4, 1413-9	3.9	18	
50	Chemoselectively addressable template: a valuable tool for the engineering of molecular conjugates. <i>Journal of Organic Chemistry</i> , 2006 , 71, 2402-10	4.2	35	
49	Detection of secondary structures in 17-mer Ru(II)-labeled single-stranded oligonucleotides from luminescence lifetime studies. <i>Dalton Transactions</i> , 2005 , 852-6	4.3	14	
48	Preparation of a multitopic glycopeptide-oligonucleotide conjugate. <i>Organic Letters</i> , 2005 , 7, 1359-62	6.2	78	
47	Photoreaction of [Ru(hat)2phen]2+ with guanosine-5'-monophosphate and DNA: formation of new types of photoadducts. <i>Chemistry - A European Journal</i> , 2005 , 11, 1507-17	4.8	41	
46	The oxime bond formation as a useful tool for the preparation of oligonucleotide conjugates. <i>Comptes Rendus Chimie</i> , 2005 , 8, 789-796	2.7	9	
45	Chemoselective oxime and thiazolidine bond formation: a versatile and efficient route to the preparation of 3'-peptide-oligonucleotide conjugates. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2004 , 23, 1657-66	1.4	9	
44	Determination of DNA guanine sites forming photo-adducts with Ru(II)-labeled oligonucleotides; DNA polymerase inhibition by the resulting photo-crosslinking. <i>Journal of Biological Inorganic Chemistry</i> , 2004 , 9, 100-8	3.7	36	
43	New strategy for the synthesis of 3',5'-bifunctionalized oligonucleotide conjugates through sequential formation of chemoselective oxime bonds. <i>Chemistry - A European Journal</i> , 2004 , 10, 5988-9	5 ^{4.8}	43	
42	The oxime bond formation as an efficient chemical tool for the preparation of 3',5'-bifunctionalised oligodeoxyribonucleotides. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2004 , 14, 2839-42	2.9	22	
41	Adduct formation by photo-induced electron transfer between photo-oxidising Ru(II) complexes and tryptophan. <i>Chemical Communications</i> , 2004 , 2764-5	5.8	22	
40	Efficient conjugation and characterization of distamycin-based peptides with selected oligonucleotide stretches. <i>Bioconjugate Chemistry</i> , 2004 , 15, 520-9	6.3	24	
39	New method to prepare peptide-oligonucleotide conjugates through glyoxylic oxime formation. <i>Journal of Organic Chemistry</i> , 2004 , 69, 8544-6	4.2	29	
38	Layer-by-Layer Deposition of Chitosan Derivatives and DNA on Gold Surfaces for the Development of Biorecognition Layers. <i>Analytical Letters</i> , 2004 , 37, 2235-2250	2.2	13	

37	Photocrosslinking in ruthenium-labelled duplex oligonucleotides. <i>ChemBioChem</i> , 2003 , 4, 195-202	3.8	41
36	Synthesis of an oxyamino-containing phenanthroline derivative for the efficient preparation of phenanthroline oligonucleotide oxime conjugates. <i>Tetrahedron Letters</i> , 2003 , 44, 8379-8382	2	30
35	Oxime bond formation for the covalent attachment of oligonucleotides on glass support. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2003 , 13, 2683-6	2.9	38
34	Head-to-tail oxime cyclization of oligodeoxynucleotides for the efficient synthesis of circular DNA analogues. <i>Journal of Organic Chemistry</i> , 2003 , 68, 8708-10	4.2	20
33	Photoadduct leading to crosslinking in Ru(II)-derivatized oligonucleotides. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2003 , 22, 1487-9	1.4	6
32	Highly efficient synthesis of peptide- and carbohydrate-oligonucleotide conjugates using chemoselective oxime and thiazolidine formation. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2003 , 22, 1427-9	1.4	4
31	Luminescence quenching of Ru-labeled oligonucleotides by targeted complementary strands. <i>Biophysical Journal</i> , 2002 , 82, 978-87	2.9	37
30	Efficient preparation of carbohydrateBligonucleotide conjugates (COCs) using oxime bond formation. <i>Tetrahedron Letters</i> , 2001 , 42, 7829-7832	2	36
29	3?-Oligonucleotides conjugation via chemoselective oxime bond formation. <i>Tetrahedron Letters</i> , 2001 , 42, 9171-9174	2	31
28	Use of an aminooxy linker for the functionalization of oligodeoxyribonucleotides. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2001 , 11, 931-3	2.9	25
27	Highly efficient synthesis of peptide-oligonucleotide conjugates: chemoselective oxime and thiazolidine formation. <i>Chemistry - A European Journal</i> , 2001 , 7, 3976-84	4.8	101
26	. European Journal of Organic Chemistry, 2000 , 2000, 211-217	3.2	29
25	The 7-nitroindole nucleoside as a photochemical precursor of 2'-deoxyribonolactone: access to DNA fragments containing this oxidative abasic lesion. <i>Chemistry - A European Journal</i> , 2000 , 6, 4163-9	4.8	45
24	A new fluorescent probe for sensitive detection of carbonyl compounds: sensitivity improvement and application to environmental water samples. <i>Analytica Chimica Acta</i> , 2000 , 412, 221-233	6.6	51
23	Synthesis of Methylketone Containing Nucleoside Triphosphates for RNA Labelling. <i>Tetrahedron</i> , 2000 , 56, 6501-6510	2.4	19
22	Fluorescent labelling of oligodeoxyribonucleotides by the oxyamino-aldehyde coupling reaction. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2000 , 19, 1427-39	1.4	14
21	Synthesis and Biological Evaluation of Nucleoside Triphosphates Incorporating an Oxyamino Function for P ost-amplification Labelling <i>Nucleosides & Nucleotides</i> , 1999 , 18, 979-980		
20	Efficient Chemical Synthesis of Oligonucleotides Containing the 2-Deoxyribonolactone Site. <i>Nucleosides & Nucleotides</i> , 1999 , 18, 1323-1324		3

(1991-1999)

19	A new fluorescent probe for sensitive detection of carbonyl compounds. <i>Analytica Chimica Acta</i> , 1999 , 382, 253-263	6.6	23
18	Ru-Labeled Oligonucleotides for Photoinduced Reactions on Targeted DNA Guanines. <i>Chemistry - A European Journal</i> , 1999 , 5, 2712-2721	4.8	56
17	Oligonucleotides Derivatized with Luminescent and Photoreactive RU(II) Complexes: Models for Photoelectron Transfer and Photocrosslinking. <i>Nucleosides & Nucleotides</i> , 1999 , 18, 1319-1320		2
16	2'-deoxyribonolactone lesion in DNA: refined solution structure determined by nuclear magnetic resonance and molecular modeling. <i>Biochemistry</i> , 1999 , 38, 3985-95	3.2	38
15	A simple and sensitive method for in vitro quantitation of abasic sites in DNA. <i>Chemical Research in Toxicology</i> , 1999 , 12, 476-82	4	30
14	A functional model of galactose oxidase: catalytic oxidation of primary alcohols with a one-electron oxidized copper(II) complex. <i>New Journal of Chemistry</i> , 1998 , 22, 393-394	3.6	59
13	A Highly Efficient Synthesis of Oligodeoxyribonucleotides Containing the 2Deoxyribonolactone Lesion. <i>Journal of the American Chemical Society</i> , 1998 , 120, 11810-11811	16.4	49
12	Crystal structure of 7-nitro-1(2'-deoxy-ED-ribofuranosyl)-indole, C13H14N2O5. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , 1998 , 213, 181-182	0.2	3
11	Quantitative One Step Derivatization of Oligonucleotides by a Fluorescent Label Through Abasic Site Formation. <i>Nucleosides & Nucleotides</i> , 1997 , 16, 2069-2077		8
10	The oxyamino-aldehyde coupling reaction: An efficient method for the derivatization of oligonucleotides. <i>Tetrahedron Letters</i> , 1997 , 38, 8687-8690	2	29
10			29 42
	oligonucleotides. <i>Tetrahedron Letters</i> , 1997 , 38, 8687-8690		
9	oligonucleotides. <i>Tetrahedron Letters</i> , 1997 , 38, 8687-8690 Synthesis of fluorescent probes for the detection of abasic sites in DNA. <i>Tetrahedron</i> , 1997 , 53, 5485-56 Hydrolysis of oligonucleotides containing 8-substituted purine nucleosides. A new route for	4 <u>9</u> 2 ₄	42
9	Oligonucleotides. <i>Tetrahedron Letters</i> , 1997 , 38, 8687-8690 Synthesis of fluorescent probes for the detection of abasic sites in DNA. <i>Tetrahedron</i> , 1997 , 53, 5485-56. Hydrolysis of oligonucleotides containing 8-substituted purine nucleosides. A new route for preparing abasic oligodeoxynucleotides. <i>Tetrahedron Letters</i> , 1994 , 35, 4991-4994 Generation and identification of the amidyl radical resulting from homolytic nitrogous-oxygen cleavage in carcinogenic N-acetyl-N-(acyloxy)-2-aminofluorene. <i>Journal of Organic Chemistry</i> , 1993 ,	4 9 24 2	12
9 8 7	Oligonucleotides. <i>Tetrahedron Letters</i> , 1997 , 38, 8687-8690 Synthesis of fluorescent probes for the detection of abasic sites in DNA. <i>Tetrahedron</i> , 1997 , 53, 5485-54 Hydrolysis of oligonucleotides containing 8-substituted purine nucleosides. A new route for preparing abasic oligodeoxynucleotides. <i>Tetrahedron Letters</i> , 1994 , 35, 4991-4994 Generation and identification of the amidyl radical resulting from homolytic nitrogous-oxygen cleavage in carcinogenic N-acetyl-N-(acyloxy)-2-aminofluorene. <i>Journal of Organic Chemistry</i> , 1993 , 58, 6143-6145 The Synthesis of a Novel Epoxycyclohexane from the Fungus Eutypa lata (Pers: F.) TUL. <i>Helvetica</i>	4 92 4 2 4.2	12
9 8 7 6	Synthesis of fluorescent probes for the detection of abasic sites in DNA. <i>Tetrahedron</i> , 1997 , 53, 5485-54. Hydrolysis of oligonucleotides containing 8-substituted purine nucleosides. A new route for preparing abasic oligodeoxynucleotides. <i>Tetrahedron Letters</i> , 1994 , 35, 4991-4994. Generation and identification of the amidyl radical resulting from homolytic nitrogous-oxygen cleavage in carcinogenic N-acetyl-N-(acyloxy)-2-aminofluorene. <i>Journal of Organic Chemistry</i> , 1993 , 58, 6143-6145. The Synthesis of a Novel Epoxycyclohexane from the Fungus Eutypa lata (Pers: F.) TUL. <i>Helvetica Chimica Acta</i> , 1992 , 75, 276-281. The synthesis of [14C] labelled Eutypine. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> ,	4 92 4 2 4.2	42 12 2
9 8 7 6	Synthesis of fluorescent probes for the detection of abasic sites in DNA. <i>Tetrahedron</i> , 1997 , 53, 5485-5. Hydrolysis of oligonucleotides containing 8-substituted purine nucleosides. A new route for preparing abasic oligodeoxynucleotides. <i>Tetrahedron Letters</i> , 1994 , 35, 4991-4994 Generation and identification of the amidyl radical resulting from homolytic nitrogous-oxygen cleavage in carcinogenic N-acetyl-N-(acyloxy)-2-aminofluorene. <i>Journal of Organic Chemistry</i> , 1993 , 58, 6143-6145 The Synthesis of a Novel Epoxycyclohexane from the Fungus Eutypa lata (Pers: F.) TUL. <i>Helvetica Chimica Acta</i> , 1992 , 75, 276-281 The synthesis of [14C] labelled Eutypine. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 1992 , 31, 1057-1063	4 92 4 2 4.2 2	42 12 2 14 6

Constrained G4 structures unveil topology specificity of known and new G4 binding proteins

2