

Anna Mia Ekström

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4268732/publications.pdf>

Version: 2024-02-01

88
papers

2,167
citations

257450

24
h-index

276875

41
g-index

90
all docs

90
docs citations

90
times ranked

3135
citing authors

#	ARTICLE	IF	CITATIONS
1	A systematic review of adherence to oral pre-exposure prophylaxis for HIV – how can we improve uptake and adherence?. BMC Infectious Diseases, 2018, 18, 581.	2.9	146
2	Stigma reduction interventions in people living with HIV to improve health-related quality of life. Lancet HIV, the, 2020, 7, e129-e140.	4.7	129
3	Development of a 12-item short version of the HIV stigma scale. Health and Quality of Life Outcomes, 2017, 15, 115.	2.4	125
4	Adaptation of the Charlson Comorbidity Index for Register-Based Research in Sweden. Clinical Epidemiology, 2021, Volume 13, 21-41.	3.0	111
5	Reasons for poor adherence to antiretroviral therapy postnatally in HIV-1 infected women treated for their own health: experiences from the Mitra Plus study in Tanzania. BMC Public Health, 2013, 13, 450.	2.9	94
6	Adherence to Drug-Refill Is a Useful Early Warning Indicator of Virologic and Immunologic Failure among HIV Patients on First-Line ART in South Africa. PLoS ONE, 2011, 6, e17518.	2.5	84
7	Adherence and virologic suppression during the first 24 weeks on antiretroviral therapy among women in Johannesburg, South Africa - a prospective cohort study. BMC Public Health, 2011, 11, 88.	2.9	69
8	Intimate Partner Violence, Relationship Power Inequity and the Role of Sexual and Social Risk Factors in the Production of Violence among Young Women Who Have Multiple Sexual Partners in a Peri-Urban Setting in South Africa. PLoS ONE, 2015, 10, e0139430.	2.5	57
9	Long-Term Adherence to Antiretroviral Treatment and Program Drop-Out in a High-Risk Urban Setting in Sub-Saharan Africa: A Prospective Cohort Study. PLoS ONE, 2010, 5, e13613.	2.5	55
10	Effect of an interactive text-messaging service on patient retention during the first year of HIV care in Kenya (WelTel Retain): an open-label, randomised parallel-group study. Lancet Public Health, The, 2018, 3, e143-e152.	10.0	54
11	Women's Preferences Regarding Infant or Maternal Antiretroviral Prophylaxis for Prevention of Mother-To-Child Transmission of HIV during Breastfeeding and Their Views on Option B+ in Dar es Salaam, Tanzania. PLoS ONE, 2014, 9, e85310.	2.5	53
12	Impact of combination HIV interventions on HIV incidence in hyperendemic fishing communities in Uganda: a prospective cohort study. Lancet HIV, the, 2019, 6, e680-e687.	4.7	52
13	Challenges for Scaling up ART in a Resource-Limited Setting: A Retrospective Study in Kibera, Kenya. Journal of Acquired Immune Deficiency Syndromes (1999), 2009, 50, 397-402.	2.1	51
14	Psychosocial Health Problems Associated with Increased HIV Risk Behavior among Men Who Have Sex with Men in Nepal: A Cross-Sectional Survey. PLoS ONE, 2013, 8, e58099.	2.5	51
15	Facilitators and barriers for retention in HIV care between testing and treatment in Asia – A study in Bangladesh, Indonesia, Lao, Nepal, Pakistan, Philippines and Vietnam. PLoS ONE, 2017, 12, e0176914.	2.5	47
16	Virologic and immunologic failure, drug resistance and mortality during the first 24 months postpartum among HIV-infected women initiated on antiretroviral therapy for life in the Mitra plus Study, Dar es Salaam, Tanzania. BMC Infectious Diseases, 2015, 15, 175.	2.9	45
17	A Cost-Effectiveness Analysis of a Home-Based HIV Counselling and Testing Intervention versus the Standard (Facility Based) HIV Testing Strategy in Rural South Africa. PLoS ONE, 2015, 10, e0135048.	2.5	41
18	Beyond viral suppression: the quality of life of people living with HIV in Sweden. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2019, 31, 403-412.	1.2	41

#	ARTICLE	IF	CITATIONS
19	Non-AIDS Mortality Is Higher Among Successfully Treated People Living with HIV Compared with Matched HIV-Negative Control Persons: A 15-Year Follow-Up Cohort Study in Sweden. <i>AIDS Patient Care and STDs</i> , 2018, 32, 297-305.	2.5	36
20	Social networks and concurrent sexual relationships – a qualitative study among men in an urban South African community. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2009, 21, 1253-1258.	1.2	35
21	Barriers and facilitators for the sexual and reproductive health and rights of young people in refugee contexts globally: A scoping review. <i>PLoS ONE</i> , 2020, 15, e0236316.	2.5	34
22	Uptake and retention on HIV pre-exposure prophylaxis among key and priority populations in South-Central Uganda. <i>Journal of the International AIDS Society</i> , 2020, 23, e25588.	3.0	32
23	Community health workers to improve uptake of maternal healthcare services: A cluster-randomized pragmatic trial in Dar es Salaam, Tanzania. <i>PLoS Medicine</i> , 2019, 16, e1002768.	8.4	30
24	Job satisfaction and turnover intentions among health care staff providing services for prevention of mother-to-child transmission of HIV in Dar es Salaam, Tanzania. <i>Human Resources for Health</i> , 2017, 15, 61.	3.1	29
25	Significant decrease in injection risk behaviours among participants in a needle exchange programme. <i>Infectious Diseases</i> , 2020, 52, 336-346.	2.8	27
26	Sexual risk taking among patients on antiretroviral therapy in an urban informal settlement in Kenya: a cross-sectional survey. <i>Journal of the International AIDS Society</i> , 2011, 14, 20-20.	3.0	26
27	Sexual (Dis)satisfaction and Its Contributors Among People Living with HIV Infection in Sweden. <i>Archives of Sexual Behavior</i> , 2018, 47, 2007-2026.	1.9	26
28	Challenges to ART scale-up in a rural district in Tanzania: stigma and distrust among Tanzanian health care workers, people living with HIV and community members. <i>Tropical Medicine and International Health</i> , 2010, 15, no-no.	2.3	25
29	Improved HIV Awareness and Perceived Empowerment to Negotiate Safe Sex among Married Women in Ethiopia between 2005 and 2011. <i>PLoS ONE</i> , 2014, 9, e115453.	2.5	24
30	The battle for COVID-19 vaccines highlights the need for a new global governance mechanism. <i>Nature Medicine</i> , 2021, 27, 739-740.	30.7	22
31	Advanced HIV disease at presentation to care in Nairobi, Kenya: late diagnosis or delayed linkage to care? – a cross-sectional study. <i>BMC Infectious Diseases</i> , 2016, 16, 169.	2.9	21
32	A qualitative study of facilitators and barriers to participate in a needle exchange program for women who inject drugs. <i>Harm Reduction Journal</i> , 2020, 17, 84.	3.2	21
33	Evaluation of a community health worker intervention and the World Health Organization's Option B versus Option A to improve antenatal care and PMTCT outcomes in Dar es Salaam, Tanzania: study protocol for a cluster-randomized controlled health systems implementation trial. <i>Trials</i> , 2014, 15, 359.	1.6	20
34	The effect of an interactive weekly mobile phone messaging on retention in prevention of mother to child transmission (PMTCT) of HIV program: study protocol for a randomized controlled trial (WELTEL PMTCT). <i>BMC Medical Informatics and Decision Making</i> , 2016, 16, 86.	3.0	20
35	Condom use behaviour among people living with HIV: a seven-country community-based participatory research in the Asia-Pacific region. <i>Sexually Transmitted Infections</i> , 2018, 94, 200-205.	1.9	18
36	Qualitative Assessment of Barriers and Facilitators of PrEP Use Before and After Rollout of a PrEP Program for Priority Populations in South-central Uganda. <i>AIDS and Behavior</i> , 2021, 25, 3547-3562.	2.7	18

#	ARTICLE	IF	CITATIONS
37	Risk behaviour determinants among people who inject drugs in Stockholm, Sweden over a 10-year period, from 2002 to 2012. <i>Harm Reduction Journal</i> , 2017, 14, 57.	3.2	16
38	A call to action to reform academic global health partnerships. <i>BMJ</i> , The, 2021, 375, n2658.	6.0	16
39	Micro-level social and structural factors act synergistically to increase HIV risk among Nepalese female sex workers. <i>International Journal of Infectious Diseases</i> , 2016, 49, 100-106.	3.3	15
40	Household food insecurity and its association with self-reported male perpetration of intimate partner violence: a survey of two districts in central and western Uganda. <i>BMJ Open</i> , 2021, 11, e045427.	1.9	15
41	Prevention of mother-to-child transmission of HIV in rural Uganda: Modelling effectiveness and impact of scaling-up PMTCT services. <i>Global Health Action</i> , 2015, 8, 26308.	1.9	14
42	INDEPTH Network: contributing to the data revolution. <i>Lancet Diabetes and Endocrinology</i> , the, 2016, 4, 97.	11.4	14
43	Influence of socioeconomic position and gender on current cigarette smoking among people living with HIV in sub-Saharan Africa: disentangling context from composition. <i>BMC Public Health</i> , 2016, 16, 998.	2.9	14
44	The potential of task-shifting in scaling up services for prevention of mother-to-child transmission of HIV: a time and motion study in Dar es Salaam, Tanzania. <i>Human Resources for Health</i> , 2017, 15, 35.	3.1	14
45	Behavioral interventions promoting HIV serostatus disclosure to sex partners among HIV-positive men who have sex with men: a systematic review. <i>International Journal of Public Health</i> , 2019, 64, 985-998.	2.3	14
46	Vital need to engage the community in HIV control in South Africa. <i>Global Health Action</i> , 2015, 8, 27450.	1.9	12
47	Women's reluctance for pregnancy: Experiences and perceptions of Zika virus in Medellin, Colombia. <i>International Journal of Gynecology and Obstetrics</i> , 2020, 148, 36-44.	2.3	12
48	Social concerns related to HIV status disclosure and participation in the prevention of mother-to-child transmission of HIV care among pregnant women in Kenya. <i>BMC Pregnancy and Childbirth</i> , 2020, 20, 225.	2.4	12
49	Retention in clinic versus retention in care during the first year of <scp>HIV</scp> care in Nairobi, Kenya: a prospective cohort study. <i>Journal of the International AIDS Society</i> , 2018, 21, e25196.	3.0	11
50	Effectiveness of interventions for changing HIV related risk behaviours among key populations in low-income setting: A Meta-Analysis, 2001â€“2016. <i>Scientific Reports</i> , 2020, 10, 2197.	3.3	11
51	Construct validity and internal consistency of the Patient Health Questionnaire-9 (PHQ-9) depression screening measure translated into two Ugandan languages. <i>Psychiatry Research Communications</i> , 2021, 1, 100002.	1.0	11
52	Predictors of Patient Dissatisfaction with Services for Prevention of Mother-To-Child Transmission of HIV in Dar es Salaam, Tanzania. <i>PLoS ONE</i> , 2016, 11, e0165121.	2.5	10
53	Comparison of mHealth and Face-to-Face Interventions for Smoking Cessation Among People Living With HIV: Meta-Analysis. <i>JMIR MHealth and UHealth</i> , 2019, 7, e203.	3.7	10
54	Antiretroviral treatment coverage in a rural district in Tanzania â€“ a modeling study using empirical data. <i>BMC Public Health</i> , 2015, 15, 195.	2.9	9

#	ARTICLE	IF	CITATIONS
55	Long-term virological outcomes in women who started option B+ care during pregnancy for prevention of mother-to-child transmission of HIV in Dar es Salaam, Tanzania: a cohort study. <i>Lancet HIV</i> , 2021, 8, e256-e265.	4.7	9
56	Antiretroviral Treatment Knowledge and Stigma—Implications for Programs and HIV Treatment Interventions in Rural Tanzanian Populations. <i>PLoS ONE</i> , 2013, 8, e53993.	2.5	9
57	Addressing production gaps for vaccines in African countries. <i>Bulletin of the World Health Organization</i> , 2021, 99, 910-912.	3.3	9
58	HIV decline associated with changes in risk behaviours among young key populations in Nepal: analysis of population-based HIV prevalence surveys between 2001 and 2012. <i>International Journal of STD and AIDS</i> , 2017, 28, 864-875.	1.1	8
59	Gender differences in health-related quality of life at the time of a positive HIV test—a cross-sectional study in a resource-poor, high prevalence setting in Nairobi, Kenya. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2018, 30, 493-499.	1.2	8
60	Perceptions and acceptability of an experimental Ebola vaccine among health care workers, frontline staff, and the general public during the 2014–2015 Ebola outbreak in Sierra Leone. <i>Vaccine</i> , 2019, 37, 1495-1502.	3.8	8
61	Evidence of behaviour change during an Ebola virus disease outbreak, Sierra Leone. <i>Bulletin of the World Health Organization</i> , 2020, 98, 330-340B.	3.3	8
62	Young People's Experiences With an Empowerment-Based Behavior Change Intervention to Prevent Sexual Violence in Nairobi Informal Settlements: A Qualitative Study. <i>Global Health, Science and Practice</i> , 2021, 9, 508-522.	1.7	7
63	Could 30 years of political controversy on needle exchange programmes in Sweden contribute to scaling-up harm reduction services in the world?. <i>NAD Nordic Studies on Alcohol and Drugs</i> , 2021, 38, 66-88.	1.3	7
64	Optimizing the implementation of integrated biological and behavioural surveillance surveys of HIV in resource limited settings—lessons from Nepal. <i>Asian Pacific Journal of Tropical Disease</i> , 2014, 4, S605-S615.	0.5	6
65	Engaging community leaders to improve male partner participation in the prevention of mother-to-child transmission of HIV in Dar es Salaam, Tanzania. <i>PLoS ONE</i> , 2018, 13, e0207986.	2.5	6
66	Optimal probability weights for estimating causal effects of time-varying treatments with marginal structural Cox models. <i>Statistics in Medicine</i> , 2019, 38, 1891-1902.	1.6	6
67	National reporting of deaths after enhanced Ebola surveillance in Sierra Leone. <i>PLoS Neglected Tropical Diseases</i> , 2020, 14, e0008624.	3.0	6
68	The effect of weekly interactive text-messaging on early infant HIV testing in Kenya: a randomised controlled trial (WelTel PMTCT). <i>Scientific Reports</i> , 2021, 11, 22652.	3.3	6
69	Sexual risk-taking behaviors among young migrant population in Sweden. <i>BMC Public Health</i> , 2022, 22, 625.	2.9	6
70	Prevalence of cardiovascular risk factors by HIV status in a population-based cohort in South Central Uganda: a cross-sectional survey. <i>Journal of the International AIDS Society</i> , 2022, 25, e25901.	3.0	6
71	Incidence of tuberculosis and the need of prophylactic treatment in persons living with HIV in Stockholm during the era of anti-retroviral therapy 1996–2013. <i>Infectious Diseases</i> , 2018, 50, 807-816.	2.8	5
72	HIV Serostatus Disclosure Among Men Who Have Sex with Men in China in the Era of U=U and PrEP. <i>AIDS and Behavior</i> , 2021, , 1.	2.7	5

#	ARTICLE	IF	CITATIONS
73	FGM in the time of Ebola” carpe opportunitatem. <i>The Lancet Global Health</i> , 2016, 4, e447-e448.	6.3	4
74	The effect of a community health worker intervention on public satisfaction: evidence from an unregistered outcome in a cluster-randomized controlled trial in Dar es Salaam, Tanzania. <i>Human Resources for Health</i> , 2019, 17, 23.	3.1	4
75	Ebola vaccine? Family first! Evidence from using a brief measure on Ebola vaccine demand in a national household survey during the outbreak in Sierra Leone. <i>Vaccine</i> , 2020, 38, 3854-3861.	3.8	4
76	A prospective cohort study of risk behaviours, retention and loss to follow-up over 5 years among women and men in a needle exchange program in Stockholm, Sweden. <i>International Journal of Drug Policy</i> , 2021, 90, 103059.	3.3	4
77	”One-time interventions, it doesn’t lead to much” healthcare provider views to improving sexual and reproductive health services for young migrants in Sweden. <i>BMC Health Services Research</i> , 2022, 22, 668.	2.2	4
78	Sexual risk-reduction strategies among HIV-infected men receiving ART in Kibera, Nairobi. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2011, 23, 315-321.	1.2	3
79	Social Determinants of HIV Among Men Who Have Sex with Men in Cape Town. <i>Sexuality and Culture</i> , 2016, 20, 579-601.	1.5	3
80	Barriers and facilitators to reporting deaths following Ebola surveillance in Sierra Leone: implications for sustainable mortality surveillance based on an exploratory qualitative assessment. <i>BMJ Open</i> , 2021, 11, e042976.	1.9	3
81	Human papillomavirus-associated anal squamous intraepithelial lesions in men who have sex with men and transgender women living with and without HIV in Karachi Pakistan: implications for screening and prevention. <i>BMC Infectious Diseases</i> , 2021, 21, 1163.	2.9	3
82	Effect of peer-mother interactive programme on prevention of mother-to-child HIV transmission outcomes among pregnant women on anti-retroviral treatment in routine healthcare in Dar es Salaam, Tanzania. <i>PLoS Global Public Health</i> , 2022, 2, e0000256.	1.6	3
83	Reduction in seizure frequency with a high-intensity fitness program (CrossFit): A case report. <i>Epilepsy and Behavior Reports</i> , 2020, 13, 100354.	1.0	2
84	Anal human papillomavirus infection among men who have sex with men and transgender women living with and without HIV in Pakistan: findings from a cross-sectional study. <i>BMJ Open</i> , 2021, 11, e052176.	1.9	2
85	Health care costs associated with clinic visits for prevention of mother-to-child transmission of HIV in Dar es Salaam, Tanzania. <i>Medicine (United States)</i> , 2021, 100, e27828.	1.0	2
86	Coping strategies and needs among women married to men who have sex with men living with HIV in China. <i>Psychology, Health and Medicine</i> , 2020, 26, 1-13.	2.4	1
87	Health related quality of life among pregnant women living with HIV in Kenya, results from comparing a patient generated index and the Euroqol 5 dimension 3 level. <i>BMC Women’s Health</i> , 2022, 22, 66.	2.0	1
88	ECG Abnormalities and Arterial Stiffness by HIV Status among High-Risk Populations in Rakai, Uganda: A Pilot Study. <i>Global Heart</i> , 2021, 16, 83.	2.3	0