Kay M Crossley

List of Publications by Citations

Source: https://exaly.com/author-pdf/426983/kay-m-crossley-publications-by-citations.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

298 13,141 65 103 g-index

331 15,424 5 6.72 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
298	Measures of knee function: International Knee Documentation Committee (IKDC) Subjective Knee Evaluation Form, Knee Injury and Osteoarthritis Outcome Score (KOOS), Knee Injury and Osteoarthritis Outcome Score Physical Function Short Form (KOOS-PS), Knee Outcome Survey	4.7	661
297	Analysis of outcome measures for persons with patellofemoral pain: which are reliable and valid?. <i>Archives of Physical Medicine and Rehabilitation</i> , 2004 , 85, 815-22	2.8	481
296	Delayed onset of electromyographic activity of vastus medialis obliquus relative to vastus lateralis in subjects with patellofemoral pain syndrome. <i>Archives of Physical Medicine and Rehabilitation</i> , 2001 , 82, 183-9	2.8	364
295	Physical therapy for patellofemoral pain: a randomized, double-blinded, placebo-controlled trial. <i>American Journal of Sports Medicine</i> , 2002 , 30, 857-65	6.8	330
294	Psychometric properties of patient-reported outcome measures for hip arthroscopic surgery. <i>American Journal of Sports Medicine</i> , 2013 , 41, 2065-73	6.8	321
293	2016 Patellofemoral pain consensus statement from the 4th International Patellofemoral Pain Research Retreat, Manchester. Part 1: Terminology, definitions, clinical examination, natural history, patellofemoral osteoarthritis and patient-reported outcome measures. <i>British Journal of Species Medicine</i> 2016, 50, 200	10.3	269
292	Sports Medicine, 2016, 50, 839-43 Performance on the single-leg squat task indicates hip abductor muscle function. American Journal of Sports Medicine, 2011, 39, 866-73	6.8	228
291	Is there an alternative to the full-leg radiograph for determining knee joint alignment in osteoarthritis?. <i>Arthritis and Rheumatism</i> , 2006 , 55, 306-13		186
290	A systematic review of physical interventions for patellofemoral pain syndrome. <i>Clinical Journal of Sport Medicine</i> , 2001 , 11, 103-10	3.2	182
289	Gait retraining to reduce the knee adduction moment through real-time visual feedback of dynamic knee alignment. <i>Journal of Biomechanics</i> , 2010 , 43, 2208-13	2.9	178
288	Physical therapy alters recruitment of the vasti in patellofemoral pain syndrome. <i>Medicine and Science in Sports and Exercise</i> , 2002 , 34, 1879-85	1.2	166
287	Patellofemoral pain: consensus statement from the 3rd International Patellofemoral Pain Research Retreat held in Vancouver, September 2013. <i>British Journal of Sports Medicine</i> , 2014 , 48, 411-4	10.3	154
286	Acupuncture for chronic knee pain: a randomized clinical trial. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 312, 1313-22	27.4	148
285	Abnormal knee joint position sense in individuals with patellofemoral pain syndrome. <i>Journal of Orthopaedic Research</i> , 2002 , 20, 208-14	3.8	146
284	Altered vastii recruitment when people with patellofemoral pain syndrome complete a postural task. <i>Archives of Physical Medicine and Rehabilitation</i> , 2002 , 83, 989-95	2.8	143
283	Evidence-based framework for a pathomechanical model of patellofemoral pain: 2017 patellofemoral pain consensus statement from the 4th International Patellofemoral Pain Research Retreat, Manchester, UK: part 3. <i>British Journal of Sports Medicine</i> , 2017 , 51, 1713-1723	10.3	139
282	Efficacy of physiotherapy management of knee joint osteoarthritis: a randomised, double blind, placebo controlled trial. <i>Annals of the Rheumatic Diseases</i> , 2005 , 64, 906-12	2.4	139

(2013-2016)

281	2016 Patellofemoral pain consensus statement from the 4th International Patellofemoral Pain Research Retreat, Manchester. Part 2: recommended physical interventions (exercise, taping, bracing, foot orthoses and combined interventions). <i>British Journal of Sports Medicine</i> , 2016 , 50, 844-52	10.3	138
280	Is hip strength a risk factor for patellofemoral pain? A systematic review and meta-analysis. <i>British Journal of Sports Medicine</i> , 2014 , 48, 1088	10.3	134
279	A prospective study of the relationship between lower body stiffness and hamstring injury in professional Australian rules footballers. <i>American Journal of Sports Medicine</i> , 2010 , 38, 2058-64	6.8	130
278	Factors that predict a poor outcome 5-8 years after the diagnosis of patellofemoral pain: a multicentre observational analysis. <i>British Journal of Sports Medicine</i> , 2016 , 50, 881-6	10.3	129
277	2018 Consensus statement on exercise therapy and physical interventions (orthoses, taping and manual therapy) to treat patellofemoral pain: recommendations from the 5th International Patellofemoral Pain Research Retreat, Gold Coast, Australia, 2017. <i>British Journal of Sports Medicine</i>	10.3	129
276	, 2018 , 52, 1170-1178 Prognostic factors for patellofemoral pain: a multicentre observational analysis. <i>British Journal of Sports Medicine</i> , 2013 , 47, 227-33	10.3	129
275	Knee kinematics and joint moments during gait following anterior cruciate ligament reconstruction: a systematic review and meta-analysis. <i>British Journal of Sports Medicine</i> , 2016 , 50, 597-6	5 12 .3	127
274	Patellar taping and bracing for the treatment of chronic knee pain: a systematic review and meta-analysis. <i>Arthritis and Rheumatism</i> , 2008 , 59, 73-83		127
273	Comparative accuracy of magnetic resonance imaging and ultrasonography in confirming clinically diagnosed patellar tendinopathy. <i>American Journal of Sports Medicine</i> , 2007 , 35, 427-36	6.8	127
272	Ground reaction forces, bone characteristics, and tibial stress fracture in male runners. <i>Medicine and Science in Sports and Exercise</i> , 1999 , 31, 1088-93	1.2	127
271	Altered hip and trunk muscle function in individuals with patellofemoral pain. <i>British Journal of Sports Medicine</i> , 2009 , 43, 584-8	10.3	124
270	Foot orthoses and physiotherapy in the treatment of patellofemoral pain syndrome: randomised clinical trial. <i>British Journal of Sports Medicine</i> , 2008 , 337, a1735	10.3	117
269	Patient-Reported Outcome (PRO) questionnaires for young to middle-aged adults with hip and groin disability: a systematic review of the clinimetric evidence. <i>British Journal of Sports Medicine</i> , 2015 , 49, 812	10.3	113
268	Delayed onset of transversus abdominus in long-standing groin pain. <i>Medicine and Science in Sports and Exercise</i> , 2004 , 36, 2040-5	1.2	111
267	Early knee osteoarthritis is evident one year following anterior cruciate ligament reconstruction: a magnetic resonance imaging evaluation. <i>Arthritis and Rheumatology</i> , 2015 , 67, 946-55	9.5	109
266	Health-related quality of life after anterior cruciate ligament reconstruction: a systematic review. <i>American Journal of Sports Medicine</i> , 2014 , 42, 1247-55	6.8	107
265	Physical therapies for Achilles tendinopathy: systematic review and meta-analysis. <i>Journal of Foot and Ankle Research</i> , 2012 , 5, 15	3.2	103
264	Is patellofemoral joint osteoarthritis an under-recognised outcome of anterior cruciate ligament reconstruction? A narrative literature review. <i>British Journal of Sports Medicine</i> , 2013 , 47, 66-70	10.3	97

263	Hip flexibility and strength measures: reliability and association with athletic groin pain. <i>British Journal of Sports Medicine</i> , 2009 , 43, 739-44	10.3	94
262	Contributions of individual muscles to hip joint contact force in normal walking. <i>Journal of Biomechanics</i> , 2010 , 43, 1618-22	2.9	94
261	Long-term outcome of fasciotomy with partial fasciectomy for chronic exertional compartment syndrome of the lower leg. <i>American Journal of Sports Medicine</i> , 2002 , 30, 581-8	6.8	94
260	Efficacy of knee tape in the management of osteoarthritis of the knee: blinded randomised controlled trial. <i>BMJ, The</i> , 2003 , 327, 135	5.9	93
259	Ground reaction forces and bone parameters in females with tibial stress fracture. <i>Medicine and Science in Sports and Exercise</i> , 2004 , 36, 397-404	1.2	92
258	Which factors differentiate athletes with hip/groin pain from those without? A systematic review with meta-analysis. <i>British Journal of Sports Medicine</i> , 2015 , 49, 810	10.3	91
257	Relationship of knee joint proprioception to pain and disability in individuals with knee osteoarthritis. <i>Journal of Orthopaedic Research</i> , 2003 , 21, 792-7	3.8	90
256	Proximal muscle rehabilitation is effective for patellofemoral pain: a systematic review with meta-analysis. <i>British Journal of Sports Medicine</i> , 2015 , 49, 1365-76	10.3	87
255	Knee flexion during stair ambulation is altered in individuals with patellofemoral pain. <i>Journal of Orthopaedic Research</i> , 2004 , 22, 267-74	3.8	85
254	Quality of life in anterior cruciate ligament-deficient individuals: a systematic review and meta-analysis. <i>British Journal of Sports Medicine</i> , 2015 , 49, 1033-41	10.3	84
253	Hip arthroscopy for intra-articular pathology: a systematic review of outcomes with and without femoral osteoplasty. <i>British Journal of Sports Medicine</i> , 2012 , 46, 632-43	10.3	83
252	Delayed onset of quadriceps activity and altered knee joint kinematics during stair stepping in individuals with knee osteoarthritis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2002 , 83, 1080-6	2.8	81
251	Effects of estrogen on the mechanical behavior of the human Achilles tendon in vivo. <i>Journal of Applied Physiology</i> , 2008 , 105, 1035-43	3.7	80
250	Training loads and injury risk in Australian football-differing acute: chronic workload ratios influence match injury risk. <i>British Journal of Sports Medicine</i> , 2017 , 51, 1215-1220	10.3	79
249	Hip chondropathy at arthroscopy: prevalence and relationship to labral pathology, femoroacetabular impingement and patient-reported outcomes. <i>British Journal of Sports Medicine</i> , 2014 , 48, 1102-7	10.3	79
248	Physical impairments in symptomatic femoroacetabular impingement: a systematic review of the evidence. <i>British Journal of Sports Medicine</i> , 2016 , 50, 1180	10.3	79
247	Patellar taping: is clinical success supported by scientific evidence?. <i>Manual Therapy</i> , 2000 , 5, 142-50		78
246	Osteoarthritis of the knee in retired, elite Australian Rules footballers. <i>Medical Journal of Australia</i> , 1997 , 166, 187-90	4	76

(2018-2007)

245	Clinical features of patellar tendinopathy and their implications for rehabilitation. <i>Journal of Orthopaedic Research</i> , 2007 , 25, 1164-75	3.8	76
244	Efficacy of nonsurgical interventions for anterior knee pain: systematic review and meta-analysis of randomized trials. <i>Sports Medicine</i> , 2012 , 42, 31-49	10.6	74
243	Reducing joint loading in medial knee osteoarthritis: shoes and canes. <i>Arthritis and Rheumatism</i> , 2008 , 59, 609-14		74
242	Pain induced by injection of hypertonic saline into the infrapatellar fat pad and effect on coordination of the quadriceps muscles. <i>Arthritis and Rheumatism</i> , 2009 , 61, 70-7		74
241	The efficacy of foot orthoses in the treatment of individuals with patellofemoral pain syndrome: a systematic review. <i>Sports Medicine</i> , 2010 , 40, 377-95	10.6	71
240	Prevalence of knee osteoarthritis features on magnetic resonance imaging in asymptomatic uninjured adults: a systematic review and meta-analysis. <i>British Journal of Sports Medicine</i> , 2019 , 53, 12	68 ⁻⁹ -27	8 ⁶⁹
239	Patellofemoral osteoarthritis is prevalent and associated with worse symptoms and function after hamstring tendon autograft ACL reconstruction. <i>British Journal of Sports Medicine</i> , 2014 , 48, 435-9	10.3	69
238	Hip arthroscopy in the setting of hip osteoarthritis: systematic review of outcomes and progression to hip arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2015 , 473, 1055-73	2.2	66
237	Mechanical properties of the achilles tendon aponeurosis are altered in athletes with achilles tendinopathy. <i>American Journal of Sports Medicine</i> , 2010 , 38, 1885-93	6.8	66
236	Is patellofemoral osteoarthritis common in middle-aged people with chronic patellofemoral pain?. <i>Arthritis Care and Research</i> , 2014 , 66, 1252-7	4.7	65
235	Simultaneous feedforward recruitment of the vasti in untrained postural tasks can be restored by physical therapy. <i>Journal of Orthopaedic Research</i> , 2003 , 21, 553-8	3.8	65
234	Outcome measures in patellofemoral pain syndrome: test retest reliability and inter-relationships. <i>Physical Therapy in Sport</i> , 2000 , 1, 32-41	3	65
233	Is There a Biomechanical Link Between Patellofemoral Pain and Osteoarthritis? A Narrative Review. <i>Sports Medicine</i> , 2016 , 46, 1797-1808	10.6	65
232	A Proposed Return-to-Sport Program for Patients With Midportion Achilles Tendinopathy: Rationale and Implementation. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2015 , 45, 876-86	4.2	61
231	The relationship between rearfoot, tibial and hip kinematics in individuals with patellofemoral pain syndrome. <i>Clinical Biomechanics</i> , 2012 , 27, 702-5	2.2	60
230	Delayed- and non-union following opening wedge high tibial osteotomy: surgeons' results from 182 completed cases. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2005 , 13, 34-7	5.5	59
229	Aetiology of rib stress fractures in rowers. <i>Sports Medicine</i> , 2002 , 32, 819-36	10.6	58
228	Lower limb biomechanics in femoroacetabular impingement syndrome: a systematic review and meta-analysis. <i>British Journal of Sports Medicine</i> , 2018 , 52, 566-580	10.3	56

227	Can patellar tape reduce the patellar malalignment and pain associated with patellofemoral osteoarthritis?. <i>Arthritis and Rheumatism</i> , 2009 , 61, 1719-25		56
226	Epidemiology of time loss groin injuries in a men's professional football league: a 2-year prospective study of 17 clubs and 606 players. <i>British Journal of Sports Medicine</i> , 2018 , 52, 292-297	10.3	55
225	Predictors of short and long term outcome in patellofemoral pain syndrome: a prospective longitudinal study. <i>BMC Musculoskeletal Disorders</i> , 2010 , 11, 11	2.8	55
224	The prevalence of radiographic and MRI-defined patellofemoral osteoarthritis and structural pathology: a systematic review and meta-analysis. <i>British Journal of Sports Medicine</i> , 2017 , 51, 1195-120	10.3	53
223	Hip and Knee Osteoarthritis Affects Younger People, Too. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2017 , 47, 67-79	4.2	52
222	Greater understanding of normal hip physical function may guide clinicians in providing targeted rehabilitation programmes. <i>Journal of Science and Medicine in Sport</i> , 2013 , 16, 292-6	4.4	51
221	Effects of experimentally-induced anterior knee pain on knee joint position sense in healthy individuals. <i>Journal of Orthopaedic Research</i> , 2005 , 23, 46-53	3.8	51
220	Patellofemoral joint loading during stair ambulation in people with patellofemoral osteoarthritis. <i>Arthritis and Rheumatism</i> , 2013 , 65, 2059-69		50
219	Greater peak rearfoot eversion predicts foot orthoses efficacy in individuals with patellofemoral pain syndrome. <i>British Journal of Sports Medicine</i> , 2011 , 45, 697-701	10.3	50
218	The effect of gait modification on the external knee adduction moment is reference frame dependent. <i>Clinical Biomechanics</i> , 2008 , 23, 601-8	2.2	50
217	Relationships between the Foot Posture Index and foot kinematics during gait in individuals with and without patellofemoral pain syndrome. <i>Journal of Foot and Ankle Research</i> , 2011 , 4, 10	3.2	47
216	Activity preferences, lifestyle modifications and re-injury fears influence longer-term quality of life in people with knee symptoms following anterior cruciate ligament reconstruction: a qualitative study. <i>Journal of Physiotherapy</i> , 2016 , 62, 103-10	2.9	46
215	Quadriceps volumes are reduced in people with patellofemoral joint osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2012 , 20, 863-8	6.2	46
214	Exercise, education, manual-therapy and taping compared to education for patellofemoral osteoarthritis: a blinded, randomised clinical trial. <i>Osteoarthritis and Cartilage</i> , 2015 , 23, 1457-64	6.2	45
213	Quality of life in individuals with patellofemoral pain: A systematic review including meta-analysis. <i>Physical Therapy in Sport</i> , 2018 , 33, 96-108	3	45
212	Infrapatellar fat pad volume is greater in individuals with patellofemoral joint osteoarthritis and associated with pain. <i>Rheumatology International</i> , 2015 , 35, 1439-42	3.6	44
211	The patellofemoral pain and osteoarthritis subscale of the KOOS (KOOS-PF): development and validation using the COSMIN checklist. <i>British Journal of Sports Medicine</i> , 2018 , 52, 1130-1136	10.3	44
210	Is body mass index associated with patellofemoral pain and patellofemoral osteoarthritis? A systematic review and meta-regression and analysis. <i>British Journal of Sports Medicine</i> , 2017 , 51, 781-79	010.3	43

(2011-2018)

209	Modeling Training Loads and Injuries: The Dangers of Discretization. <i>Medicine and Science in Sports and Exercise</i> , 2018 , 50, 2267-2276		43
208	Return to sport matters-longer-term quality of life after ACL reconstruction in people with knee difficulties. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2017 , 27, 514-524		42
207	Impairment of dynamic single-leg balance performance in individuals with hip chondropathy. Arthritis Care and Research, 2014 , 66, 709-16 4-7		40
206	Consensus recommendations on the classification, definition and diagnostic criteria of hip-related pain in young and middle-aged active adults from the International Hip-related Pain Research 10.3 Network, Zurich 2018. <i>British Journal of Sports Medicine</i> , 2020 , 54, 631-641	;	39
205	Hip strength and range of motion: Normal values from a professional football league. <i>Journal of Science and Medicine in Sport</i> , 2017 , 20, 339-343		39
204	Is Tibiofemoral or Patellofemoral Alignment or Trochlear Morphology Associated With Patellofemoral Osteoarthritis? A Systematic Review. <i>Arthritis Care and Research</i> , 2016 , 68, 1453-70		38
203	Patellofemoral pain. British Journal of Sports Medicine, 2016 , 50, 247-50	}	38
202	Physical therapy improves knee flexion during stair ambulation in patellofemoral pain. <i>Medicine and Science in Sports and Exercise</i> , 2005 , 37, 176-83		38
201	Effects of vastus medialis oblique retraining versus general quadriceps strengthening on vasti onset. <i>Medicine and Science in Sports and Exercise</i> , 2010 , 42, 856-64		37
200	Patient-reported outcome measures for hip-related pain: a review of the available evidence and a consensus statement from the International Hip-related Pain Research Network, Zurich 2018. 10.3 British Journal of Sports Medicine, 2020 , 54, 848-857	;	36
199	Musculoskeletal Screening Tests and Bony Hip Morphology Cannot Identify Male Professional Soccer Players at Risk of Groin Injuries: A 2-Year Prospective Cohort Study. <i>American Journal of Sports Medicine</i> , 2018 , 46, 1294-1305		36
198	The relationship of foot and ankle mobility to the frontal plane projection angle in asymptomatic adults. <i>Journal of Foot and Ankle Research</i> , 2016 , 9, 3		36
197	Altered hip muscle forces during gait in people with patellofemoral osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2012 , 20, 1243-9		36
196	Knee joint stiffness during walking in knee osteoarthritis. <i>Arthritis Care and Research</i> , 2010 , 62, 38-44 4.7		36
195	What is the prevalence of imaging-defined intra-articular hip pathologies in people with and without pain? A systematic review and meta-analysis. <i>British Journal of Sports Medicine</i> , 2018 , 52, 581-593	}	35
194	Navicular stress fractures: outcomes of surgical and conservative management. <i>British Journal of Sports Medicine</i> , 2006 , 40, 692-5; discussion 695	;	35
193	Making football safer for women: a systematic review and meta-analysis of injury prevention programmes in 11 773 female football (soccer) players. <i>British Journal of Sports Medicine</i> , 2020 , 54, 1089-100	98	34
192	Clinical predictors of foot orthoses efficacy in individuals with patellofemoral pain. <i>Medicine and Science in Sports and Exercise</i> , 2011 , 43, 1603-10		34

191	Early Patellofemoral Osteoarthritis Features One Year After Anterior Cruciate Ligament Reconstruction: Symptoms and Quality of Life at Three Years. <i>Arthritis Care and Research</i> , 2016 , 68, 784-	- 92 7	34
190	Ethnic Differences in Bony Hip Morphology in a Cohort of 445 Professional Male Soccer Players. <i>American Journal of Sports Medicine</i> , 2016 , 44, 2967-2974	6.8	34
189	Targeted physiotherapy for patellofemoral joint osteoarthritis: a protocol for a randomised, single-blind controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2008 , 9, 122	2.8	33
188	Neuromotor control of gluteal muscles in runners with achilles tendinopathy. <i>Medicine and Science in Sports and Exercise</i> , 2014 , 46, 594-9	1.2	32
187	Impaired voluntary quadriceps force control following anterior cruciate ligament reconstruction: relationship with knee function. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017 , 25, 1424-1431	5.5	31
186	Prevalence of Radiographic and Magnetic Resonance Imaging Features of Patellofemoral Osteoarthritis in Young and Middle-Aged Adults With Persistent Patellofemoral Pain. <i>Arthritis Care and Research</i> , 2019 , 71, 1068-1073	4.7	31
185	Effects of prefabricated foot orthoses on pain and function in individuals with patellofemoral pain syndrome: a cohort study. <i>Physical Therapy in Sport</i> , 2011 , 12, 70-5	3	31
184	Is the Human Activity Profile a useful measure in people with knee osteoarthritis?. <i>Journal of Rehabilitation Research and Development</i> , 2004 , 41, 621-30		31
183	Worse knee confidence, fear of movement, psychological readiness to return-to-sport and pain are associated with worse function after ACL reconstruction. <i>Physical Therapy in Sport</i> , 2020 , 41, 1-8	3	31
182	Worsening Knee Osteoarthritis Features on Magnetic Resonance Imaging 1 to 5 Years After Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2018 , 46, 2873-2883	6.8	31
181	The Physiotherapy for Femoroacetabular Impingement Rehabilitation STudy (physioFIRST): A Pilot Randomized Controlled Trial. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2018 , 48, 307-315	4.2	30
180	International patellofemoral osteoarthritis consortium: Consensus statement on the diagnosis, burden, outcome measures, prognosis, risk factors and treatment. <i>Seminars in Arthritis and Rheumatism</i> , 2018 , 47, 666-675	5.3	30
179	The immediate effects of foot orthoses on functional performance in individuals with patellofemoral pain syndrome. <i>British Journal of Sports Medicine</i> , 2011 , 45, 193-7	10.3	30
178	Can we predict the outcome for people with patellofemoral pain? A systematic review on prognostic factors and treatment effect modifiers. <i>British Journal of Sports Medicine</i> , 2017 , 51, 1650-166	5 0 0.3	29
177	Effects of exercise and manual therapy on pain associated with hip osteoarthritis: a systematic review and meta-analysis. <i>British Journal of Sports Medicine</i> , 2016 , 50, 458-63	10.3	29
176	Foot orthoses and physiotherapy in the treatment of patellofemoral pain syndrome: a randomised clinical trial. <i>BMC Musculoskeletal Disorders</i> , 2008 , 9, 27	2.8	29
175	Knee kinematics and kinetics are associated with early patellofemoral osteoarthritis following anterior cruciate ligament reconstruction. <i>Osteoarthritis and Cartilage</i> , 2016 , 24, 1548-53	6.2	29
174	Limb symmetry index on a functional test battery improves between one and five years after anterior cruciate ligament reconstruction, primarily due to worsening contralateral limb function. <i>Physical Therapy in Sport</i> , 2020 , 44, 67-74	3	28

(2010-2016)

173	Patients With Chondrolabral Pathology Have Bilateral Functional Impairments 12 to 24 Months After Unilateral Hip Arthroscopy: A Cross-sectional Study. <i>Journal of Orthopaedic and Sports</i> Physical Therapy, 2016 , 46, 947-956	1.2	28
172	The association of quadriceps strength with the knee adduction moment in medial knee osteoarthritis. <i>Arthritis and Rheumatism</i> , 2009 , 61, 451-8		28
171	Single-Leg Squat Performance is Impaired 1 to 2 Years After Hip Arthroscopy. PM and R, 2016, 8, 321-330	2.2	27
170	Dynamic Single-Leg Postural Control Is Impaired Bilaterally Following Anterior Cruciate Ligament Reconstruction: Implications for Reinjury Risk. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2016 , 46, 357-64	1.2	27
169	Are knee biomechanics different in those with and without patellofemoral osteoarthritis after anterior cruciate ligament reconstruction?. <i>Arthritis Care and Research</i> , 2014 , 66, 1566-70	1.7	27
168	Can a clinical test of hamstring strength identify football players at risk of hamstring strain?. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2011 , 19, 38-41	5.5	27
167	Test-Retest Reliability of Selected Ground Reaction Force Parameters and Their Symmetry during Running. <i>Journal of Applied Biomechanics</i> , 1999 , 15, 330-336	1.2	27
166	Predictors and effects of patellofemoral pain following hamstring-tendon ACL reconstruction. Journal of Science and Medicine in Sport, 2016 , 19, 518-23	1.4	26
165	Infrapatellar fat pad size, but not patellar alignment, is associated with patellar tendinopathy. Scandinavian Journal of Medicine and Science in Sports, 2011, 21, e405-11	4.6	26
164	Is impaired knee confidence related to worse kinesiophobia, symptoms, and physical function in people with knee osteoarthritis after anterior cruciate ligament reconstruction?. <i>Journal of Science and Medicine in Sport</i> , 2015 , 18, 512-7	1.4	25
163	Triceps surae activation is altered in male runners with Achilles tendinopathy. <i>Journal of Electromyography and Kinesiology</i> , 2013 , 23, 166-72	2.5	25
162	Rethinking patellofemoral pain: Prevention, management and long-term consequences. <i>Best Practice and Research in Clinical Rheumatology</i> , 2019 , 33, 48-65	5.3	24
161	Patellar taping does not change the amplitude of electromyographic activity of the vasti in a stair stepping task. <i>British Journal of Sports Medicine</i> , 2006 , 40, 30-4	10.3	24
160	Is quality of life following hip arthroscopy in patients with chondrolabral pathology associated with impairments in hip strength or range of motion?. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2016 , 24, 3955-3961	5.5	23
159	Priorities for the effective implementation of osteoarthritis management programs: an OARSI international consensus exercise. <i>Osteoarthritis and Cartilage</i> , 2019 , 27, 1270-1279	5.2	23
158	Varus thrust in medial knee osteoarthritis: quantification and effects of different gait-related interventions using a single case study. <i>Arthritis Care and Research</i> , 2011 , 63, 293-7	1.7	23
157	Temporal activity of vastus medialis obliquus and vastus lateralis in symptomatic knee osteoarthritis. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2002 , 81, 684-90	2.6	22
156	Sagittal plane bending moments acting on the lower leg during running. <i>Gait and Posture</i> , 2010 , 31, 218-2	226	21

155	Neuromotor control of the lower limb in Achilles tendinopathy: implications for foot orthotic therapy. <i>Sports Medicine</i> , 2010 , 40, 715-27	10.6	21
154	Eccentric knee flexor weakness in elite female footballers 1-10 years following anterior cruciate ligament reconstruction. <i>Physical Therapy in Sport</i> , 2019 , 37, 144-149	3	20
153	Patellofemoral pain. <i>BMJ, The</i> , 2015 , 351, h3939	5.9	20
152	Quality of Life in Symptomatic Individuals After Anterior Cruciate Ligament Reconstruction, With and Without Radiographic Knee Osteoarthritis. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2018 , 48, 398-408	4.2	20
151	Telerehabilitation Feasibility in Total Joint Replacement. <i>International Journal of Telerehabilitation</i> , 2017 , 9, 31-38	4.5	19
150	Patellofemoral morphology and alignment: reference values and dose-response patterns for the relation to MRI features of patellofemoral osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2017 , 25, 1690-16	5 97	19
149	Gait Characteristics of People with Lateral Knee Osteoarthritis after ACL Reconstruction. <i>Medicine</i> and Science in Sports and Exercise, 2015 , 47, 2406-15	1.2	19
148	Measurement Properties of a Test Battery to Assess Postural Orientation During Functional Tasks in Patients Undergoing Anterior Cruciate Ligament Injury Rehabilitation. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2017 , 47, 863-873	4.2	18
147	Immediate effects of foot orthoses on pain during functional tasks in people with patellofemoral osteoarthritis: A cross-over, proof-of-concept study. <i>Knee</i> , 2017 , 24, 76-81	2.6	18
146	Efficacy of acupuncture for chronic knee pain: protocol for a randomised controlled trial using a Zelen design. <i>BMC Complementary and Alternative Medicine</i> , 2012 , 12, 161	4.7	18
145	Physiotherapist-led treatment for young to middle-aged active adults with hip-related pain: consensus recommendations from the International Hip-related Pain Research Network, Zurich 2018. <i>British Journal of Sports Medicine</i> , 2020 , 54, 504-511	10.3	18
144	Improving function in people with hip-related pain: a systematic review and meta-analysis of physiotherapist-led interventions for hip-related pain. <i>British Journal of Sports Medicine</i> , 2020 , 54, 1382-	- 13 94	17
143	Adults with patellofemoral pain do not exhibit manifestations of peripheral and central sensitization when compared to healthy pain-free age and sex matched controls - An assessor blinded cross-sectional study. <i>PLoS ONE</i> , 2017 , 12, e0188930	3.7	17
142	Telerehabilitation is non-inferior to usual care following total hip replacement - a randomized controlled non-inferiority trial. <i>Physiotherapy</i> , 2020 , 107, 19-27	3	17
141	Femoroacetabular impingement and hip OsteoaRthritis Cohort (FORCe): protocol for a prospective study. <i>Journal of Physiotherapy</i> , 2018 , 64, 55	2.9	16
140	Arthroscopic Surgical Procedures Versus Sham Surgery for Patients With Femoroacetabular Impingement and/or Labral Tears: Study Protocol for a Randomized Controlled Trial (HIPARTI) and a Prospective Cohort Study (HARP). <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2018 , 48, 325-33	4.2 35	16
139	Quality of life impairments after hip arthroscopy in people with hip chondropathy. <i>Journal of Hip Preservation Surgery</i> , 2016 , 3, 154-64	2	16
138	Risk of hip fracture with hip or knee osteoarthritis: a systematic review. <i>Clinical Rheumatology</i> , 2012 , 31, 749-57	3.9	16

137	Does gender influence neuromotor control of the knee and hip?. <i>Journal of Electromyography and Kinesiology</i> , 2009 , 19, 276-82	2.5	16
136	Stress fracture risk factors in female football players and their clinical implications. <i>British Journal of Sports Medicine</i> , 2007 , 41 Suppl 1, i38-43	10.3	16
135	Muscle size and composition in people with articular hip pathology: a systematic review with meta-analysis. <i>Osteoarthritis and Cartilage</i> , 2019 , 27, 181-195	6.2	16
134	Hip Strength and Range of Movement Are Associated With Dynamic Postural Control Performance in Individuals Scheduled for Arthroscopic Hip Surgery. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2018 , 48, 280-288	4.2	15
133	Accelerated Return to Sport After Anterior Cruciate Ligament Reconstruction and Early Knee Osteoarthritis Features at 1 Year: An Exploratory Study. <i>PM and R</i> , 2018 , 10, 349-356	2.2	15
132	Immediate Effects of a Brace on Gait Biomechanics for Predominant Lateral Knee Osteoarthritis and Valgus Malalignment After Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2016 , 44, 865-73	6.8	15
131	Implications of knee crepitus to the overall clinical presentation of women with and without patellofemoral pain. <i>Physical Therapy in Sport</i> , 2018 , 33, 89-95	3	15
130	Anterior knee pain following anterior cruciate ligament reconstruction does not increase the risk of patellofemoral osteoarthritis at 15- and 20-year Follow-ups. <i>Osteoarthritis and Cartilage</i> , 2017 , 25, 30-33	3 ^{6.2}	15
129	Estrogen-induced effects on the neuro-mechanics of hopping in humans. <i>European Journal of Applied Physiology</i> , 2011 , 111, 245-52	3.4	15
128	Cost-effectiveness of telerehabilitation versus traditional care after total hip replacement: A trial-based economic evaluation. <i>Journal of Telemedicine and Telecare</i> , 2021 , 27, 359-366	6.8	14
127	Lateral displacement, sulcus angle and trochlear angle are associated with early patellofemoral osteoarthritis following anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy,</i> 2018 , 26, 2622-2629	5.5	14
126	Does meniscal pathology alter gait knee biomechanics and strength post-ACL reconstruction?. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2016 , 24, 1501-9	5.5	14
125	Model predictions of increased knee joint loading in regions of thinner articular cartilage after patellar tendon adhesion. <i>Journal of Orthopaedic Research</i> , 2011 , 29, 1168-77	3.8	14
124	Telerehabilitation Versus Traditional Care Following Total Hip Replacement: A Randomized Controlled Trial Protocol. <i>JMIR Research Protocols</i> , 2017 , 6, e34	2	14
123	VALIDITY AND RELIABILITY OF THE FITBIT FLEXIAND ACTIGRAPH GT3X+ AT JOGGING AND RUNNING SPEEDS. <i>International Journal of Sports Physical Therapy</i> , 2018 , 13, 860-870	1.4	14
122	Clinically measured hip muscle capacity deficits in people with patellofemoral pain. <i>Physical Therapy in Sport</i> , 2019 , 35, 69-74	3	14
121	Hip Biomechanics Are Altered in Male Runners with Achilles Tendinopathy. <i>Medicine and Science in Sports and Exercise</i> , 2017 , 49, 549-554	1.2	13
120	Impairment-Based Rehabilitation Following Hip Arthroscopy: Postoperative Protocol for the HIP ARThroscopy International Randomized Controlled Trial. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2018 , 48, 336-342	4.2	13

119	Are Patellofemoral Joint Alignment and Shape Associated With Structural Magnetic Resonance Imaging Abnormalities and Symptoms Among People With Patellofemoral Pain?. <i>American Journal of Sports Medicine</i> , 2018 , 46, 3217-3226	6.8	13
118	Musculoskeletal loading in the symptomatic and asymptomatic knees of middle-aged osteoarthritis patients. <i>Journal of Orthopaedic Research</i> , 2017 , 35, 321-330	3.8	12
117	Does patellar alignment or trochlear morphology predict worsening of patellofemoral disease within the first 5 years after anterior cruciate ligament reconstruction?. <i>European Journal of Radiology</i> , 2019 , 113, 32-38	4.7	12
116	Between-Limb Differences in Patellofemoral Joint Forces During Running at 12 to 24 Months After Unilateral Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2020 , 48, 1711-1719	6.8	12
115	Is Bony Hip Morphology Associated With Range of Motion and Strength in Asymptomatic Male Soccer Players?. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2018 , 48, 250-259	4.2	12
114	Optimizing Preseason Training Loads in Australian Football. <i>International Journal of Sports Physiology and Performance</i> , 2018 , 13, 194-199	3.5	12
113	Age-related changes in electromyographic quadriceps activity during stair descent. <i>Journal of Orthopaedic Research</i> , 2005 , 23, 322-6	3.8	12
112	Standardised measurement of physical capacity in young and middle-aged active adults with hip-related pain: recommendations from the first International Hip-related Pain Research Network (IHiPRN) meeting, Zurich, 2018. <i>British Journal of Sports Medicine</i> , 2020 , 54, 702-710	10.3	12
111	Effects of an unloader knee brace on knee-related symptoms and function in people with post-traumatic knee osteoarthritis after anterior cruciate ligament reconstruction. <i>Knee</i> , 2016 , 23, 85-9	02.6	11
110	The Foot Orthoses versus Hip eXercises (FOHX) trial for patellofemoral pain: a protocol for a randomized clinical trial to determine if foot mobility is associated with better outcomes from foot orthoses. <i>Journal of Foot and Ankle Research</i> , 2017 , 10, 5	3.2	11
109	Iliocapsularis: Technical application of fine-wire electromyography, and direction specific action during maximum voluntary isometric contractions. <i>Gait and Posture</i> , 2017 , 54, 300-303	2.6	11
108	Lower limb biomechanics during low- and high-impact functional tasks differ between men and women with hip-related groin pain. <i>Clinical Biomechanics</i> , 2019 , 68, 96-103	2.2	11
107	What is the Prevalence of Hip Intra-Articular Pathologies and Osteoarthritis in Active Athletes with Hip and Groin Pain Compared with Those Without? A Systematic Review and Meta-Analysis. <i>Sports Medicine</i> , 2019 , 49, 951-972	10.6	11
106	A phase II trial for the efficacy of physiotherapy intervention for early-onset hip osteoarthritis: study protocol for a randomised controlled trial. <i>Trials</i> , 2015 , 16, 26	2.8	11
105	Pelvic and Hip Kinematics During Walking in People With Patellofemoral Joint Osteoarthritis Compared to Healthy Age-Matched Controls. <i>Arthritis Care and Research</i> , 2018 , 70, 309-314	4.7	11
104	Patellofemoral Osteoarthritis: Are We Missing an Important Source of Symptoms After Anterior Cruciate Ligament Reconstruction?. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2016 , 46, 232-4	4.2	11
103	Poor knee function after ACL reconstruction is associated with attenuated landing force and knee flexion moment during running. <i>Knee Surgery, Sports Traumatology, Arthroscopy,</i> 2018 , 26, 391-398	5.5	11
102	Poor functional performance 1 year after ACL reconstruction increases the risk of early osteoarthritis progression. <i>British Journal of Sports Medicine</i> , 2020 , 54, 546-553	10.3	10

101	Between-leg differences in challenging single-limb balance performance one year following anterior cruciate ligament reconstruction. <i>Gait and Posture</i> , 2017 , 52, 22-25	2.6	10
100	Predictors of symptomatic response to glucosamine in knee osteoarthritis: an exploratory study. <i>British Journal of Sports Medicine</i> , 2007 , 41, 415-9	10.3	10
99	Implementing a national first-line management program for moderate-severe knee osteoarthritis in Australia: A budget impact analysis focusing on knee replacement avoidance. <i>Osteoarthritis and Cartilage Open</i> , 2020 , 2, 100070	1.5	10
98	Knowledge, confidence and learning needs of physiotherapists treating persistent knee pain in Australia and Canada: a mixed-methods study. <i>Physiotherapy Theory and Practice</i> , 2021 , 1-13	1.5	10
97	A proximal progressive resistance training program targeting strength and power is feasible in people with patellofemoral pain. <i>Physical Therapy in Sport</i> , 2019 , 38, 59-65	3	9
96	Acute experimental hip muscle pain alters single-leg squat balance in healthy young adults. <i>Gait and Posture</i> , 2015 , 41, 871-6	2.6	9
95	Does foot mobility affect the outcome in the management of patellofemoral pain with foot orthoses versus hip exercises? A randomised clinical trial. <i>British Journal of Sports Medicine</i> , 2020 , 54, 1416-1422	10.3	9
94	Relation of meniscus pathology to prevalence and worsening of patellofemoral joint osteoarthritis: the Multicenter Osteoarthritis Study. <i>Osteoarthritis and Cartilage</i> , 2018 , 26, 912-919	6.2	9
93	Lower-limb joint mechanics during maximum acceleration sprinting. <i>Journal of Experimental Biology</i> , 2019 , 222,	3	9
92	A single-blinded, randomized, parallel group superiority trial investigating the effects of footwear and custom foot orthoses versus footwear alone in individuals with patellofemoral joint osteoarthritis: a phase II pilot trial protocol. <i>Journal of Foot and Ankle Research</i> , 2017 , 10, 19	3.2	9
91	Clinical Significance of Medial Versus Lateral Compartment Patellofemoral Osteoarthritis: Cross-Sectional Analyses in an Adult Population With Knee Pain. <i>Arthritis Care and Research</i> , 2017 , 69, 943-951	4.7	9
90	Obesity is related to incidence of patellofemoral osteoarthritis: the Cohort Hip and Cohort Knee (CHECK) study. <i>Rheumatology International</i> , 2020 , 40, 227-232	3.6	9
89	Patient education improves pain and function in people with knee osteoarthritis with better effects when combined with exercise therapy: a systematic review. <i>Journal of Physiotherapy</i> , 2021 , 67, 177-189	2.9	9
88	Foot and ankle characteristics and dynamic knee valgus in individuals with patellofemoral osteoarthritis. <i>Journal of Foot and Ankle Research</i> , 2018 , 11, 65	3.2	9
87	A Pre-Operative Exercise Intervention Can Be Safely Delivered to People with Femoroacetabular Impingement and Improve Clinical and Biomechanical Outcomes. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2017 , 69, 204-211	0.8	8
86	Is quality of life reduced in people with patellofemoral osteoarthritis and does it improve with treatment? A systematic review, meta-analysis and regression. <i>Disability and Rehabilitation</i> , 2019 , 41, 2979-2993	2.4	8
85	The efficacy of foot orthoses in individuals with patellofemoral osteoarthritis: a randomised feasibility trial. <i>Pilot and Feasibility Studies</i> , 2019 , 5, 90	1.9	8
84	Co-creation of a sport-specific anterior cruciate ligament injury risk reduction program for women: A concept mapping approach. <i>Journal of Science and Medicine in Sport</i> , 2020 , 23, 353-360	4.4	8

83	The Size and Prevalence of Bony Hip Morphology Do Not Differ Between Football Players With and Without Hip and/or Groin Pain: Findings From the FORCe Cohort. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2021 , 51, 115-125	4.2	8
82	Patient-Reported Outcomes One to Five Years After Anterior Cruciate Ligament Reconstruction: The Effect of Combined Injury and Associations With Osteoarthritis Features Defined on Magnetic Resonance Imaging. <i>Arthritis Care and Research</i> , 2020 , 72, 412-422	4.7	8
81	Sub-elite Football Players With Hip-Related Groin Pain and a Positive Flexion, Adduction, and Internal Rotation Test Exhibit Distinct Biomechanical Differences Compared With the Asymptomatic Side. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2018 , 48, 584-593	4.2	8
80	People with patellofemoral pain have impaired functional performance, that is correlated to hip muscle capacity. <i>Physical Therapy in Sport</i> , 2019 , 40, 85-90	3	7
79	The FOOTPATH study: protocol for a multicentre, participant- and assessor-blind, parallel group randomised clinical trial of foot orthoses for patellofemoral osteoarthritis. <i>BMJ Open</i> , 2019 , 9, e025315	; 3	7
78	The effect of altered stride length on iliocapsularis and pericapsular muscles of the anterior hip: An electromyography investigation during asymptomatic gait. <i>Gait and Posture</i> , 2019 , 71, 26-31	2.6	7
77	A pilot randomised clinical trial of physiotherapy (manual therapy, exercise, and education) for early-onset hip osteoarthritis post-hip arthroscopy. <i>Pilot and Feasibility Studies</i> , 2018 , 4, 16	1.9	7
76	5. Recent advances in sports medicine. <i>Medical Journal of Australia</i> , 2006 , 184, 188-93	4	7
75	VALIDITY AND RELIABILITY OF THE FITBIT FLEXIAND ACTIGRAPH GT3X+ AT JOGGING AND RUNNING SPEEDS. <i>International Journal of Sports Physical Therapy</i> , 2018 , 13, 860-870	1.4	7
74	Immediate outcomes following the GLA:DI program in Denmark, Canada and Australia. A longitudinal analysis including 28,370 patients with symptomatic knee or hip osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2021 , 29, 502-506	6.2	7
73	Athletes Rated as Poor Single-Leg Squat Performers Display Measurable Differences in Single-Leg Squat Biomechanics Compared With Good Performers. <i>Journal of Sport Rehabilitation</i> , 2018 , 27, 546-55	3 ^{1.7}	7
72	Program evaluation of GLA:D① Australia: Physiotherapist training outcomes and effectiveness of implementation for people with knee osteoarthritis. <i>Osteoarthritis and Cartilage Open</i> , 2021 , 3, 100175	1.5	7
71	Alignment differs between patellofemoral osteoarthritis cases and matched controls: An upright 3D MRI study. <i>Journal of Orthopaedic Research</i> , 2019 , 37, 640-648	3.8	6
70	Prevalence of early hip OA features on MRI in high-impact athletes. The femoroacetabular impingement and hip osteoarthritis cohort (FORCe) study. <i>Osteoarthritis and Cartilage</i> , 2021 , 29, 323-33	3 ^{6.2}	6
69	Step Rate and Worsening of Patellofemoral and Tibiofemoral Joint Osteoarthritis in Women and Men: The Multicenter Osteoarthritis Study. <i>Arthritis Care and Research</i> , 2020 , 72, 107-113	4.7	6
68	Patellofemoral and tibiofemoral alignment in a fully weight-bearing upright MR: Implementation and repeatability. <i>Journal of Magnetic Resonance Imaging</i> , 2018 , 47, 841-847	5.6	5
67	Lower limb musculoskeletal screening in elite female Australian football players. <i>Physical Therapy in Sport</i> , 2019 , 40, 33-43	3	5
66	Psychometric Properties of the Hip-Return to Sport After Injury Scale (Short Form) for Evaluating Psychological Readiness to Return to Sports After Arthroscopic Hip Surgery. <i>American Journal of Sports Medicine</i> , 2020 , 48, 376-384	6.8	5

(2020-2020)

65	Lower-Limb Biomechanics in Football Players with and without Hip-related Pain. <i>Medicine and Science in Sports and Exercise</i> , 2020 , 52, 1776-1784	1.2	5	
64	Hip abductor muscle volumes are smaller in individuals affected by patellofemoral joint osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2019 , 27, 266-272	6.2	5	
63	Associations between type and severity of hip pathology with pre-operative patient reported outcome measures. <i>Brazilian Journal of Physical Therapy</i> , 2019 , 23, 402-411	3.7	5	
62	Immediate effects of foot orthoses on lower limb biomechanics, pain, and confidence in individuals with patellofemoral osteoarthritis. <i>Gait and Posture</i> , 2020 , 76, 51-57	2.6	5	
61	Lower-limb work during high- and low-impact activities in hip-related pain: Associations with sex and symptom severity. <i>Gait and Posture</i> , 2021 , 83, 1-8	2.6	5	
60	Is Running Better than Walking for Reducing Hip Joint Loads?. <i>Medicine and Science in Sports and Exercise</i> , 2018 , 50, 2301-2310	1.2	5	
59	Acute and Subacute Changes in Hip Strength and Range of Movement After Arthroscopy to Address Chondrolabral Pathology. <i>American Journal of Sports Medicine</i> , 2019 , 47, 1939-1948	6.8	4	
58	Strength and range of movement deficits are associated with symptom severity in people scheduled for hip arthroscopy. <i>European Journal of Pain</i> , 2019 , 23, 1083-1090	3.7	4	
57	Computer-Aided Detection AI Reduces Interreader Variability in Grading Hip Abnormalities With MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2020 , 52, 1163-1172	5.6	4	
56	Novel Stepped Care Approach to Provide Education and Exercise Therapy for Patellofemoral Pain: Feasibility Study. <i>Journal of Medical Internet Research</i> , 2020 , 22, e18584	7.6	4	
55	Immediate effects of foot orthoses on gait biomechanics in individuals with persistent patellofemoral pain. <i>Gait and Posture</i> , 2020 , 77, 20-28	2.6	4	
54	HAPPi Kneecaps! Protocol for a participant- and assessor-blinded, randomised, parallel group feasibility trial of foot orthoses for adolescents with patellofemoral pain. <i>Journal of Foot and Ankle Research</i> , 2020 , 13, 50	3.2	4	
53	The Validity, Reliability, and Responsiveness of the International Hip Outcome Tool-33 (iHOT-33) in Patients With Hip and Groin Pain Treated Without Surgery. <i>American Journal of Sports Medicine</i> , 2021 , 49, 2677-2688	6.8	4	
52	Neuromotor control during stair ambulation in individuals with patellofemoral osteoarthritis compared to asymptomatic controls. <i>Gait and Posture</i> , 2019 , 71, 92-97	2.6	3	
51	Can radiographic patellofemoral osteoarthritis be diagnosed using clinical assessments?. <i>Musculoskeletal Care</i> , 2020 , 18, 467-476	1.6	3	
50	Age-related differences in foot mobility in individuals with patellofemoral pain. <i>Journal of Foot and Ankle Research</i> , 2018 , 11, 5	3.2	3	
49	Clinical findings in patellofemoral osteoarthritis compared to individually-matched controls: a pilot study. <i>BMJ Open Sport and Exercise Medicine</i> , 2020 , 6, e000877	3.4	3	
48	Physical Activity Following Hip Arthroscopy in Young and Middle-Aged Adults: A Systematic Review. <i>Sports Medicine - Open</i> , 2020 , 6, 7	6.1	3	

47	Pericapsular hip muscle activity in people with and without femoroacetabular impingement. A comparison in dynamic tasks. <i>Physical Therapy in Sport</i> , 2020 , 45, 135-144	3	3
46	Physiotherapist-led treatment for femoroacetabular impingement syndrome (the PhysioFIRST study): a protocol for a participant and assessor-blinded randomised controlled trial. <i>BMJ Open</i> , 2021 , 11, e041742	3	3
45	Patellofemoral and tibiofemoral joint loading during a single-leg forward hop following ACL reconstruction. <i>Journal of Orthopaedic Research</i> , 2021 ,	3.8	3
44	REPORT-PFP: a consensus from the International Patellofemoral Research Network to improve REPORTing of quantitative PatelloFemoral Pain studies. <i>British Journal of Sports Medicine</i> , 2021 , 55, 11	13 5 -9-34	13 ³
43	Greater knee flexion excursion/moment in hopping is associated with better knee function following anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019 , 27, 596-603	5.5	3
42	Outpatient physiotherapy rehabilitation for total hip replacement: comparison of current practice with clinical evidence. <i>International Journal of Therapy and Rehabilitation</i> , 2018 , 25, 613-622	0.4	3
41	Infographic. Roadmap to managing a person with musculoskeletal pain irrespective of body region. <i>British Journal of Sports Medicine</i> , 2020 , 54, 554-555	10.3	2
40	Lower-limb muscle function during gait in varus mal-aligned osteoarthritis patients. <i>Journal of Orthopaedic Research</i> , 2018 , 36, 2157	3.8	2
39	Medical Interventions for Patellofemoral Pain and Patellofemoral Osteoarthritis: A Systematic Review. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	2
38	Through the athlete lens: A novel study exploring the perspectives and experiences of injury prevention practices in women playing elite Australian Football. <i>Brazilian Journal of Physical Therapy</i> , 2021 , 25, 756-756	3.7	2
37	Patellofemoral alignment, morphology and structural features are not related to sitting pain in individuals with patellofemoral pain. <i>Knee</i> , 2021 , 28, 104-109	2.6	2
36	Infrapatellar fat pad volume and Hoffa-synovitis after ACL reconstruction: Association with early osteoarthritis features and pain over 5 years. <i>Journal of Orthopaedic Research</i> , 2021 ,	3.8	2
35	Exercise-therapy and education for individuals one year after anterior cruciate ligament reconstruction: a pilot randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2021 , 22, 64	2.8	2
34	Knee Osteoarthritis Education Interventions in Published Trials Are Typically Unclear, Not Comprehensive Enough, and Lack Robust Development: Ancillary Analysis of a Systematic Review <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2021 , 1-46	4.2	2
33	Bracing of the Reconstructed and Osteoarthritic Knee during High Dynamic Load Tasks. <i>Medicine and Science in Sports and Exercise</i> , 2017 , 49, 1086-1096	1.2	1
32	Mismatch between expectations and physical activity outcomes at six months following hip-arthroscopy: A qualitative study. <i>Physical Therapy in Sport</i> , 2020 , 45, 14-22	3	1
31	Response to comment on Contributions of individual muscles to hip joint contact force in normal walking [J. Biomech. 43 (2010) 1618[1622][1] Journal of Biomechanics, 2010, 43, 3070-3071	2.9	1
30	Relationship between hip muscle strength and hip biomechanics during running in people with femoroacetabular impingement syndrome <i>Clinical Biomechanics</i> , 2022 , 92, 105587	2.2	1

29	Cam morphology is associated with MRI-defined cartilage defects and labral tears: a case-control study of 237 young adult football players with and without hip and groin pain <i>BMJ Open Sport and Exercise Medicine</i> , 2021 , 7, e001199	3.4	1
28	Changes in Knee and Trunk Alignment in People With Hip Pain and Healthy Controls When Using a Decline Board During Single-Leg Squat. <i>Journal of Sport Rehabilitation</i> , 2020 , 29, 886-896	1.7	1
27	RADIOGRAPHIC HIP OSTEOARTHRITIS IS PREVALENT, AND IS RELATED TO CAM DEFORMITY 12-24 MONTHS POST-HIP ARTHROSCOPY. <i>International Journal of Sports Physical Therapy</i> , 2018 , 13, 177-184	1.4	1
26	Reducing knee pain and loading with a gait retraining program for individuals with knee osteoarthritis: Protocol for a randomized feasibility trial. <i>Osteoarthritis and Cartilage Open</i> , 2020 , 2, 100	097	1
25	Should return to pivoting sport be avoided for the secondary prevention of osteoarthritis after anterior cruciate ligament reconstruction? A prospective cohort study with MRI, radiographic and symptomatic outcomes. <i>Osteoarthritis and Cartilage</i> , 2021 ,	6.2	1
24	Influence of an unloader brace on lower limb electromyographic activity in individuals with predominant lateral osteoarthritis after anterior cruciate ligament reconstruction. <i>Brazilian Journal of Physical Therapy</i> , 2020 , 24, 342-348	3.7	1
23	Infographic. Consensus recommendations on the classification, definition and diagnostic criteria of hip-related pain in young and middle-aged active adults from the International Hip-related Pain Research Network, Zurich 2018. <i>British Journal of Sports Medicine</i> , 2021 , 55, 115-117	10.3	1
22	Gait patterns, symptoms, and function in patients with isolated tibiofemoral osteoarthritis and combined tibiofemoral and patellofemoral osteoarthritis. <i>Journal of Orthopaedic Research</i> , 2018 , 36, 1666-1672	3.8	1
21	Is Self-Reported Knee Stability Associated With Symptoms, Function, and Quality of Life in People With Knee Osteoarthritis After Anterior Cruciate Ligament Reconstruction?. <i>Clinical Journal of Sport Medicine</i> , 2020 , 30, e134-e138	3.2	1
20	Clinical features of people with hip-related pain, but no clinical signs of femoroacetabular impingement syndrome. <i>Physical Therapy in Sport</i> , 2018 , 34, 201-207	3	1
19	Creating Prep to Play PRO for women playing elite Australian football: A how-to guide for developing injury-prevention programs. <i>Journal of Sport and Health Science</i> , 2021 ,	8.2	1
18	Hip muscle activity in male football players with hip-related pain; a comparison with asymptomatic controls during walking. <i>Physical Therapy in Sport</i> , 2021 , 52, 209-216	3	1
17	The relationship between kinesiophobia and self-reported outcomes and physical function differs between women and men with femoroacetabular impingement syndrome <i>Brazilian Journal of Physical Therapy</i> , 2022 , 26, 100396	3.7	1
16	HAPPi Kneecaps! A double-blind, randomised, parallel group superiority trial investigating the effects of sHoe inserts for adolescents with patellofemoral PaIn: phase II feasibility study. <i>Journal of Foot and Ankle Research</i> , 2021 , 14, 64	3.2	1
15	Clinical Predictors Of Foot Orthoses Efficacy In Patellofemoral Pain Syndrome. <i>Medicine and Science in Sports and Exercise</i> , 2010 , 42, 687	1.2	0
14	Associations of foot and ankle characteristics with knee symptoms and function in individuals with patellofemoral osteoarthritis. <i>Journal of Foot and Ankle Research</i> , 2020 , 13, 57	3.2	Ο
13	Foot Orthoses and Footwear for the Management of Patellofemoral Osteoarthritis: A Pilot Randomized Trial. <i>Arthritis Care and Research</i> , 2021 , 73, 240-249	4.7	0
12	Adolescent perspectives on participating in a feasibility trial investigating shoe inserts for patellofemoral pain <i>Journal of Foot and Ankle Research</i> , 2022 , 15, 37	3.2	Ο

11	Response to "men are stronger than women - also in the hip". <i>Journal of Science and Medicine in Sport</i> , 2013 , 16, E4-5	4.4
10	Reply: To PMID 25692959. Arthritis and Rheumatology, 2015 , 67, 2551-2	9.5
9	Enhanced pharmacy review and community physiotherapy for knee pain in elderly patients. <i>Nature Clinical Practice Rheumatology</i> , 2007 , 3, 326-7	
8	A negative result on the Ottawa knee rules excludes fracture in patients with acute knee injury. <i>Australian Journal of Physiotherapy</i> , 2004 , 50, 116	
7	Contemporary methods of acquiring patellofemoral joint radiographs: a scoping review 2022 , 2, 10000	08
6	In Professional Male Soccer Players, Time-Loss Groin Injury Is More Associated With the Team Played for Than Training/Match Play Duration <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2022 , 1-26	4.2
5	Running biomechanics in football players with and without hip and groin pain. A cross-sectional analysis of 116 sub-elite players. <i>Physical Therapy in Sport</i> , 2021 , 52, 312-321	3
4	Infographic. Does foot mobility affect the outcome in the management of patellofemoral pain with foot orthoses versus hip exercises? A randomised clinical trial. <i>British Journal of Sports Medicine</i> , 2021 , 55, 281-282	10.3
3	Quality of Life After Anterior Cruciate Ligament Reconstruction 2018, 466-470.e1	
2	Does Femoroacetabular Impingement Syndrome Affect Self-Reported Burden in Football Players With Hip and Groin Pain?. <i>Sports Health</i> , 2022 , 19417381221076141	4.7
1	Football players with long standing hip and groin pain display deficits in functional task performance <i>Physical Therapy in Sport</i> , 2022 , 55, 46-54	3