

Gong Pingyuan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4270243/publications.pdf>

Version: 2024-02-01

44
papers

530
citations

686830

13
h-index

752256

20
g-index

44
all docs

44
docs citations

44
times ranked

812
citing authors

#	ARTICLE	IF	CITATIONS
1	Revisiting the impact of OXTR rs53576 on empathy: A population-based study and a meta-analysis. <i>Psychoneuroendocrinology</i> , 2017, 80, 131-136.	1.3	85
2	Effect of BDNF Val66Met Polymorphism on Digital Working Memory and Spatial Localization in a Healthy Chinese Han Population. <i>Journal of Molecular Neuroscience</i> , 2009, 38, 250-256.	1.1	41
3	Dopamine beta-hydroxylase gene modulates individuals' empathic ability. <i>Social Cognitive and Affective Neuroscience</i> , 2014, 9, 1341-1345.	1.5	28
4	Variations in 5-HT2A Influence Spatial Cognitive Abilities and Working Memory. <i>Canadian Journal of Neurological Sciences</i> , 2011, 38, 303-308.	0.3	23
5	Revisiting the relationships of 2D:4D with androgen receptor (AR) gene and current testosterone levels: Replication study and meta-analyses. <i>Journal of Neuroscience Research</i> , 2020, 98, 353-370.	1.3	22
6	Serotonin receptor gene (5-HT1A) modulates alexithymic characteristics and attachment orientation. <i>Psychoneuroendocrinology</i> , 2014, 50, 274-279.	1.3	21
7	Serotonin receptor gene (HTR2A) T102C polymorphism modulates individuals' perspective taking ability and autistic-like traits. <i>Frontiers in Human Neuroscience</i> , 2015, 9, 575.	1.0	21
8	COMT Val158Met polymorphism influences the susceptibility to framing in decision-making: OFC amygdala functional connectivity as a mediator. <i>Human Brain Mapping</i> , 2016, 37, 1880-1892.	1.9	21
9	A field study of the association between CD38 gene and altruistic behavior: Empathic response as a mediator. <i>Psychoneuroendocrinology</i> , 2017, 85, 165-171.	1.3	19
10	Positive association of the FTSJ1 gene polymorphisms with nonsyndromic X-linked mental retardation in young Chinese male subjects. <i>Journal of Human Genetics</i> , 2008, 53, 592-597.	1.1	16
11	Genetic Variations in FTSJ1 Influence Cognitive Ability in Young Males in the Chinese Han Population. <i>Journal of Neurogenetics</i> , 2008, 22, 277-287.	0.6	15
12	An Association Study of the Genetic Polymorphisms in 13 Neural Plasticity-Related Genes with Semantic and Episodic Memories. <i>Journal of Molecular Neuroscience</i> , 2012, 46, 352-361.	1.1	15
13	Genetic Variations in COMT and DRD2 Modulate Attentional Bias for Affective Facial Expressions. <i>PLoS ONE</i> , 2013, 8, e81446.	1.1	14
14	The association between well-being and the COMT gene: Dispositional gratitude and forgiveness as mediators. <i>Journal of Affective Disorders</i> , 2017, 214, 115-121.	2.0	14
15	The association between romantic relationship status and 5-HT1A gene in young adults. <i>Scientific Reports</i> , 2015, 4, 7049.	1.6	13
16	The Effects of DBH, MAOA, and MAOB on Attentional Biases for Facial Expressions. <i>Journal of Molecular Neuroscience</i> , 2013, 49, 606-613.	1.1	12
17	The CAG polymorphism in androgen receptor (AR) gene impacts the moral permissibility of harmful behavior in females. <i>Psychoneuroendocrinology</i> , 2017, 80, 74-79.	1.3	12
18	OXTR rs53576 polymorphism impacts interpersonal adaptability: Dispositional forgiveness as a mediator. <i>Psychoneuroendocrinology</i> , 2019, 103, 8-13.	1.3	12

#	ARTICLE	IF	CITATIONS
19	The impacts of Val158Met in Catechol-O-methyltransferase (COMT) gene on moral permissibility and empathic concern. <i>Personality and Individual Differences</i> , 2017, 106, 52-56.	1.6	11
20	OXTR moderates adverse childhood experiences on depressive symptoms among incarcerated males. <i>Journal of Psychiatric Research</i> , 2021, 140, 221-227.	1.5	10
21	An Association Study on the Polymorphisms of Dopaminergic Genes with Working Memory in a Healthy Chinese Han Population. <i>Cellular and Molecular Neurobiology</i> , 2012, 32, 1011-1019.	1.7	9
22	The rs6311 of serotonin receptor 2A (5-HT2A) gene is associated with alexithymia and mental health. <i>Journal of Affective Disorders</i> , 2020, 272, 277-282.	2.0	9
23	Association Analysis Between 12 Genetic Variants of Ten Genes and Personality Traits in a Young Chinese Han Population. <i>Journal of Molecular Neuroscience</i> , 2010, 42, 120-126.	1.1	8
24	The OXTR polymorphisms are not associated with attachment dimensions: A three-approach study. <i>Psychoneuroendocrinology</i> , 2020, 120, 104780.	1.3	8
25	5-HTTLPR and COMT Val158Met are not associated with alexithymia: New evidence and meta-analyses. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 92, 263-270.	2.5	7
26	Variants in COMT and DBH Influence on Response Inhibition Ability in Chinese Han Females. <i>Cellular and Molecular Neurobiology</i> , 2011, 31, 1163-1169.	1.7	6
27	Adipose differentiation-related protein is not involved in hypoxia inducible factor-1-induced lipid accumulation under hypoxia. <i>Molecular Medicine Reports</i> , 2015, 12, 8055-8061.	1.1	6
28	Identifying new susceptibility genes on dopaminergic and serotonergic pathways for the framing effect in decision-making. <i>Social Cognitive and Affective Neuroscience</i> , 2017, 12, 1534-1544.	1.5	6
29	The 5-HTTLPR polymorphism impacts moral permissibility of impersonal harmful behaviors. <i>Social Cognitive and Affective Neuroscience</i> , 2019, 14, 911-918.	1.5	6
30	No Observable Relationship Between the 12 Genes of Nervous System and Reasoning Skill in a Young Chinese Han Population. <i>Cellular and Molecular Neurobiology</i> , 2011, 31, 519-526.	1.7	5
31	Investigating the genetic basis of attention to facial expressions. <i>Psychiatric Genetics</i> , 2016, 26, 266-271.	0.6	5
32	Association Analysis of TPH2, 5-HT2A, and 5-HT6 With Executive Function in a Young Chinese Han Population. <i>Journal of Neurogenetics</i> , 2011, 25, 27-34.	0.6	4
33	A New Role for LOC101928437 in Non-Syndromic Intellectual Disability: Findings from a Family-Based Association Test. <i>PLoS ONE</i> , 2015, 10, e0135669.	1.1	4
34	The BDNF Val66Met polymorphism impacts victim's moral emotions following interpersonal transgression. <i>Scandinavian Journal of Psychology</i> , 2021, 62, 7-12.	0.8	4
35	Independent self-construal mediates the association between CYP19A1 gene variant and subjective well-being. <i>Consciousness and Cognition</i> , 2017, 55, 205-213.	0.8	3
36	Intranasal oxytocin administration but not peripheral oxytocin regulates behaviors of attachment insecurity: A meta-analysis. <i>Psychoneuroendocrinology</i> , 2021, 132, 105369.	1.3	3

#	ARTICLE	IF	CITATIONS
37	Effect of Val66Met polymorphism in BDNF on attentional bias in an extroverted Chinese Han population. <i>Acta Neurobiologiae Experimentalis</i> , 2013, 73, 280-8.	0.4	3
38	A 9-nucleotide Ins/Del in ADRA2B modulates orientation of attention to facial expressions and emotional words. <i>Behavioural Pharmacology</i> , 2014, 25, 717-724.	0.8	2
39	The BDNF Val66Met modulates the Dark Triad: empathic concern and aggression as mediators. <i>Australian Journal of Psychology</i> , 2021, 73, 338-347.	1.4	2
40	The <i>OXTR</i> rs53576 impacts moral permissibility of attempted but failed harms in populations of students and prisoners. <i>Social Cognitive and Affective Neuroscience</i> , 2022, , .	1.5	2
41	Catechol-O-methyltransferase (COMT) gene modulates private self-consciousness and self-flexibility. <i>Consciousness and Cognition</i> , 2016, 44, 186-192.	0.8	1
42	Associations of Chinese social face with cortisol level and glucocorticoid receptor gene. <i>Current Psychology</i> , 2022, 41, 7565-7573.	1.7	1
43	Dark Triad traits mediate the interaction between childhood abuse and COMT Val158Met polymorphism on aggression among incarcerated Chinese males. <i>Current Psychology</i> , 0, , .	1.7	1
44	Parental care interacts with dopamine α -hydroxylase gene in trait of forgiveness with differential susceptibility effect. <i>Journal of Positive Psychology</i> , 2023, 18, 547-556.	2.6	0