

Nicholas J Brandon

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4271079/nicholas-j-brandon-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

132

papers

7,081

citations

41

h-index

82

g-index

142

ext. papers

8,228

ext. citations

8.3

avg, IF

5.57

L-index

#	Paper	IF	Citations
132	GABA(A)-receptor-associated protein links GABA(A) receptors and the cytoskeleton. <i>Nature</i> , 1999 , 397, 69-72	50.4	648
131	DISC1 and PDE4B are interacting genetic factors in schizophrenia that regulate cAMP signaling. <i>Science</i> , 2005 , 310, 1187-91	33.3	542
130	Activation of estrogen receptor-beta regulates hippocampal synaptic plasticity and improves memory. <i>Nature Neuroscience</i> , 2008 , 11, 334-43	25.5	381
129	Linking neurodevelopmental and synaptic theories of mental illness through DISC1. <i>Nature Reviews Neuroscience</i> , 2011 , 12, 707-22	13.5	327
128	Disrupted-in-Schizophrenia 1 (DISC1) regulates spines of the glutamate synapse via Rac1. <i>Nature Neuroscience</i> , 2010 , 13, 327-32	25.5	323
127	Neurodevelopmental mechanisms of schizophrenia: understanding disturbed postnatal brain maturation through neuregulin-1-ErbB4 and DISC1. <i>Trends in Neurosciences</i> , 2009 , 32, 485-95	13.3	273
126	Schizophrenia-related neural and behavioral phenotypes in transgenic mice expressing truncated Disc1. <i>Journal of Neuroscience</i> , 2008 , 28, 10893-904	6.6	223
125	Phosphodiesterase 10A inhibitor activity in preclinical models of the positive, cognitive, and negative symptoms of schizophrenia. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009 , 331, 574-90	4.7	222
124	Cytoskeletal changes underlie estrogen's acute effects on synaptic transmission and plasticity. <i>Journal of Neuroscience</i> , 2009 , 29, 12982-93	6.6	204
123	Developmental and genetic regulation of the human cortex transcriptome illuminate schizophrenia pathogenesis. <i>Nature Neuroscience</i> , 2018 , 21, 1117-1125	25.5	176
122	Cell surface stability of gamma-aminobutyric acid type A receptors. Dependence on protein kinase C activity and subunit composition. <i>Journal of Biological Chemistry</i> , 1999 , 274, 36565-72	5.4	152
121	GABAA receptor phosphorylation and functional modulation in cortical neurons by a protein kinase C-dependent pathway. <i>Journal of Biological Chemistry</i> , 2000 , 275, 38856-62	5.4	151
120	Understanding the role of DISC1 in psychiatric disease and during normal development. <i>Journal of Neuroscience</i> , 2009 , 29, 12768-75	6.6	147
119	A human-specific AS3MT isoform and BORCS7 are molecular risk factors in the 10q24.32 schizophrenia-associated locus. <i>Nature Medicine</i> , 2016 , 22, 649-56	50.5	112
118	DISC1 at 10: connecting psychiatric genetics and neuroscience. <i>Trends in Molecular Medicine</i> , 2011 , 17, 699-706	11.5	111
117	Multiple roles of protein kinases in the modulation of gamma-aminobutyric acid(A) receptor function and cell surface expression 2002 , 94, 113-22		111
116	Subunit-specific association of protein kinase C and the receptor for activated C kinase with GABA type A receptors. <i>Journal of Neuroscience</i> , 1999 , 19, 9228-34	6.6	110

115	The psychiatric disease risk factors DISC1 and TNIK interact to regulate synapse composition and function. <i>Molecular Psychiatry</i> , 2011 , 16, 1006-23	15.1	105
114	Selective activation of M4 muscarinic acetylcholine receptors reverses MK-801-induced behavioral impairments and enhances associative learning in rodents. <i>ACS Chemical Neuroscience</i> , 2014 , 5, 920-42	5.7	88
113	GABA(A) receptors and their associated proteins: implications in the etiology and treatment of schizophrenia and related disorders. <i>Neuropharmacology</i> , 2009 , 57, 481-95	5.5	88
112	A-kinase anchoring protein 79/150 facilitates the phosphorylation of GABA(A) receptors by cAMP-dependent protein kinase via selective interaction with receptor beta subunits. <i>Molecular and Cellular Neurosciences</i> , 2003 , 22, 87-97	4.8	86
111	KCC2 activity is critical in limiting the onset and severity of status epilepticus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 3523-8	11.5	85
110	Receptor for activated C kinase-1 facilitates protein kinase C-dependent phosphorylation and functional modulation of GABA(A) receptors with the activation of G-protein-coupled receptors. <i>Journal of Neuroscience</i> , 2002 , 22, 6353-61	6.6	81
109	O10.7. INVESTIGATING THE MECHANISMS UNDERLYING THE BENEFICIAL EFFECTS OF ESTROGENS IN SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2018 , 44, S105-S105	1.3	78
108	Interplay of palmitoylation and phosphorylation in the trafficking and localization of phosphodiesterase 10A: implications for the treatment of schizophrenia. <i>Journal of Neuroscience</i> , 2010 , 30, 9027-37	6.6	77
107	Seizing Control of KCC2: A New Therapeutic Target for Epilepsy. <i>Trends in Neurosciences</i> , 2017 , 40, 555-573	13	75
106	The behavioral and neurochemical effects of a novel D-amino acid oxidase inhibitor compound 8 [4H-thieno [3,2-b]pyrrole-5-carboxylic acid] and D-serine. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009 , 328, 921-30	4.7	74
105	Estrogen receptor α activity modulates synaptic signaling and structure. <i>Journal of Neuroscience</i> , 2010 , 30, 13454-60	6.6	72
104	Selective inhibition of KCC2 leads to hyperexcitability and epileptiform discharges in hippocampal slices and in vivo. <i>Journal of Neuroscience</i> , 2015 , 35, 8291-6	6.6	62
103	The orphan GPCR, GPR88, modulates function of the striatal dopamine system: a possible therapeutic target for psychiatric disorders?. <i>Molecular and Cellular Neurosciences</i> , 2009 , 42, 438-47	4.8	62
102	Inhibition of NUDEL (nuclear distribution element-like)-oligopeptidase activity by disrupted-in-schizophrenia 1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 3828-33	11.5	60
101	Discovery of imidazo[1,5-a]pyrido[3,2-e]pyrazines as a new class of phosphodiesterase 10A inhibitiors. <i>Journal of Medicinal Chemistry</i> , 2010 , 53, 4399-411	8.3	59
100	Highly potent, selective, and orally active phosphodiesterase 10A inhibitors. <i>Journal of Medicinal Chemistry</i> , 2011 , 54, 7621-38	8.3	55
99	Phosphodiesterase 11A in brain is enriched in ventral hippocampus and deletion causes psychiatric disease-related phenotypes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 8457-62	11.5	53
98	Deficits in spatial memory correlate with modified {gamma}-aminobutyric acid type A receptor tyrosine phosphorylation in the hippocampus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 20039-44	11.5	49

97	Biallelic Mutations in PDE10A Lead to Loss of Striatal PDE10A and a Hyperkinetic Movement Disorder with Onset in Infancy. <i>American Journal of Human Genetics</i> , 2016 , 98, 735-43	11	48
96	Potentiating KCC2 activity is sufficient to limit the onset and severity of seizures. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 10166-10171	11.5	47
95	Disrupted in Schizophrenia 1 forms pathological aggresomes that disrupt its function in intracellular transport. <i>Human Molecular Genetics</i> , 2012 , 21, 2017-28	5.6	46
94	The ability of BDNF to modify neurogenesis and depressive-like behaviors is dependent upon phosphorylation of tyrosine residues 365/367 in the GABA(A)-receptor β subunit. <i>Journal of Neuroscience</i> , 2013 , 33, 15567-77	6.6	44
93	Schizophrenia drug discovery and development in an evolving era: are new drug targets fulfilling expectations?. <i>Journal of Psychopharmacology</i> , 2015 , 29, 230-8	4.6	42
92	Estrogen receptor neurobiology and its potential for translation into broad spectrum therapeutics for CNS disorders. <i>Current Molecular Pharmacology</i> , 2009 , 2, 215-36	3.7	42
91	Fyn kinase contributes to tyrosine phosphorylation of the GABA(A) receptor gamma2 subunit. <i>Molecular and Cellular Neurosciences</i> , 2010 , 44, 129-34	4.8	41
90	Ndel1 alters its conformation by sequestering cAMP-specific phosphodiesterase-4D3 (PDE4D3) in a manner that is dynamically regulated through Protein Kinase A (PKA). <i>Cellular Signalling</i> , 2008 , 20, 2356-69	4.9	41
89	Advancing drug discovery for neuropsychiatric disorders using patient-specific stem cell models. <i>Molecular and Cellular Neurosciences</i> , 2016 , 73, 104-15	4.8	39
88	Emerging biology of PDE10A. <i>Current Pharmaceutical Design</i> , 2015 , 21, 378-88	3.3	38
87	Dissecting transcriptomic signatures of neuronal differentiation and maturation using iPSCs. <i>Nature Communications</i> , 2020 , 11, 462	17.4	37
86	Compromising the phosphodependent regulation of the GABAAR β subunit reproduces the core phenotypes of autism spectrum disorders. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 14805-10	11.5	36
85	Regulation of N-methyl-D-aspartate receptors by disrupted-in-schizophrenia-1. <i>Biological Psychiatry</i> , 2014 , 75, 414-424	7.9	36
84	Discovery of VU0467485/AZ13713945: An M PAM Evaluated as a Preclinical Candidate for the Treatment of Schizophrenia. <i>ACS Medicinal Chemistry Letters</i> , 2017 , 8, 233-238	4.3	34
83	Molecular architecture of potassium chloride co-transporter KCC2. <i>Scientific Reports</i> , 2017 , 7, 16452	4.9	34
82	Estradiol modulates the efficacy of synaptic inhibition by decreasing the dwell time of GABA receptors at inhibitory synapses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, 11763-11768	11.5	31
81	Developmental seizures and mortality result from reducing GABA receptor β -subunit interaction with collybistin. <i>Nature Communications</i> , 2018 , 9, 3130	17.4	31
80	Pharmacokinetics of oral D-serine in D-amino acid oxidase knockout mice. <i>Drug Metabolism and Disposition</i> , 2012 , 40, 2067-73	4	31

79	How has DISC1 enabled drug discovery?. <i>Molecular and Cellular Neurosciences</i> , 2008 , 37, 187-95	4.8	30
78	Deficits in the activity of presynaptic γ -aminobutyric acid type B receptors contribute to altered neuronal excitability in fragile X syndrome. <i>Journal of Biological Chemistry</i> , 2017 , 292, 6621-6632	5.4	29
77	Effects of environmental risks and polygenic loading for schizophrenia on cortical thickness. <i>Schizophrenia Research</i> , 2017 , 184, 128-136	3.6	29
76	Assessing the role of endooligopeptidase activity of Ndel1 (nuclear-distribution gene E homolog like-1) in neurite outgrowth. <i>Molecular and Cellular Neurosciences</i> , 2010 , 44, 353-61	4.8	29
75	The small molecule CLP257 does not modify activity of the K-Cl co-transporter KCC2 but does potentiate GABA receptor activity. <i>Nature Medicine</i> , 2017 , 23, 1394-1396	50.5	28
74	Balanced translocation linked to psychiatric disorder, glutamate, and cortical structure/function. <i>NPJ Schizophrenia</i> , 2016 , 2, 16024	5.5	28
73	Compromising KCC2 transporter activity enhances the development of continuous seizure activity. <i>Neuropharmacology</i> , 2016 , 108, 103-10	5.5	28
72	The clinical trial landscape in amyotrophic lateral sclerosis-Past, present, and future. <i>Medicinal Research Reviews</i> , 2020 , 40, 1352-1384	14.4	26
71	Small molecule inducers of ABCA1 and apoE that act through indirect activation of the LXR pathway. <i>Journal of Lipid Research</i> , 2018 , 59, 830-842	6.3	26
70	Challenges in the development of an M PAM in vivo tool compound: The discovery of VU0467154 and unexpected DMPK profiles of close analogs. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017 , 27, 171-175	2.9	25
69	Early postnatal GABAA receptor modulation reverses deficits in neuronal maturation in a conditional neurodevelopmental mouse model of DISC1. <i>Molecular Psychiatry</i> , 2016 , 21, 1449-59	15.1	23
68	Locally Reducing KCC2 Activity in the Hippocampus is Sufficient to Induce Temporal Lobe Epilepsy. <i>EBioMedicine</i> , 2018 , 32, 62-71	8.8	23
67	Developmental Regulation of KCC2 Phosphorylation Has Long-Term Impacts on Cognitive Function. <i>Frontiers in Molecular Neuroscience</i> , 2019 , 12, 173	6.1	23
66	Regulation of the cytoskeleton by Disrupted-in-schizophrenia 1 (DISC1). <i>Molecular and Cellular Neurosciences</i> , 2011 , 48, 359-64	4.8	23
65	Cognitive enhancement and antipsychotic-like activity following repeated dosing with the selective M PAM VU0467154. <i>Neuropharmacology</i> , 2018 , 128, 492-502	5.5	21
64	d-amino acid oxidase knockout (Dao(-/-)) mice show enhanced short-term memory performance and heightened anxiety, but no sleep or circadian rhythm disruption. <i>European Journal of Neuroscience</i> , 2015 , 41, 1167-79	3.5	21
63	D-amino acid oxidase activity is inhibited by an interaction with bassoon protein at the presynaptic active zone. <i>Journal of Biological Chemistry</i> , 2011 , 286, 28867-28875	5.4	21
62	Identification of Phosphorylation Consensus Sequences and Endogenous Neuronal Substrates of the Psychiatric Risk Kinase TNIK. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2016 , 356, 410-423	4.7	20

61	Chemoproteomics demonstrates target engagement and exquisite selectivity of the clinical phosphodiesterase 10A inhibitor MP-10 in its native environment. <i>ACS Chemical Biology</i> , 2014 , 9, 2823-32	4.9	20
60	Novel triazines as potent and selective phosphodiesterase 10A inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012 , 22, 5876-84	2.9	19
59	-Ethylmaleimide increases KCC2 cotransporter activity by modulating transporter phosphorylation. <i>Journal of Biological Chemistry</i> , 2017 , 292, 21253-21263	5.4	18
58	State-dependent alterations in sleep/wake architecture elicited by the M4 PAM VU0467154 - Relation to antipsychotic-like drug effects. <i>Neuropharmacology</i> , 2016 , 102, 244-53	5.5	17
57	Truncation of the TAR DNA-binding protein 43 is not a prerequisite for cytoplasmic relocalization, and is suppressed by caspase inhibition and by introduction of the A90V sequence variant. <i>PLoS ONE</i> , 2017 , 12, e0177181	3.7	17
56	Searching for cognitive enhancement in the Morris water maze: better and worse performance in D-amino acid oxidase knockout (Dao(-/-)) mice. <i>European Journal of Neuroscience</i> , 2016 , 43, 979-89	3.5	17
55	Schizophrenia risk variants influence multiple classes of transcripts of sorting nexin 19 (SNX19). <i>Molecular Psychiatry</i> , 2020 , 25, 831-843	15.1	17
54	Optimization of M positive allosteric modulators (PAMs): The discovery of VU0476406, a non-human primate in vivo tool compound for translational pharmacology. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017 , 27, 2296-2301	2.9	15
53	Challenges in the development of an M PAM preclinical candidate: The discovery, SAR, and biological characterization of a series of azetidine-derived tertiary amides. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017 , 27, 5179-5184	2.9	13
52	Cytoplasmic Relocalization of TAR DNA-Binding Protein 43 Is Not Sufficient to Reproduce Cellular Pathologies Associated with ALS. <i>Frontiers in Molecular Neuroscience</i> , 2017 , 10, 46	6.1	13
51	2-(Pyrrolidin-1-yl)ethyl-3,4-dihydroisoquinolin-1(2H)-one derivatives as potent and selective histamine-3 receptor antagonists. <i>Journal of Medicinal Chemistry</i> , 2012 , 55, 2452-68	8.3	13
50	Challenges in the development of an M PAM preclinical candidate: The discovery, SAR, and in vivo characterization of a series of 3-aminoazetidine-derived amides. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017 , 27, 2990-2995	2.9	12
49	Future viable models of psychiatry drug discovery in pharma. <i>Journal of Biomolecular Screening</i> , 2013 , 18, 509-21		12
48	X-ray Characterization and Structure-Based Optimization of Striatal-Enriched Protein Tyrosine Phosphatase Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2017 , 60, 9299-9319	8.3	12
47	Organization of TNIK in dendritic spines. <i>Journal of Comparative Neurology</i> , 2015 , 523, 1913-24	3.4	11
46	Increased burst-firing of ventral tegmental area dopaminergic neurons in D-amino acid oxidase knockout mice in vivo. <i>European Journal of Neuroscience</i> , 2014 , 40, 2999-3009	3.5	11
45	Identification and characterisation of a Maf1/Macoco protein complex that interacts with GABAA receptors in neurons. <i>Molecular and Cellular Neurosciences</i> , 2010 , 44, 330-41	4.8	11
44	Discovery and SAR of a novel series of potent, CNS penetrant M4 PAMs based on a non-enolizable ketone core: Challenges in disposition. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016 , 26, 4282-6	2.9	11

43	L-type voltage-gated calcium channel regulation of in vitro human cortical neuronal networks. <i>Scientific Reports</i> , 2019 , 9, 13810	4.9	10
42	Identification of a Core Amino Acid Motif within the β Subunit of GABARs that Promotes Inhibitory Synaptogenesis and Resilience to Seizures. <i>Cell Reports</i> , 2019 , 28, 670-681.e8	10.6	10
41	Disrupted in schizophrenia 1 and synaptic function in the mammalian central nervous system. <i>European Journal of Neuroscience</i> , 2014 , 39, 1068-73	3.5	10
40	Variation of Human Neural Stem Cells Generating Organizer States In Vitro before Committing to Cortical Excitatory or Inhibitory Neuronal Fates. <i>Cell Reports</i> , 2020 , 31, 107599	10.6	7
39	Taking a bird's eye view on a mouse model review: a comparison of findings from mouse models targeting DISC1 or DISC1-interacting proteins. <i>Future Neurology</i> , 2011 , 6, 661-677	1.5	7
38	Current Understanding of PDE10A in the Modulation of Basal Ganglia Circuitry. <i>Advances in Neurobiology</i> , 2017 , 17, 15-43	2.1	7
37	Developmental and genetic regulation of the human cortex transcriptome in schizophrenia		7
36	VU6005806/AZN-00016130, an advanced M positive allosteric modulator (PAM) profiled as a potential preclinical development candidate. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2019 , 29, 1714-1718	5	5
35	The cellular target of antidepressants. <i>Nature Neuroscience</i> , 2015 , 18, 1537-8	25.5	5
34	Axl receptor tyrosine kinase is a regulator of apolipoprotein E. <i>Molecular Brain</i> , 2020 , 13, 66	4.5	5
33	Estradiol reverses excitatory synapse loss in a cellular model of neuropsychiatric disorders. <i>Translational Psychiatry</i> , 2020 , 10, 16	8.6	5
32	Novel inhibitors of As(III) S-adenosylmethionine methyltransferase (AS3MT) identified by virtual screening. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2018 , 28, 3231-3235	2.9	5
31	Chorea-related mutations in PDE10A result in aberrant compartmentalization and functionality of the enzyme. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 677-688	11.5	5
30	Isolation and Characterization of Multi-Protein Complexes Enriched in the K-Cl Co-transporter 2 From Brain Plasma Membranes. <i>Frontiers in Molecular Neuroscience</i> , 2020 , 13, 563091	6.1	5
29	Phosphorylation of Glutamine Synthetase on Threonine 301 Contributes to Its Inactivation During Epilepsy. <i>Frontiers in Molecular Neuroscience</i> , 2019 , 12, 120	6.1	4
28	Tool inhibitors and assays to interrogate the biology of the TRAF2 and NCK interacting kinase. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2019 , 29, 1962-1967	2.9	4
27	PDE10A mutations help to unwrap the neurobiology of hyperkinetic disorders. <i>Cellular Signalling</i> , 2019 , 60, 31-38	4.9	4
26	Molecular And Cellular Understanding of PDE10A: A Dual-Substrate Phosphodiesterase with Therapeutic Potential to Modulate Basal Ganglia Function 2014 , 247-268		4

25	Putting Together The Pieces of Phosphodiesterase Distribution Patterns In The Brain: A Jigsaw Puzzle of Cyclic Nucleotide Regulation 2014 , 47-58		4
24	Verbal working memory and functional large-scale networks in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2017 , 270, 86-96	2.9	4
23	Uncovering the function of Disrupted in Schizophrenia 1 through interactions with the cAMP phosphodiesterase PDE4: Contributions of the Houslay lab to molecular psychiatry. <i>Cellular Signalling</i> , 2016 , 28, 749-52	4.9	4
22	KCC2 is required for the survival of mature neurons but not for their development. <i>Journal of Biological Chemistry</i> , 2021 , 296, 100364	5.4	4
21	SAR inspired by aldehyde oxidase (AO) metabolism: Discovery of novel, CNS penetrant tricyclic M PAMs. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2019 , 29, 2224-2228	2.9	3
20	Inactive USP14 and inactive UCHL5 cause accumulation of distinct ubiquitinated proteins in mammalian cells. <i>PLoS ONE</i> , 2019 , 14, e0225145	3.7	3
19	SUMOylation of DISC1: a potential role in neural progenitor proliferation in the developing cortex. <i>Molecular Neuropsychiatry</i> , 2016 , 2, 20-27	4.9	3
18	Phosphodiesterases and Cyclic Nucleotide Signaling In The CNS 2014 , 1-46		2
17	Miro ubiquitination is critical for efficient damage-induced PINK1/Parkin-mediated mitophagy		2
16	The cortico-striatal circuit regulates sensorimotor gating via Disc1/Huntingtin-mediated Bdnf transport		2
15	Compartmentalization and Regulation of Cyclic Nucleotide Signaling in The CNS 2014 , 59-76		1
14	Pharmacological Manipulation of Cyclic Nucleotide Phosphodiesterase Signaling for The Treatment of Neurological and Psychiatric Disorders In The Brain 2014 , 77-114		1
13	Emerging Role for PDE4 in Neuropsychiatric Disorders: Translating Advances from Genetic Studies Into Relevant Therapeutic Strategies 2014 , 211-222		1
12	KCC2 is required for the survival of mature neurons but not for their development		1
11	L-type voltage-gated calcium channel regulation of in vitro human cortical neuronal networks		1
10	The road ahead: A perspective of drug discovery in psychiatry in 2013 from inside an evolving industry. <i>Biochemist</i> , 2013 , 35, 24-29	0.5	1
9	Comprehensive assessment of multiple biases in small RNA sequencing reveals significant differences in the performance of widely used methods		1
8	Phosphorylation-dependent control of Arc protein by synaptic plasticity regulator TNK		1

LIST OF PUBLICATIONS

- 7 Phosphorylation-dependent control of Activity-regulated cytoskeleton-associated protein (Arc) protein by TNIK. *Journal of Neurochemistry*, **2021**, 158, 1058-1073 6 1
- 6 Recent Results In Phosphodiesterase Inhibitor Development and CNS Applications **2014**, 115-144
- 5 The Role of Phosphodiesterases in Dopamine Systems governing Motivated Behavior **2014**, 303-352
- 4 Crystal Structures of Phosphodiesterases and Implication on Discovery of Inhibitors **2014**, 145-170
- 3 Inhibition of Cyclic Nucleotide Phosphodiesterases to Regulate Memory **2014**, 171-210
- 2 Pyrrolidin-3-yl-N-methylbenzamides as potent histamine 3 receptor antagonists. *Bioorganic and Medicinal Chemistry Letters*, **2011**, 21, 5957-60 2.9
- 1 What happened when the environment met DISC1? Showing the interactive effects of poly I:C and DISC1 on mouse phenotypes related to mood disorders. *Biological Psychiatry*, **2010**, 68, 1080-1 7.9