

Sherub Phuntsho

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4271256/sherub-phuntsho-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

150
papers

5,126
citations

40
h-index

66
g-index

154
ext. papers

6,033
ext. citations

9.1
avg, IF

6.04
L-index

#	Paper	IF	Citations
150	Removal of pharmaceutical compounds from synthetic hydrolysed urine using granular activated carbon: Column study and predictive modelling. <i>Journal of Water Process Engineering</i> , 2022 , 45, 102480	6.7	1
149	Inkjet printed polyelectrolyte multilayer membrane using a polyketone support for organic solvent nanofiltration. <i>Journal of Membrane Science</i> , 2022 , 642, 119943	9.6	2
148	On-site domestic wastewater treatment system using shredded waste plastic bottles as biofilter media: Pilot-scale study on effluent standards in Bhutan. <i>Chemosphere</i> , 2022 , 286, 131729	8.4	0
147	Electrode for selective bromide removal in membrane capacitive deionisation. <i>Chemosphere</i> , 2022 , 287, 132169	8.4	1
146	Impact of source-separation of urine on treatment capacity, process design, and capital expenditure of a decentralised wastewater treatment plant.. <i>Chemosphere</i> , 2022 , 134489	8.4	0
145	Novel organic solvent nanofiltration membrane based on inkjet printing-assisted layer-by-layer assembly. <i>Journal of Membrane Science</i> , 2022 , 655, 120582	9.6	1
144	Fertiliser recovery from source-separated urine via membrane bioreactor and heat localized solar evaporation. <i>Water Research</i> , 2021 , 207, 117810	12.5	0
143	Impact of source-separation of urine on effluent quality, energy consumption and greenhouse gas emissions of a decentralized wastewater treatment plant. <i>Chemical Engineering Research and Design</i> , 2021 , 150, 298-304	5.5	10
142	Effect of graphene oxide quantum dots on the interfacial polymerization of a thin-film nanocomposite forward osmosis membrane: An experimental and molecular dynamics study. <i>Journal of Membrane Science</i> , 2021 , 630, 119309	9.6	2
141	Employing the synergistic effect between aquaporin nanostructures and graphene oxide for enhanced separation performance of thin-film nanocomposite forward osmosis membranes. <i>Desalination</i> , 2021 , 498, 114795	10.3	8
140	Exploring shredded waste PET bottles as a biofilter media for improved on-site sanitation. <i>Chemical Engineering Research and Design</i> , 2021 , 148, 370-381	5.5	2
139	Surface water treatment benefits from the presence of algae: Influence of algae on the coagulation behavior of polytitanium chloride. <i>Frontiers of Environmental Science and Engineering</i> , 2021 , 15, 1	5.8	5
138	In situ ultrathin silica layer formation on polyamide thin-film composite membrane surface for enhanced forward osmosis performances. <i>Journal of Membrane Science</i> , 2021 , 620, 118876	9.6	4
137	Salinity gradient energy generation by pressure retarded osmosis: A review. <i>Desalination</i> , 2021 , 500, 114841	10.3	21
136	Forward osmosis system design and optimization using a commercial cellulose triacetate hollow fibre membrane module for energy efficient desalination. <i>Desalination</i> , 2021 , 510, 115075	10.3	7
135	Critical flux on a submerged membrane bioreactor for nitrification of source separated urine. <i>Chemical Engineering Research and Design</i> , 2021 , 153, 518-526	5.5	1
134	Control of the antagonistic effects of heat-assisted chlorine oxidative degradation on pressure retarded osmosis thin film composite membrane surface. <i>Journal of Membrane Science</i> , 2021 , 636, 119567	9.6	2

133	Removal of pharmaceuticals from nitrified urine. <i>Chemosphere</i> , 2021 , 280, 130870	8.4	7
132	Aliphatic polyketone-based thin film composite membrane with mussel-inspired polydopamine intermediate layer for high performance osmotic power generation. <i>Desalination</i> , 2021 , 516, 115222	10.3	9
131	Submerged versus side-stream osmotic membrane bioreactors using an outer-selective hollow fiber osmotic membrane for desalination. <i>Desalination</i> , 2021 , 515, 115196	10.3	1
130	Dynamic feed spacer for fouling minimization in forward osmosis process. <i>Desalination</i> , 2021 , 515, 115198	10.3	2
129	Size-controlled graphene oxide for highly permeable and fouling-resistant outer-selective hollow fiber thin-film composite membranes for forward osmosis. <i>Journal of Membrane Science</i> , 2020 , 609, 118171	9.6	18
128	Covalent organic framework incorporated outer-selective hollow fiber thin-film nanocomposite membranes for osmotically driven desalination. <i>Desalination</i> , 2020 , 485, 114461	10.3	15
127	Surface modification of thin-film composite forward osmosis membranes with polyvinyl alcohol-graphene oxide composite hydrogels for antifouling properties. <i>Desalination</i> , 2020 , 491, 114591	10.3	23
126	Membrane bioreactors for the removal of micro-pollutants 2020 , 231-252		2
125	Sanitation and dewatering of human urine via membrane bioreactor and membrane distillation and its reuse for fertigation. <i>Journal of Cleaner Production</i> , 2020 , 270, 122390	10.3	14
124	Removal of Organic Micro-Pollutants by Conventional Membrane Bioreactors and High-Retention Membrane Bioreactors. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 2969	2.6	13
123	Influence of graphene oxide lateral size on the properties and performances of forward osmosis membrane. <i>Desalination</i> , 2020 , 484, 114421	10.3	36
122	Efficient recovery of nitrate from municipal wastewater via MCDI using anion-exchange polymer coated electrode embedded with nitrate selective resin. <i>Desalination</i> , 2020 , 484, 114425	10.3	14
121	Pilot-scale membrane capacitive deionisation for effective bromide removal and high water recovery in seawater desalination. <i>Desalination</i> , 2020 , 479, 114309	10.3	19
120	Conceptual design of a dynamic turbospacer for efficient low pressure membrane filtration. <i>Desalination</i> , 2020 , 496, 114712	10.3	10
119	Fouling and performance of outer selective hollow fiber membrane in osmotic membrane bioreactor: Cross flow and air scouring effects. <i>Bioresource Technology</i> , 2020 , 295, 122303	11	8
118	Simultaneous nitrification-denitrification using baffled osmotic membrane bioreactor-microfiltration hybrid system at different oxic-anoxic conditions for wastewater treatment. <i>Journal of Environmental Management</i> , 2020 , 253, 109685	7.9	8
117	Polyvinylidene fluoride phase design by two-dimensional boron nitride enables enhanced performance and stability for seawater desalination. <i>Journal of Membrane Science</i> , 2020 , 598, 117669	9.6	11
116	Submerged module of outer selective hollow fiber membrane for effective fouling mitigation in osmotic membrane bioreactor for desalination. <i>Desalination</i> , 2020 , 496, 114707	10.3	1

115	Urine Treatment on the International Space Station: Current Practice and Novel Approaches. <i>Membranes</i> , 2020 , 10,	3.8	11
114	Energy recovery through reverse electrodialysis: Harnessing the salinity gradient from the flushing of human urine. <i>Water Research</i> , 2020 , 186, 116320	12.5	7
113	Enhanced water permeability and osmotic power generation with sulfonate-functionalized porous polymer-incorporated thin film nanocomposite membranes. <i>Desalination</i> , 2020 , 496, 114756	10.3	14
112	Free-standing, thin-film, symmetric membranes: Next-generation membranes for engineered osmosis. <i>Journal of Membrane Science</i> , 2020 , 607, 118145	9.6	7
111	Defect-free outer-selective hollow fiber thin-film composite membranes for forward osmosis applications. <i>Journal of Membrane Science</i> , 2019 , 586, 281-291	9.6	33
110	Bromide and iodide selectivity in membrane capacitive deionisation, and its potential application to reduce the formation of disinfection by-products in water treatment. <i>Chemosphere</i> , 2019 , 234, 536-544	8.4	6
109	Effect of Brine Water on Discharge of Cations in Membrane Capacitive Deionization and Its Implications on Nitrogen Recovery from Wastewater. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 11474-11484	8.3	7
108	Human urine as a forward osmosis draw solution for the application of microalgae dewatering. <i>Journal of Hazardous Materials</i> , 2019 , 378, 120724	12.8	24
107	Recent advances in nanomaterial-modified polyamide thin-film composite membranes for forward osmosis processes. <i>Journal of Membrane Science</i> , 2019 , 584, 20-45	9.6	80
106	Thin-film composite hollow fiber membranes incorporated with graphene oxide in polyethersulfone support layers for enhanced osmotic power density. <i>Desalination</i> , 2019 , 464, 63-75	10.3	28
105	Techno-economic assessment of fertiliser drawn forward osmosis process for greenwall plants from urban wastewater. <i>Chemical Engineering Research and Design</i> , 2019 , 127, 180-188	5.5	18
104	Reuse of municipal wastewater via membrane capacitive deionization using ion-selective polymer-coated carbon electrodes in pilot-scale. <i>Chemical Engineering Journal</i> , 2019 , 372, 241-250	14.7	34
103	Efficient fouling control using outer-selective hollow fiber thin-film composite membranes for osmotic membrane bioreactor applications. <i>Bioresource Technology</i> , 2019 , 282, 9-17	11	29
102	Melamine-based covalent organic framework-incorporated thin film nanocomposite membrane for enhanced osmotic power generation. <i>Desalination</i> , 2019 , 459, 10-19	10.3	45
101	Phosphorus removal mechanisms from domestic wastewater by membrane capacitive deionization and system optimization for enhanced phosphate removal. <i>Chemical Engineering Research and Design</i> , 2019 , 126, 44-52	5.5	27
100	Energy efficient 3D printed column type feed spacer for membrane filtration. <i>Water Research</i> , 2019 , 164, 114961	12.5	38
99	Understanding the organic micropollutants transport mechanisms in the fertilizer-drawn forward osmosis process. <i>Journal of Environmental Management</i> , 2019 , 248, 109240	7.9	16
98	Wastewater management in urban Bhutan: Assessing the current practices and challenges. <i>Chemical Engineering Research and Design</i> , 2019 , 132, 82-93	5.5	10

97	The effect of Schiff base network on the separation performance of thin film nanocomposite forward osmosis membranes. <i>Separation and Purification Technology</i> , 2019 , 217, 284-293	8.3	20
96	Techno-economic feasibility of recovering phosphorus, nitrogen and water from dilute human urine via forward osmosis. <i>Water Research</i> , 2019 , 150, 47-55	12.5	48
95	Optimisation of a forward osmosis and membrane distillation hybrid system for the treatment of source-separated urine. <i>Separation and Purification Technology</i> , 2019 , 212, 368-375	8.3	48
94	Membrane capacitive deionisation as an alternative to the 2nd pass for seawater reverse osmosis desalination plant for bromide removal. <i>Desalination</i> , 2018 , 433, 113-119	10.3	42
93	Assessing the removal of organic micropollutants by a novel baffled osmotic membrane bioreactor-microfiltration hybrid system. <i>Bioresource Technology</i> , 2018 , 262, 98-106	11	34
92	Simultaneous phosphorous and nitrogen recovery from source-separated urine: A novel application for fertiliser drawn forward osmosis. <i>Chemosphere</i> , 2018 , 203, 482-489	8.4	60
91	Environmental and economic assessment of hybrid FO-RO/NF system with selected inorganic draw solutes for the treatment of mine impaired water. <i>Desalination</i> , 2018 , 429, 96-104	10.3	36
90	Forward osmosis membrane modular configurations for osmotic dilution of seawater by forward osmosis and reverse osmosis hybrid system. <i>Water Research</i> , 2018 , 128, 183-192	12.5	47
89	Hydrophilic polyvinyl alcohol coating on hydrophobic electrospun nanofiber membrane for high performance thin film composite forward osmosis membrane. <i>Desalination</i> , 2018 , 426, 50-59	10.3	106
88	Novel CA/PVDF nanofiber supports strategically designed via coaxial electrospinning for high performance thin-film composite forward osmosis membranes for desalination. <i>Desalination</i> , 2018 , 445, 63-74	10.3	38
87	Evaluating the effect of different draw solutes in a baffled osmotic membrane bioreactor-microfiltration using optical coherence tomography with real wastewater. <i>Bioresource Technology</i> , 2018 , 263, 306-316	11	15
86	Combining high performance fertiliser with surfactants to reduce the reverse solute flux in the fertiliser drawn forward osmosis process. <i>Journal of Environmental Management</i> , 2018 , 226, 217-225	7.9	12
85	Palladium Recovery through Membrane Capacitive Deionization from Metal Plating Wastewater. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 1692-1701	8.3	30
84	Fabricating robust thin film composite membranes reinforced on woven mesh backing fabric support for pressure assisted and forward osmosis: A dataset. <i>Data in Brief</i> , 2018 , 21, 364-370	1.2	7
83	Modification of Nanofiber Support Layer for Thin Film Composite forward Osmosis Membranes via Layer-by-Layer Polyelectrolyte Deposition. <i>Membranes</i> , 2018 , 8,	3.8	29
82	GreenPRO: A novel fertiliser-driven osmotic power generation process for fertigation. <i>Desalination</i> , 2018 , 447, 158-166	10.3	15
81	Forward osmosis system analysis for optimum design and operating conditions. <i>Water Research</i> , 2018 , 145, 429-441	12.5	32
80	Dual-layered nanocomposite membrane incorporating graphene oxide and halloysite nanotube for high osmotic power density and fouling resistance. <i>Journal of Membrane Science</i> , 2018 , 564, 382-393	9.6	34

79	Thin-film composite membrane on a compacted woven backing fabric for pressure assisted osmosis. <i>Desalination</i> , 2017 , 406, 98-108	10.3	29
78	Polytitanium sulfate (PTS): Coagulation application and Ti species detection. <i>Journal of Environmental Sciences</i> , 2017 , 52, 250-258	6.4	12
77	A closed-loop forward osmosis-nanofiltration hybrid system: Understanding process implications through full-scale simulation. <i>Desalination</i> , 2017 , 421, 169-178	10.3	17
76	Influence of fertilizer draw solution properties on the process performance and microbial community structure in a side-stream anaerobic fertilizer-drawn forward osmosis - ultrafiltration bioreactor. <i>Bioresource Technology</i> , 2017 , 240, 149-156	11	25
75	CF4 plasma-modified omniphobic electrospun nanofiber membrane for produced water brine treatment by membrane distillation. <i>Journal of Membrane Science</i> , 2017 , 529, 234-242	9.6	124
74	Understanding the possible underlying mechanisms for low fouling tendency of the forward osmosis and pressure assisted osmosis processes. <i>Desalination</i> , 2017 , 421, 89-98	10.3	31
73	Methane production in an anaerobic osmotic membrane bioreactor using forward osmosis: Effect of reverse salt flux. <i>Bioresource Technology</i> , 2017 , 239, 285-293	11	26
72	Environmental and economic impacts of fertilizer drawn forward osmosis and nanofiltration hybrid system. <i>Desalination</i> , 2017 , 416, 76-85	10.3	52
71	Practical considerations for operability of an 8? spiral wound forward osmosis module: Hydrodynamics, fouling behaviour and cleaning strategy. <i>Desalination</i> , 2017 , 404, 249-258	10.3	55
70	Evaluation of fertilizer-drawn forward osmosis for coal seam gas reverse osmosis brine treatment and sustainable agricultural reuse. <i>Journal of Membrane Science</i> , 2017 , 537, 22-31	9.6	43
69	Assessing the removal of organic micro-pollutants from anaerobic membrane bioreactor effluent by fertilizer-drawn forward osmosis. <i>Journal of Membrane Science</i> , 2017 , 533, 84-95	9.6	42
68	Performance of a novel baffled osmotic membrane bioreactor-microfiltration hybrid system under continuous operation for simultaneous nutrient removal and mitigation of brine discharge. <i>Bioresource Technology</i> , 2017 , 240, 50-58	11	25
67	Fertilizer drawn forward osmosis process for sustainable water reuse to grow hydroponic lettuce using commercial nutrient solution. <i>Separation and Purification Technology</i> , 2017 , 181, 18-28	8.3	48
66	Dual-layered nanocomposite substrate membrane based on polysulfone/graphene oxide for mitigating internal concentration polarization in forward osmosis. <i>Polymer</i> , 2017 , 110, 36-48	3.9	83
65	Sulfur-containing air pollutants as draw solution for fertilizer drawn forward osmosis desalination process for irrigation use. <i>Desalination</i> , 2017 , 424, 1-9	10.3	16
64	Evaluation of fertilizer-drawn forward osmosis for sustainable agriculture and water reuse in arid regions. <i>Journal of Environmental Management</i> , 2017 , 187, 137-145	7.9	71
63	Performance of a Novel Fertilizer-Drawn Forward Osmosis Aerobic Membrane Bioreactor (FDFO-MBR): Mitigating Salinity Build-Up by Integrating Microfiltration. <i>Water (Switzerland)</i> , 2017 , 9, 21	3	14
62	Impact of reverse nutrient diffusion on membrane biofouling in fertilizer-drawn forward osmosis. <i>Journal of Membrane Science</i> , 2017 , 539, 108-115	9.6	22

61	Understanding the risk of scaling and fouling in hollow fiber forward osmosis membrane application. <i>Chemical Engineering Research and Design</i> , 2016 , 104, 452-464	5.5	8
60	Selection of suitable fertilizer draw solute for a novel fertilizer-drawn forward osmosis-anaerobic membrane bioreactor hybrid system. <i>Bioresource Technology</i> , 2016 , 210, 26-34	11	59
59	Fertiliser drawn forward osmosis process: Pilot-scale desalination of mine impaired water for fertigation. <i>Journal of Membrane Science</i> , 2016 , 508, 22-31	9.6	71
58	Effect of sulphonated polyethersulfone substrate for thin film composite forward osmosis membrane. <i>Desalination</i> , 2016 , 389, 129-136	10.3	88
57	Concentrating underground brine by FO process: Influence of membrane types and spacer on membrane scaling. <i>Chemical Engineering Journal</i> , 2016 , 285, 92-100	14.7	19
56	A comprehensive review of hybrid forward osmosis systems: Performance, applications and future prospects. <i>Journal of Membrane Science</i> , 2016 , 497, 430-449	9.6	231
55	Role of various physical and chemical techniques for hollow fibre forward osmosis membrane cleaning. <i>Desalination and Water Treatment</i> , 2016 , 57, 7742-7752		5
54	Thin film composite hollow fibre forward osmosis membrane module for the desalination of brackish groundwater for fertigation. <i>Desalination</i> , 2015 , 364, 108-118	10.3	39
53	Pressure assisted fertiliser drawn osmosis process to enhance final dilution of the fertiliser draw solution beyond osmotic equilibrium. <i>Journal of Membrane Science</i> , 2015 , 481, 63-72	9.6	65
52	Investigation of pilot-scale 8040 FO membrane module under different operating conditions for brackish water desalination. <i>Desalination and Water Treatment</i> , 2015 , 53, 2782-2791		44
51	Graphene oxide incorporated polysulfone substrate for the fabrication of flat-sheet thin-film composite forward osmosis membranes. <i>Journal of Membrane Science</i> , 2015 , 493, 496-507	9.6	178
50	Fertilizer-drawn forward osmosis for irrigation of tomatoes. <i>Desalination and Water Treatment</i> , 2015 , 53, 2746-2759		25
49	Coagulation performance and floc characteristics of polytitanium tetrachloride and titanium tetrachloride compared with ferric chloride for coal mining wastewater treatment. <i>Separation and Purification Technology</i> , 2015 , 152, 94-100	8.3	30
48	Aggregation behaviour of engineered nanoparticles in natural waters: characterising aggregate structure using on-line laser light scattering. <i>Journal of Hazardous Materials</i> , 2015 , 284, 190-200	12.8	52
47	Comparison of a novel polytitanium chloride coagulant with polyaluminium chloride: coagulation performance and floc characteristics. <i>Journal of Environmental Management</i> , 2015 , 147, 194-202	7.9	52
46	Fertiliser-Drawn Forward Osmosis Desalination for Fertigation 2015 , 395-426		1
45	Enhanced Coagulation of Titanium Tetrachloride Aided by the Modified Compound Biofloculant. <i>Journal of Environmental Engineering, ASCE</i> , 2015 , 141, 04015016	2	4
44	Performances of PA hollow fiber membrane with the CTA flat sheet membrane for forward osmosis process. <i>Desalination and Water Treatment</i> , 2015 , 53, 1744-1754		11

43	Introduction: Role of Membrane Science and Technology and Forward Osmosis Processes 2015 , 1-14		
42	Draw Solutes in Forward Osmosis Processes 2015 , 85-113		3
41	Influence of the process parameters on hollow fiber-forward osmosis membrane performances. <i>Desalination and Water Treatment</i> , 2015 , 54, 817-828		25
40	Membrane scaling and flux decline during fertiliser-drawn forward osmosis desalination of brackish groundwater. <i>Water Research</i> , 2014 , 57, 172-82	12.5	91
39	Removal of natural organic matter by titanium tetrachloride: The effect of total hardness and ionic strength. <i>Journal of Environmental Management</i> , 2014 , 134, 20-9	7.9	17
38	Boron transport through polyamide-based thin film composite forward osmosis membranes. <i>Desalination</i> , 2014 , 340, 11-17	10.3	25
37	Coagulation by titanium tetrachloride for fulvic acid removal: Factors influencing coagulation efficiency and floc characteristics. <i>Desalination</i> , 2014 , 335, 70-77	10.3	30
36	Osmotic equilibrium in the forward osmosis process: Modelling, experiments and implications for process performance. <i>Journal of Membrane Science</i> , 2014 , 453, 240-252	9.6	91
35	Forward osmosis for the treatment of reverse osmosis concentrate from water reclamation: process performance and fouling control. <i>Water Science and Technology</i> , 2014 , 69, 2431-7	2.2	25
34	Stability of Fe-oxide nanoparticles coated with natural organic matter under relevant environmental conditions. <i>Water Science and Technology</i> , 2014 , 70, 2040-6	2.2	6
33	Coagulation and sludge recovery using titanium tetrachloride as coagulant for real water treatment: A comparison against traditional aluminum and iron salts. <i>Separation and Purification Technology</i> , 2014 , 130, 19-27	8.3	40
32	Characterization of coagulation behavior of titanium tetrachloride coagulant for high and low molecule weight natural organic matter removal: The effect of second dosing. <i>Chemical Engineering Journal</i> , 2013 , 228, 516-525	14.7	8
31	Preparation and characterization of novel polytitanium tetrachloride coagulant for water purification. <i>Environmental Science & Technology</i> , 2013 , 47, 12966-75	10.3	67
30	Forward osmosis desalination of brackish groundwater: Meeting water quality requirements for fertigation by integrating nanofiltration. <i>Journal of Membrane Science</i> , 2013 , 436, 1-15	9.6	99
29	Assessing the major factors affecting the performances of forward osmosis and its implications on the desalination process. <i>Chemical Engineering Journal</i> , 2013 , 231, 484-496	14.7	128
28	Performance comparison of thin-film composite forward osmosis membranes. <i>Desalination and Water Treatment</i> , 2013 , 51, 6274-6280		23
27	Comparative study of floc characteristics with titanium tetrachloride against conventional coagulants: Effect of coagulant dose, solution pH, shear force and break-up period. <i>Chemical Engineering Journal</i> , 2013 , 233, 70-79	14.7	16
26	Cationic polyacrylamide as coagulant aid with titanium tetrachloride for low molecule organic matter removal. <i>Journal of Hazardous Materials</i> , 2013 , 258-259, 84-92	12.8	45

25	Characterisation of Fe-oxide nanoparticles coated with humic acid and Suwannee River natural organic matter. <i>Science of the Total Environment</i> , 2013 , 461-462, 19-27	10.2	54
24	Assessing the aggregation behaviour of iron oxide nanoparticles under relevant environmental conditions using a multi-method approach. <i>Water Research</i> , 2013 , 47, 4585-99	12.5	37
23	Pilot-scale nanofiltration system as post-treatment for fertilizer-drawn forward osmosis desalination for direct fertigation. <i>Desalination and Water Treatment</i> , 2013 , 51, 6265-6273		25
22	MONO/DI-ammonium phosphate fertilizers as draw solutions for forward osmosis desalination. <i>IDA Journal of Desalination and Water Reuse</i> , 2013 , 5, 34-39		
21	Nanofiltration for water and wastewater treatment – a mini review. <i>Drinking Water Engineering and Science</i> , 2013 , 6, 47-53	2	101
20	Factors Affecting the Performances of Forward Osmosis Desalination Process. <i>Procedia Engineering</i> , 2012 , 44, 1449-1451		3
19	Electrocoagulation and crossflow microfiltration hybrid system: fouling investigation. <i>Desalination and Water Treatment</i> , 2012 , 43, 253-259		2
18	A review of draw solutes in forward osmosis process and their use in modern applications. <i>Desalination and Water Treatment</i> , 2012 , 43, 167-184		205
17	Blended fertilizers as draw solutions for fertilizer-drawn forward osmosis desalination. <i>Environmental Science & Technology</i> , 2012 , 46, 4567-75	10.3	146
16	Influence of temperature and temperature difference in the performance of forward osmosis desalination process. <i>Journal of Membrane Science</i> , 2012 , 415-416, 734-744	9.6	103
15	Fertiliser drawn forward osmosis desalination: the concept, performance and limitations for fertigation. <i>Reviews in Environmental Science and Biotechnology</i> , 2012 , 11, 147-168	13.9	91
14	Physical, Chemical, and Biological Characterization of Membrane Fouling 2012 , 457-503		2
13	Assessing membrane fouling potential of humic acid using flow field-flow fractionation. <i>Journal of Membrane Science</i> , 2011 , 373, 64-73	9.6	24
12	Performance evaluation of microfiltration with electrocoagulation and chemical coagulation pretreatment. <i>Desalination and Water Treatment</i> , 2011 , 34, 141-149		4
11	Membrane autopsy of a 10year old hollow fibre membrane from Sydney Olympic Park water reclamation plant. <i>Desalination</i> , 2011 , 271, 241-247	10.3	27
10	A new sponge tray bioreactor in primary treated sewage effluent treatment. <i>Bioresource Technology</i> , 2011 , 102, 5444-7	11	14
9	A novel low energy fertilizer driven forward osmosis desalination for direct fertigation: Evaluating the performance of fertilizer draw solutions. <i>Journal of Membrane Science</i> , 2011 , 375, 172-181	9.6	329
8	Solar-powered electrocoagulation system for water and wastewater treatment. <i>Desalination and Water Treatment</i> , 2011 , 32, 381-388		17

7	Determination of the Apparent Charge of Natural Organic Matter. <i>Separation Science and Technology</i> , 2010 , 45, 339-345	2.5	2
6	Studying municipal solid waste generation and composition in the urban areas of Bhutan. <i>Waste Management and Research</i> , 2010 , 28, 545-51	4	26
5	Preparation of titanium dioxide nanoparticles from electrocoagulated sludge using sacrificial titanium electrodes. <i>Environmental Science & Technology</i> , 2010 , 44, 5553-7	10.3	17
4	A study on the influence of ionic strength on the elution behaviour of membrane organic foulant using advanced separation tools. <i>Desalination and Water Treatment</i> , 2009 , 11, 38-45		8
3	Effect of photocatalysis on the membrane hybrid system for wastewater treatment. <i>Desalination</i> , 2008 , 225, 235-248	10.3	60
2	Effect of initial feed and draw flowrates on performance of an 8040 spiral-wound forward osmosis membrane element72, 1-12		4
1	Nanofiltration for water and wastewater treatment [a] mini review		4