## Hüseyin Kayadibi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4273713/publications.pdf

Version: 2024-02-01

		687363	642732
36	518	13	23
papers	citations	h-index	g-index
39	39	39	999
all docs	docs citations	times ranked	citing authors

#	Article	IF	Citations
1	Oxidation of cellular amino acid pools leads to cytotoxic mistranslation of the genetic code. ELife, 2014, 3, .	6.0	81
2	The relationship of serum uric acid with non-alcoholic fatty liver disease. Clinical Biochemistry, 2014, 47, 383-388.	1.9	62
3	Diagnostic Utility of Osteocalcin, Undercarboxylated Osteocalcin, and Alkaline Phosphatase for Osteoporosis in Premenopausal and Postmenopausal Women. Annals of Laboratory Medicine, 2012, 32, 23-30.	2.5	49
4	Diagnostic Value of Serum Prolidase Enzyme Activity to Predict the Liver Histological Lesions in Non-alcoholic Fatty Liver Disease: A Surrogate Marker to Distinguish Steatohepatitis from Simple Steatosis. Digestive Diseases and Sciences, 2009, 54, 1764-1771.	2.3	42
5	Comparison of plasma and erythrocyte membrane fatty acid compositions in patients with end-stage renal disease and type 2 diabetes mellitus. Chemistry and Physics of Lipids, 2014, 178, 11-17.	3.2	34
6	Comparison of blood gas, electrolyte and metabolite results measured with two different blood gas analyzers and a core laboratory analyzer. Scandinavian Journal of Clinical and Laboratory Investigation, 2015, 75, 97-105.	1.2	28
7	Neutrophil-lymphocyte ratio is useful for the prognosis of patients with hepatocellular carcinoma. World Journal of Gastroenterology, 2014, 20, 9631-9632.	3.3	26
8	Low Levels of Circulating Estrogen Sensitize PTEN-Null Endometrial Tumors to PARP Inhibition <i>In Vivo</i> . Molecular Cancer Therapeutics, 2013, 12, 2917-2928.	4.1	25
9	Neutrophil-to-lymphocyte ratio is not a predictor of liver histology in patients with nonalcoholic fatty liver disease. European Journal of Gastroenterology and Hepatology, 2015, 27, 1144-1148.	1.6	23
10	Serum Copper, Ceruloplasmin and 24-h Urine Copper Evaluations in Celiac Patients. Digestive Diseases and Sciences, 2008, 53, 1564-1572.	2.3	20
11	The diagnostic accuracy of the Forns index, platelet count and AST to Platelet Ratio Index derived fibrosis index for the prediction of Hepatitis C virus-related significant liver fibrosis and cirrhosis. Scandinavian Journal of Clinical and Laboratory Investigation, 2014, 74, 240-247.	1.2	16
12	Associations between erythrocyte membrane fatty acid compositions and insulin resistance in obese adolescents. Chemistry and Physics of Lipids, 2014, 184, 69-75.	3.2	15
13	The Histological Quality and Adequacy of Diminutive Colorectal Polyps Resected Using Jumbo Versus Hot Biopsy Forceps. Digestive Diseases and Sciences, 2015, 60, 217-225.	2.3	15
14	Stability of complete blood count parameters depends on the storage temperature, storage time, transport position and selected stability criterion. Scandinavian Journal of Clinical and Laboratory Investigation, 2020, 80, 470-478.	1.2	13
15	A Useful Method for the Detection of Ethylenediaminetetraacetic Acid- and Cold Agglutinin-Dependent Pseudothrombocytopenia. American Journal of the Medical Sciences, 2012, 344, 357-362.	1.1	12
16	Plasma pentraxin-3 is associated with endothelial dysfunction in non-alcoholic fatty liver disease. European Review for Medical and Pharmacological Sciences, 2016, 20, 4305-4312.	0.7	11
17	Serum dipeptidyl peptidase-IV: A better screening test for early detection of mucopolysaccharidosis?. Clinica Chimica Acta, 2014, 431, 250-254.	1.1	10
18	The Role of Suture Fixation on Mesh Contraction after Abdominal Hernia Repair. Journal of Investigative Surgery, 2009, 22, 117-121.	1.3	8

#	Article	IF	CITATIONS
19	Hitit Index to distinguish patients with and without Crimean-Congo hemorrhagic fever. Ticks and Tick-borne Diseases, 2019, 10, 1035-1040.	2.7	7
20	Erythrocyte Membrane Fatty Acids May be Superior to Plasma Fatty Acids in Patients With Type 2 Diabetes. Metabolism: Clinical and Experimental, 2015, 64, e1-e2.	3.4	4
21	Serum ADMA, endothelial dysfunction, and atherosclerosis in hypervolemic hemodialysis patients. Turkish Journal of Medical Sciences, 2018, 48, 1041-1047.	0.9	3
22	Cellular immunity in subacute thyroiditis: a new perspective through neopterin. Clinical and Experimental Immunology, 2022, 209, 109-114.	2.6	3
23	Letter: changes in <scp>FIB</scp> â€4 cutâ€off points for viral hepatitis. Alimentary Pharmacology and Therapeutics, 2017, 45, 1007-1008.	3.7	2
24	Relation of serum spondin-2 levels with cardiac morphology and inflammatory parameters in hemodialysis patients. International Urology and Nephrology, 2018, 50, 2091-2097.	1.4	2
25	Ultrasound elastography for the differential diagnosis of nipple retraction. Journal of Medical Ultrasonics (2001), 2013, 40, 429-435.	1.3	1
26	High proline-related inhibition of serum prolidase enzyme activity in scleroderma. Wiener Klinische Wochenschrift, 2016, 128, 155-155.	1.9	1
27	Re-determining the cut-off points of FIB-4 for patients monoinfected with chronic hepatitis B virus infection. Turkish Journal of Biochemistry, 2017, 42, 51-57.	0.5	1
28	Commentary on "Simple non-invasive biomarkers of advanced fibrosis in the evaluation of non-alcoholic fatty liver disease". Gastroenterology Report, 2014, 2, 325-325.	1.3	0
29	Single parameter or index to predict liver injury?. European Journal of Gastroenterology and Hepatology, 2014, 26, 1060.	1.6	O
30	Early diagnosis of autoimmune hepatitis on the basis of demographic and biochemical parameters. European Journal of Gastroenterology and Hepatology, 2014, 26, 1060-1061.	1.6	0
31	Clinical situations that lead to misinterpretation of indirect biochemical indexes in liver diseases. Clinics and Research in Hepatology and Gastroenterology, 2015, 39, e41-e42.	1.5	0
32	Importance of the selected lower FIB-4 cutoff point. European Journal of Gastroenterology and Hepatology, 2017, 29, 862-862.	1.6	0
33	Sexual Dysfunctıons in Predialysis and Hemodıalysıs Patıents and Affectıng Factors: Corum Provınce, Turkey. Sexuality and Disability, 2021, 39, 609-619.	1.0	O
34	Does the Hitit Index Work in the Differential Diagnosis of CCHF and COVID-19 with Non-Specific Findings?. Flora: the Journal of Infectious Diseses and Clinical Microbiology = Infeksiyon Hastalıkları Ve Klinik Mikrobiyoloji Dergisi, 2021, 26, 426-432.	0.1	0
35	Relationship between renal tubulointerstitial fibrosis and serum prolidase enzyme activity. Turkish Journal of Biochemistry, 2020, 45, 567-573.	0.5	O
36	COVID-19 and Crimean-Congo Hemorrhagic Fever: Is there any Similarity in Chest Radiology?. Infectious Diseases and Clinical Microbiology, 2022, 4, 1-6.	0.3	0

3